

2022 Florida Youth Substance Abuse Survey

Bay County Data Tables

Table 1. Major demographic characteristics of surveyed Bay County and Florida Statewide, 2022

	Bay County		Florida Statewide	
	N	%	N	%
Sex				
Female	411	50.9	22,957	48.3
Male	389	48.1	23,857	50.1
Race/Ethnic group				
African American	78	9.7	10,187	21.4
American Indian	19	2.4	422	0.9
Asian	27	3.3	785	1.7
Hispanic/Latino	59	7.3	10,291	21.6
Native Hawaiian/Pacific Islander	1	0.1	63	0.1
Other/Multiple	146	18.1	6,956	14.6
White, non-Hispanic	473	58.5	18,419	38.7
Parent/Guardian in the Military				
No	683	84.5	41,174	86.6
Yes	122	15.1	5,980	12.6
Age				
11	40	5.0	2,576	5.4
12	118	14.6	6,243	13.1
13	157	19.4	6,872	14.4
14	142	17.6	7,136	15.0
15	115	14.2	7,278	15.3
16	94	11.6	6,918	14.5
17	90	11.1	6,616	13.9
18	41	5.1	3,403	7.2
Grade				
6th	113	14.0	6,626	13.9
7th	142	17.6	6,817	14.3
8th	176	21.8	7,021	14.8
9th	100	12.4	7,193	15.1
10th	109	13.5	7,025	14.8
11th	84	10.4	6,557	13.8
12th	84	10.4	6,333	13.3
Middle School	431	53.3	20,463	43.0
High School	377	46.7	27,109	57.0
Total	808	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Bay County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	27.3	40.2	37.2	31.9	27.1	39.4	34.5	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	10.6	12.6	8.9	--	9.3	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	8.7	13.0	12.6	9.8	8.8	12.3	11.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	20.4	32.8	29.7	24.4	19.7	33.3	27.3	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	9.9	19.1	15.8	14.4	9.4	19.1	15.0	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	10.0	22.5	16.8	17.2	9.1	22.4	17.0	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	3.1	3.6	2.6	--	3.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	10.8	4.0	9.0	5.1	9.9	4.0	7.0	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.7	1.6	0.4	2.0	0.6	2.1	1.2	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	1.0	4.1	2.4	3.2	1.3	4.6	2.8	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.4	0.0	0.6	0.7	1.2	0.0	0.6	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.7	0.4	0.4	0.7	0.6	0.3	0.6	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.6	0.0	0.1	0.4	0.6	0.0	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.8	4.0	4.4	1.8	1.6	4.8	3.1	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	6.4	3.6	5.5	4.0	6.1	2.7	4.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	4.5	2.8	4.6	2.2	4.0	3.4	3.5	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	5.1	3.3	3.7	4.7	5.3	3.3	4.1	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.2	0.0	0.3	--	0.2	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	23.8	29.3	30.6	23.3	21.9	30.1	26.9	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	17.8	14.0	18.7	12.6	16.7	14.9	15.7	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	13.1	16.3	15.7	14.2	13.3	16.2	14.9	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	36.7	45.6	46.2	37.4	35.0	46.4	41.7	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	9.5	5.4	9.1	5.4	7.9	7.0	7.2	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Bay County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.1	16.6	14.3	12.5	8.4	16.3	13.3	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	3.1	10.6	6.0	8.6	3.1	9.6	7.3	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.5	3.0	2.6	2.1	2.0	2.7	2.3	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	7.6	15.1	14.2	9.7	7.6	14.8	11.8	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	4.4	9.7	8.1	6.7	4.4	8.8	7.3	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.8	10.4	7.9	8.1	4.4	9.7	8.0	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.7	0.9	0.5	--	0.6	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	3.6	0.4	2.3	1.4	3.1	0.8	1.8	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.5	0.1	0.2	0.4	0.5	0.1	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.1	1.0	0.8	0.4	0.1	1.0	0.6	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.3	0.0	0.0	0.2	0.2	0.0	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.5	0.6	0.2	0.8	0.4	0.5	0.5	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.0	0.5	0.3	0.2	0.0	0.6	0.3	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	3.9	0.8	1.9	2.4	3.8	0.7	2.2	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.4	0.4	1.3	0.4	1.2	0.3	0.8	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	2.0	1.1	0.9	2.1	2.4	0.4	1.5	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	11.8	12.6	13.0	11.8	11.4	11.8	12.3	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	8.2	3.5	5.9	5.4	8.0	3.5	5.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	4.6	8.9	7.4	6.8	4.2	9.0	7.0	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	16.3	21.6	20.3	18.6	15.5	20.8	19.3	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	7.3	5.0	6.0	6.1	7.2	4.5	6.0	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Bay County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	30.4	63.0	48.4	26.5	60.5	45.2	23.0	51.1	38.8	21.3	52.2	38.5	22.7	46.9	36.4	27.3	40.2	34.5
Blacking Out	--	--	--	--	28.5	--	--	16.7	--	--	17.8	--	--	15.7	--	--	10.6	--
Cigarettes	17.0	35.3	27.1	16.0	36.5	27.3	13.2	25.9	20.3	10.4	22.8	17.2	10.0	17.1	14.0	8.7	13.0	11.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	21.0	39.5	31.5	20.4	32.8	27.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	11.2	24.4	18.7	9.9	19.1	15.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	17.4	41.7	31.0	18.6	46.0	33.7	--	--	--	--	--	--
Marijuana or Hashish	10.7	38.1	25.9	11.2	40.8	27.5	8.2	32.3	21.7	9.4	32.6	22.2	12.2	32.4	23.6	10.0	22.5	17.0
Synthetic Marijuana	--	17.3	--	--	12.5	--	--	7.1	--	--	3.2	--	--	4.2	--	--	3.1	--
Inhalants	11.9	8.1	9.8	8.8	6.2	7.4	6.6	3.1	4.6	10.0	5.8	7.7	9.6	6.9	8.1	10.8	4.0	7.0
Club Drugs	1.5	4.6	3.2	1.1	3.6	2.5	1.5	3.2	2.4	0.6	1.9	1.3	1.9	2.2	2.1	0.7	1.6	1.2
LSD, PCP or Mushrooms	2.3	4.6	3.6	1.6	7.1	4.6	1.3	7.4	4.8	0.2	3.9	2.2	1.1	3.2	2.3	1.0	4.1	2.8
Methamphetamine	1.1	2.0	1.6	0.6	1.9	1.3	0.5	0.6	0.6	0.4	1.2	0.8	2.1	1.2	1.6	1.4	0.0	0.6
Cocaine or Crack	1.8	3.2	2.5	1.6	2.9	2.3	1.0	2.9	2.1	1.3	2.6	2.0	1.6	1.4	1.5	0.7	0.4	0.6
Heroin	0.9	1.3	1.1	0.7	1.0	0.8	0.8	0.3	0.5	0.7	0.5	0.5	0.8	0.8	0.8	0.6	0.0	0.3
Prescription Depressants	3.3	10.0	7.0	2.7	9.9	6.7	4.1	10.9	7.9	3.5	10.0	7.1	4.0	6.2	5.2	1.8	4.0	3.1
Prescription Pain Relievers	5.0	10.6	8.1	3.0	10.8	7.3	3.6	8.5	6.4	3.4	6.3	5.0	3.2	6.0	4.8	6.4	3.6	4.8
Prescription Amphetamines	2.4	8.2	5.6	2.0	11.4	7.2	2.3	7.8	5.4	1.7	6.4	4.3	4.5	5.8	5.2	4.5	2.8	3.5
Over-the-Counter Drugs	4.7	8.0	6.5	3.9	9.3	6.8	3.1	5.5	4.4	5.6	6.7	6.2	3.6	6.3	5.1	5.1	3.3	4.1
Needle to Inject Drugs	--	--	--	--	--	--	--	0.9	--	--	0.7	--	--	0.0	--	--	0.2	--
Any illicit drug	21.8	44.9	34.5	19.7	49.3	35.9	18.3	37.2	28.9	18.6	38.8	29.8	23.9	42.0	34.2	23.8	29.3	26.9
Any illicit drug other than marijuana	17.9	24.4	21.5	12.9	30.2	22.4	13.9	20.9	17.9	15.3	20.8	18.3	15.6	20.1	18.1	17.8	14.0	15.7
Alcohol only	14.9	22.4	19.0	12.5	17.7	15.4	11.8	18.6	15.6	9.0	19.5	14.9	8.9	14.6	12.1	13.1	16.3	14.9
Alcohol or any illicit drug	36.8	66.9	53.5	32.2	66.6	51.1	29.8	55.8	44.3	27.2	58.3	44.4	32.7	56.6	46.2	36.7	45.6	41.7
Any illicit drug, but no alcohol	6.4	4.0	5.1	6.0	6.1	6.1	7.1	4.8	5.8	5.9	6.2	6.0	10.3	9.8	10.0	9.5	5.4	7.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Bay County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	11.0	33.4	23.4	10.4	35.8	24.4	9.4	27.2	19.3	7.8	26.0	17.9	8.9	20.4	15.4	9.1	16.6	13.3
Binge Drinking	4.3	17.2	11.4	3.7	19.8	12.5	3.2	11.7	8.0	2.8	9.0	6.2	4.0	9.7	7.2	3.1	10.6	7.3
Cigarettes	5.8	15.1	10.9	4.0	11.4	8.1	2.2	7.5	5.1	2.3	6.1	4.4	2.7	2.6	2.7	1.5	3.0	2.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	9.7	19.2	15.1	7.6	15.1	11.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.5	10.1	8.1	4.4	9.7	7.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	6.8	16.5	12.2	9.4	28.2	19.7	--	--	--	--	--	--
Marijuana or Hashish	5.9	20.0	13.8	6.0	24.1	15.9	3.6	16.8	11.1	4.2	15.9	10.7	5.6	14.9	10.9	4.8	10.4	8.0
Synthetic Marijuana	--	4.5	--	--	2.3	--	--	0.3	--	--	1.2	--	--	1.2	--	--	0.7	--
Inhalants	4.6	2.6	3.5	3.1	1.9	2.5	2.3	0.7	1.4	4.8	1.7	3.1	3.2	2.2	2.6	3.6	0.4	1.8
Club Drugs	0.1	1.8	1.1	0.3	1.2	0.8	0.4	1.7	1.1	0.2	0.4	0.3	1.2	0.7	0.9	0.5	0.1	0.3
LSD, PCP or Mushrooms	1.0	1.5	1.3	0.4	2.2	1.4	0.2	1.4	0.9	0.1	0.7	0.4	0.5	0.8	0.7	0.1	1.0	0.6
Methamphetamine	0.5	1.0	0.8	0.1	0.5	0.4	0.2	0.0	0.1	0.0	0.4	0.2	1.0	0.6	0.8	0.3	0.0	0.1
Cocaine or Crack	0.8	1.1	1.0	0.5	0.5	0.5	0.6	0.7	0.6	0.7	0.3	0.5	0.5	0.0	0.2	0.5	0.6	0.5
Heroin	0.3	0.6	0.4	0.6	0.0	0.3	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.2	0.1	0.0	0.0	0.0
Prescription Depressants	1.0	4.7	3.1	0.6	3.5	2.2	1.4	4.1	2.9	1.7	2.0	1.9	1.4	1.4	1.4	0.0	0.5	0.3
Prescription Pain Relievers	2.0	4.0	3.1	0.9	4.3	2.8	1.6	2.4	2.1	0.9	0.6	0.7	2.3	1.4	1.8	3.9	0.8	2.2
Prescription Amphetamines	1.1	2.8	2.1	1.0	4.3	2.8	1.2	2.1	1.7	0.9	1.9	1.4	1.6	1.9	1.8	1.4	0.4	0.8
Over-the-Counter Drugs	1.9	2.7	2.4	1.6	4.1	3.0	1.4	1.8	1.6	1.1	1.9	1.6	1.2	2.4	1.9	2.0	1.1	1.5
Any illicit drug	11.1	24.4	18.5	9.2	30.4	20.8	8.8	19.5	14.8	9.8	18.6	14.7	11.9	20.7	16.9	11.8	12.6	12.3
Any illicit drug other than marijuana	8.3	11.4	10.0	6.0	13.0	9.8	6.8	7.9	7.4	7.5	6.3	6.9	7.8	7.1	7.4	8.2	3.5	5.6
Alcohol only	5.8	15.4	11.1	5.7	14.7	10.6	5.8	16.2	11.6	4.6	12.8	9.2	3.8	9.4	7.0	4.6	8.9	7.0
Alcohol or any illicit drug	16.7	39.7	29.4	14.6	44.7	31.2	14.4	35.1	26.0	13.8	31.0	23.3	15.7	30.2	23.9	16.3	21.6	19.3
Any illicit drug, but no alcohol	5.8	6.5	6.2	4.3	9.2	7.0	5.2	8.1	6.8	6.1	5.3	5.7	7.0	9.7	8.5	7.3	5.0	6.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Bay County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.9	18.9	20.6	--	20.0	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.1	2.1	4.1	--	3.6	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	6.8	7.4	6.4	--	6.2	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.1	9.0	5.3	--	7.7	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	44.4	37.4	42.5	38.2	44.3	36.8	40.5	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	60.8	49.3	57.5	51.0	59.5	49.4	54.4	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	66.2	61.2	63.3	63.5	66.1	61.2	63.4	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	46.7	33.4	39.5	39.1	45.3	33.4	39.3	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	49.7	30.1	38.4	39.0	47.4	30.2	38.8	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	44.1	23.7	33.3	31.8	41.9	22.9	32.7	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	29.5	14.4	22.4	19.7	27.9	12.4	21.1	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.3	69.4	70.4	70.6	71.6	70.1	70.2	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	97.0	87.0	89.3	93.4	96.7	88.5	91.4	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	85.7	70.4	74.2	79.6	86.3	70.8	77.2	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	90.4	68.6	76.1	79.9	88.8	68.7	78.2	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	88.2	75.5	76.1	85.7	88.0	76.0	81.1	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	90.8	74.9	78.6	84.9	90.7	74.5	81.9	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.6	93.4	95.5	95.9	98.1	93.7	95.7	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	90.5	80.9	84.9	85.3	89.3	80.7	85.1	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	93.6	84.2	86.5	90.1	93.2	83.8	88.4	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	89.7	69.1	76.5	79.6	89.2	67.5	78.2	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	82.7	70.6	68.9	82.6	82.7	68.9	75.9	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	87.1	71.9	73.9	82.9	86.9	69.7	78.6	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	94.9	92.9	93.1	94.3	94.8	92.1	93.8	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Bay County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	28.7	--	--	20.7	--	--	19.2	--	--	17.7	--	--	15.2	--	--	19.9	--
Drink monthly	--	6.3	--	--	4.4	--	--	3.9	--	--	2.6	--	--	2.7	--	--	3.1	--
Smoke cigarettes	--	21.2	--	--	17.9	--	--	13.5	--	--	10.3	--	--	7.7	--	--	6.8	--
Smoke marijuana	--	12.7	--	--	13.4	--	--	14.5	--	--	8.9	--	--	8.8	--	--	7.1	--
Great risk of harm																		
Daily alcohol use	45.7	33.0	38.7	43.7	33.0	37.8	44.0	36.6	39.9	49.5	39.9	44.2	46.0	42.6	44.1	44.4	37.4	40.5
5+ drinks daily	--	--	--	58.1	42.3	49.3	59.8	47.5	52.9	61.3	55.4	58.1	60.4	53.7	56.6	60.8	49.3	54.4
Daily cigarette use	70.0	68.4	69.1	67.0	68.2	67.6	66.9	66.1	66.5	67.2	69.6	68.5	67.1	72.6	70.2	66.2	61.2	63.4
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	46.2	41.1	43.3	46.7	33.4	39.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	48.4	37.7	42.4	49.7	30.1	38.8
Marijuana weekly*	--	--	--	51.9	23.1	36.0	54.3	25.3	38.0	49.3	26.7	36.9	45.6	25.3	34.1	44.1	23.7	32.7
Try marijuana	36.6	16.9	25.6	36.8	13.8	24.0	38.0	14.9	25.0	32.5	17.2	24.1	30.3	20.4	24.7	29.5	14.4	21.1
Prescription drugs	--	66.3	66.3	72.4	63.8	67.6	69.5	66.7	68.0	68.7	69.8	69.3	68.5	71.0	69.9	71.3	69.4	70.2
Think it wrong																		
Smoke cigarettes	91.6	71.5	80.5	90.3	76.6	82.8	94.5	80.8	86.8	94.7	86.7	90.3	94.4	89.3	91.5	97.0	87.0	91.4
Drink regularly	85.6	58.6	70.6	84.6	53.9	67.7	88.2	64.7	75.1	88.8	65.6	76.0	89.5	67.4	77.0	85.7	70.4	77.2
Smoke marijuana	89.2	66.1	76.4	85.7	59.8	71.3	87.5	61.9	73.1	87.4	60.1	72.4	86.4	63.2	73.3	90.4	68.6	78.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	89.6	75.0	81.3	88.2	75.5	81.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	90.3	72.3	80.1	90.8	74.9	81.9
Other illicit drugs	97.3	94.2	95.6	96.8	92.3	94.3	97.5	93.2	95.1	97.4	95.2	96.2	97.2	92.4	94.5	98.6	93.4	95.7
Friends think it wrong																		
Daily alcohol use	--	--	--	87.7	68.3	76.9	89.3	79.8	84.0	92.3	81.6	86.4	88.6	81.1	84.4	90.5	80.9	85.1
Smoke tobacco	--	--	--	90.4	73.2	80.9	92.9	81.5	86.5	93.2	85.8	89.1	93.7	87.0	89.9	93.6	84.2	88.4
Smoke marijuana	--	--	--	86.2	53.8	68.2	86.1	60.1	71.6	85.6	57.7	70.2	85.0	62.2	72.2	89.7	69.1	78.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.9	65.2	72.9	82.7	70.6	75.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	88.8	66.2	76.0	87.1	71.9	78.6
Prescription drugs	--	--	--	95.7	84.7	89.6	94.6	86.1	89.9	95.6	89.8	92.4	93.8	92.9	93.3	94.9	92.9	93.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Bay County and Florida Statewide youth, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	16.1	6.1	23.6	--	16.1	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	11.9	15.8	8.9	--	11.9	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	42.3	61.2	27.9	--	42.3	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	7.0	5.1	8.5	--	7.0	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	22.8	11.7	31.1	--	22.8	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Bay County and Florida Statewide youth, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	45.6	43.6	47.3	--	45.6	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	31.8	36.0	28.1	--	31.8	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	2.4	5.3	0.0	--	2.4	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	2.1	0.0	3.9	--	2.1	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	3.6	0.9	6.0	--	3.6	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	14.4	14.2	14.7	--	14.4	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bay County and Florida Statewide youth, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	28.5	30.7	26.5	--	28.5	--	--	34.2	36.6	31.0	--	34.2	--
2	--	15.9	20.1	12.1	--	15.9	--	--	20.0	22.2	16.3	--	20.0	--
3	--	13.6	17.9	9.8	--	13.6	--	--	15.7	15.6	15.9	--	15.7	--
4	--	10.0	10.5	9.6	--	10.0	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	32.0	20.8	42.0	--	32.0	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Bay County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.8	6.4	8.1	3.5	5.0	5.9	5.7	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.6	10.1	10.0	5.4	4.6	10.4	7.6	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	3.1	3.4	5.0	1.6	2.9	3.3	3.3	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Bay County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.2	4.2	4.5	10.2	10.3	4.4	7.3	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	2.2	1.5	1.1	2.5	1.7	1.0	1.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.4	0.7	0.7	0.4	0.4	0.9	0.6	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.7	2.3	2.0	2.1	1.5	2.0	2.0	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.6	0.6	0.8	0.4	0.6	0.0	0.6	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	16.4	11.0	10.3	16.7	16.9	10.6	13.4	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.7	3.6	7.9	6.7	9.7	4.2	7.2	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Bay County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.2	4.1	5.0	6.5	6.4	6.5	6.1	6.6	6.4	5.8	6.9	6.4	9.0	9.5	9.3	11.2	4.2	7.3
Selling drugs	3.1	7.5	5.5	2.2	8.1	5.5	1.7	6.2	4.2	0.9	5.3	3.4	2.3	5.7	4.2	2.2	1.5	1.8
Attempting to steal a vehicle	1.8	1.1	1.4	0.5	3.1	1.9	0.7	2.0	1.5	0.5	1.8	1.3	1.0	1.3	1.2	0.4	0.7	0.6
Being arrested	4.0	3.0	3.4	2.0	4.8	3.6	1.8	4.5	3.3	1.5	2.7	2.2	3.3	2.5	2.9	1.7	2.3	2.0
Taking a handgun to school	0.6	0.3	0.4	0.8	1.0	0.9	0.1	1.3	0.8	0.1	0.4	0.3	0.2	1.6	1.0	0.6	0.6	0.6
Getting suspended	16.5	8.5	12.0	13.6	9.2	11.2	11.6	9.1	10.2	12.3	7.3	9.5	18.0	9.4	13.2	16.4	11.0	13.4
Attacking someone with intent to harm	8.0	6.9	7.4	8.4	3.4	5.6	6.9	7.2	7.1	7.4	3.3	5.1	6.9	5.8	6.3	11.7	3.6	7.2

Table 14. Percentages of Bay County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	33.5	34.0	41.6	25.3	32.4	36.4	33.8	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	48.6	46.0	59.8	34.1	48.2	47.0	47.2	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	31.4	34.3	43.6	21.7	31.0	36.1	33.0	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.9	48.3	60.2	39.6	51.1	49.8	49.9	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	39.5	37.3	48.4	27.3	37.7	40.3	38.3	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.9	8.9	14.5	5.0	10.1	9.3	9.8	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Bay County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.9	11.6	16.8	4.2	10.9	11.7	10.9	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	54.7	28.4	44.2	35.5	51.3	31.0	40.0	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	76.4	55.2	73.2	55.5	72.9	58.1	64.6	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	35.3	32.8	45.9	21.7	34.4	34.1	33.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	24.8	12.8	17.4	19.0	22.9	14.2	18.1	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	40.7	25.9	34.0	30.8	40.7	27.2	32.5	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	13.3	10.1	15.0	7.9	14.2	8.6	11.5	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Bay County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	16.6	23.6	9.6	--	17.0	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	11.4	15.2	7.8	--	12.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.1	10.2	2.1	--	4.8	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	41.9	45.8	38.0	--	43.4	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	10.6	14.7	6.9	--	10.0	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	29.1	34.6	23.6	--	29.3	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	37.7	49.2	25.9	--	39.5	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	25.3	27.9	21.8	--	24.9	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	32.5	41.3	23.7	--	34.7	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.4	8.7	5.9	--	6.9	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Bay County and Florida Statewide high school youth, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	30.2	25.6	35.0	--	27.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	21.4	16.6	26.2	--	21.8	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	13.5	12.2	14.6	--	14.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.0	11.6	8.6	--	11.1	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	7.8	8.4	7.0	--	7.8	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	6.0	9.8	2.5	--	6.6	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.6	6.9	1.9	--	4.3	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	3.4	4.5	2.4	--	4.2	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.7	1.7	1.8	--	1.7	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	1.0	2.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.4	0.8	0.0	--	0.5	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Bay County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	32.2	27.3	32.3	26.9	30.7	29.1	29.4	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	30.1	25.2	28.8	26.3	29.7	25.1	27.4	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	31.0	27.8	32.7	25.7	29.7	29.7	29.3	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	27.0	24.1	27.7	23.2	24.8	26.3	25.4	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	36.5	22.4	33.0	24.3	34.3	24.0	28.6	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	53.1	36.2	53.2	34.3	50.6	38.3	43.8	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Bay County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Bay County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	44.0	44.1	40.1	48.6	44.0	46.1	44.0	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	39.8	23.3	29.6	32.0	39.2	23.3	30.6	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	18.8	8.5	12.5	13.6	16.8	10.7	13.1	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	23.3	37.1	37.9	24.4	22.8	39.6	31.0	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	7.7	11.5	10.8	9.0	8.2	10.1	9.8	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Bay County and Florida Statewide youth, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	15.7	18.9	12.4	--	15.8	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	15.4	15.7	15.0	--	15.7	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	3.8	1.3	6.3	--	2.6	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	5.5	4.8	6.2	--	5.3	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Bay County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	21.7	--	--	21.1	--	--	15.5	--	--	14.5	--	--	14.4	--	--	15.7	--
Marijuana	--	25.4	--	--	26.4	--	--	21.7	--	--	21.7	--	--	22.0	--	--	15.4	--
<i>Driving a vehicle</i>																		
Alcohol	--	9.7	--	--	8.9	--	--	5.7	--	--	3.5	--	--	3.6	--	--	3.8	--
Marijuana	--	11.6	--	--	16.0	--	--	10.2	--	--	8.5	--	--	9.7	--	--	5.5	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Bay County and Florida Statewide youth, 2022

	Bay County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	64.2	66.2	62.6	68.9	64.7	64.8	65.4	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	23.4	28.4	29.4	22.2	22.9	30.0	26.2	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	12.3	5.3	8.0	8.9	12.4	5.2	8.4	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	13.4	16.5	8.9	21.6	13.5	16.9	15.2	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	9.8	11.0	10.8	10.0	10.0	12.0	10.5	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	37.6	34.0	28.7	42.9	37.6	31.7	35.6	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	20.7	24.5	30.0	16.0	20.5	25.5	22.8	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	18.4	14.0	21.6	9.4	18.4	13.9	16.0	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Bay County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Bay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	46	49	53	55	59	54
	Family Rewards for Prosocial Involvement	45	46	46	49	54	55
School	School Opportunities for Prosocial Involvement	49	56	51	60	57	60
	School Rewards for Prosocial Involvement	42	51	45	56	53	58
Peer and Individual	Religiosity	45	55	36	46	56	62
Average Prevalence Rate		45	51	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Bay County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Bay County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	47	30	41	29	42	42
	Perceived Availability of Drugs	43	15	33	15	45	45
	Perceived Availability of Handguns	33	34	25	30	25	42
Family	Poor Family Management	52	36	47	34	44	45
	Family Conflict	50	31	43	34	42	37
School	Poor Academic Performance	56	47	48	48	45	48
	Lack of Commitment to School	79	74	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	38	52	39	40	46
	Favorable Attitudes toward ATOD Use	37	31	33	29	39	45
	Early Initiation of Drug Use	27	17	21	13	41	46
Average Prevalence Rate		48	35	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Bay County, 2012 to 2022

Domain	Scale	Bay County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	61	62	58	60	58	46
	Family Rewards for Prosocial Involvement	58	55	56	50	52	45
School	School Opportunities for Prosocial Involvement	54	54	61	54	46	49
	School Rewards for Prosocial Involvement	53	51	52	49	45	42
Peer and Individual	Religiosity	60	55	56	50	40	45
Average Prevalence Rate		57	55	57	53	48	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Bay County, 2012 to 2022

Domain	Scale	Bay County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	38	39	37	34	40	47
	Perceived Availability of Drugs	42	40	37	36	37	43
	Perceived Availability of Handguns	31	33	29	29	29	33
Family	Poor Family Management	38	41	40	37	46	52
	Family Conflict	42	39	38	40	44	50
School	Poor Academic Performance	43	46	45	44	51	56
	Lack of Commitment to School	49	55	53	61	73	79
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	43	39	40	48	53
	Favorable Attitudes toward ATOD Use	36	36	32	36	36	37
	Early Initiation of Drug Use	31	28	24	26	28	27
Average Prevalence Rate		39	40	37	38	43	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Bay County, 2012 to 2022

Domain	Scale	Bay County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	60	62	60	56	49
	Family Rewards for Prosocial Involvement	54	63	58	53	51	46
School	School Opportunities for Prosocial Involvement	58	67	67	68	61	56
	School Rewards for Prosocial Involvement	64	62	65	60	57	51
Peer and Individual	Religiosity	65	62	60	57	53	55
Average Prevalence Rate		59	63	62	60	56	51

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Bay County, 2012 to 2022

Domain	Scale	Bay County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	37	34	30	32	31	30
	Perceived Availability of Drugs	33	35	30	23	21	15
	Perceived Availability of Handguns	40	45	41	31	39	34
Family	Poor Family Management	38	39	37	30	33	36
	Family Conflict	34	32	34	33	33	31
School	Poor Academic Performance	42	39	45	43	44	47
	Lack of Commitment to School	45	52	51	58	64	74
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	37	39	31	30	37	38
	Favorable Attitudes toward ATOD Use	40	46	40	36	36	31
	Early Initiation of Drug Use	35	34	27	21	22	17
Average Prevalence Rate		38	40	37	34	36	35

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.