

# **2022 Florida Youth Substance Abuse Survey**

**Bradford County Data Tables**



**Table 1. Major demographic characteristics of surveyed Bradford County and Florida Statewide, 2022**

	Bradford County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	187	51.7	22,957	48.3
Male	175	48.3	23,857	50.1
<b>Race/Ethnic group</b>				
African American	89	24.6	10,187	21.4
American Indian	7	1.9	422	0.9
Asian	1	0.3	785	1.7
Hispanic/Latino	10	2.8	10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0	63	0.1
Other/Multiple	63	17.4	6,956	14.6
White, non-Hispanic	188	51.9	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	287	79.3	41,174	86.6
Yes	73	20.2	5,980	12.6
<b>Age</b>				
11	26	7.2	2,576	5.4
12	59	16.3	6,243	13.1
13	67	18.5	6,872	14.4
14	65	18.0	7,136	15.0
15	58	16.0	7,278	15.3
16	46	12.7	6,918	14.5
17	34	9.4	6,616	13.9
18	6	1.7	3,403	7.2
<b>Grade</b>				
6th	72	19.9	6,626	13.9
7th	60	16.6	6,817	14.3
8th	59	16.3	7,021	14.8
9th	68	18.8	7,193	15.1
10th	51	14.1	7,025	14.8
11th	39	10.8	6,557	13.8
12th	13	3.6	6,333	13.3
<b>Middle School</b>	191	52.8	20,463	43.0
<b>High School</b>	171	47.2	27,109	57.0
<b>Total</b>	<b>362</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Bradford County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.9	39.9	35.3	27.6	23.6	42.6	31.5	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	12.4	12.0	13.0	--	13.8	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	8.4	5.8	8.0	5.9	9.2	5.2	7.0	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	17.4	29.6	29.5	18.2	18.5	33.3	24.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	4.5	11.6	11.0	5.6	5.8	11.7	8.4	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	5.8	20.4	17.2	10.0	6.9	22.7	13.7	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.3	1.0	3.8	--	0.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	5.7	0.9	4.9	1.4	5.6	0.6	3.2	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.6	1.1	1.1	0.6	1.1	0.7	0.9	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	2.0	1.9	1.7	2.2	2.3	1.8	2.0	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.6	0.0	0.0	0.5	0.5	0.0	0.3	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	1.4	0.0	0.0	1.3	1.3	0.0	0.6	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	2.4	1.6	1.6	2.3	3.1	0.8	2.0	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.1	1.5	3.1	2.2	4.6	0.7	2.7	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.4	0.9	1.4	1.8	3.1	0.0	1.6	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	0.5	3.2	2.1	1.9	1.0	3.4	2.0	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.5	0.0	0.9	--	0.6	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	17.1	24.6	24.7	17.4	17.6	25.7	21.1	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	13.7	5.7	9.7	9.0	13.3	5.9	9.4	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	12.4	20.3	16.9	16.4	13.3	20.4	16.6	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	29.5	44.9	41.5	33.9	30.7	46.2	37.8	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	7.8	5.8	6.4	7.1	7.6	4.3	6.7	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Bradford County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.5	15.4	15.0	10.1	9.6	17.9	12.7	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	5.1	7.8	5.4	7.8	4.5	9.7	6.6	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.6	0.0	0.0	0.5	0.5	0.0	0.3	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	7.2	16.5	17.1	7.1	8.2	18.5	12.2	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	2.2	5.9	4.8	3.7	2.5	6.1	4.2	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	2.7	9.7	8.7	4.2	2.9	10.7	6.5	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.3	0.0	2.6	--	0.0	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.7	0.0	2.2	0.2	2.4	0.0	1.2	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	0.5	0.5	0.0	0.5	0.0	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.5	0.5	0.8	0.2	1.0	0.0	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.3	0.0	0.0	0.2	0.2	0.0	0.1	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.3	0.0	0.0	0.2	0.2	0.0	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.3	0.0	0.0	0.2	0.2	0.0	0.1	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.0	0.5	0.5	0.0	0.5	0.0	0.3	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.0	0.8	1.1	0.7	1.3	0.5	0.9	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.6	2.2	1.9	1.0	1.1	2.1	1.5	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	5.6	13.7	13.4	6.3	6.0	13.6	9.9	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	3.2	3.0	4.6	1.5	3.8	2.6	3.1	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	5.5	10.9	7.9	8.8	5.4	12.9	8.3	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	11.0	24.0	21.2	14.7	11.3	25.8	18.0	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	1.6	8.6	5.5	5.0	1.8	7.8	5.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Bradford County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	37.6	62.5	50.6	25.2	49.8	37.9	20.3	50.1	37.6	21.1	53.7	39.2	21.9	36.0	28.9	21.9	39.9	31.5
Blacking Out	--	--	--	--	16.8	--	--	23.5	--	--	21.8	--	--	15.3	--	--	12.4	--
Cigarettes	20.4	34.8	27.9	17.1	30.3	23.9	15.5	26.9	21.9	11.3	23.3	17.9	15.8	10.9	13.3	8.4	5.8	7.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	25.9	26.8	26.4	17.4	29.6	24.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	13.4	17.2	15.3	4.5	11.6	8.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	13.5	39.6	28.3	16.5	40.8	29.8	--	--	--	--	--	--
Marijuana or Hashish	15.2	37.1	26.7	11.8	35.0	23.7	7.7	38.0	25.1	12.7	37.5	26.5	9.8	22.8	16.3	5.8	20.4	13.7
Synthetic Marijuana	--	16.8	--	--	12.5	--	--	6.2	--	--	7.4	--	--	1.9	--	--	2.3	--
Inhalants	10.1	6.4	8.2	8.8	2.7	5.7	2.9	5.7	4.5	5.2	4.0	4.5	10.9	2.6	6.7	5.7	0.9	3.2
Club Drugs	0.4	4.7	2.7	0.2	1.9	1.0	0.2	0.5	0.4	1.8	3.9	3.0	1.9	3.7	2.8	0.6	1.1	0.9
LSD, PCP or Mushrooms	2.7	5.1	4.0	0.7	3.1	1.9	1.3	2.2	1.8	2.2	3.7	3.0	4.2	4.7	4.5	2.0	1.9	2.0
Methamphetamine	2.1	1.3	1.7	0.2	0.9	0.6	0.4	0.6	0.5	1.5	1.1	1.3	2.0	1.1	1.5	0.0	0.0	0.0
Cocaine or Crack	2.9	1.8	2.3	0.5	2.5	1.5	0.2	0.5	0.4	1.5	3.7	2.8	1.5	1.9	1.7	0.6	0.0	0.3
Heroin	1.2	1.5	1.4	0.5	0.0	0.2	0.0	0.5	0.3	0.9	0.0	0.4	1.4	0.7	1.0	1.4	0.0	0.6
Prescription Depressants	1.4	5.0	3.3	0.9	4.7	2.8	2.0	7.1	4.9	1.9	7.5	4.9	0.7	3.8	2.3	2.4	1.6	2.0
Prescription Pain Relievers	3.7	10.9	7.5	2.5	3.3	2.9	1.7	7.6	5.0	3.1	7.2	5.4	2.3	0.6	1.4	4.1	1.5	2.7
Prescription Amphetamines	0.7	3.4	2.1	0.0	2.7	1.4	0.9	5.5	3.5	1.7	4.1	3.0	2.3	2.2	2.2	2.4	0.9	1.6
Over-the-Counter Drugs	3.3	7.3	5.4	4.2	4.4	4.3	1.4	6.1	4.1	2.8	6.7	5.0	5.7	3.0	4.4	0.5	3.2	2.0
Needle to Inject Drugs	--	--	--	--	--	--	--	0.6	--	--	1.4	--	--	0.7	--	--	0.5	--
Any illicit drug	22.5	43.4	33.4	20.5	40.3	30.6	12.0	43.9	30.1	15.9	41.9	30.3	25.2	29.8	27.5	17.1	24.6	21.1
Any illicit drug other than marijuana	15.4	21.5	18.6	13.6	15.1	14.4	6.7	18.0	13.1	7.7	16.0	12.3	17.8	11.8	14.8	13.7	5.7	9.4
Alcohol only	18.4	22.6	20.6	11.1	15.6	13.5	13.5	11.8	12.5	8.5	14.7	11.9	9.2	12.9	11.0	12.4	20.3	16.6
Alcohol or any illicit drug	41.2	66.2	54.2	31.4	55.2	43.6	24.9	55.7	42.4	24.3	56.6	42.1	33.7	42.2	37.9	29.5	44.9	37.8
Any illicit drug, but no alcohol	4.3	4.1	4.2	7.0	5.6	6.3	5.1	5.6	5.4	3.7	3.3	3.5	12.0	5.7	8.8	7.8	5.8	6.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Bradford County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.1	34.3	27.5	11.1	22.3	16.8	10.3	31.6	22.7	11.6	26.7	20.0	11.3	16.9	14.1	9.5	15.4	12.7
Binge Drinking	8.4	19.1	13.9	3.6	17.5	10.7	2.6	12.2	8.1	8.6	16.4	12.9	7.7	8.5	8.1	5.1	7.8	6.6
Cigarettes	6.0	13.1	9.7	2.5	11.4	7.1	2.1	8.3	5.6	5.4	5.4	5.4	7.4	3.7	5.6	0.6	0.0	0.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	15.4	19.0	17.2	7.2	16.5	12.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	6.8	8.9	7.9	2.2	5.9	4.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	5.3	21.1	14.3	9.6	16.5	13.4	--	--	--	--	--	--
Marijuana or Hashish	6.2	17.7	12.4	5.8	19.7	12.7	3.4	16.4	10.9	6.1	23.4	15.9	7.6	13.9	10.8	2.7	9.7	6.5
Synthetic Marijuana	--	5.3	--	--	3.4	--	--	0.0	--	--	2.1	--	--	1.2	--	--	1.3	--
Inhalants	3.1	1.5	2.2	4.1	2.2	3.2	1.6	0.6	1.0	0.7	2.2	1.5	5.8	0.0	2.9	2.7	0.0	1.2
Club Drugs	0.2	1.5	0.9	0.2	1.4	0.8	0.0	0.0	0.0	1.6	2.4	2.1	0.0	1.2	0.6	0.0	0.5	0.3
LSD, PCP or Mushrooms	0.8	0.7	0.8	0.2	2.6	1.4	1.4	1.9	1.7	1.7	0.5	1.0	2.0	0.5	1.2	0.5	0.5	0.5
Methamphetamine	0.2	0.5	0.4	0.0	0.4	0.2	0.2	0.9	0.6	1.4	0.0	0.6	1.3	0.0	0.6	0.0	0.0	0.0
Cocaine or Crack	0.0	0.0	0.0	0.2	0.0	0.1	0.9	0.0	0.4	0.4	3.2	2.0	0.7	1.2	1.0	0.3	0.0	0.1
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	0.3	0.0	0.1
Prescription Depressants	1.0	1.0	1.0	0.0	2.2	1.1	0.5	2.3	1.6	1.2	1.9	1.6	0.7	0.6	0.7	0.3	0.0	0.1
Prescription Pain Relievers	1.8	4.3	3.1	1.1	3.1	2.1	0.3	2.8	1.7	1.7	2.8	2.3	0.2	0.2	0.2	0.0	0.5	0.3
Prescription Amphetamines	0.2	0.8	0.5	0.0	0.0	0.0	0.2	1.1	0.7	0.2	0.5	0.4	0.7	1.3	1.0	1.0	0.8	0.9
Over-the-Counter Drugs	1.7	2.0	1.8	3.1	2.6	2.9	0.3	2.2	1.4	2.5	3.9	3.3	1.1	0.6	0.9	0.6	2.2	1.5
Any illicit drug	11.1	23.7	17.8	10.9	24.7	17.9	5.8	18.6	13.1	8.4	27.8	19.2	15.4	18.4	16.9	5.6	13.7	9.9
Any illicit drug other than marijuana	6.7	7.7	7.2	6.7	10.0	8.4	3.8	6.1	5.1	4.7	10.7	8.1	9.8	3.0	6.4	3.2	3.0	3.1
Alcohol only	12.8	18.4	15.8	6.9	9.0	8.0	8.5	17.8	13.9	5.5	7.2	6.4	4.5	8.8	6.7	5.5	10.9	8.3
Alcohol or any illicit drug	23.2	42.8	33.4	17.6	32.7	25.4	13.7	36.6	26.7	14.7	34.8	25.8	19.6	26.9	23.2	11.0	24.0	18.0
Any illicit drug, but no alcohol	3.4	8.9	6.3	7.0	10.3	8.7	4.3	4.9	4.6	3.3	8.6	6.3	8.6	10.6	9.6	1.6	8.6	5.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Bradford County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	12.5	13.8	11.1	--	11.0	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	6.0	6.5	5.4	--	5.1	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	6.7	7.8	5.6	--	5.0	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	10.2	12.7	7.8	--	9.9	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	51.0	41.6	47.5	44.3	50.8	42.6	45.9	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	62.9	52.2	53.3	61.0	61.2	53.8	57.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	68.3	67.5	67.6	68.2	69.1	65.5	67.9	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	47.2	43.4	41.3	49.0	45.8	40.8	45.1	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	58.0	43.9	49.6	51.1	56.1	41.4	50.4	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	51.4	25.0	37.9	36.3	47.1	27.6	37.1	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	41.6	17.9	28.9	28.6	38.0	19.2	28.8	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	71.2	79.8	73.8	78.0	71.6	79.6	75.9	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	96.5	99.2	98.2	97.7	96.4	99.5	97.9	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	90.0	73.5	76.2	86.1	89.7	68.9	81.1	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	93.8	80.3	85.1	87.9	92.7	78.3	86.5	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	92.0	78.9	80.9	89.1	91.0	76.1	84.9	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	94.5	85.2	88.9	90.0	93.2	84.4	89.4	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.9	99.2	100.0	98.1	99.0	99.0	99.0	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	86.9	86.9	87.0	86.7	87.2	85.0	86.9	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	89.7	90.2	90.4	89.6	90.2	88.6	90.0	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	88.4	72.2	78.2	81.1	88.6	67.6	79.6	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	83.8	74.0	75.7	81.3	84.6	69.1	78.5	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	87.5	80.3	82.0	85.3	88.2	77.2	83.6	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	92.2	94.8	95.2	92.0	92.4	94.2	93.6	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Bradford County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	29.6	--	--	21.5	--	--	29.6	--	--	29.0	--	--	8.9	--	--	12.5	--
Drink monthly	--	7.6	--	--	7.1	--	--	7.1	--	--	7.8	--	--	2.5	--	--	6.0	--
Smoke cigarettes	--	22.9	--	--	19.2	--	--	14.4	--	--	10.5	--	--	4.7	--	--	6.7	--
Smoke marijuana	--	18.1	--	--	15.6	--	--	19.3	--	--	16.6	--	--	3.4	--	--	10.2	--
<b>Great risk of harm</b>																		
Daily alcohol use	37.3	28.6	32.8	43.1	37.7	40.4	29.8	30.8	30.3	43.9	32.6	37.7	48.4	46.5	47.5	51.0	41.6	45.9
5+ drinks daily	--	--	--	50.8	51.0	50.9	44.7	40.7	42.4	50.9	44.9	47.6	59.6	44.5	51.9	62.9	52.2	57.1
Daily cigarette use	63.7	57.2	60.3	65.4	62.9	64.1	57.6	63.3	60.9	59.9	64.3	62.3	65.1	69.7	67.4	68.3	67.5	67.9
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	47.0	50.9	49.0	47.2	43.4	45.1
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	51.8	45.6	48.7	58.0	43.9	50.4
Marijuana weekly*	--	--	--	49.1	33.5	41.2	47.3	14.8	28.7	46.9	18.4	31.1	50.4	36.7	43.4	51.4	25.0	37.1
Try marijuana	33.4	16.8	24.7	36.4	22.5	29.4	37.5	10.4	22.0	41.6	18.8	29.1	36.8	27.3	32.0	41.6	17.9	28.8
Prescription drugs	--	62.4	62.4	71.7	67.7	69.7	63.1	62.6	62.8	67.9	66.0	66.9	68.8	65.9	67.3	71.2	79.8	75.9
<b>Think it wrong</b>																		
Smoke cigarettes	89.3	73.4	81.0	91.4	78.8	84.7	93.3	82.0	86.9	92.7	84.2	88.0	90.9	94.8	93.0	96.5	99.2	97.9
Drink regularly	75.2	52.3	63.2	83.9	64.3	73.6	84.5	53.3	67.0	84.4	57.3	69.6	83.3	75.2	79.1	90.0	73.5	81.1
Smoke marijuana	87.3	66.5	76.4	84.5	65.0	74.2	86.8	52.9	67.7	82.5	52.5	66.0	86.4	73.7	79.8	93.8	80.3	86.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.3	77.8	79.9	92.0	78.9	84.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.1	77.6	82.1	94.5	85.2	89.4
Other illicit drugs	96.7	93.9	95.3	95.4	91.4	93.3	97.5	93.6	95.3	93.9	95.1	94.6	96.9	95.8	96.3	98.9	99.2	99.0
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	87.1	73.4	80.1	90.0	69.4	78.4	87.5	71.3	78.5	89.0	80.6	84.7	86.9	86.9	86.9
Smoke tobacco	--	--	--	91.2	76.9	83.9	91.8	80.4	85.3	92.4	75.9	83.3	89.0	87.4	88.2	89.7	90.2	90.0
Smoke marijuana	--	--	--	83.3	63.0	72.9	87.5	54.0	68.5	87.1	56.9	70.1	85.9	69.6	77.5	88.4	72.2	79.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	78.9	68.8	73.7	83.8	74.0	78.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	88.5	72.2	80.2	87.5	80.3	83.6
Prescription drugs	--	--	--	96.0	90.6	93.2	95.2	92.1	93.4	95.3	91.1	93.0	95.9	92.1	94.0	92.2	94.8	93.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Bradford County and Florida Statewide youth, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	28.2	8.9	47.8	--	28.2	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	17.8	20.0	15.5	--	17.8	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	30.2	44.4	15.7	--	30.2	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	3.3	0.0	6.6	--	3.3	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	20.6	26.7	14.4	--	20.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Bradford County and Florida Statewide youth, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	64.5	47.8	81.1	--	64.5	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	3.7	7.4	0.0	--	3.7	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	18.3	30.8	5.9	--	18.3	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	13.5	14.0	13.0	--	13.5	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bradford County and Florida Statewide youth, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	13.1	23.3	0.0	--	13.1	--	--	34.2	36.6	31.0	--	34.2	--
2	--	3.1	0.0	7.1	--	3.1	--	--	20.0	22.2	16.3	--	20.0	--
3	--	27.6	31.6	22.4	--	27.6	--	--	15.7	15.6	15.9	--	15.7	--
4	--	4.3	7.6	0.0	--	4.3	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	52.0	37.5	70.5	--	52.0	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Bradford County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.0	4.5	2.5	4.2	2.5	4.7	3.3	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.2	8.3	8.4	4.1	4.7	9.2	6.3	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	0.3	1.0	0.5	0.8	0.8	0.6	0.6	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Bradford County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.4	9.4	3.0	14.2	8.1	9.9	8.4	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.7	2.7	2.9	0.5	1.5	2.3	1.7	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.5	0.5	1.9	0.0	1.9	0.0	1.0	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	4.4	1.2	3.8	1.5	4.9	0.4	2.7	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.7	0.0	0.6	0.0	0.6	0.0	0.3	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	18.2	19.8	19.5	18.5	18.6	22.0	19.0	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	7.1	5.2	5.6	6.6	6.8	6.0	6.1	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Bradford County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.3	9.2	7.8	7.3	6.1	6.7	7.5	9.5	8.6	9.2	13.0	11.2	7.8	7.1	7.4	7.4	9.4	8.4
Selling drugs	3.2	8.9	6.1	3.9	4.3	4.1	1.6	3.2	2.5	3.7	9.8	7.1	2.2	4.8	3.5	0.7	2.7	1.7
Attempting to steal a vehicle	1.1	2.0	1.6	2.1	5.0	3.5	0.7	2.5	1.7	2.6	1.9	2.2	1.8	3.1	2.4	1.5	0.5	1.0
Being arrested	3.1	3.1	3.1	2.7	4.4	3.5	2.0	3.0	2.6	2.4	3.3	2.9	2.6	4.4	3.5	4.4	1.2	2.7
Taking a handgun to school	0.5	0.3	0.4	0.7	0.0	0.3	0.2	1.8	1.1	3.3	0.8	1.9	0.2	2.1	1.1	0.7	0.0	0.3
Getting suspended	19.6	12.5	16.0	16.4	8.4	12.5	9.1	10.0	9.6	11.8	9.6	10.6	19.7	14.4	17.0	18.2	19.8	19.0
Attacking someone with intent to harm	9.2	12.8	11.0	8.2	2.2	5.3	4.6	7.7	6.3	4.7	7.4	6.2	7.3	4.2	5.7	7.1	5.2	6.1

**Table 14. Percentages of Bradford County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Symptoms of Depression</i></b>														
Sometimes I think that life is not worth it	32.2	25.4	40.0	16.9	30.4	25.7	28.5	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	42.3	35.0	49.9	26.7	40.3	37.6	38.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	27.7	16.2	27.4	15.5	25.8	16.7	21.5	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	39.6	46.0	55.4	30.6	41.2	46.2	43.1	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b><i>Suicide</i></b>														
Thought about committing suicide in the past 12 months	33.0	19.6	34.2	17.2	34.4	17.4	25.9	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.0	5.2	11.4	3.2	10.6	4.6	7.4	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Bradford County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.0	7.2	12.2	3.7	8.7	6.6	8.0	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	46.5	28.6	40.2	33.3	45.0	29.0	36.7	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	57.4	42.5	54.8	43.8	58.3	41.9	49.3	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	26.3	31.7	34.9	23.6	29.0	32.6	29.2	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	19.4	17.3	16.2	20.4	18.1	17.4	18.3	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	30.7	26.2	26.1	30.4	31.3	24.0	28.2	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	13.9	10.1	10.6	13.1	14.9	9.6	11.8	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Bradford County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.5	19.9	8.5	--	11.9	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	6.9	9.8	3.7	--	5.6	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.8	9.4	4.0	--	6.7	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	47.9	58.1	36.5	--	43.8	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	7.1	9.6	4.3	--	7.1	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	26.0	32.5	18.7	--	24.5	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	25.6	33.6	16.6	--	25.8	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	28.7	35.6	21.0	--	26.9	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	25.6	34.2	16.1	--	25.8	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.2	10.4	3.7	--	7.1	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Bradford County and Florida Statewide high school youth, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	31.6	21.0	43.2	--	34.2	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	25.1	26.2	23.8	--	19.9	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	14.8	14.8	14.7	--	18.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.9	10.2	11.6	--	13.0	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	4.5	7.1	1.7	--	4.4	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	3.3	6.3	0.0	--	1.6	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	2.3	2.7	1.9	--	1.8	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.7	4.0	1.3	--	3.4	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	3.9	6.6	0.9	--	3.5	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.5	1.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.4	0.0	0.7	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Bradford County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	28.0	21.8	21.7	27.8	27.1	24.3	24.7	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	27.9	20.5	28.1	19.6	27.0	21.1	24.0	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	30.0	25.3	28.6	26.4	28.8	26.5	27.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	28.8	16.8	21.9	23.0	27.6	18.4	22.4	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	37.8	25.3	32.4	29.8	38.6	24.5	31.2	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	51.0	35.6	51.3	33.8	51.4	36.5	42.8	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Bradford County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	44.2	44.6	41.2	47.6	43.2	46.1	44.4	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	42.8	22.0	32.0	31.1	40.0	21.8	31.6	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	24.5	7.2	15.4	14.9	23.2	7.6	15.2	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	19.1	30.5	26.2	24.4	20.3	33.1	25.3	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	7.2	9.1	9.6	6.8	5.9	11.8	8.2	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Bradford County and Florida Statewide youth, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	10.8	12.2	9.4	--	10.0	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	19.0	28.3	9.6	--	21.3	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.1	4.7	3.5	--	4.2	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	3.9	4.0	3.8	--	3.9	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

**Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Bradford County, 2014 and 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	23.4	--	--	14.8	--	--	24.3	--	--	17.7	--	--	12.7	--	--	10.8	--
Marijuana	--	28.4	--	--	21.4	--	--	23.8	--	--	30.3	--	--	14.0	--	--	19.0	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	9.4	--	--	5.3	--	--	8.2	--	--	10.7	--	--	1.3	--	--	4.1	--
Marijuana	--	12.6	--	--	12.9	--	--	12.6	--	--	20.5	--	--	7.2	--	--	3.9	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Bradford County and Florida Statewide youth, 2022**

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	68.9	69.1	63.6	74.7	68.3	68.5	69.1	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	15.5	23.5	24.5	15.0	16.7	23.5	19.8	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	15.6	7.4	11.9	10.3	14.9	8.0	11.1	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	19.8	18.9	12.7	26.1	20.6	18.7	19.3	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	14.4	10.3	14.5	9.8	13.3	12.4	12.2	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	34.5	33.3	26.3	41.6	33.7	30.1	33.8	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	16.5	19.1	27.1	8.5	17.9	17.2	17.9	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	14.8	18.4	19.3	14.1	14.5	21.7	16.8	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Bradford County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	55	64	53	55	59	54
	Family Rewards for Prosocial Involvement	50	58	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	47	58	51	60	57	60
	School Rewards for Prosocial Involvement	48	57	45	56	53	58
<b>Peer and Individual</b>	Religiosity	42	58	36	46	56	62
<b>Average Prevalence Rate</b>		<b>48</b>	<b>59</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Bradford County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	43	28	41	29	42	42
	Perceived Availability of Drugs	31	15	33	15	45	45
	Perceived Availability of Handguns	31	32	25	30	25	42
<b>Family</b>	Poor Family Management	47	26	47	34	44	45
	Family Conflict	42	21	43	34	42	37
<b>School</b>	Poor Academic Performance	44	43	48	48	45	48
	Lack of Commitment to School	67	67	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	45	31	52	39	40	46
	Favorable Attitudes toward ATOD Use	32	20	33	29	39	45
	Early Initiation of Drug Use	22	15	21	13	41	46
<b>Average Prevalence Rate</b>		<b>40</b>	<b>30</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Bradford County, 2012 to 2022**

Domain	Scale	Bradford County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	63	56	63	57	55	55
	Family Rewards for Prosocial Involvement	58	51	58	48	47	50
<b>School</b>	School Opportunities for Prosocial Involvement	45	49	48	47	47	47
	School Rewards for Prosocial Involvement	47	43	44	34	37	48
<b>Peer and Individual</b>	Religiosity	63	50	58	52	53	42
<b>Average Prevalence Rate</b>		<b>55</b>	<b>50</b>	<b>54</b>	<b>48</b>	<b>48</b>	<b>48</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Bradford County, 2012 to 2022**

Domain	Scale	Bradford County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	59	49	42	46	39	43
	Perceived Availability of Drugs	46	41	33	31	28	31
	Perceived Availability of Handguns	31	33	30	23	24	31
<b>Family</b>	Poor Family Management	47	45	48	43	47	47
	Family Conflict	41	38	29	33	37	42
<b>School</b>	Poor Academic Performance	52	51	45	41	41	44
	Lack of Commitment to School	51	57	64	61	64	67
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	40	40	35	39	47	45
	Favorable Attitudes toward ATOD Use	47	36	38	36	38	32
	Early Initiation of Drug Use	42	31	27	28	32	22
<b>Average Prevalence Rate</b>		<b>46</b>	<b>42</b>	<b>39</b>	<b>38</b>	<b>40</b>	<b>40</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Bradford County, 2012 to 2022**

Domain	Scale	Bradford County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	57	60	58	55	55	64
	Family Rewards for Prosocial Involvement	52	57	50	49	47	58
<b>School</b>	School Opportunities for Prosocial Involvement	47	55	46	53	60	58
	School Rewards for Prosocial Involvement	56	58	48	41	57	57
<b>Peer and Individual</b>	Religiosity	68	62	64	62	55	58
<b>Average Prevalence Rate</b>		<b>56</b>	<b>58</b>	<b>53</b>	<b>52</b>	<b>55</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Bradford County, 2012 to 2022**

Domain		Scale	Bradford County					
			2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use		37	33	40	39	36	28
	Perceived Availability of Drugs		34	31	26	26	17	15
	Perceived Availability of Handguns		49	36	46	34	34	32
<b>Family</b>	Poor Family Management		41	38	47	55	38	26
	Family Conflict		31	29	34	31	28	21
<b>School</b>	Poor Academic Performance		45	54	48	51	57	43
	Lack of Commitment to School		47	51	63	66	69	67
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior		37	28	45	36	29	31
	Favorable Attitudes toward ATOD Use		41	39	44	48	24	20
	Early Initiation of Drug Use		37	28	34	34	14	15
<b>Average Prevalence Rate</b>			<b>40</b>	<b>37</b>	<b>43</b>	<b>42</b>	<b>35</b>	<b>30</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.