

# **2022 Florida Youth Substance Abuse Survey**

**Charlotte County Data Tables**



**Table 1. Major demographic characteristics of surveyed Charlotte County and Florida Statewide, 2022**

	Charlotte County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	338	49.2	22,957	48.3
Male	330	48.0	23,857	50.1
<b>Race/Ethnic group</b>				
African American	52	7.6	10,187	21.4
American Indian	27	3.9	422	0.9
Asian	15	2.2	785	1.7
Hispanic/Latino	60	8.7	10,291	21.6
Native Hawaiian/Pacific Islander	3	0.4	63	0.1
Other/Multiple	138	20.1	6,956	14.6
White, non-Hispanic	382	55.6	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	610	88.8	41,174	86.6
Yes	71	10.3	5,980	12.6
<b>Age</b>				
11	51	7.4	2,576	5.4
12	115	16.7	6,243	13.1
13	148	21.5	6,872	14.4
14	118	17.2	7,136	15.0
15	105	15.3	7,278	15.3
16	80	11.6	6,918	14.5
17	45	6.6	6,616	13.9
18	23	3.3	3,403	7.2
<b>Grade</b>				
6th	119	17.3	6,626	13.9
7th	139	20.2	6,817	14.3
8th	138	20.1	7,021	14.8
9th	123	17.9	7,193	15.1
10th	85	12.4	7,025	14.8
11th	43	6.3	6,557	13.8
12th	40	5.8	6,333	13.3
<b>Middle School</b>	396	57.6	20,463	43.0
<b>High School</b>	291	42.4	27,109	57.0
<b>Total</b>	<b>687</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Charlotte County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	19.9	36.2	36.9	21.9	22.7	36.9	29.5	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	16.3	24.1	8.2	--	17.6	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	5.8	8.7	8.3	6.8	7.1	8.6	7.5	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	14.5	28.5	32.4	14.5	16.9	29.0	23.0	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	6.0	23.0	24.3	8.8	8.7	23.1	16.4	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.0	27.3	25.3	14.2	8.2	26.8	19.3	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	6.3	7.6	5.1	--	5.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	4.5	4.5	6.5	2.7	4.5	5.4	4.5	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.1	2.7	2.6	0.8	0.0	3.6	1.7	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.2	3.0	3.2	0.7	0.4	2.9	1.9	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.6	2.1	1.8	1.2	0.5	2.7	1.5	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.3	1.0	0.5	0.9	0.4	1.1	0.7	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.1	0.4	0.5	0.1	0.1	0.5	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.8	2.9	3.9	0.4	1.1	1.8	2.1	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	2.5	1.3	2.4	1.3	2.7	1.2	1.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	0.5	3.3	3.9	0.6	1.2	3.6	2.2	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	2.1	2.5	3.7	1.0	2.5	2.6	2.3	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	1.7	0.0	3.4	--	1.0	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	13.3	31.8	32.2	17.2	15.3	30.4	24.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	8.4	11.1	15.3	5.2	8.6	11.8	10.0	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	13.6	11.0	11.0	11.9	13.7	12.4	12.0	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	26.3	42.6	43.2	28.7	28.5	42.6	36.1	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	6.3	6.2	6.4	5.6	5.7	5.1	6.2	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Charlotte County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	4.7	17.9	20.1	5.7	6.2	18.9	12.6	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	1.9	10.8	10.5	4.1	2.4	10.6	7.1	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.6	2.6	1.3	2.4	0.8	2.7	1.8	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	6.5	15.7	19.2	5.8	9.0	15.1	12.1	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	3.8	12.9	13.9	5.3	4.7	12.4	9.3	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.1	16.6	16.6	7.4	5.0	16.1	11.6	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	3.3	4.4	2.4	--	2.0	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.8	1.2	2.4	0.6	1.6	1.5	1.4	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.2	1.2	1.6	0.0	0.0	1.7	0.8	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.0	0.5	0.0	0.6	0.0	0.6	0.3	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	1.4	1.8	0.0	0.0	1.9	0.9	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.2	2.3	3.0	0.0	0.6	0.8	1.4	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.9	0.7	1.3	0.4	0.8	0.9	0.8	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	1.5	1.6	0.2	0.7	1.3	0.9	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	2.2	0.9	1.8	1.2	2.3	0.9	1.4	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	7.2	19.3	19.2	10.7	8.8	17.9	14.5	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	4.6	6.3	8.9	2.8	4.9	5.8	5.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	2.3	6.2	7.8	1.6	2.9	6.6	4.6	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	9.2	26.1	27.1	12.7	11.3	25.2	19.3	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.2	8.8	7.1	7.1	5.0	6.9	6.9	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Charlotte County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	29.5	59.3	47.3	22.5	47.3	37.3	21.7	48.4	38.3	19.6	46.2	36.3	20.5	40.6	32.5	19.9	36.2	29.5
Blacking Out	--	--	--	--	17.4	--	--	18.7	--	--	19.1	--	--	11.8	--	--	16.3	--
Cigarettes	15.6	36.5	28.1	11.9	27.4	21.1	9.3	24.0	18.3	7.1	19.9	15.0	8.8	11.6	10.4	5.8	8.7	7.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	20.0	32.8	27.9	14.5	28.5	23.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	9.4	22.5	17.5	6.0	23.0	16.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	19.5	39.6	31.8	18.4	42.0	33.0	--	--	--	--	--	--
Marijuana or Hashish	12.7	43.2	31.0	9.8	32.8	23.6	8.3	33.2	23.8	8.7	34.7	24.7	9.3	30.7	22.4	7.0	27.3	19.3
Synthetic Marijuana	--	22.8	--	--	13.6	--	--	4.3	--	--	2.3	--	--	2.8	--	--	6.3	--
Inhalants	10.3	4.4	6.7	6.3	5.1	5.6	6.0	4.8	5.2	5.0	4.9	4.9	6.8	4.8	5.6	4.5	4.5	4.5
Club Drugs	1.7	4.4	3.3	0.9	4.5	3.1	0.8	3.0	2.2	0.8	0.7	0.7	0.0	1.8	1.1	0.1	2.7	1.7
LSD, PCP or Mushrooms	2.1	5.1	3.9	2.3	5.7	4.3	1.6	6.3	4.5	2.2	5.0	3.9	1.9	5.1	3.8	0.2	3.0	1.9
Methamphetamine	0.8	1.8	1.4	0.5	1.8	1.3	1.0	0.9	0.9	0.3	1.2	0.9	0.2	1.2	0.8	0.6	2.1	1.5
Cocaine or Crack	1.5	5.3	3.8	0.9	2.9	2.1	0.6	4.2	2.9	0.6	1.0	0.9	1.1	2.9	2.2	0.3	1.0	0.7
Heroin	0.4	0.9	0.7	0.5	0.5	0.5	0.6	1.0	0.9	0.2	0.2	0.2	0.4	1.2	0.9	0.1	0.4	0.3
Prescription Depressants	2.6	10.1	7.1	0.7	5.1	3.3	2.1	5.2	4.0	3.1	5.1	4.3	2.0	5.2	3.8	0.8	2.9	2.1
Prescription Pain Relievers	4.5	13.0	9.6	2.3	6.7	5.0	3.9	5.9	5.1	1.3	5.0	3.6	3.0	4.2	3.7	2.5	1.3	1.8
Prescription Amphetamines	0.9	5.9	3.9	2.4	4.8	3.8	1.5	5.5	4.0	1.6	2.8	2.4	1.9	3.2	2.7	0.5	3.3	2.2
Over-the-Counter Drugs	4.0	10.8	8.0	3.8	3.8	3.8	2.4	7.0	5.2	2.5	4.8	3.9	2.5	3.2	2.9	2.1	2.5	2.3
Needle to Inject Drugs	--	--	--	--	--	--	--	3.0	--	--	0.7	--	--	2.1	--	--	1.7	--
Any illicit drug	22.8	48.9	38.4	17.0	35.5	28.0	15.2	36.9	28.7	14.2	40.5	30.4	18.5	36.8	29.5	13.3	31.8	24.4
Any illicit drug other than marijuana	16.8	23.9	21.0	10.8	15.4	13.5	11.7	18.8	16.1	9.2	16.4	13.7	11.8	13.3	12.7	8.4	11.1	10.0
Alcohol only	14.1	17.0	15.8	12.7	17.3	15.4	12.6	18.0	16.0	10.9	15.1	13.5	9.6	13.2	11.8	13.6	11.0	12.0
Alcohol or any illicit drug	36.8	66.1	54.3	29.4	52.8	43.3	27.3	55.0	44.4	24.6	55.8	44.0	27.8	49.9	41.1	26.3	42.6	36.1
Any illicit drug, but no alcohol	7.5	6.7	7.1	7.2	5.2	6.0	5.5	6.5	6.1	5.4	9.6	8.0	7.0	9.4	8.4	6.3	6.2	6.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Charlotte County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	13.3	35.6	26.6	10.4	25.1	19.2	7.9	23.1	17.3	8.5	22.5	17.2	8.0	18.8	14.4	4.7	17.9	12.6
Binge Drinking	5.0	19.7	13.7	4.5	11.9	8.9	2.4	9.6	6.9	2.7	11.4	8.1	3.5	9.4	7.0	1.9	10.8	7.1
Cigarettes	5.3	17.9	12.8	3.2	10.9	7.8	2.8	7.4	5.6	0.4	6.2	4.0	2.0	4.4	3.4	0.6	2.6	1.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	8.5	18.4	14.6	6.5	15.7	12.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	3.0	9.4	6.9	3.8	12.9	9.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	9.5	17.2	14.2	8.0	24.0	17.9	--	--	--	--	--	--
Marijuana or Hashish	8.4	22.0	16.5	4.7	17.3	12.2	3.6	20.6	14.1	5.7	20.9	15.0	5.9	16.4	12.3	4.1	16.6	11.6
Synthetic Marijuana	--	9.6	--	--	1.3	--	--	1.0	--	--	1.6	--	--	0.3	--	--	3.3	--
Inhalants	4.2	1.9	2.8	2.5	1.6	1.9	2.6	1.2	1.8	1.2	1.8	1.6	3.5	0.9	1.9	1.8	1.2	1.4
Club Drugs	0.4	1.9	1.3	0.5	1.5	1.1	0.5	1.9	1.4	0.1	0.4	0.3	0.0	0.3	0.2	0.2	1.2	0.8
LSD, PCP or Mushrooms	0.5	2.8	1.9	0.8	1.1	1.0	0.6	1.1	0.9	0.3	1.0	0.8	0.1	0.6	0.4	0.0	0.5	0.3
Methamphetamine	0.3	1.4	1.0	0.9	0.3	0.6	0.8	0.3	0.5	0.0	1.3	0.8	0.0	0.1	0.1	0.0	1.4	0.9
Cocaine or Crack	1.1	1.8	1.5	0.6	0.5	0.6	0.6	1.4	1.1	0.2	0.6	0.4	0.2	0.9	0.6	0.1	0.0	0.1
Heroin	0.5	0.7	0.6	0.4	0.0	0.1	0.7	0.4	0.5	0.4	0.0	0.2	0.0	1.2	0.7	0.0	0.0	0.0
Prescription Depressants	1.3	4.4	3.2	0.5	2.3	1.6	0.3	2.1	1.4	1.4	1.5	1.4	1.4	1.6	1.5	0.2	2.3	1.4
Prescription Pain Relievers	1.7	4.3	3.3	2.0	2.0	2.0	2.4	3.2	2.9	0.8	1.7	1.4	2.1	0.4	1.1	0.9	0.7	0.8
Prescription Amphetamines	0.1	1.0	0.7	0.8	1.7	1.3	0.5	2.5	1.8	0.5	0.6	0.6	0.8	0.8	0.8	0.0	1.5	0.9
Over-the-Counter Drugs	1.2	4.6	3.2	1.8	2.1	1.9	0.6	3.3	2.3	0.4	1.8	1.2	1.3	0.1	0.6	2.2	0.9	1.4
Any illicit drug	13.0	27.3	21.5	9.2	18.7	14.8	8.6	21.9	16.8	8.0	23.9	17.7	10.6	18.6	15.4	7.2	19.3	14.5
Any illicit drug other than marijuana	7.0	11.1	9.5	6.4	6.5	6.4	5.9	8.3	7.4	3.7	7.0	5.7	5.6	4.0	4.6	4.6	6.3	5.6
Alcohol only	5.8	16.3	12.1	5.8	13.5	10.4	4.8	9.7	7.9	4.4	10.1	7.9	3.9	11.3	8.3	2.3	6.2	4.6
Alcohol or any illicit drug	18.7	42.9	33.2	14.9	32.0	25.0	13.3	31.4	24.5	12.0	32.9	24.9	14.4	29.5	23.4	9.2	26.1	19.3
Any illicit drug, but no alcohol	5.6	7.4	6.7	4.6	6.9	5.9	5.5	8.6	7.4	3.9	10.4	7.9	6.6	10.8	9.1	4.2	8.8	6.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Charlotte County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	16.7	21.2	11.4	--	16.8	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.1	5.6	0.8	--	2.5	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	4.7	6.6	3.1	--	3.6	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	9.6	14.8	5.1	--	10.3	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	46.7	39.0	38.0	45.5	47.0	35.2	42.1	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	62.7	45.7	50.3	54.1	61.6	43.5	52.5	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	68.6	57.4	61.4	62.4	67.0	59.4	62.0	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	41.5	33.5	33.7	40.6	40.9	34.6	36.7	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	46.7	26.5	31.9	37.7	43.7	28.2	34.6	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	44.8	22.2	31.8	30.9	42.4	23.1	31.2	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	26.3	15.5	19.7	19.8	26.0	16.4	19.8	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	72.2	65.2	68.6	67.3	72.2	66.4	68.1	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.9	88.5	88.8	93.2	94.8	87.5	91.0	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	88.4	67.7	70.3	81.0	88.0	65.5	75.9	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	87.9	59.2	66.9	74.0	87.2	56.7	70.6	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	86.5	74.3	74.1	84.9	86.3	72.0	79.2	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	87.3	67.5	70.4	80.3	87.1	65.0	75.3	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.7	94.6	96.0	95.6	97.7	94.4	95.9	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	89.4	83.0	82.3	89.2	89.2	82.4	85.6	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	92.0	87.0	87.1	91.5	91.0	87.1	89.0	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	85.7	59.5	67.4	72.8	83.8	60.7	70.1	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	83.6	66.2	66.3	80.2	81.0	65.7	73.2	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	87.4	64.2	69.4	78.0	85.8	63.8	73.5	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	94.6	93.4	93.9	93.9	94.8	94.2	93.9	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Charlotte County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	22.6	--	--	19.7	--	--	19.4	--	--	20.8	--	--	15.2	--	--	16.7	--
Drink monthly	--	4.0	--	--	6.1	--	--	4.6	--	--	3.7	--	--	3.1	--	--	3.1	--
Smoke cigarettes	--	18.8	--	--	16.1	--	--	13.3	--	--	10.7	--	--	7.0	--	--	4.7	--
Smoke marijuana	--	14.1	--	--	14.4	--	--	13.2	--	--	12.8	--	--	8.9	--	--	9.6	--
<b>Great risk of harm</b>																		
Daily alcohol use	42.3	33.1	36.8	43.6	33.5	37.6	46.5	37.9	41.2	44.1	41.1	42.3	46.9	41.6	43.7	46.7	39.0	42.1
5+ drinks daily	--	--	--	58.2	47.3	51.6	56.8	50.3	52.8	61.9	52.9	56.3	61.3	53.4	56.5	62.7	45.7	52.5
Daily cigarette use	73.5	60.9	66.0	69.2	64.6	66.5	68.2	68.8	68.6	61.1	66.5	64.5	59.0	61.9	60.8	68.6	57.4	62.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	43.9	35.1	38.6	41.5	33.5	36.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	47.0	30.0	36.7	46.7	26.5	34.6
Marijuana weekly*	--	--	--	53.0	24.8	36.2	51.5	21.5	33.1	39.7	21.2	28.2	40.1	21.0	28.6	44.8	22.2	31.2
Try marijuana	36.5	15.4	23.9	35.4	15.8	23.7	36.2	17.9	24.9	26.7	16.1	20.1	27.1	13.1	18.7	26.3	15.5	19.8
Prescription drugs	--	65.8	65.8	73.2	71.3	72.1	71.9	72.2	72.1	70.9	69.1	69.8	67.5	68.4	68.0	72.2	65.2	68.1
<b>Think it wrong</b>																		
Smoke cigarettes	91.3	69.3	78.2	95.2	80.3	86.3	94.1	86.1	89.2	95.9	87.9	91.0	93.6	90.5	91.7	94.9	88.5	91.0
Drink regularly	83.6	59.6	69.3	88.4	63.8	73.7	87.6	66.2	74.4	88.8	68.0	76.0	91.2	70.6	78.7	88.4	67.7	75.9
Smoke marijuana	85.3	60.8	70.7	86.2	62.9	72.2	85.9	55.1	66.8	84.3	55.7	66.7	86.5	58.0	69.3	87.9	59.2	70.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	87.1	76.5	80.7	86.5	74.3	79.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.8	71.5	78.0	87.3	67.5	75.3
Other illicit drugs	97.1	91.0	93.5	96.0	91.1	93.0	96.2	91.9	93.6	96.3	90.9	93.0	96.3	90.4	92.8	97.7	94.6	95.9
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	88.5	74.9	80.3	90.1	72.7	79.4	86.0	74.4	78.8	91.6	81.9	85.8	89.4	83.0	85.6
Smoke tobacco	--	--	--	94.2	82.8	87.4	93.7	80.2	85.4	91.5	85.1	87.6	91.4	86.3	88.3	92.0	87.0	89.0
Smoke marijuana	--	--	--	83.0	62.2	70.5	85.5	53.4	65.8	79.5	54.6	64.1	84.8	60.7	70.3	85.7	59.5	70.1
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.4	72.3	76.4	83.6	66.2	73.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	84.1	71.0	76.3	87.4	64.2	73.5
Prescription drugs	--	--	--	93.3	93.5	93.4	97.8	90.3	93.2	94.2	91.8	92.8	93.3	90.3	91.5	94.6	93.4	93.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Charlotte County and Florida Statewide youth, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.8	15.1	9.1	--	13.8	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.4	0.0	2.1	--	0.4	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	6.8	0.0	31.9	--	6.8	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	1.0	1.2	0.0	--	1.0	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	43.9	54.1	5.8	--	43.9	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	2.3	0.0	10.6	--	2.3	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	13.9	14.3	12.3	--	13.9	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	18.0	15.2	28.2	--	18.0	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Charlotte County and Florida Statewide youth, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	46.2	44.8	59.2	--	46.2	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	25.3	23.7	40.8	--	25.3	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	1.4	1.5	0.0	--	1.4	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	7.7	8.5	0.0	--	7.7	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	19.5	21.5	0.0	--	19.5	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Charlotte County and Florida Statewide youth, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	27.6	28.2	22.4	--	27.6	--	--	34.2	36.6	31.0	--	34.2	--
2	--	13.4	15.1	0.0	--	13.4	--	--	20.0	22.2	16.3	--	20.0	--
3	--	13.5	9.7	44.4	--	13.5	--	--	15.7	15.6	15.9	--	15.7	--
4	--	11.5	10.7	17.9	--	11.5	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	34.0	36.3	15.4	--	34.0	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Charlotte County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	1.8	5.1	6.5	1.4	2.9	5.0	3.8	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.0	12.8	12.1	7.1	4.9	13.1	9.5	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.0	3.2	3.1	1.7	2.0	2.7	2.3	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Charlotte County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	5.6	5.8	2.6	8.5	6.6	6.1	5.7	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.2	5.5	2.9	4.9	1.8	4.3	3.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.0	0.2	0.3	0.8	0.9	0.3	0.5	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	0.7	1.1	1.2	0.8	0.6	1.5	1.0	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.1	0.9	0.1	1.2	0.1	1.2	0.6	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	12.0	9.5	8.5	12.6	12.3	6.9	10.5	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	4.9	4.1	4.8	4.1	4.6	5.2	4.4	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Charlotte County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.3	5.1	4.8	5.7	6.8	6.4	6.1	7.3	6.9	6.8	8.7	8.0	5.1	5.4	5.3	5.6	5.8	5.7
Selling drugs	3.0	8.9	6.5	4.1	7.2	5.9	2.2	4.9	3.9	1.8	8.1	5.8	0.8	4.4	3.0	1.2	5.5	3.8
Attempting to steal a vehicle	1.8	4.6	3.5	1.2	2.0	1.6	0.2	1.4	0.9	1.1	3.0	2.3	1.0	2.8	2.1	1.0	0.2	0.5
Being arrested	2.3	5.7	4.4	2.7	5.5	4.3	0.5	1.2	1.0	1.5	1.7	1.6	1.7	2.6	2.3	0.7	1.1	1.0
Taking a handgun to school	0.4	1.3	0.9	0.6	1.5	1.1	0.0	0.4	0.3	0.0	1.7	1.1	0.5	2.2	1.5	0.1	0.9	0.6
Getting suspended	16.9	11.2	13.5	11.5	7.8	9.3	11.8	6.8	8.7	12.5	9.4	10.6	12.6	9.3	10.6	12.0	9.5	10.5
Attacking someone with intent to harm	8.9	7.9	8.3	5.5	5.3	5.4	5.4	5.0	5.1	6.0	4.5	5.0	4.6	6.8	6.0	4.9	4.1	4.4

**Table 14. Percentages of Charlotte County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	34.1	34.2	50.4	17.3	34.2	36.9	34.2	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	47.9	46.6	58.4	35.0	47.3	46.9	47.1	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	30.6	35.0	42.3	22.7	29.7	36.3	33.2	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	45.3	45.6	58.3	31.8	45.6	46.6	45.5	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b>Suicide</b>														
Thought about committing suicide in the past 12 months	33.0	34.4	46.5	20.0	32.7	34.4	33.8	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	7.3	7.8	12.4	3.0	7.4	9.3	7.6	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Charlotte County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	13.4	8.4	16.1	4.8	12.8	9.8	10.4	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	51.3	29.4	37.4	37.6	49.3	27.9	38.2	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	72.1	54.7	68.7	54.5	69.9	57.3	61.7	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	29.3	33.8	41.9	22.1	30.5	36.5	32.0	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	23.7	13.4	16.1	18.4	22.8	11.8	17.6	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	34.9	20.7	27.4	24.8	34.8	22.5	26.5	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	13.8	13.2	15.8	11.4	14.0	13.8	13.5	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Charlotte County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	17.3	26.6	9.1	--	19.6	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	6.4	8.4	4.1	--	6.0	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.6	13.2	0.8	--	6.4	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	42.9	44.7	40.2	--	46.2	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	9.5	13.6	4.7	--	9.9	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	36.4	39.3	33.0	--	37.6	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	43.4	57.4	29.4	--	46.9	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	27.9	31.9	23.8	--	30.6	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	32.7	54.0	12.2	--	36.0	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.0	9.8	4.0	--	7.1	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Charlotte County and Florida Statewide high school youth, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	29.8	21.2	38.3	--	25.5	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	14.7	11.8	17.1	--	15.0	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	19.3	17.9	20.6	--	20.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.0	11.4	9.0	--	11.2	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	11.4	13.8	9.1	--	12.8	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.4	7.4	3.7	--	5.8	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.2	7.1	1.1	--	3.4	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.8	4.1	1.1	--	3.5	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.7	1.4	0.0	--	0.4	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	1.3	2.7	0.0	--	1.7	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.6	1.2	0.0	--	0.4	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Charlotte County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.7	32.3	37.7	28.0	33.6	34.1	32.8	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	28.8	21.9	26.6	22.4	28.4	23.6	24.7	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.5	28.2	32.7	22.5	28.8	28.2	27.9	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.1	27.1	33.2	20.7	27.0	27.6	26.7	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	35.2	25.7	35.8	23.1	34.6	25.6	29.6	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	53.3	43.0	57.2	37.3	52.9	43.7	47.2	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Charlotte County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	26.5	36.3	30.7	34.3	27.8	37.5	32.3	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	43.2	16.3	30.9	24.4	40.6	15.7	27.2	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	25.8	7.3	15.7	13.6	24.4	6.4	14.7	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	22.4	25.4	30.5	17.6	23.0	26.7	24.2	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	5.9	12.2	9.1	10.1	6.5	11.8	9.7	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Charlotte County and Florida Statewide youth, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	11.8	15.3	8.8	--	11.9	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	17.6	23.8	11.5	--	20.6	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.3	3.9	4.9	--	5.3	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	6.0	8.0	4.2	--	6.0	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

**Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Charlotte County, 2014 and 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	23.9	--	--	18.0	--	--	20.0	--	--	15.3	--	--	15.0	--	--	11.8	--
Marijuana	--	26.3	--	--	19.9	--	--	22.1	--	--	25.9	--	--	22.2	--	--	17.6	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	8.3	--	--	6.0	--	--	7.4	--	--	6.8	--	--	4.7	--	--	4.3	--
Marijuana	--	15.1	--	--	9.0	--	--	11.7	--	--	13.6	--	--	10.7	--	--	6.0	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Charlotte County and Florida Statewide youth, 2022**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	63.6	66.8	62.3	69.8	64.0	66.1	65.5	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	27.9	25.2	33.1	18.4	27.5	24.3	26.3	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	8.5	8.0	4.6	11.9	8.5	9.6	8.2	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	21.5	15.7	13.5	23.4	20.5	15.2	18.1	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	10.1	6.4	9.9	5.3	10.3	6.2	7.9	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	31.5	28.3	22.9	37.3	31.4	28.8	29.6	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	24.9	28.8	27.3	25.7	23.9	27.4	27.2	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	12.1	20.9	26.4	8.2	14.0	22.4	17.3	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Charlotte County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Charlotte County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	51	52	53	55	59	54
	Family Rewards for Prosocial Involvement	41	43	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	52	55	51	60	57	60
	School Rewards for Prosocial Involvement	39	46	45	56	53	58
<b>Peer and Individual</b>	Religiosity	27	33	36	46	56	62
<b>Average Prevalence Rate</b>		<b>42</b>	<b>46</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Charlotte County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Charlotte County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	44	37	41	29	42	42
	Perceived Availability of Drugs	39	15	33	15	45	45
	Perceived Availability of Handguns	26	31	25	30	25	42
<b>Family</b>	Poor Family Management	44	39	47	34	44	45
	Family Conflict	45	31	43	34	42	37
<b>School</b>	Poor Academic Performance	44	46	48	48	45	48
	Lack of Commitment to School	72	74	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	56	47	52	39	40	46
	Favorable Attitudes toward ATOD Use	36	37	33	29	39	45
	Early Initiation of Drug Use	20	18	21	13	41	46
<b>Average Prevalence Rate</b>		<b>43</b>	<b>38</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Charlotte County, 2012 to 2022**

Domain	Scale	Charlotte County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	56	57	62	52	51	51
	Family Rewards for Prosocial Involvement	47	49	55	46	48	41
<b>School</b>	School Opportunities for Prosocial Involvement	37	44	47	48	52	52
	School Rewards for Prosocial Involvement	41	46	43	38	40	39
<b>Peer and Individual</b>	Religiosity	45	43	39	36	38	27
<b>Average Prevalence Rate</b>		<b>45</b>	<b>48</b>	<b>49</b>	<b>44</b>	<b>46</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Charlotte County, 2012 to 2022**

Domain	Scale	Charlotte County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	40	39	35	39	44	44
	Perceived Availability of Drugs	44	41	38	40	41	39
	Perceived Availability of Handguns	25	24	30	28	28	26
<b>Family</b>	Poor Family Management	43	42	39	52	49	44
	Family Conflict	42	36	39	44	50	45
<b>School</b>	Poor Academic Performance	46	38	37	41	43	44
	Lack of Commitment to School	54	56	58	66	73	72
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	46	39	38	44	49	56
	Favorable Attitudes toward ATOD Use	37	34	35	42	37	36
	Early Initiation of Drug Use	32	23	22	22	25	20
<b>Average Prevalence Rate</b>		<b>41</b>	<b>37</b>	<b>37</b>	<b>42</b>	<b>44</b>	<b>43</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Charlotte County, 2012 to 2022**

Domain	Scale	Charlotte County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	53	56	54	53	54	52
	Family Rewards for Prosocial Involvement	50	52	50	47	50	43
<b>School</b>	School Opportunities for Prosocial Involvement	56	61	63	67	58	55
	School Rewards for Prosocial Involvement	60	59	60	57	50	46
<b>Peer and Individual</b>	Religiosity	46	46	49	46	44	33
<b>Average Prevalence Rate</b>		<b>53</b>	<b>55</b>	<b>55</b>	<b>54</b>	<b>51</b>	<b>46</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Charlotte County, 2012 to 2022**

Domain		Scale	Charlotte County					
			2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use		40	36	35	35	33	37
	Perceived Availability of Drugs		31	29	25	24	20	15
	Perceived Availability of Handguns		37	40	40	37	32	31
<b>Family</b>	Poor Family Management		43	39	41	38	38	39
	Family Conflict		35	32	35	34	33	31
<b>School</b>	Poor Academic Performance		48	41	43	41	42	46
	Lack of Commitment to School		53	54	56	53	67	74
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior		41	30	39	36	41	47
	Favorable Attitudes toward ATOD Use		46	39	42	38	36	37
	Early Initiation of Drug Use		33	27	27	24	18	18
<b>Average Prevalence Rate</b>			<b>41</b>	<b>37</b>	<b>38</b>	<b>36</b>	<b>36</b>	<b>38</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.