

2022 Florida Youth Substance Abuse Survey

Glades County Data Tables

Table 1. Major demographic characteristics of surveyed Glades County and Florida Statewide, 2022

	Glades County		Florida Statewide	
	N	%	N	%
Sex				
Female	101	47.2	22,957	48.3
Male	112	52.3	23,857	50.1
Race/Ethnic group				
African American	18	8.4	10,187	21.4
American Indian	7	3.3	422	0.9
Asian	0	0.0	785	1.7
Hispanic/Latino	92	43.0	10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0	63	0.1
Other/Multiple	45	21.0	6,956	14.6
White, non-Hispanic	50	23.4	18,419	38.7
Parent/Guardian in the Military				
No	181	84.6	41,174	86.6
Yes	33	15.4	5,980	12.6
Age				
11	18	8.4	2,576	5.4
12	47	22.0	6,243	13.1
13	55	25.7	6,872	14.4
14	38	17.8	7,136	15.0
15	26	12.1	7,278	15.3
16	6	2.8	6,918	14.5
17	15	7.0	6,616	13.9
18	7	3.3	3,403	7.2
Grade				
6th	54	25.2	6,626	13.9
7th	60	28.0	6,817	14.3
8th	39	18.2	7,021	14.8
9th	24	11.2	7,193	15.1
10th	19	8.9	7,025	14.8
11th	11	5.1	6,557	13.8
12th	7	3.3	6,333	13.3
Middle School	153	71.5	20,463	43.0
High School	61	28.5	27,109	57.0
Total	214	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Glades County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.7	11.8	16.9	19.9	19.1	19.0	18.3	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	4.0	2.5	5.9	--	4.1	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	2.8	1.9	0.0	5.3	2.0	1.0	2.5	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	10.9	9.9	8.2	13.2	10.3	12.0	10.6	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	6.2	4.1	3.7	7.5	5.9	6.0	5.5	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.5	16.0	9.5	11.7	5.9	25.2	10.5	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	1.2	0.0	2.8	--	1.9	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	5.8	0.9	3.7	4.6	5.5	1.4	4.1	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.9	0.0	0.0	1.2	0.8	0.0	0.6	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.9	2.6	0.0	3.1	0.8	1.8	1.5	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.8	1.3	0.0	2.1	0.8	0.0	1.0	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.3	1.7	1.1	0.4	0.3	2.5	0.8	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	1.3	0.0	0.9	0.8	1.2	0.0	0.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.2	0.0	0.4	1.2	1.1	0.0	0.8	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	2.7	0.9	2.6	1.6	2.5	1.4	2.1	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	15.2	17.0	15.6	16.4	13.2	26.6	15.8	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	9.9	4.2	7.3	8.7	9.4	4.3	7.9	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.7	4.5	8.9	9.6	10.8	6.7	9.2	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	26.8	21.5	24.4	25.9	24.0	33.3	25.0	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	4.6	9.7	6.8	6.0	4.4	14.3	6.4	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Glades County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	5.2	4.2	3.7	6.1	4.6	4.2	4.9	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	6.3	4.0	5.3	5.7	5.9	3.9	5.5	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	2.4	0.0	0.0	3.3	2.0	0.0	1.6	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	1.4	5.7	3.5	2.3	2.0	3.6	2.9	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	2.4	0.0	2.2	0.9	2.3	0.0	1.6	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.2	4.3	3.0	5.6	3.7	4.3	4.2	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.9	0.0	4.3	--	0.0	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	1.2	0.0	0.0	1.5	1.1	0.0	0.7	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.9	0.0	0.0	1.2	0.8	0.0	0.6	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.0	1.3	0.0	1.0	0.0	0.0	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.7	0.0	0.8	0.0	0.6	0.0	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.9	1.3	0.0	2.2	0.8	0.0	1.0	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.0	0.0	0.9	0.4	1.0	0.0	0.7	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	2.2	0.0	1.6	0.0	3.3	0.8	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.0	0.9	0.7	0.0	0.0	1.4	0.3	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	7.5	9.2	5.3	11.2	6.8	8.9	8.1	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	3.3	4.5	2.3	5.2	3.1	4.6	3.7	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.2	1.6	2.4	2.9	3.0	2.4	2.6	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	10.6	10.9	7.7	14.1	9.8	11.3	10.7	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.9	6.7	3.2	8.1	4.6	7.1	5.5	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Glades County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	38.6	46.2	41.6	28.0	47.3	35.9	26.3	49.2	35.0	24.7	47.2	32.9	20.9	37.5	26.4	21.7	11.8	18.3
Blacking Out	--	--	--	--	13.8	--	--	18.8	--	--	15.7	--	--	7.4	--	--	4.0	--
Cigarettes	24.0	33.4	27.8	16.7	30.2	22.0	11.0	21.3	14.9	4.6	22.4	11.1	14.4	13.2	14.0	2.8	1.9	2.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	13.2	16.6	14.3	10.9	9.9	10.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	8.7	11.4	9.6	6.2	4.1	5.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	9.0	34.1	18.5	12.9	35.0	21.0	--	--	--	--	--	--
Marijuana or Hashish	17.1	25.0	20.2	6.8	26.4	14.8	5.4	28.0	13.9	3.9	24.7	11.5	9.7	17.6	12.2	7.5	16.0	10.5
Synthetic Marijuana	--	3.9	--	--	8.6	--	--	6.0	--	--	3.7	--	--	3.7	--	--	1.2	--
Inhalants	9.4	3.3	7.0	8.1	2.4	5.8	4.8	4.7	4.8	7.9	5.5	7.0	9.6	5.0	8.1	5.8	0.9	4.1
Club Drugs	1.5	1.0	1.3	0.0	0.0	0.0	0.0	1.5	0.6	0.0	0.0	0.0	0.0	0.7	0.2	0.9	0.0	0.6
LSD, PCP or Mushrooms	3.8	2.1	3.1	1.2	3.6	2.2	0.8	1.5	1.0	0.0	2.4	0.9	0.9	1.9	1.2	0.9	2.6	1.5
Methamphetamine	0.0	1.0	0.4	1.8	0.0	1.1	0.0	0.0	0.0	0.0	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	3.9	2.1	3.2	1.8	1.2	1.6	0.0	0.0	0.0	0.0	2.7	1.0	1.5	0.0	1.0	0.8	1.3	1.0
Heroin	0.9	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	0.7	0.8	0.7	0.0	0.0	0.0
Prescription Depressants	4.4	8.0	5.8	0.0	1.2	0.5	1.1	2.4	1.6	2.4	5.7	3.6	2.5	4.1	3.0	0.3	1.7	0.8
Prescription Pain Relievers	10.5	12.1	11.1	1.8	1.3	1.6	1.8	3.8	2.5	0.9	2.6	1.5	4.9	1.9	4.0	1.3	0.0	0.8
Prescription Amphetamines	1.4	1.0	1.3	0.6	1.2	0.9	0.5	4.5	2.0	0.4	3.6	1.5	2.3	3.5	2.7	1.2	0.0	0.8
Over-the-Counter Drugs	6.4	4.1	5.5	4.3	0.0	2.6	3.3	5.5	4.2	2.0	13.1	5.9	2.6	2.0	2.4	2.7	0.9	2.1
Needle to Inject Drugs	--	--	--	--	--	--	--	1.0	--	--	1.4	--	--	0.0	--	--	0.0	--
Any illicit drug	29.2	29.9	29.5	14.8	26.4	19.5	13.1	29.7	19.3	10.5	32.0	18.3	20.0	21.3	20.4	15.2	17.0	15.8
Any illicit drug other than marijuana	21.3	17.2	19.7	13.3	6.1	10.4	9.8	13.3	11.1	9.1	18.8	12.5	14.3	8.8	12.5	9.9	4.2	7.9
Alcohol only	17.0	22.4	19.1	18.6	24.6	21.0	19.0	23.8	20.8	16.8	22.1	18.7	9.1	21.2	12.9	11.7	4.5	9.2
Alcohol or any illicit drug	45.8	53.0	48.7	33.1	51.0	40.3	31.8	53.5	39.9	26.9	55.2	37.2	28.6	43.5	33.5	26.8	21.5	25.0
Any illicit drug, but no alcohol	7.6	7.2	7.5	5.6	3.7	4.8	6.1	4.3	5.4	2.4	8.2	4.5	7.4	6.4	7.1	4.6	9.7	6.4

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Glades County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.9	25.0	23.8	19.1	26.4	22.1	12.5	27.0	18.0	15.6	22.8	18.2	8.8	11.2	9.6	5.2	4.2	4.9
Binge Drinking	11.2	19.4	14.4	8.4	17.2	12.0	6.8	15.1	10.0	3.0	10.3	5.7	8.8	5.2	7.6	6.3	4.0	5.5
Cigarettes	9.6	23.1	15.0	3.4	9.3	5.7	0.6	10.0	4.1	0.8	8.9	3.7	0.8	1.0	0.9	2.4	0.0	1.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	6.6	7.7	6.9	1.4	5.7	2.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.7	2.4	4.7	2.4	0.0	1.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	3.8	22.4	10.8	2.4	13.4	6.4	--	--	--	--	--	--
Marijuana or Hashish	12.3	19.8	15.1	3.6	19.3	10.0	1.5	10.2	4.8	0.0	13.3	4.6	4.0	6.4	4.8	4.2	4.3	4.2
Synthetic Marijuana	--	1.1	--	--	0.0	--	--	1.6	--	--	0.0	--	--	2.1	--	--	1.9	--
Inhalants	3.9	1.1	2.9	3.0	0.0	1.8	0.9	0.0	0.6	2.5	1.3	2.0	5.6	2.1	4.5	1.2	0.0	0.7
Club Drugs	0.7	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.9	0.0	0.6
LSD, PCP or Mushrooms	1.5	0.0	0.9	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.5
Methamphetamine	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4
Cocaine or Crack	3.1	0.0	2.0	0.7	1.2	0.9	0.0	0.0	0.0	0.0	2.9	1.0	0.4	0.0	0.3	0.9	1.3	1.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.0	0.0	0.0
Prescription Depressants	2.2	4.1	2.9	0.0	0.0	0.0	0.5	0.0	0.3	1.6	5.2	2.8	0.0	4.5	1.3	0.0	0.0	0.0
Prescription Pain Relievers	8.2	4.0	6.6	0.0	0.0	0.0	0.8	1.4	1.0	0.0	0.0	0.0	0.7	0.8	0.7	1.0	0.0	0.7
Prescription Amphetamines	0.7	0.0	0.4	0.0	0.0	0.0	0.6	0.0	0.4	0.4	0.0	0.3	0.7	0.0	0.5	0.0	2.2	0.8
Over-the-Counter Drugs	3.7	3.2	3.5	2.4	0.0	1.4	2.9	4.9	3.7	1.6	5.0	2.7	0.4	3.1	1.2	0.0	0.9	0.3
Any illicit drug	20.7	20.3	20.6	6.9	19.1	11.8	5.1	13.5	8.2	2.8	15.8	7.5	11.3	10.1	10.9	7.5	9.2	8.1
Any illicit drug other than marijuana	13.2	6.3	10.6	5.9	1.2	4.0	4.2	4.9	4.5	2.8	8.4	4.8	7.2	9.3	7.8	3.3	4.5	3.7
Alcohol only	10.2	11.1	10.5	13.2	14.9	13.9	11.7	22.7	15.9	12.6	11.8	12.3	3.1	6.3	4.0	3.2	1.6	2.6
Alcohol or any illicit drug	30.5	32.0	31.1	20.0	34.3	25.8	16.2	36.9	23.9	15.5	27.1	19.7	15.1	15.5	15.2	10.6	10.9	10.7
Any illicit drug, but no alcohol	7.9	7.2	7.6	1.2	8.1	4.0	4.3	10.4	6.6	0.0	4.5	1.6	6.7	5.2	6.3	4.9	6.7	5.5

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Glades County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	9.5	15.8	2.4	--	13.5	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	0.0	0.0	0.0	--	0.0	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	0.7	1.3	0.0	--	1.0	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	1.8	1.3	2.4	--	2.7	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	40.7	60.7	49.5	44.6	41.8	55.0	47.5	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	54.7	59.4	64.6	46.4	56.2	50.0	56.3	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	61.8	74.2	70.0	61.0	63.8	67.1	66.0	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	51.4	64.3	56.3	54.6	53.4	54.0	55.8	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	52.1	56.2	54.1	52.2	54.2	41.6	53.5	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	45.5	38.0	47.7	36.7	46.0	27.4	42.9	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	39.8	34.1	42.8	31.4	40.3	22.6	37.9	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	61.4	77.1	69.2	63.5	64.9	67.0	66.7	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	98.4	98.2	100.0	96.5	98.5	97.3	98.3	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	92.0	79.8	84.6	91.2	92.4	72.3	87.8	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	90.5	78.6	86.8	85.7	90.2	75.4	86.4	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	93.1	85.0	87.6	93.2	92.8	82.8	90.3	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	92.7	89.7	90.5	92.8	93.0	84.9	91.6	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.1	97.0	98.7	96.5	98.1	95.5	97.7	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.1	81.5	85.8	87.1	89.6	81.3	86.5	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	95.7	93.1	97.0	92.2	95.9	89.9	94.8	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	91.9	79.3	88.5	86.4	91.6	73.8	87.6	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	89.3	86.3	87.4	89.0	89.4	83.7	88.2	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	90.7	88.1	89.7	89.7	91.4	81.7	89.8	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	90.9	96.6	93.3	92.3	91.4	95.0	92.9	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Glades County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.0	--	--	34.5	--	--	27.3	--	--	18.8	--	--	12.1	--	--	9.5	--
Drink monthly	--	9.4	--	--	12.5	--	--	9.4	--	--	8.7	--	--	0.0	--	--	0.0	--
Smoke cigarettes	--	19.0	--	--	17.6	--	--	14.3	--	--	13.0	--	--	8.5	--	--	0.7	--
Smoke marijuana	--	12.7	--	--	14.5	--	--	14.7	--	--	9.9	--	--	8.9	--	--	1.8	--
Great risk of harm																		
Daily alcohol use	36.9	30.8	34.4	38.7	27.5	34.2	46.0	30.1	40.1	44.7	36.8	41.8	45.1	39.3	43.2	40.7	60.7	47.5
5+ drinks daily	--	--	--	48.3	41.9	45.7	49.1	48.8	49.0	49.8	35.5	44.5	61.5	46.8	56.8	54.7	59.4	56.3
Daily cigarette use	56.0	49.9	53.5	63.6	53.4	59.4	67.9	68.7	68.2	57.6	58.4	57.9	61.7	52.3	58.7	61.8	74.2	66.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	49.0	38.5	45.7	51.4	64.3	55.8
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	56.8	29.1	48.1	52.1	56.2	53.5
Marijuana weekly*	--	--	--	49.8	24.0	39.2	52.0	25.0	41.7	41.5	23.9	35.0	46.8	15.8	37.0	45.5	38.0	42.9
Try marijuana	27.2	20.0	24.3	41.5	18.0	32.0	31.1	17.9	26.1	31.4	16.7	26.0	36.7	12.7	29.0	39.8	34.1	37.9
Prescription drugs	--	43.1	43.1	68.9	59.2	64.9	68.6	72.8	70.2	63.1	56.5	60.7	71.8	61.4	68.5	61.4	77.1	66.7
Think it wrong																		
Smoke cigarettes	88.2	73.2	82.2	92.0	93.1	92.5	96.5	82.5	91.1	92.8	83.1	89.0	95.2	94.0	94.8	98.4	98.2	98.3
Drink regularly	86.8	64.6	77.9	84.9	71.2	79.2	86.4	59.8	76.4	79.2	62.4	72.6	82.5	74.2	79.7	92.0	79.8	87.8
Smoke marijuana	85.9	70.2	79.6	93.8	73.6	85.4	93.5	60.7	81.1	88.0	56.6	75.8	90.3	67.9	82.9	90.5	78.6	86.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	89.0	86.8	88.3	93.1	85.0	90.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	94.3	82.1	90.3	92.7	89.7	91.6
Other illicit drugs	98.0	87.1	93.6	97.3	98.8	97.9	97.1	87.5	93.5	96.5	93.1	95.2	98.1	90.1	95.4	98.1	97.0	97.7
Friends think it wrong																		
Daily alcohol use	--	--	--	87.3	59.9	76.6	89.0	67.6	81.0	83.5	72.2	79.3	91.0	85.3	89.2	89.1	81.5	86.5
Smoke tobacco	--	--	--	93.8	74.3	86.2	94.2	80.0	88.9	92.8	80.9	88.4	95.7	85.6	92.6	95.7	93.1	94.8
Smoke marijuana	--	--	--	89.5	47.4	72.8	91.7	61.2	80.2	88.6	55.0	76.4	90.8	65.5	83.0	91.9	79.3	87.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	87.8	81.9	86.0	89.3	86.3	88.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	92.1	73.6	86.4	90.7	88.1	89.8
Prescription drugs	--	--	--	94.9	88.6	92.4	95.6	86.1	92.0	95.8	88.9	93.3	96.9	95.7	96.6	90.9	96.6	92.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Glades County and Florida Statewide youth, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	0.0	0.0	0.0	--	0.0	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	0.0	0.0	0.0	--	0.0	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	64.1	100.0	54.8	--	64.1	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	20.6	0.0	25.9	--	20.6	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	15.3	0.0	19.3	--	15.3	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Glades County and Florida Statewide youth, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	28.1	0.0	39.1	--	28.1	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	28.1	100.0	0.0	--	28.1	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	43.8	0.0	60.9	--	43.8	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	0.0	0.0	0.0	--	0.0	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades County and Florida Statewide youth, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	20.5	0.0	25.8	--	20.5	--	--	34.2	36.6	31.0	--	34.2	--
2	--	20.5	100.0	0.0	--	20.5	--	--	20.0	22.2	16.3	--	20.0	--
3	--	0.0	0.0	0.0	--	0.0	--	--	15.7	15.6	15.9	--	15.7	--
4	--	0.0	0.0	0.0	--	0.0	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	59.0	0.0	74.2	--	59.0	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Glades County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	0.7	2.0	0.5	1.8	0.7	2.9	1.1	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	1.8	3.8	0.5	4.7	1.7	5.6	2.5	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	0.3	0.0	0.0	0.4	0.3	0.0	0.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Glades County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.4	11.3	6.3	14.2	8.6	6.5	10.1	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	2.5	2.5	1.3	3.8	2.4	1.8	2.5	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.0	1.9	0.0	1.4	0.0	2.8	0.7	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.0	2.1	0.6	3.7	1.9	1.2	2.1	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	16.0	17.7	11.2	22.6	17.1	20.6	16.6	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	10.8	3.3	7.9	8.4	10.2	4.8	8.1	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Glades County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	16.6	5.2	12.2	11.0	12.2	11.5	13.4	18.1	15.2	7.7	12.5	9.4	7.8	10.0	8.5	9.4	11.3	10.1
Selling drugs	7.1	3.3	5.7	2.2	1.3	1.9	1.9	5.9	3.4	0.9	5.3	2.4	1.5	5.6	2.9	2.5	2.5	2.5
Attempting to steal a vehicle	3.7	4.2	3.9	0.0	0.0	0.0	2.2	1.3	1.9	1.3	1.5	1.4	0.0	0.0	0.0	0.0	1.9	0.7
Being arrested	9.2	4.8	7.5	2.7	1.3	2.1	1.9	3.7	2.6	0.8	10.1	4.1	2.7	2.5	2.6	2.0	2.1	2.1
Taking a handgun to school	2.4	4.8	3.4	1.2	1.3	1.2	0.0	1.1	0.4	0.5	1.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0
Getting suspended	20.7	15.1	18.6	10.6	12.8	11.4	9.4	9.0	9.3	10.9	15.3	12.4	10.8	9.7	10.5	16.0	17.7	16.6
Attacking someone with intent to harm	13.4	5.0	10.2	6.9	4.6	6.0	6.1	5.0	5.7	4.8	10.2	6.7	12.7	4.5	10.0	10.8	3.3	8.1

Table 14. Percentages of Glades County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	27.6	38.5	43.1	17.9	27.6	37.6	31.4	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	38.1	50.2	58.6	23.8	37.3	51.6	42.3	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	24.4	34.8	37.0	17.3	23.9	35.2	28.1	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	48.9	54.9	66.2	33.9	47.7	56.3	51.0	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	24.3	27.2	31.5	17.9	23.9	30.4	25.3	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	3.6	9.4	9.6	1.4	4.1	4.9	5.6	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Glades County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	4.3	13.5	13.3	1.7	4.5	12.1	7.6	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	40.6	18.6	28.2	36.7	39.3	16.4	32.8	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	57.4	48.0	60.7	46.5	55.2	49.4	54.0	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	19.2	18.2	21.4	16.4	18.2	21.4	18.9	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	23.6	10.3	8.1	30.5	22.6	14.4	18.9	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	32.3	24.6	24.4	35.4	29.8	27.0	29.6	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	14.0	8.9	15.0	9.4	12.9	8.9	12.2	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Glades County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	12.0	18.1	4.0	--	10.0	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	4.2	7.4	0.0	--	4.3	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	9.6	13.8	4.0	--	4.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	45.5	38.5	54.6	--	41.5	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	3.0	5.3	0.0	--	3.9	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	22.7	27.9	15.9	--	21.7	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	26.1	39.5	8.7	--	32.6	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	19.2	24.8	11.8	--	22.4	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	30.9	39.5	19.7	--	25.9	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.5	6.0	9.5	--	8.9	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Glades County and Florida Statewide high school youth, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	30.0	29.6	30.6	--	35.3	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	24.1	13.9	37.3	--	19.3	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	16.3	17.1	15.2	--	20.6	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.5	11.1	12.0	--	6.2	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	7.3	12.9	0.0	--	4.3	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	8.6	11.4	4.9	--	11.5	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	0.6	1.1	0.0	--	0.0	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.6	2.9	0.0	--	2.7	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Glades County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.8	26.5	27.7	35.6	32.1	37.2	31.3	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	33.6	27.7	34.5	29.1	32.1	39.6	31.6	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	28.5	15.6	24.1	24.6	25.8	24.6	24.2	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.8	19.7	26.2	22.8	27.0	22.8	24.4	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	28.3	33.4	30.1	30.5	26.8	38.8	30.1	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	48.2	34.9	46.8	41.2	46.6	42.2	43.7	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Glades County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	49.6	45.7	45.3	51.9	51.2	39.0	48.2	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	38.1	16.9	23.7	36.9	37.0	17.1	30.6	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	13.8	8.4	15.2	8.5	13.1	6.0	11.9	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	15.0	19.4	16.3	17.0	15.8	23.4	16.5	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	6.5	11.0	9.9	6.3	6.9	13.7	8.1	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Glades County and Florida Statewide youth, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	13.9	17.7	9.2	--	16.5	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	7.8	2.7	14.1	--	7.2	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	2.5	0.0	5.6	--	1.9	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	4.7	6.3	2.7	--	7.3	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Glades County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	23.0	--	--	17.3	--	--	27.2	--	--	14.5	--	--	19.6	--	--	13.9	--
Marijuana	--	20.8	--	--	15.7	--	--	25.2	--	--	32.9	--	--	33.9	--	--	7.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	14.7	--	--	4.1	--	--	10.3	--	--	8.2	--	--	7.6	--	--	2.5	--
Marijuana	--	12.4	--	--	10.9	--	--	13.1	--	--	15.1	--	--	13.4	--	--	4.7	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Glades County and Florida Statewide youth, 2022

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	71.8	63.1	67.0	70.4	70.1	67.9	68.8	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	14.6	26.4	24.5	12.4	16.3	18.5	18.7	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	13.6	10.5	8.5	17.2	13.6	13.6	12.5	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	25.2	21.3	20.0	28.2	25.0	18.3	23.8	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	10.9	9.6	9.3	11.7	10.5	12.8	10.4	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	29.1	29.8	19.8	40.1	29.8	28.9	29.4	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	26.1	23.3	35.1	14.7	25.5	32.3	25.1	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	8.7	16.0	15.8	5.3	9.3	7.8	11.4	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Glades County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	48	62	53	55	59	54
	Family Rewards for Prosocial Involvement	41	49	46	49	54	55
School	School Opportunities for Prosocial Involvement	50	49	51	60	57	60
	School Rewards for Prosocial Involvement	46	47	45	56	53	58
Peer and Individual	Religiosity	34	51	36	46	56	62
Average Prevalence Rate		44	52	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Glades County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	38	18	41	29	42	42
	Perceived Availability of Drugs	31	15	33	15	45	45
	Perceived Availability of Handguns	24	24	25	30	25	42
Family	Poor Family Management	59	36	47	34	44	45
	Family Conflict	41	24	43	34	42	37
School	Poor Academic Performance	51	37	48	48	45	48
	Lack of Commitment to School	78	87	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	49	42	52	39	40	46
	Favorable Attitudes toward ATOD Use	33	23	33	29	39	45
	Early Initiation of Drug Use	28	6	21	13	41	46
Average Prevalence Rate		43	31	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Glades County, 2012 to 2022

Domain	Scale	Glades County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	56	49	69	48	61	48
	Family Rewards for Prosocial Involvement	57	55	61	48	51	41
School	School Opportunities for Prosocial Involvement	55	58	56	41	56	50
	School Rewards for Prosocial Involvement	67	59	59	46	48	46
Peer and Individual	Religiosity	43	50	58	50	52	34
Average Prevalence Rate		56	54	61	47	54	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Glades County, 2012 to 2022

Domain	Scale	Glades County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	45	48	45	47	44	38
	Perceived Availability of Drugs	52	35	38	37	32	31
	Perceived Availability of Handguns	41	35	35	30	29	24
Family	Poor Family Management	49	44	36	41	44	59
	Family Conflict	39	31	32	37	35	41
School	Poor Academic Performance	45	50	41	47	49	51
	Lack of Commitment to School	47	49	43	72	67	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	39	36	47	49	49
	Favorable Attitudes toward ATOD Use	41	40	33	41	33	33
	Early Initiation of Drug Use	41	35	24	22	29	28
Average Prevalence Rate		45	41	36	42	41	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Glades County, 2012 to 2022

Domain	Scale	Glades County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	48	54	55	65	50	62
	Family Rewards for Prosocial Involvement	43	43	57	50	46	49
School	School Opportunities for Prosocial Involvement	57	46	53	49	42	49
	School Rewards for Prosocial Involvement	61	67	65	57	56	47
Peer and Individual	Religiosity	44	62	62	62	47	51
Average Prevalence Rate		51	54	58	57	48	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Glades County, 2012 to 2022

Domain	Scale	Glades County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	38	22	38	33	42	18
	Perceived Availability of Drugs	29	31	32	21	14	15
	Perceived Availability of Handguns	32	50	41	41	29	24
Family	Poor Family Management	71	41	49	41	48	36
	Family Conflict	26	19	24	24	32	24
School	Poor Academic Performance	45	51	42	43	41	37
	Lack of Commitment to School	48	53	70	45	75	87
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	34	38	32	44	43	42
	Favorable Attitudes toward ATOD Use	39	32	42	37	21	23
	Early Initiation of Drug Use	32	31	25	24	13	6
Average Prevalence Rate		39	37	40	35	36	31

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.