

# **2022 Florida Youth Substance Abuse Survey**

**Hendry County Data Tables**



**Table 1. Major demographic characteristics of surveyed Hendry County and Florida Statewide, 2022**

	Hendry County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	367	50.6	22,957	48.3
Male	351	48.4	23,857	50.1
<b>Race/Ethnic group</b>				
African American	80	11.0	10,187	21.4
American Indian	5	0.7	422	0.9
Asian	5	0.7	785	1.7
Hispanic/Latino	381	52.6	10,291	21.6
Native Hawaiian/Pacific Islander	2	0.3	63	0.1
Other/Multiple	146	20.1	6,956	14.6
White, non-Hispanic	100	13.8	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	656	90.5	41,174	86.6
Yes	64	8.8	5,980	12.6
<b>Age</b>				
11	31	4.3	2,576	5.4
12	74	10.2	6,243	13.1
13	80	11.0	6,872	14.4
14	118	16.3	7,136	15.0
15	127	17.5	7,278	15.3
16	123	17.0	6,918	14.5
17	115	15.9	6,616	13.9
18	45	6.2	3,403	7.2
<b>Grade</b>				
6th	76	10.5	6,626	13.9
7th	89	12.3	6,817	14.3
8th	93	12.8	7,021	14.8
9th	136	18.8	7,193	15.1
10th	125	17.2	7,025	14.8
11th	136	18.8	6,557	13.8
12th	70	9.7	6,333	13.3
<b>Middle School</b>	258	35.6	20,463	43.0
<b>High School</b>	467	64.4	27,109	57.0
<b>Total</b>	<b>725</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Hendry County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	20.4	29.7	32.0	19.1	21.7	31.6	25.6	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	5.3	6.8	3.8	--	5.6	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	7.1	5.3	6.0	6.3	6.2	5.1	6.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	15.3	19.2	22.4	12.8	16.3	18.7	17.5	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	10.7	16.6	17.5	10.8	11.2	16.8	14.0	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	6.0	20.3	16.8	11.5	7.8	20.6	14.1	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	2.3	2.0	2.7	--	1.8	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	7.9	2.4	5.2	4.5	7.4	2.5	4.8	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.2	1.9	1.1	1.3	0.2	1.0	1.2	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	4.0	2.0	3.8	2.0	3.6	1.1	2.8	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	1.7	1.2	1.6	1.3	1.5	0.3	1.4	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.3	1.0	1.1	0.4	0.3	0.0	0.7	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.9	0.8	0.2	0.0	0.3	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.7	1.4	1.7	0.6	0.7	0.9	1.1	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	2.3	1.5	1.9	1.8	2.1	0.8	1.9	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.2	2.0	2.7	0.6	1.1	2.3	1.6	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	5.1	2.2	5.1	1.9	4.6	2.7	3.5	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.7	1.4	0.0	--	0.0	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	18.2	25.7	25.2	19.8	19.1	26.5	22.4	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	11.7	9.0	10.7	9.9	10.8	9.1	10.2	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.5	11.2	12.5	9.8	11.1	13.3	11.3	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	29.7	37.0	37.5	30.0	30.3	39.9	33.8	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	9.4	7.7	5.7	11.3	8.6	8.9	8.5	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Hendry County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	7.6	11.8	12.1	8.0	8.4	11.3	9.9	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	6.2	6.9	8.1	5.1	6.3	6.2	6.6	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	2.2	1.9	1.9	2.2	1.5	1.8	2.0	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	7.3	8.4	8.6	7.3	8.3	6.7	7.9	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	5.5	7.3	8.5	4.5	5.6	6.8	6.5	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	3.2	9.6	7.7	5.8	3.4	9.0	6.7	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.8	1.6	0.0	--	1.1	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	3.1	1.0	3.8	0.0	2.8	1.3	1.9	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	1.0	0.3	0.9	0.0	0.8	0.6	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	1.1	0.2	0.0	1.2	1.0	0.0	0.6	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	1.7	0.0	0.6	0.9	1.6	0.0	0.8	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.5	0.3	0.2	0.0	0.6	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.4	0.2	0.4	0.2	0.4	0.2	0.3	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.6	0.8	1.1	1.2	1.4	0.8	1.1	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	0.6	0.7	0.0	0.0	0.8	0.3	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	4.4	1.5	3.9	1.7	4.0	1.7	2.8	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	8.8	13.5	13.8	9.2	8.5	13.9	11.4	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.4	4.1	6.6	2.8	4.8	4.7	4.7	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	3.4	7.6	6.0	5.6	4.7	7.9	5.7	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	12.1	21.0	19.6	14.9	13.1	21.7	17.1	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	4.6	9.5	7.7	7.0	4.8	10.7	7.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Hendry County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	34.7	54.5	46.0	27.0	37.5	32.9	26.6	48.4	39.6	23.6	35.4	30.3	22.4	31.2	27.0	20.4	29.7	25.6
Blacking Out	--	--	--	--	15.4	--	--	16.2	--	--	11.3	--	--	9.6	--	--	5.3	--
Cigarettes	16.6	29.3	23.9	9.7	22.4	16.8	10.4	19.6	15.8	8.3	12.3	10.6	7.2	9.7	8.5	7.1	5.3	6.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	12.6	20.1	16.6	15.3	19.2	17.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	6.1	14.9	10.7	10.7	16.6	14.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	12.9	28.5	22.0	14.9	24.8	20.5	--	--	--	--	--	--
Marijuana or Hashish	9.7	31.0	22.1	9.3	23.5	17.2	12.4	29.8	22.6	12.1	22.3	17.9	9.6	21.7	16.0	6.0	20.3	14.1
Synthetic Marijuana	--	8.7	--	--	9.8	--	--	5.4	--	--	3.2	--	--	1.6	--	--	2.3	--
Inhalants	11.8	6.8	8.9	7.4	1.9	4.3	5.6	3.7	4.5	4.8	1.7	3.1	7.1	2.8	4.9	7.9	2.4	4.8
Club Drugs	1.3	4.9	3.3	2.3	2.6	2.5	1.0	2.2	1.7	1.5	2.4	2.0	1.2	1.3	1.2	0.2	1.9	1.2
LSD, PCP or Mushrooms	1.6	3.3	2.6	2.8	2.7	2.7	1.2	1.9	1.6	1.9	3.1	2.6	1.5	2.0	1.8	4.0	2.0	2.8
Methamphetamine	1.6	2.2	2.0	0.7	2.1	1.5	1.2	2.7	2.1	1.4	1.8	1.6	1.3	1.7	1.5	1.7	1.2	1.4
Cocaine or Crack	3.4	4.9	4.2	2.8	2.8	2.8	1.2	2.2	1.8	1.4	1.7	1.5	2.0	1.9	2.0	0.3	1.0	0.7
Heroin	0.8	2.2	1.6	1.8	0.6	1.2	0.8	1.5	1.2	1.3	0.5	0.9	0.2	0.1	0.1	0.0	0.9	0.5
Prescription Depressants	2.2	6.0	4.4	2.0	3.8	3.0	2.1	5.4	4.0	2.2	4.4	3.4	2.4	3.3	2.9	0.7	1.4	1.1
Prescription Pain Relievers	4.5	8.9	7.1	5.2	5.7	5.5	2.7	3.7	3.3	2.0	2.6	2.4	3.2	1.7	2.4	2.3	1.5	1.9
Prescription Amphetamines	2.1	1.9	2.0	0.7	2.1	1.4	1.0	2.2	1.7	1.1	0.9	1.0	2.2	1.4	1.8	1.2	2.0	1.6
Over-the-Counter Drugs	4.4	5.3	4.9	4.0	3.8	3.9	3.2	3.0	3.1	3.3	2.8	3.0	2.8	3.7	3.3	5.1	2.2	3.5
Needle to Inject Drugs	--	--	--	--	--	--	--	1.0	--	--	1.4	--	--	0.5	--	--	0.7	--
Any illicit drug	23.6	36.9	31.3	16.3	27.2	22.4	17.9	32.2	26.3	15.8	24.2	20.5	19.3	27.0	23.3	18.2	25.7	22.4
Any illicit drug other than marijuana	18.6	18.6	18.6	12.3	10.6	11.3	10.2	12.7	11.7	8.5	9.6	9.1	14.5	11.5	12.9	11.7	9.0	10.2
Alcohol only	18.1	22.6	20.7	15.4	17.2	16.4	13.5	21.9	18.5	12.7	17.6	15.5	9.1	12.7	11.0	11.5	11.2	11.3
Alcohol or any illicit drug	41.7	59.3	51.8	31.6	44.5	38.8	31.0	53.9	44.4	28.0	41.7	35.7	29.1	39.2	34.4	29.7	37.0	33.8
Any illicit drug, but no alcohol	7.1	4.9	5.8	5.3	7.0	6.3	4.8	5.4	5.1	5.0	6.6	5.9	6.6	7.8	7.3	9.4	7.7	8.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Hendry County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.9	29.8	24.7	14.2	19.4	17.1	12.7	24.8	19.9	7.6	13.9	11.2	11.3	16.4	14.0	7.6	11.8	9.9
Binge Drinking	8.4	17.9	13.8	9.3	10.5	10.0	6.9	15.0	11.7	4.3	9.7	7.4	4.8	8.0	6.5	6.2	6.9	6.6
Cigarettes	3.7	8.7	6.5	1.1	5.3	3.4	2.3	5.8	4.4	1.9	3.6	2.9	1.5	2.5	2.0	2.2	1.9	2.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	3.5	9.9	6.9	7.3	8.4	7.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	2.6	6.3	4.6	5.5	7.3	6.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	5.2	8.4	7.1	4.4	11.6	8.5	--	--	--	--	--	--
Marijuana or Hashish	6.2	15.5	11.5	4.6	10.2	7.7	6.3	15.1	11.5	5.2	13.9	10.1	4.1	8.7	6.6	3.2	9.6	6.7
Synthetic Marijuana	--	4.0	--	--	3.4	--	--	2.0	--	--	1.0	--	--	0.4	--	--	0.8	--
Inhalants	6.1	3.3	4.5	2.8	1.5	2.1	1.7	1.2	1.4	1.4	0.8	1.1	2.8	0.7	1.7	3.1	1.0	1.9
Club Drugs	1.0	1.3	1.2	0.8	1.6	1.3	0.7	1.1	0.9	1.0	0.8	0.9	1.5	0.5	1.0	0.0	1.0	0.6
LSD, PCP or Mushrooms	0.5	1.0	0.8	0.6	2.2	1.5	0.9	0.8	0.8	1.4	0.8	1.1	0.9	0.8	0.8	1.1	0.2	0.6
Methamphetamine	1.1	1.0	1.1	0.6	1.9	1.3	0.5	0.7	0.6	0.6	0.8	0.7	0.7	0.8	0.7	1.7	0.0	0.8
Cocaine or Crack	1.2	2.2	1.8	1.5	1.5	1.5	0.8	1.0	0.9	0.8	0.9	0.8	0.5	1.0	0.8	0.0	0.0	0.0
Heroin	0.5	0.7	0.7	1.3	0.4	0.8	0.5	0.4	0.5	0.2	0.3	0.3	0.1	0.0	0.0	0.0	0.5	0.3
Prescription Depressants	0.6	2.1	1.4	1.1	2.8	2.0	0.8	2.2	1.6	1.1	2.3	1.8	0.9	1.1	1.0	0.4	0.2	0.3
Prescription Pain Relievers	2.9	3.6	3.3	1.8	3.5	2.8	1.0	1.9	1.5	0.9	1.8	1.4	0.6	0.6	0.6	1.6	0.8	1.1
Prescription Amphetamines	0.7	1.0	0.9	0.7	1.5	1.2	0.5	1.5	1.1	1.1	0.3	0.7	0.7	0.0	0.3	0.0	0.6	0.3
Over-the-Counter Drugs	2.5	3.4	3.0	2.0	3.2	2.7	2.2	2.2	2.2	1.8	1.5	1.6	1.1	1.1	1.1	4.4	1.5	2.8
Any illicit drug	13.7	20.7	17.8	9.2	13.4	11.6	9.0	18.2	14.4	8.0	16.2	12.6	8.7	11.4	10.2	8.8	13.5	11.4
Any illicit drug other than marijuana	9.6	11.4	10.6	6.9	6.9	6.9	5.1	6.8	6.1	4.6	5.9	5.3	6.8	4.4	5.5	5.4	4.1	4.7
Alcohol only	10.0	13.6	12.1	8.7	12.6	10.9	6.9	14.1	11.2	4.6	6.2	5.5	6.7	10.7	8.8	3.4	7.6	5.7
Alcohol or any illicit drug	23.8	34.8	30.1	16.8	26.0	22.0	15.5	31.9	25.1	12.5	22.0	17.8	16.0	21.8	19.0	12.1	21.0	17.1
Any illicit drug, but no alcohol	6.2	5.1	5.6	3.4	7.0	5.4	3.2	7.3	5.7	5.0	8.4	6.9	4.9	4.9	4.9	4.6	9.5	7.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Hendry County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	13.4	11.5	15.4	--	13.7	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	3.7	2.6	4.8	--	3.0	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	3.2	2.8	3.7	--	2.0	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	5.6	4.0	7.4	--	4.8	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	48.4	43.9	46.5	45.5	48.4	42.2	45.9	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	52.0	52.0	51.6	52.4	53.2	49.0	52.0	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	61.8	62.6	64.9	59.5	61.9	63.3	62.3	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	48.4	40.6	43.0	44.8	46.7	40.5	44.0	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	53.3	36.6	42.9	44.7	51.6	35.5	43.9	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	46.0	29.4	35.8	37.2	44.0	29.7	36.6	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	38.6	21.6	28.9	28.7	36.7	21.1	29.0	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	60.5	68.3	63.6	66.2	63.4	65.9	64.9	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	95.4	92.9	94.4	93.6	95.5	93.3	94.0	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	87.9	80.0	82.7	84.0	86.9	81.4	83.5	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	91.4	73.4	79.4	83.2	90.9	72.5	81.4	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	88.5	84.2	84.7	87.2	87.2	84.8	86.1	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	92.3	78.2	83.9	84.9	90.7	77.5	84.5	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.1	96.6	97.3	96.3	97.0	96.9	96.8	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	89.4	87.4	90.9	85.8	89.6	89.6	88.3	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	93.8	92.7	94.4	91.9	93.2	94.5	93.2	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	91.5	75.9	81.9	83.8	90.4	75.8	82.9	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	87.3	83.7	82.4	88.0	86.2	85.2	85.3	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	91.5	80.0	84.1	86.1	90.4	80.0	85.1	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	92.5	95.5	93.8	94.4	93.1	95.1	94.2	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Hendry County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	30.1	--	--	20.4	--	--	19.3	--	--	15.9	--	--	12.3	--	--	13.4	--
Drink monthly	--	7.9	--	--	6.1	--	--	5.7	--	--	5.1	--	--	2.5	--	--	3.7	--
Smoke cigarettes	--	19.0	--	--	13.0	--	--	12.2	--	--	8.9	--	--	4.7	--	--	3.2	--
Smoke marijuana	--	13.2	--	--	13.8	--	--	14.9	--	--	9.2	--	--	8.2	--	--	5.6	--
<b>Great risk of harm</b>																		
Daily alcohol use	38.1	37.5	37.8	39.4	41.7	40.7	44.4	40.1	41.9	41.5	42.4	42.0	52.3	42.0	46.9	48.4	43.9	45.9
5+ drinks daily	--	--	--	50.4	48.7	49.4	51.7	49.2	50.2	55.2	50.8	52.7	59.3	50.7	54.7	52.0	52.0	52.0
Daily cigarette use	58.6	59.0	58.8	58.0	57.3	57.6	58.2	60.1	59.3	63.5	62.1	62.7	67.1	61.7	64.3	61.8	62.6	62.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	54.9	42.6	48.4	48.4	40.6	44.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	56.2	38.3	46.8	53.3	36.6	43.9
Marijuana weekly*	--	--	--	48.8	33.8	40.2	42.1	29.1	34.5	40.5	28.1	33.5	48.3	32.0	39.7	46.0	29.4	36.6
Try marijuana	33.5	28.2	30.4	39.2	28.1	32.8	32.4	21.5	26.0	32.5	22.1	26.6	37.2	24.2	30.3	38.6	21.6	29.0
Prescription drugs	--	63.8	63.8	64.4	62.0	63.0	62.0	64.3	63.4	63.4	64.7	64.1	69.5	62.1	65.6	60.5	68.3	64.9
<b>Think it wrong</b>																		
Smoke cigarettes	90.6	83.2	86.3	93.8	86.4	89.6	93.8	86.0	89.2	94.0	89.2	91.3	95.0	90.0	92.3	95.4	92.9	94.0
Drink regularly	81.6	66.2	72.7	83.6	74.2	78.2	83.3	69.2	75.1	85.2	72.8	78.1	86.5	74.0	79.8	87.9	80.0	83.5
Smoke marijuana	92.4	72.3	80.8	90.2	75.8	82.0	86.3	69.6	76.5	84.6	68.4	75.4	88.5	72.6	80.0	91.4	73.4	81.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	93.1	81.6	87.0	88.5	84.2	86.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.7	79.0	84.9	92.3	78.2	84.5
Other illicit drugs	96.6	92.6	94.3	96.3	92.0	93.9	95.4	93.3	94.2	94.8	94.9	94.8	95.4	94.8	95.1	97.1	96.6	96.8
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	84.3	76.7	80.0	87.3	76.8	81.2	89.7	79.3	83.8	89.4	85.4	87.3	89.4	87.4	88.3
Smoke tobacco	--	--	--	93.2	88.0	90.3	94.1	84.2	88.3	92.0	89.6	90.6	95.7	90.6	92.9	93.8	92.7	93.2
Smoke marijuana	--	--	--	87.1	75.5	80.5	85.0	67.1	74.5	85.0	67.9	75.2	88.5	73.1	80.3	91.5	75.9	82.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	90.4	82.0	85.9	87.3	83.7	85.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	89.6	79.1	84.0	91.5	80.0	85.1
Prescription drugs	--	--	--	93.7	90.4	91.9	95.4	88.6	91.4	93.9	91.4	92.5	95.2	94.2	94.6	92.5	95.5	94.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Hendry County and Florida Statewide youth, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	15.6	15.8	15.3	--	15.6	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	2.5	4.5	0.0	--	2.5	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	9.7	3.3	18.1	--	9.7	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	24.9	32.2	15.3	--	24.9	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	2.6	0.0	6.0	--	2.6	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	14.1	6.7	23.8	--	14.1	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	30.6	37.6	21.6	--	30.6	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Hendry County and Florida Statewide youth, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	54.5	53.2	55.7	--	54.5	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	21.4	20.7	22.1	--	21.4	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	3.9	0.0	7.6	--	3.9	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	2.5	5.1	0.0	--	2.5	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	8.3	11.6	5.2	--	8.3	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	2.7	0.0	5.3	--	2.7	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	6.6	9.3	4.1	--	6.6	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Hendry County and Florida Statewide youth, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	33.8	39.0	26.4	--	33.8	--	--	34.2	36.6	31.0	--	34.2	--
2	--	22.5	14.5	34.0	--	22.5	--	--	20.0	22.2	16.3	--	20.0	--
3	--	9.9	6.5	14.9	--	9.9	--	--	15.7	15.6	15.9	--	15.7	--
4	--	24.7	32.0	14.1	--	24.7	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	9.1	8.0	10.6	--	9.1	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Hendry County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	7.4	3.9	7.4	3.3	7.1	2.7	5.4	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	2.1	7.5	5.1	5.4	2.6	7.6	5.2	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	2.2	1.9	3.1	0.8	2.8	0.4	2.0	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Hendry County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	6.5	4.2	2.7	7.8	5.8	4.7	5.2	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	1.8	1.8	1.2	2.5	1.6	1.7	1.8	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	4.6	0.8	3.5	1.2	4.0	0.4	2.4	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.7	2.1	2.0	2.8	2.4	2.0	2.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.4	0.3	0.2	0.0	0.2	0.2	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	15.4	11.2	9.6	16.7	15.7	9.2	13.0	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.9	4.3	7.3	7.7	11.0	4.7	7.5	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Hendry County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.3	6.3	7.2	10.4	6.6	8.4	6.4	8.5	7.6	6.6	7.9	7.4	8.4	7.3	7.8	6.5	4.2	5.2
Selling drugs	3.7	7.2	5.7	6.7	7.3	7.0	2.6	5.7	4.4	3.8	4.5	4.2	3.5	3.2	3.3	1.8	1.8	1.8
Attempting to steal a vehicle	1.2	2.1	1.7	2.9	2.3	2.6	2.1	1.7	1.8	2.5	2.6	2.5	2.2	2.7	2.5	4.6	0.8	2.4
Being arrested	4.8	4.9	4.9	4.6	3.7	4.1	4.5	4.0	4.2	3.7	3.5	3.6	4.0	4.5	4.3	2.7	2.1	2.4
Taking a handgun to school	1.3	1.8	1.6	2.3	2.5	2.4	0.8	0.8	0.8	1.2	1.2	1.2	2.5	1.3	1.9	0.0	0.4	0.2
Getting suspended	19.6	15.0	17.0	15.8	13.4	14.5	16.6	12.0	13.9	8.7	8.8	8.7	16.1	13.5	14.7	15.4	11.2	13.0
Attacking someone with intent to harm	9.5	8.6	9.0	6.8	4.7	5.7	8.5	5.6	6.8	7.9	6.7	7.2	13.9	5.5	9.5	11.9	4.3	7.5

**Table 14. Percentages of Hendry County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	38.9	27.7	42.5	22.4	37.4	28.7	32.7	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	45.6	34.9	50.6	28.5	44.9	35.6	39.6	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	31.8	24.3	32.2	22.8	30.7	24.1	27.6	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	46.5	40.8	54.8	31.4	46.0	41.6	43.3	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b>Suicide</b>														
Thought about committing suicide in the past 12 months	36.1	25.8	36.5	23.3	36.4	24.0	30.2	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	11.5	6.6	10.5	6.6	12.4	6.0	8.7	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Hendry County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	11.9	6.3	11.2	6.6	11.9	4.9	8.8	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	34.5	23.5	30.2	26.5	35.0	22.9	28.4	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	58.6	39.9	52.6	44.0	56.9	40.3	48.3	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	28.3	19.3	33.1	13.8	27.7	19.4	23.3	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	21.1	13.2	16.1	17.6	21.2	11.6	16.7	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	31.1	19.8	22.9	26.7	29.3	20.2	24.8	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	15.0	8.8	14.4	8.9	13.9	8.3	11.6	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Hendry County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	14.3	20.7	7.2	--	15.0	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	8.7	8.8	8.2	--	8.0	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	6.5	7.8	4.8	--	5.3	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	42.2	51.1	32.1	--	43.2	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	9.3	12.2	5.8	--	8.6	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	20.8	21.3	20.0	--	20.9	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	20.9	26.5	14.3	--	18.3	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	26.3	33.1	18.4	--	27.9	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	30.4	36.3	23.1	--	30.5	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.6	7.0	8.3	--	7.1	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Hendry County and Florida Statewide high school youth, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	36.5	29.2	45.0	--	36.3	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	20.2	21.0	19.1	--	20.7	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	18.6	18.3	19.1	--	19.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	5.0	6.7	3.2	--	4.7	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	5.4	7.0	3.7	--	5.7	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.3	6.5	4.0	--	4.4	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	4.0	3.7	4.3	--	3.7	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.1	3.0	1.1	--	2.8	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.7	2.8	0.0	--	1.9	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.3	0.6	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.8	1.1	0.5	--	0.6	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Hendry County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	36.7	29.0	39.2	25.4	34.4	29.9	32.3	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	39.9	27.0	33.9	31.3	38.1	28.4	32.6	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	37.2	27.1	32.8	30.2	36.1	30.1	31.5	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	37.7	25.4	30.0	31.7	36.7	25.2	30.7	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	40.3	27.3	40.3	25.7	39.9	27.2	32.9	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	51.1	38.7	49.8	38.4	49.5	41.1	44.0	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Hendry County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	41.4	38.3	32.9	46.9	40.0	40.8	39.7	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	42.7	19.1	26.8	33.0	39.6	18.5	29.7	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	10.0	6.8	11.0	5.7	10.5	5.5	8.2	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	21.0	26.3	27.3	20.3	21.2	26.5	23.9	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	10.8	11.3	15.6	6.7	11.1	11.0	11.1	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Hendry County and Florida Statewide youth, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	16.8	18.1	15.6	--	18.0	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	16.2	19.3	13.2	--	17.4	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	3.6	3.0	4.3	--	3.2	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	6.8	8.2	5.3	--	6.6	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Hendry County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	26.6	--	--	19.7	--	--	23.9	--	--	14.5	--	--	16.9	--	--	16.8	--
Marijuana	--	24.9	--	--	19.6	--	--	24.9	--	--	19.5	--	--	17.5	--	--	16.2	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	12.1	--	--	10.2	--	--	10.2	--	--	6.9	--	--	4.1	--	--	3.6	--
Marijuana	--	11.1	--	--	8.2	--	--	13.8	--	--	10.2	--	--	7.2	--	--	6.8	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Hendry County and Florida Statewide youth, 2022**

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i></b>														
Yes	69.5	71.9	67.9	74.2	68.7	70.7	70.9	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	20.3	19.9	21.1	19.1	20.9	20.0	20.1	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	10.2	8.2	11.0	6.7	10.3	9.3	9.0	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<b><i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i></b>														
A lot better	26.6	26.4	17.0	36.6	24.8	25.5	26.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	6.3	9.0	8.8	7.0	6.6	9.8	7.8	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	33.2	30.2	28.8	34.8	33.8	29.8	31.5	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	16.8	21.8	23.6	15.4	18.7	21.8	19.6	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	17.1	12.6	21.8	6.3	16.1	13.1	14.5	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Hendry County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	41	53	53	55	59	54
	Family Rewards for Prosocial Involvement	33	44	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	45	57	51	60	57	60
	School Rewards for Prosocial Involvement	44	57	45	56	53	58
<b>Peer and Individual</b>	Religiosity	39	50	36	46	56	62
<b>Average Prevalence Rate</b>		<b>40</b>	<b>52</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Hendry County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	47	31	41	29	42	42
	Perceived Availability of Drugs	33	13	33	15	45	45
	Perceived Availability of Handguns	34	31	25	30	25	42
<b>Family</b>	Poor Family Management	60	38	47	34	44	45
	Family Conflict	49	29	43	34	42	37
<b>School</b>	Poor Academic Performance	58	45	48	48	45	48
	Lack of Commitment to School	80	69	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	48	37	52	39	40	46
	Favorable Attitudes toward ATOD Use	31	27	33	29	39	45
	Early Initiation of Drug Use	23	11	21	13	41	46
<b>Average Prevalence Rate</b>		<b>46</b>	<b>33</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Hendry County, 2012 to 2022**

Domain	Scale	Hendry County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	53	59	54	52	54	41
	Family Rewards for Prosocial Involvement	46	53	50	45	46	33
<b>School</b>	School Opportunities for Prosocial Involvement	42	51	53	42	42	45
	School Rewards for Prosocial Involvement	50	54	54	37	39	44
<b>Peer and Individual</b>	Religiosity	49	48	43	41	45	39
<b>Average Prevalence Rate</b>		<b>48</b>	<b>53</b>	<b>51</b>	<b>43</b>	<b>45</b>	<b>40</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Hendry County, 2012 to 2022**

Domain	Scale	Hendry County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	47	45	47	45	43	47
	Perceived Availability of Drugs	48	36	38	35	36	33
	Perceived Availability of Handguns	34	27	27	26	25	34
<b>Family</b>	Poor Family Management	51	49	49	55	52	60
	Family Conflict	36	36	35	37	42	49
<b>School</b>	Poor Academic Performance	52	50	48	55	49	58
	Lack of Commitment to School	45	43	50	59	73	80
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	45	40	43	43	53	48
	Favorable Attitudes toward ATOD Use	44	36	39	40	34	31
	Early Initiation of Drug Use	37	27	26	26	24	23
<b>Average Prevalence Rate</b>		<b>44</b>	<b>39</b>	<b>40</b>	<b>42</b>	<b>43</b>	<b>46</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Hendry County, 2012 to 2022**

Domain	Scale	Hendry County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	54	50	56	56	58	53
	Family Rewards for Prosocial Involvement	51	46	51	50	51	44
<b>School</b>	School Opportunities for Prosocial Involvement	54	59	63	58	57	57
	School Rewards for Prosocial Involvement	52	64	59	52	56	57
<b>Peer and Individual</b>	Religiosity	62	58	59	53	55	50
<b>Average Prevalence Rate</b>		<b>55</b>	<b>55</b>	<b>58</b>	<b>54</b>	<b>55</b>	<b>52</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Hendry County, 2012 to 2022**

Domain	Scale	Hendry County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	39	28	37	31	29	31
	Perceived Availability of Drugs	35	22	29	22	13	13
	Perceived Availability of Handguns	50	37	44	38	30	31
<b>Family</b>	Poor Family Management	47	52	43	42	39	38
	Family Conflict	28	21	28	24	26	29
<b>School</b>	Poor Academic Performance	42	45	40	45	45	45
	Lack of Commitment to School	42	45	47	54	58	69
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	31	27	31	34	33	37
	Favorable Attitudes toward ATOD Use	34	27	32	29	29	27
	Early Initiation of Drug Use	35	24	25	20	13	11
<b>Average Prevalence Rate</b>		<b>38</b>	<b>33</b>	<b>36</b>	<b>34</b>	<b>32</b>	<b>33</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.