

2022 Florida Youth Substance Abuse Survey

Lafayette County Data Tables

Table 1. Major demographic characteristics of surveyed Lafayette County and Florida Statewide, 2022

	Lafayette County		Florida Statewide	
	N	%	N	%
Sex				
Female	35	40.7	22,957	48.3
Male	49	57.0	23,857	50.1
Race/Ethnic group				
African American	4	4.7	10,187	21.4
American Indian	5	5.8	422	0.9
Asian	0	0.0	785	1.7
Hispanic/Latino	13	15.1	10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0	63	0.1
Other/Multiple	15	17.4	6,956	14.6
White, non-Hispanic	44	51.2	18,419	38.7
Parent/Guardian in the Military				
No	67	77.9	41,174	86.6
Yes	17	19.8	5,980	12.6
Age				
11	10	11.6	2,576	5.4
12	25	29.1	6,243	13.1
13	27	31.4	6,872	14.4
14	21	24.4	7,136	15.0
15	3	3.5	7,278	15.3
16	0	0.0	6,918	14.5
17	0	0.0	6,616	13.9
18	0	0.0	3,403	7.2
Grade				
6th	31	36.0	6,626	13.9
7th	25	29.1	6,817	14.3
8th	30	34.9	7,021	14.8
9th	0	0.0	7,193	15.1
10th	0	0.0	7,025	14.8
11th	0	0.0	6,557	13.8
12th	0	0.0	6,333	13.3
Middle School	86	100.0	20,463	43.0
High School	0	0.0	27,109	57.0
Total	86	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Lafayette County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.5	--	25.4	22.8	24.6	--	--	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	--	--	--	--	--	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	13.6	--	15.9	12.5	12.7	--	--	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	17.7	--	31.8	9.9	15.4	--	--	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	0.5	--	1.4	0.0	0.5	--	--	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	4.7	--	5.3	4.5	5.0	--	--	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	--	--	--	--	--	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	4.7	--	5.5	4.4	5.0	--	--	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.0	--	0.0	0.0	0.0	--	--	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.0	--	0.0	0.0	0.0	--	--	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.0	--	0.0	0.0	0.0	--	--	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.0	--	0.0	0.0	0.0	--	--	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	--	0.0	0.0	0.0	--	--	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.0	--	0.0	0.0	0.0	--	--	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.5	--	8.7	2.0	4.7	--	--	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	2.8	--	7.4	0.0	2.9	--	--	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	0.7	--	0.0	1.1	0.7	--	--	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	--	--	--	--	--	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	10.3	--	15.7	7.3	10.8	--	--	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	7.8	--	10.6	6.3	8.2	--	--	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	16.1	--	12.6	18.5	16.8	--	--	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	26.3	--	28.1	25.7	27.6	--	--	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	3.0	--	3.2	2.9	3.1	--	--	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Lafayette County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	3.4	--	9.1	0.0	3.5	--	--	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	0.6	--	0.0	0.9	0.6	--	--	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.5	--	4.0	0.0	0.0	--	--	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	8.9	--	20.3	2.5	6.2	--	--	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	0.5	--	1.4	0.0	0.5	--	--	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	0.5	--	1.3	0.0	0.5	--	--	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	--	--	--	--	--	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.1	--	5.5	0.0	2.2	--	--	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	--	0.0	0.0	0.0	--	--	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.0	--	0.0	0.0	0.0	--	--	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.0	--	0.0	0.0	0.0	--	--	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.0	--	0.0	0.0	0.0	--	--	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	--	0.0	0.0	0.0	--	--	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.0	--	0.0	0.0	0.0	--	--	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.5	--	1.3	0.0	0.5	--	--	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	2.8	--	7.4	0.0	2.9	--	--	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.0	--	0.0	0.0	0.0	--	--	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	3.7	--	9.8	0.0	3.9	--	--	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	3.2	--	8.7	0.0	3.4	--	--	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	2.2	--	5.9	0.0	2.3	--	--	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	5.9	--	15.7	0.0	6.2	--	--	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	2.5	--	6.8	0.0	2.7	--	--	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Lafayette County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	35.8	63.8	51.3	18.0	63.0	43.1	13.6	47.8	32.4	14.6	61.8	40.6	18.0	50.1	35.6	23.5	--	--
Blacking Out	--	--	--	--	30.0	--	--	18.3	--	--	32.0	--	--	19.5	--	--	--	--
Cigarettes	22.2	37.0	30.3	15.6	48.2	33.6	12.1	36.8	25.4	13.0	37.0	26.0	11.9	26.5	19.8	13.6	--	--
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	18.0	40.9	30.4	17.7	--	--
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	5.4	9.7	7.8	0.5	--	--
Vaporizer / E-Cigarette	--	--	--	--	--	--	5.7	40.7	24.7	11.3	55.7	35.1	--	--	--	--	--	--
Marijuana or Hashish	7.5	33.8	22.1	6.0	30.7	19.9	1.0	28.2	16.0	3.2	31.2	18.7	7.4	18.0	13.1	4.7	--	--
Synthetic Marijuana	--	20.9	--	--	3.7	--	--	8.0	--	--	3.1	--	--	1.7	--	--	--	--
Inhalants	15.3	11.1	13.0	6.6	4.5	5.4	0.8	0.8	0.8	4.6	8.1	6.6	3.9	8.2	6.2	4.7	--	--
Club Drugs	1.0	7.3	4.5	0.0	0.0	0.0	0.0	2.8	1.6	0.0	1.9	1.0	0.0	0.0	0.0	0.0	--	--
LSD, PCP or Mushrooms	2.0	5.0	3.6	0.0	0.7	0.4	0.0	3.8	2.2	0.0	3.7	2.0	3.4	1.3	2.3	0.0	--	--
Methamphetamine	2.4	3.8	3.2	0.0	0.0	0.0	0.0	0.8	0.5	0.0	1.3	0.7	0.8	0.0	0.4	0.0	--	--
Cocaine or Crack	0.0	4.6	2.6	0.0	1.1	0.6	0.0	5.7	3.2	0.0	1.9	1.0	0.0	0.0	0.0	0.0	--	--
Heroin	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.6	0.0	0.3	0.0	--	--
Prescription Depressants	3.5	4.7	4.1	0.7	0.5	0.6	0.0	7.1	3.9	2.2	5.5	4.0	2.1	4.9	3.6	0.0	--	--
Prescription Pain Relievers	3.2	6.7	5.2	3.7	3.2	3.4	2.1	6.8	4.8	5.9	6.2	6.1	1.4	3.7	2.6	4.5	--	--
Prescription Amphetamines	1.0	2.2	1.7	2.8	0.0	1.2	2.0	5.6	4.0	1.1	5.3	3.4	4.0	2.8	3.4	2.8	--	--
Over-the-Counter Drugs	3.1	3.6	3.4	3.6	4.7	4.2	2.0	2.8	2.5	3.0	5.1	4.1	4.9	4.7	4.8	0.7	--	--
Needle to Inject Drugs	--	--	--	--	--	--	--	0.0	--	--	0.0	--	--	0.0	--	--	--	--
Any illicit drug	23.4	37.5	31.3	12.7	35.4	25.3	7.6	31.1	20.5	10.8	39.6	26.4	16.8	23.4	20.4	10.3	--	--
Any illicit drug other than marijuana	19.8	16.2	17.8	9.9	9.3	9.5	6.6	14.2	10.8	9.7	20.8	15.7	14.1	11.8	12.8	7.8	--	--
Alcohol only	18.7	29.3	24.6	10.8	29.5	21.3	10.1	21.2	16.3	10.8	25.0	18.6	7.8	30.9	20.3	16.1	--	--
Alcohol or any illicit drug	41.3	66.8	55.4	23.0	64.9	46.1	18.3	51.6	36.3	21.0	64.8	44.7	24.5	53.1	40.3	26.3	--	--
Any illicit drug, but no alcohol	5.6	3.0	4.1	5.6	1.8	3.5	6.0	3.6	4.6	7.2	3.4	5.1	5.8	2.8	4.2	3.0	--	--

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Lafayette County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.4	37.4	27.6	11.0	31.2	22.3	8.7	25.5	18.0	4.6	38.5	23.2	14.8	26.6	21.2	3.4	--	--
Binge Drinking	5.8	24.4	16.1	5.6	22.8	15.1	4.1	19.7	12.7	4.0	23.1	14.7	4.9	21.6	13.9	0.6	--	--
Cigarettes	2.8	20.6	12.6	7.2	18.4	13.4	2.9	20.5	12.4	1.0	12.8	7.4	0.0	4.7	2.5	1.5	--	--
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	11.7	22.8	17.7	8.9	--	--
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	3.4	4.7	4.1	0.5	--	--
Vaporizer / E-Cigarette	--	--	--	--	--	--	3.8	20.4	12.8	4.6	31.5	19.1	--	--	--	--	--	--
Marijuana or Hashish	4.0	14.1	9.7	0.9	10.2	6.2	0.0	11.4	6.4	1.0	14.7	8.5	4.8	7.5	6.3	0.5	--	--
Synthetic Marijuana	--	5.9	--	--	0.0	--	--	1.4	--	--	0.7	--	--	1.0	--	--	--	--
Inhalants	10.6	3.1	6.4	4.5	1.8	2.9	0.8	0.0	0.4	3.9	0.0	1.8	3.3	0.8	1.9	2.1	--	--
Club Drugs	1.1	2.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.7	0.0	0.3	0.0	--	--
LSD, PCP or Mushrooms	2.1	0.0	0.9	0.0	0.7	0.4	0.0	0.9	0.5	0.0	3.2	1.7	3.4	0.0	1.6	0.0	--	--
Methamphetamine	2.5	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	--	--
Cocaine or Crack	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	--	--
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	--	--
Prescription Depressants	1.1	3.6	2.5	0.0	0.5	0.3	0.0	2.1	1.2	0.0	5.1	2.8	0.9	1.5	1.2	0.0	--	--
Prescription Pain Relievers	2.3	5.9	4.3	3.1	1.5	2.2	2.2	2.6	2.4	2.0	1.2	1.6	0.7	1.0	0.8	0.5	--	--
Prescription Amphetamines	1.1	2.2	1.7	1.5	0.0	0.7	0.0	0.9	0.5	0.0	4.3	2.3	0.7	0.5	0.6	2.8	--	--
Over-the-Counter Drugs	2.0	1.3	1.6	1.6	1.9	1.8	0.0	1.2	0.6	1.9	3.6	2.9	5.9	0.0	2.7	0.0	--	--
Any illicit drug	14.7	15.5	15.2	7.4	13.6	10.9	3.9	15.9	10.5	5.9	16.1	11.5	12.7	10.1	11.3	3.7	--	--
Any illicit drug other than marijuana	13.8	6.7	9.8	7.4	5.0	6.1	3.9	5.4	4.7	5.9	9.3	7.7	10.8	2.2	6.1	3.2	--	--
Alcohol only	10.8	23.1	17.7	6.8	24.4	16.8	6.3	14.1	10.7	2.8	24.1	14.5	9.6	20.9	15.7	2.2	--	--
Alcohol or any illicit drug	24.4	39.3	32.7	13.3	37.8	26.8	10.9	29.2	20.8	8.4	40.5	26.0	20.9	29.0	25.3	5.9	--	--
Any illicit drug, but no alcohol	9.7	2.3	5.6	2.9	6.8	5.2	3.0	3.1	3.1	4.1	2.4	3.2	6.7	1.9	4.1	2.5	--	--

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Lafayette County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	--	--	--	--	--	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	--	--	--	--	--	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	--	--	--	--	--	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	--	--	--	--	--	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	46.3	--	46.1	47.4	48.5	--	--	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	64.3	--	49.3	73.6	64.2	--	--	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	74.7	--	74.2	75.6	75.1	--	--	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	57.5	--	36.9	70.0	57.0	--	--	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	63.1	--	33.7	81.1	62.9	--	--	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	50.5	--	32.3	62.5	49.7	--	--	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	40.9	--	25.8	50.8	39.7	--	--	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	77.8	--	79.5	77.5	76.8	--	--	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	99.3	--	100.0	98.9	99.3	--	--	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	93.9	--	98.5	91.0	93.6	--	--	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	97.3	--	94.7	98.9	98.8	--	--	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	92.4	--	81.6	98.9	93.6	--	--	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	95.3	--	89.3	98.9	96.6	--	--	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	100.0	--	100.0	100.0	100.0	--	--	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	91.6	--	78.8	99.2	92.7	--	--	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	96.0	--	89.3	100.0	97.4	--	--	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	96.1	--	89.7	100.0	97.5	--	--	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	90.2	--	73.9	100.0	91.3	--	--	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	95.2	--	87.1	100.0	96.5	--	--	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	98.0	--	94.6	100.0	97.9	--	--	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Lafayette County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	25.6	--	--	19.0	--	--	13.8	--	--	14.7	--	--	12.7	--	--	--	--
Drink monthly	--	9.4	--	--	2.4	--	--	1.8	--	--	5.4	--	--	6.2	--	--	--	--
Smoke cigarettes	--	29.5	--	--	25.2	--	--	16.0	--	--	13.8	--	--	8.1	--	--	--	--
Smoke marijuana	--	11.1	--	--	8.7	--	--	8.1	--	--	6.9	--	--	3.9	--	--	--	--
Great risk of harm																		
Daily alcohol use	50.9	26.0	37.1	48.4	46.1	47.1	45.7	40.4	42.8	47.2	26.3	35.7	48.8	35.9	41.7	46.3	--	--
5+ drinks daily	--	--	--	64.5	55.2	59.4	63.6	51.5	57.0	59.5	34.0	45.5	71.6	38.1	53.1	64.3	--	--
Daily cigarette use	76.3	61.0	67.8	69.5	71.3	70.5	64.6	63.1	63.8	62.7	57.1	59.6	70.1	49.9	59.0	74.7	--	--
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	47.0	25.7	35.3	57.5	--	--
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	58.4	30.2	42.9	63.1	--	--
Marijuana weekly*	--	--	--	61.3	33.1	45.7	64.2	44.1	53.4	57.6	25.9	40.2	48.8	23.6	34.9	50.5	--	--
Try marijuana	49.4	24.9	35.8	50.2	23.9	35.8	49.1	34.9	41.4	43.6	19.6	30.4	34.1	15.4	23.9	40.9	--	--
Prescription drugs	--	75.5	75.5	74.9	72.3	73.4	66.1	76.2	71.6	66.7	71.0	69.0	69.3	67.9	68.6	77.8	--	--
Think it wrong																		
Smoke cigarettes	93.3	67.7	79.3	92.2	76.7	83.6	98.1	71.7	83.7	94.0	62.8	77.1	95.8	80.6	87.6	99.3	--	--
Drink regularly	82.0	59.0	69.3	90.8	64.4	76.1	91.6	65.7	77.5	89.7	47.6	66.9	87.9	56.9	71.1	93.9	--	--
Smoke marijuana	92.7	67.5	78.8	96.4	84.5	89.8	96.0	73.6	83.9	93.8	57.6	74.3	92.8	73.2	82.2	97.3	--	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	85.0	56.5	69.6	92.4	--	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.6	75.9	83.0	95.3	--	--
Other illicit drugs	99.1	95.6	97.2	99.4	98.2	98.7	99.0	98.3	98.6	97.0	94.2	95.5	96.8	96.3	96.5	100.0	--	--
Friends think it wrong																		
Daily alcohol use	--	--	--	86.9	72.7	79.1	92.5	66.4	78.3	92.4	52.8	71.0	85.5	72.6	78.4	91.6	--	--
Smoke tobacco	--	--	--	90.3	71.8	80.1	96.2	71.3	82.7	95.8	65.7	79.6	93.5	76.0	84.0	96.0	--	--
Smoke marijuana	--	--	--	92.5	78.3	84.7	96.1	68.8	81.2	93.4	61.6	76.3	94.0	76.5	84.4	96.1	--	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	79.3	54.0	65.3	90.2	--	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	91.2	80.7	85.5	95.2	--	--
Prescription drugs	--	--	--	98.0	97.3	97.6	96.2	88.6	92.1	95.9	93.1	94.4	97.4	89.9	93.3	98.0	--	--

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lafayette County and Florida Statewide youth, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	--	--	--	--	--	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	--	--	--	--	--	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	--	--	--	--	--	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	--	--	--	--	--	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	--	--	--	--	--	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	--	--	--	--	--	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	--	--	--	--	--	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	--	--	--	--	--	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lafayette County and Florida Statewide youth, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	--	--	--	--	--	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	--	--	--	--	--	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	--	--	--	--	--	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	--	--	--	--	--	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	--	--	--	--	--	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	--	--	--	--	--	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	--	--	--	--	--	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	--	--	--	--	--	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lafayette County and Florida Statewide youth, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	--	--	--	--	--	--	--	34.2	36.6	31.0	--	34.2	--
2	--	--	--	--	--	--	--	--	20.0	22.2	16.3	--	20.0	--
3	--	--	--	--	--	--	--	--	15.7	15.6	15.9	--	15.7	--
4	--	--	--	--	--	--	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	--	--	--	--	--	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Lafayette County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	0.0	--	0.0	0.0	0.0	--	--	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	0.5	--	1.3	0.0	0.5	--	--	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	2.2	--	0.0	3.6	2.3	--	--	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Lafayette County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	12.0	--	5.4	16.3	12.5	--	--	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.0	--	0.0	0.0	0.0	--	--	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	0.7	--	0.0	1.1	0.7	--	--	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	0.5	--	0.0	0.9	0.6	--	--	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	--	0.0	0.0	0.0	--	--	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	16.0	--	11.1	18.2	13.6	--	--	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	6.7	--	13.0	3.0	7.0	--	--	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Lafayette County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	10.5	3.2	6.4	10.4	17.4	14.4	3.4	10.7	7.4	12.2	16.6	14.6	9.3	20.6	15.6	12.0	--	--
Selling drugs	1.0	6.2	3.9	0.0	3.5	2.0	0.0	0.9	0.5	0.0	3.2	1.7	0.0	3.0	1.7	0.0	--	--
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	1.0	0.6	0.0	0.0	0.0	0.0	2.1	1.1	0.0	0.0	0.0	0.7	--	--
Being arrested	4.0	2.2	3.0	0.0	1.0	0.6	0.9	0.0	0.4	1.9	0.6	1.2	0.0	2.9	1.6	0.5	--	--
Taking a handgun to school	0.0	1.5	0.8	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	--	--
Getting suspended	5.0	14.3	10.2	10.8	17.0	14.3	12.6	7.3	9.7	5.6	13.7	9.9	16.3	12.2	14.0	16.0	--	--
Attacking someone with intent to harm	5.3	5.5	5.4	4.7	7.2	6.1	3.6	3.6	3.6	5.5	5.9	5.8	5.1	2.6	3.7	6.7	--	--

Table 14. Percentages of Lafayette County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	35.9	--	54.4	24.8	32.8	--	--	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	45.5	--	60.4	36.6	42.8	--	--	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	37.4	--	54.8	27.0	34.4	--	--	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	45.9	--	60.9	35.8	43.4	--	--	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	36.2	--	48.3	29.2	38.0	--	--	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	7.2	--	12.0	4.6	7.5	--	--	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Lafayette County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.6	--	14.5	3.5	6.3	--	--	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	53.5	--	55.5	51.3	52.8	--	--	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	62.3	--	88.5	47.3	60.5	--	--	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	29.7	--	50.0	18.3	27.9	--	--	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	20.8	--	15.6	24.3	18.6	--	--	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	40.4	--	44.6	38.5	39.1	--	--	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	16.4	--	27.2	9.9	15.5	--	--	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Lafayette County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	--	--	--	--	--	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	--	--	--	--	--	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	--	--	--	--	--	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	--	--	--	--	--	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	--	--	--	--	--	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	--	--	--	--	--	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	--	--	--	--	--	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	--	--	--	--	--	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	--	--	--	--	--	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	--	--	--	--	--	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Lafayette County and Florida Statewide high school youth, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	--	--	--	--	--	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	--	--	--	--	--	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	--	--	--	--	--	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	--	--	--	--	--	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	--	--	--	--	--	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	--	--	--	--	--	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	--	--	--	--	--	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	--	--	--	--	--	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	--	--	--	--	--	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	--	--	--	--	--	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	--	--	--	--	--	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Lafayette County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	19.4	--	14.9	22.3	20.4	--	--	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	25.3	--	28.3	22.9	23.3	--	--	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	18.2	--	21.0	16.9	17.5	--	--	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	23.6	--	22.1	23.0	21.5	--	--	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	42.4	--	59.4	31.4	41.2	--	--	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	51.8	--	73.0	38.3	49.4	--	--	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol "--" indicates that data are not available.

Table 19. Percentages of Lafayette County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Lafayette County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	58.3	--	47.9	64.8	59.4	--	--	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	27.9	--	20.5	32.9	27.6	--	--	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	8.7	--	5.8	8.6	9.1	--	--	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	24.9	--	37.9	17.4	26.0	--	--	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	7.8	--	8.1	7.8	8.2	--	--	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lafayette County and Florida Statewide youth, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	--	--	--	--	--	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	--	--	--	--	--	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	--	--	--	--	--	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	--	--	--	--	--	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Lafayette County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	26.5	--	--	18.1	--	--	23.0	--	--	26.7	--	--	17.3	--	--	--	--
Marijuana	--	20.4	--	--	12.7	--	--	18.8	--	--	26.3	--	--	14.7	--	--	--	--
<i>Driving a vehicle</i>																		
Alcohol	--	6.9	--	--	17.7	--	--	13.0	--	--	13.6	--	--	9.3	--	--	--	--
Marijuana	--	8.6	--	--	7.6	--	--	8.0	--	--	10.9	--	--	7.1	--	--	--	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Lafayette County and Florida Statewide youth, 2022

	Lafayette County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	64.9	--	45.6	75.9	64.8	--	--	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	23.9	--	36.1	17.0	23.5	--	--	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	11.1	--	18.2	7.1	11.7	--	--	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	15.6	--	15.9	15.8	14.7	--	--	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	5.1	--	1.9	7.3	5.4	--	--	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	40.9	--	20.0	53.9	43.0	--	--	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	18.3	--	23.4	14.4	17.5	--	--	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	20.1	--	38.8	8.6	19.4	--	--	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Lafayette County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	59	--	53	55	59	54
	Family Rewards for Prosocial Involvement	47	--	46	49	54	55
School	School Opportunities for Prosocial Involvement	55	--	51	60	57	60
	School Rewards for Prosocial Involvement	56	--	45	56	53	58
Peer and Individual	Religiosity	63	--	36	46	56	62
Average Prevalence Rate		56	--	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Lafayette County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Lafayette County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	41	--	41	29	42	42
	Perceived Availability of Drugs	27	--	33	15	45	45
	Perceived Availability of Handguns	28	--	25	30	25	42
Family	Poor Family Management	42	--	47	34	44	45
	Family Conflict	39	--	43	34	42	37
School	Poor Academic Performance	46	--	48	48	45	48
	Lack of Commitment to School	74	--	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	36	--	52	39	40	46
	Favorable Attitudes toward ATOD Use	32	--	33	29	39	45
	Early Initiation of Drug Use	21	--	21	13	41	46
Average Prevalence Rate		39	--	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Lafayette County, 2012 to 2022

Domain	Scale	Lafayette County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	64	72	68	66	74	59
	Family Rewards for Prosocial Involvement	59	75	60	52	57	47
School	School Opportunities for Prosocial Involvement	64	59	46	51	56	55
	School Rewards for Prosocial Involvement	58	65	59	53	44	56
Peer and Individual	Religiosity	70	71	75	73	79	63
Average Prevalence Rate		63	68	62	59	62	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Lafayette County, 2012 to 2022

Domain	Scale	Lafayette County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	35	33	36	39	50	41
	Perceived Availability of Drugs	44	23	31	26	31	27
	Perceived Availability of Handguns	41	34	37	30	33	28
Family	Poor Family Management	29	27	30	40	37	42
	Family Conflict	40	22	36	31	32	39
School	Poor Academic Performance	48	41	57	54	47	46
	Lack of Commitment to School	47	45	44	60	63	74
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	31	20	29	40	39	36
	Favorable Attitudes toward ATOD Use	34	18	18	28	32	32
	Early Initiation of Drug Use	37	18	17	16	19	21
Average Prevalence Rate		39	28	34	36	38	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Lafayette County, 2012 to 2022

Domain	Scale	Lafayette County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	58	60	69	57	61	--
	Family Rewards for Prosocial Involvement	65	54	66	45	53	--
School	School Opportunities for Prosocial Involvement	70	72	64	55	57	--
	School Rewards for Prosocial Involvement	79	71	69	58	57	--
Peer and Individual	Religiosity	80	66	86	72	75	--
Average Prevalence Rate		70	65	71	57	61	--

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Lafayette County, 2012 to 2022

Domain		Scale	Lafayette County					
			2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use		31	47	34	52	29	--
	Perceived Availability of Drugs		29	24	23	24	16	--
	Perceived Availability of Handguns		52	62	52	55	41	--
Family	Poor Family Management		37	40	22	39	28	--
	Family Conflict		17	33	21	29	29	--
School	Poor Academic Performance		57	45	40	43	42	--
	Lack of Commitment to School		40	60	43	61	59	--
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		35	28	30	37	39	--
	Favorable Attitudes toward ATOD Use		37	22	28	51	36	--
	Early Initiation of Drug Use		33	45	24	34	22	--
Average Prevalence Rate			37	41	32	43	34	--

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.