

2022 Florida Youth Substance Abuse Survey

Putnam County Data Tables

Table 1. Major demographic characteristics of surveyed Putnam County and Florida Statewide, 2022

	Putnam County		Florida Statewide	
	N	%	N	%
Sex				
Female	286	47.3	22,957	48.3
Male	313	51.7	23,857	50.1
Race/Ethnic group				
African American	104	17.2	10,187	21.4
American Indian	16	2.6	422	0.9
Asian	5	0.8	785	1.7
Hispanic/Latino	90	14.9	10,291	21.6
Native Hawaiian/Pacific Islander	1	0.2	63	0.1
Other/Multiple	118	19.5	6,956	14.6
White, non-Hispanic	270	44.6	18,419	38.7
Parent/Guardian in the Military				
No	511	84.5	41,174	86.6
Yes	89	14.7	5,980	12.6
Age				
11	32	5.3	2,576	5.4
12	85	14.0	6,243	13.1
13	107	17.7	6,872	14.4
14	105	17.4	7,136	15.0
15	86	14.2	7,278	15.3
16	74	12.2	6,918	14.5
17	67	11.1	6,616	13.9
18	40	6.6	3,403	7.2
Grade				
6th	82	13.6	6,626	13.9
7th	100	16.5	6,817	14.3
8th	126	20.8	7,021	14.8
9th	85	14.0	7,193	15.1
10th	64	10.6	7,025	14.8
11th	88	14.5	6,557	13.8
12th	60	9.9	6,333	13.3
Middle School	308	50.9	20,463	43.0
High School	297	49.1	27,109	57.0
Total	605	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Putnam County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.5	33.2	31.3	25.2	23.3	33.8	28.6	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	10.7	9.5	12.2	--	11.9	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	9.4	13.5	11.8	11.6	8.8	14.1	11.5	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	20.8	30.0	25.9	26.5	19.6	31.6	25.7	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	8.7	17.4	11.3	15.8	7.8	17.3	13.3	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	12.1	24.9	17.8	20.5	10.1	27.1	18.8	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	3.0	1.8	4.4	--	3.7	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	8.3	3.7	7.5	3.6	6.6	4.2	5.8	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	0.7	0.5	0.6	0.3	0.7	0.6	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	2.2	1.7	1.5	2.4	1.9	2.1	1.9	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.6	0.9	1.3	0.3	0.6	1.1	0.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	1.8	0.7	1.5	1.0	1.6	0.8	1.3	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	1.6	2.7	1.8	2.7	1.2	3.4	2.2	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	3.2	2.4	2.0	3.6	2.7	2.9	2.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	1.6	1.1	0.6	2.1	1.5	1.2	1.3	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.4	2.3	2.5	2.5	2.8	3.1	2.9	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.3	0.0	0.5	--	0.3	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	24.7	30.0	27.8	27.4	21.1	32.7	27.5	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	17.5	10.4	13.3	13.8	14.7	12.6	13.7	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.8	11.1	13.6	7.9	13.4	10.0	11.5	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	36.0	40.7	41.4	34.6	34.0	42.4	38.5	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	11.8	8.0	10.3	9.6	10.1	9.0	9.8	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Putnam County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	11.0	16.7	15.7	12.0	10.4	18.4	14.0	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	6.5	6.7	6.3	7.1	5.8	6.3	6.6	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	0.1	2.1	0.9	1.5	0.1	2.0	1.2	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	9.1	12.8	12.6	9.9	8.8	12.8	11.1	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	4.0	6.6	4.9	6.0	3.2	5.9	5.4	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	4.8	9.1	6.5	7.8	3.7	9.1	7.1	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.6	1.0	0.2	--	0.7	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.6	1.1	2.9	0.7	2.3	1.5	1.8	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	1.3	0.5	0.5	1.2	1.1	0.7	0.9	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.3	0.6	0.7	0.3	0.2	0.9	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.7	0.7	1.0	0.5	0.6	0.9	0.7	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.2	0.5	0.5	0.2	0.2	0.7	0.4	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.5	0.5	0.6	0.4	0.4	0.7	0.5	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	0.7	0.0	0.6	0.0	0.6	0.0	0.3	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.1	0.3	0.4	0.0	0.1	0.4	0.2	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	1.5	0.3	1.2	0.7	1.4	0.5	0.9	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	10.2	11.5	10.7	11.5	8.6	11.9	10.9	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	5.8	1.8	4.5	2.9	5.2	2.5	3.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	7.7	9.3	10.9	5.7	8.1	11.0	8.6	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	17.8	20.7	21.6	17.0	16.6	22.9	19.3	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	6.3	4.4	6.0	4.7	5.7	4.6	5.3	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Putnam County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	34.3	68.4	52.1	31.1	58.4	45.5	27.5	54.0	42.2	22.2	46.0	35.2	18.6	43.8	31.6	23.5	33.2	28.6
Blacking Out	--	--	--	--	24.7	--	--	22.7	--	--	15.0	--	--	15.0	--	--	10.7	--
Cigarettes	19.4	38.6	29.4	18.0	35.7	27.2	14.0	29.0	22.2	13.0	19.0	16.2	10.1	16.4	13.3	9.4	13.5	11.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	23.5	33.0	28.4	20.8	30.0	25.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	10.5	22.1	16.4	8.7	17.4	13.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	19.2	38.6	29.8	18.3	27.4	23.2	--	--	--	--	--	--
Marijuana or Hashish	13.9	49.4	32.9	17.7	38.9	28.9	11.5	36.8	25.6	14.9	27.7	21.8	12.3	34.9	23.9	12.1	24.9	18.8
Synthetic Marijuana	--	24.6	--	--	11.5	--	--	5.8	--	--	2.0	--	--	2.9	--	--	3.0	--
Inhalants	10.1	9.6	9.8	10.9	4.9	7.7	7.7	3.4	5.3	7.4	3.7	5.4	7.2	6.7	6.9	8.3	3.7	5.8
Club Drugs	2.9	6.4	4.8	0.7	2.9	1.9	0.5	2.5	1.6	0.4	1.8	1.2	0.8	1.4	1.1	0.4	0.7	0.6
LSD, PCP or Mushrooms	1.6	5.1	3.5	2.3	3.2	2.8	1.4	3.3	2.5	0.7	2.7	1.8	3.8	2.0	2.9	2.2	1.7	1.9
Methamphetamine	1.3	0.0	0.6	1.1	0.5	0.8	0.4	0.6	0.5	0.9	0.7	0.8	0.7	1.2	1.0	0.6	0.9	0.8
Cocaine or Crack	2.0	5.8	4.1	2.3	2.6	2.5	0.9	1.7	1.3	1.0	2.3	1.7	1.8	2.5	2.1	1.8	0.7	1.3
Heroin	1.4	3.0	2.3	1.0	0.5	0.7	0.6	0.5	0.6	0.1	0.3	0.2	0.6	0.0	0.3	0.0	0.0	0.0
Prescription Depressants	3.0	7.8	5.6	2.0	5.4	3.8	2.7	4.7	3.8	2.3	4.3	3.4	2.5	4.8	3.7	1.6	2.7	2.2
Prescription Pain Relievers	5.8	12.6	9.5	3.2	8.3	5.9	3.4	5.2	4.4	3.5	4.4	4.0	3.4	2.9	3.1	3.2	2.4	2.8
Prescription Amphetamines	1.8	4.0	3.0	1.0	5.2	3.2	0.9	2.9	2.0	1.8	1.3	1.5	2.2	2.2	2.2	1.6	1.1	1.3
Over-the-Counter Drugs	5.2	15.2	10.6	4.6	8.4	6.6	4.4	5.1	4.8	4.3	5.0	4.7	3.3	3.4	3.3	3.4	2.3	2.9
Needle to Inject Drugs	--	--	--	--	--	--	--	1.4	--	--	1.2	--	--	0.5	--	--	0.3	--
Any illicit drug	22.7	52.0	38.2	23.9	47.7	36.2	21.5	38.8	31.1	22.1	31.4	27.1	21.6	39.9	31.0	24.7	30.0	27.5
Any illicit drug other than marijuana	14.7	22.4	18.8	16.7	20.9	18.9	15.6	15.1	15.3	13.9	12.9	13.3	14.1	13.7	13.9	17.5	10.4	13.7
Alcohol only	17.8	19.1	18.5	13.8	18.9	16.4	12.3	21.0	17.2	9.0	20.9	15.4	6.6	13.5	10.2	11.8	11.1	11.5
Alcohol or any illicit drug	40.4	70.6	56.3	37.7	66.8	52.9	33.2	59.6	47.7	30.7	52.0	42.2	27.8	52.8	40.6	36.0	40.7	38.5
Any illicit drug, but no alcohol	6.5	4.4	5.4	7.0	8.6	7.9	6.4	5.7	6.0	8.8	6.3	7.4	9.9	9.7	9.8	11.8	8.0	9.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Putnam County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.5	43.6	31.2	15.1	28.5	22.1	11.0	33.0	23.3	7.4	23.1	16.0	7.8	21.3	14.7	11.0	16.7	14.0
Binge Drinking	9.2	26.9	18.5	5.8	17.1	11.6	4.9	16.2	11.2	2.8	10.9	7.3	3.6	12.9	8.4	6.5	6.7	6.6
Cigarettes	7.6	16.7	12.4	5.1	14.1	9.8	2.7	10.8	7.1	1.4	6.2	4.0	0.2	3.4	1.8	0.1	2.1	1.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	7.8	13.8	10.9	9.1	12.8	11.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	2.7	7.9	5.4	4.0	6.6	5.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	6.5	17.5	12.5	4.7	9.9	7.5	--	--	--	--	--	--
Marijuana or Hashish	7.6	27.4	18.2	7.3	20.8	14.4	5.2	18.5	12.7	5.8	15.6	11.2	5.1	19.5	12.5	4.8	9.1	7.1
Synthetic Marijuana	--	8.8	--	--	1.2	--	--	1.0	--	--	0.9	--	--	1.4	--	--	0.6	--
Inhalants	3.4	1.8	2.5	3.5	0.7	2.0	1.7	0.7	1.2	3.3	1.2	2.2	2.0	2.0	2.0	2.6	1.1	1.8
Club Drugs	1.4	4.8	3.2	0.6	0.1	0.3	0.0	0.6	0.3	0.3	0.0	0.1	0.1	0.8	0.5	1.3	0.5	0.9
LSD, PCP or Mushrooms	0.2	1.1	0.7	0.6	0.6	0.6	0.5	1.5	1.1	0.8	0.2	0.5	0.7	0.6	0.7	0.3	0.6	0.5
Methamphetamine	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.4	0.3	0.8	0.0	0.3	0.4	0.9	0.7	0.7	0.7	0.7
Cocaine or Crack	0.8	5.9	3.5	0.7	0.5	0.6	0.2	0.7	0.5	0.6	0.6	0.6	0.4	1.2	0.8	0.2	0.5	0.4
Heroin	0.8	1.8	1.3	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0
Prescription Depressants	1.4	3.6	2.6	1.1	0.6	0.8	0.9	1.6	1.3	1.3	1.3	1.3	0.4	1.1	0.8	0.5	0.5	0.5
Prescription Pain Relievers	2.8	5.9	4.5	1.4	2.2	1.8	1.7	1.9	1.8	0.6	0.8	0.7	1.7	2.0	1.8	0.7	0.0	0.3
Prescription Amphetamines	1.3	2.9	2.1	0.9	0.8	0.9	0.7	0.7	0.7	0.5	0.5	0.5	0.9	1.1	1.0	0.1	0.3	0.2
Over-the-Counter Drugs	3.3	10.0	6.8	2.6	3.6	3.1	2.7	2.2	2.4	1.1	2.2	1.7	1.3	1.9	1.6	1.5	0.3	0.9
Any illicit drug	13.6	31.0	22.8	11.2	24.7	18.2	10.5	21.0	16.3	10.4	18.0	14.6	10.0	22.7	16.5	10.2	11.5	10.9
Any illicit drug other than marijuana	9.3	12.7	11.1	7.5	7.7	7.6	6.9	6.5	6.7	6.5	4.8	5.6	4.9	5.6	5.2	5.8	1.8	3.6
Alcohol only	9.5	19.1	14.6	9.1	13.6	11.5	6.4	18.3	13.1	4.8	12.9	9.3	2.4	8.7	5.7	7.7	9.3	8.6
Alcohol or any illicit drug	23.2	49.0	36.8	20.3	37.9	29.4	16.4	39.1	28.8	14.4	30.3	23.0	12.3	31.2	22.0	17.8	20.7	19.3
Any illicit drug, but no alcohol	6.1	7.0	6.6	5.6	9.7	7.7	5.8	6.0	5.9	7.2	7.5	7.3	4.4	10.3	7.4	6.3	4.4	5.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Putnam County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	12.6	13.5	11.1	--	12.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.0	2.3	1.7	--	2.5	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	7.2	9.6	4.8	--	7.2	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	7.2	7.4	7.2	--	6.7	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	33.7	32.6	34.9	31.4	34.5	32.2	33.1	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	42.4	41.7	48.6	35.5	42.0	43.4	42.1	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	55.7	57.4	58.1	55.7	55.2	58.9	56.6	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	38.9	33.3	37.0	34.3	38.0	32.4	35.9	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	44.5	28.2	35.5	35.4	43.6	27.5	35.8	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	34.5	20.0	25.3	27.8	33.5	19.7	26.8	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	26.1	15.9	16.7	23.7	25.1	15.5	20.6	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	65.6	59.4	64.3	60.0	63.4	60.3	62.3	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	93.7	91.7	90.9	94.4	94.2	91.6	92.6	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	83.3	76.3	76.3	82.5	83.6	75.1	79.6	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	84.1	66.1	71.9	76.3	85.5	61.8	74.6	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	85.1	82.4	81.6	85.2	86.2	81.1	83.7	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	85.8	77.1	80.1	81.7	87.5	73.4	81.2	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.0	97.1	96.1	97.9	97.4	96.7	97.1	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	83.8	84.7	83.7	84.4	84.2	84.2	84.3	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	91.8	87.2	88.5	89.9	92.8	84.2	89.4	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	83.6	70.1	75.7	76.5	85.9	65.1	76.5	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	82.1	75.8	78.8	78.3	83.2	73.2	78.7	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	85.4	75.8	82.2	77.8	87.5	72.1	80.3	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	92.7	94.4	93.6	93.4	93.5	93.2	93.6	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Putnam County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	28.1	--	--	26.9	--	--	19.8	--	--	20.9	--	--	18.0	--	--	12.6	--
Drink monthly	--	12.9	--	--	7.3	--	--	5.2	--	--	4.3	--	--	4.3	--	--	2.0	--
Smoke cigarettes	--	23.1	--	--	19.6	--	--	14.9	--	--	14.2	--	--	9.0	--	--	7.2	--
Smoke marijuana	--	25.6	--	--	16.2	--	--	17.7	--	--	11.7	--	--	12.0	--	--	7.2	--
Great risk of harm																		
Daily alcohol use	38.5	35.9	37.1	37.0	32.6	34.7	37.6	29.8	33.4	41.8	33.2	37.2	43.1	34.9	38.9	33.7	32.6	33.1
5+ drinks daily	--	--	--	49.0	41.0	44.9	46.5	41.2	43.6	52.3	47.6	49.8	55.6	44.6	50.0	42.4	41.7	42.1
Daily cigarette use	61.0	53.7	57.2	59.6	58.4	59.0	58.1	60.0	59.1	61.9	57.2	59.3	61.1	59.0	60.0	55.7	57.4	56.6
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	42.2	39.9	41.0	38.9	33.3	35.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	43.9	33.4	38.5	44.5	28.2	35.8
Marijuana weekly*	--	--	--	39.8	24.2	31.7	39.2	23.7	30.7	40.4	21.7	30.3	41.0	20.2	30.3	34.5	20.0	26.8
Try marijuana	41.3	23.8	32.1	24.2	17.8	20.8	29.3	20.4	24.5	28.8	16.8	22.3	28.4	14.8	21.5	26.1	15.9	20.6
Prescription drugs	--	58.7	58.7	71.4	66.3	68.7	65.6	67.2	66.5	66.2	70.2	68.4	68.8	63.0	65.8	65.6	59.4	62.3
Think it wrong																		
Smoke cigarettes	89.1	69.2	78.6	90.7	77.1	83.6	92.4	79.7	85.5	94.2	85.0	89.2	96.7	92.0	94.2	93.7	91.7	92.6
Drink regularly	80.7	55.8	67.5	81.2	57.3	68.7	81.2	56.1	67.5	81.2	61.6	70.6	88.0	71.1	79.1	83.3	76.3	79.6
Smoke marijuana	86.3	60.5	72.6	85.2	63.2	73.7	82.0	57.7	68.8	80.6	60.2	69.5	84.6	62.6	73.0	84.1	66.1	74.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	84.3	81.3	82.7	85.1	82.4	83.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.3	74.4	80.5	85.8	77.1	81.2
Other illicit drugs	96.5	89.8	93.0	98.1	94.6	96.2	96.8	94.3	95.5	95.9	95.8	95.8	95.2	92.2	93.6	97.0	97.1	97.1
Friends think it wrong																		
Daily alcohol use	--	--	--	85.2	64.8	74.5	84.9	68.0	75.6	85.1	75.6	79.9	89.8	76.8	83.1	83.8	84.7	84.3
Smoke tobacco	--	--	--	90.2	73.4	81.4	88.8	79.2	83.6	92.0	82.5	86.9	95.6	85.1	90.2	91.8	87.2	89.4
Smoke marijuana	--	--	--	80.7	53.9	66.6	80.3	57.0	67.5	81.6	58.3	69.0	83.7	59.9	71.4	83.6	70.1	76.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.6	72.2	77.2	82.1	75.8	78.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	86.1	68.0	76.7	85.4	75.8	80.3
Prescription drugs	--	--	--	95.8	89.0	92.2	95.3	92.3	93.6	95.6	94.0	94.7	93.5	94.3	93.9	92.7	94.4	93.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Putnam County and Florida Statewide youth, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.0	5.7	22.0	--	13.0	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	5.6	2.6	9.3	--	5.6	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	43.4	47.4	38.5	--	43.4	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	24.7	23.6	26.0	--	24.7	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	13.3	20.7	4.1	--	13.3	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Putnam County and Florida Statewide youth, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	56.8	62.5	51.1	--	56.8	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	25.0	13.5	36.5	--	25.0	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	5.1	10.1	0.0	--	5.1	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	3.8	4.2	3.3	--	3.8	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	1.8	0.0	3.6	--	1.8	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	7.6	9.7	5.6	--	7.6	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Putnam County and Florida Statewide youth, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	38.4	45.2	30.5	--	38.4	--	--	34.2	36.6	31.0	--	34.2	--
2	--	15.9	27.0	3.2	--	15.9	--	--	20.0	22.2	16.3	--	20.0	--
3	--	13.4	18.2	7.9	--	13.4	--	--	15.7	15.6	15.9	--	15.7	--
4	--	9.8	3.1	17.6	--	9.8	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	22.4	6.6	40.8	--	22.4	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Putnam County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	5.4	2.7	4.0	3.1	5.0	2.2	3.9	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	5.9	7.6	6.9	7.0	4.7	7.5	6.8	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	3.0	1.6	2.4	2.2	2.6	2.3	2.2	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Putnam County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.9	9.5	7.8	12.9	10.7	10.4	10.6	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	3.5	2.1	2.8	2.7	3.0	2.4	2.7	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	4.5	0.8	2.9	2.2	4.0	1.0	2.5	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	3.7	1.5	2.4	2.7	3.3	1.2	2.5	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	1.0	0.0	0.9	0.0	0.9	0.0	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	15.8	12.6	10.5	18.1	15.2	12.4	14.1	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	12.0	6.5	7.1	10.4	10.7	7.7	9.0	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Putnam County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.0	13.8	11.0	9.7	7.3	8.5	10.1	11.3	10.8	6.8	6.9	6.8	10.5	8.7	9.6	11.9	9.5	10.6
Selling drugs	5.3	7.8	6.6	3.9	9.8	6.9	2.5	5.1	3.9	3.1	3.9	3.5	3.6	1.4	2.5	3.5	2.1	2.7
Attempting to steal a vehicle	0.7	7.3	4.2	2.2	1.4	1.8	1.0	2.4	1.7	1.9	2.6	2.3	2.8	1.9	2.4	4.5	0.8	2.5
Being arrested	3.3	4.1	3.7	2.2	1.5	1.9	2.1	2.2	2.2	4.3	2.5	3.3	3.4	1.2	2.3	3.7	1.5	2.5
Taking a handgun to school	0.6	3.7	2.2	1.0	0.5	0.7	0.2	1.0	0.6	1.2	0.8	1.0	0.6	0.8	0.7	1.0	0.0	0.5
Getting suspended	12.7	28.7	21.0	14.2	12.1	13.1	14.1	13.7	13.8	14.5	9.3	11.6	18.5	13.8	16.1	15.8	12.6	14.1
Attacking someone with intent to harm	6.6	12.5	9.7	9.0	7.7	8.3	8.0	5.3	6.5	13.7	7.8	10.4	6.3	9.3	7.8	12.0	6.5	9.0

Table 14. Percentages of Putnam County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	31.5	24.3	35.8	18.3	29.9	26.3	27.6	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	41.4	35.3	48.5	26.9	39.8	37.5	38.2	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	33.1	22.7	35.5	18.0	32.5	23.3	27.5	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	49.5	39.8	56.3	31.2	47.0	43.2	44.3	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<i>Suicide</i>														
Thought about committing suicide in the past 12 months	33.8	25.1	34.8	22.7	32.3	27.5	29.2	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	10.6	5.0	10.0	5.4	9.6	5.8	7.6	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Putnam County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.1	10.2	15.7	6.0	11.3	12.3	11.1	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	37.9	22.9	32.7	25.1	37.1	24.6	30.0	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	65.5	41.2	59.9	44.6	61.9	44.0	52.5	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	27.7	27.3	36.0	19.6	25.8	29.1	27.5	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	18.5	12.0	15.7	13.7	17.5	13.2	15.1	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	35.8	22.9	32.1	26.9	33.2	25.0	29.0	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	16.1	13.2	16.4	13.2	15.3	14.3	14.6	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Putnam County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	10.7	12.9	8.4	--	12.3	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	7.9	10.9	4.8	--	8.8	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	5.5	9.8	0.9	--	5.6	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	44.0	46.4	41.6	--	45.7	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	9.9	11.6	7.6	--	10.0	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	29.3	33.4	24.7	--	32.0	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	28.1	36.7	18.5	--	29.4	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	33.7	39.3	27.5	--	35.4	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	30.0	37.6	21.3	--	32.1	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.6	9.9	4.6	--	7.2	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Putnam County and Florida Statewide high school youth, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	33.0	26.3	39.7	--	29.3	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	19.5	19.5	20.0	--	18.9	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	14.2	13.2	15.6	--	16.2	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.4	12.5	8.4	--	10.9	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	9.5	9.2	10.0	--	11.4	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.1	7.7	2.3	--	5.1	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	1.9	3.1	0.6	--	2.0	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	1.7	2.0	0.7	--	1.7	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	3.8	4.9	2.7	--	3.6	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.2	0.3	0.0	--	0.2	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.7	1.4	0.0	--	0.7	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Putnam County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	25.2	23.9	26.3	20.9	25.4	22.4	24.5	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	34.1	27.7	30.5	30.1	30.9	30.2	30.6	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	30.3	26.1	26.1	28.4	29.2	26.4	28.1	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.2	28.5	28.7	24.9	25.8	29.2	27.5	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	35.0	31.7	39.2	26.5	35.4	32.0	33.2	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	44.2	37.5	50.3	29.1	42.9	39.6	40.5	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Putnam County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	43.9	37.6	37.4	43.8	44.3	36.9	40.6	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	34.1	19.6	25.1	28.3	34.4	18.7	26.5	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	12.9	4.8	9.3	7.5	12.5	5.4	8.6	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	14.5	21.4	24.1	12.5	15.9	21.5	18.1	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	3.6	15.7	12.2	8.3	4.9	14.3	10.0	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Putnam County and Florida Statewide youth, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	16.4	23.0	9.8	--	17.4	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	17.0	19.9	14.3	--	20.1	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	2.2	2.6	1.9	--	2.6	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	4.5	5.3	3.7	--	4.8	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Putnam County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	40.1	--	--	25.6	--	--	25.8	--	--	17.8	--	--	20.7	--	--	16.4	--
Marijuana	--	42.3	--	--	30.3	--	--	29.7	--	--	25.0	--	--	26.8	--	--	17.0	--
<i>Driving a vehicle</i>																		
Alcohol	--	12.5	--	--	9.8	--	--	8.2	--	--	4.9	--	--	5.4	--	--	2.2	--
Marijuana	--	13.8	--	--	14.3	--	--	11.1	--	--	11.5	--	--	10.0	--	--	4.5	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Putnam County and Florida Statewide youth, 2022

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	64.6	65.6	61.6	68.7	64.7	64.3	65.2	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	18.0	26.4	25.2	20.1	19.1	26.8	22.6	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	17.4	7.9	13.1	11.2	16.2	8.9	12.2	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	25.8	25.8	18.2	33.3	23.4	27.9	25.8	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	8.5	7.5	9.7	6.5	8.8	7.0	8.0	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	32.1	34.1	24.6	43.4	35.0	29.3	33.2	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	17.6	18.4	25.3	9.7	16.9	20.5	18.0	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	16.0	14.2	22.2	7.1	15.9	15.3	15.0	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Putnam County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Putnam County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	50	58	53	55	59	54
	Family Rewards for Prosocial Involvement	41	43	46	49	54	55
School	School Opportunities for Prosocial Involvement	46	57	51	60	57	60
	School Rewards for Prosocial Involvement	48	61	45	56	53	58
Peer and Individual	Religiosity	39	45	36	46	56	62
Average Prevalence Rate		45	53	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Putnam County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Putnam County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	50	32	41	29	42	42
	Perceived Availability of Drugs	40	13	33	15	45	45
	Perceived Availability of Handguns	41	34	25	30	25	42
Family	Poor Family Management	58	41	47	34	44	45
	Family Conflict	47	27	43	34	42	37
School	Poor Academic Performance	51	55	48	48	45	48
	Lack of Commitment to School	68	71	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	57	37	52	39	40	46
	Favorable Attitudes toward ATOD Use	40	30	33	29	39	45
	Early Initiation of Drug Use	26	15	21	13	41	46
Average Prevalence Rate		48	36	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Putnam County, 2012 to 2022

Domain	Scale	Putnam County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	51	50	56	57	54	50
	Family Rewards for Prosocial Involvement	46	47	48	53	52	41
School	School Opportunities for Prosocial Involvement	51	53	52	52	47	46
	School Rewards for Prosocial Involvement	52	49	51	50	38	48
Peer and Individual	Religiosity	48	42	49	46	47	39
Average Prevalence Rate		50	48	51	52	48	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Putnam County, 2012 to 2022

Domain	Scale	Putnam County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	52	49	55	57	46	50
	Perceived Availability of Drugs	44	49	48	36	39	40
	Perceived Availability of Handguns	31	38	34	29	29	41
Family	Poor Family Management	50	48	51	50	41	58
	Family Conflict	41	42	40	39	45	47
School	Poor Academic Performance	43	44	45	45	49	51
	Lack of Commitment to School	46	60	54	54	76	68
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	42	43	44	46	48	57
	Favorable Attitudes toward ATOD Use	41	49	43	46	42	40
	Early Initiation of Drug Use	38	35	31	30	23	26
Average Prevalence Rate		43	46	45	43	44	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Putnam County, 2012 to 2022

Domain	Scale	Putnam County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	48	52	53	51	55	58
	Family Rewards for Prosocial Involvement	47	48	49	47	52	43
School	School Opportunities for Prosocial Involvement	31	48	49	59	57	57
	School Rewards for Prosocial Involvement	44	49	49	57	59	61
Peer and Individual	Religiosity	58	61	62	45	53	45
Average Prevalence Rate		46	52	52	52	55	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Putnam County, 2012 to 2022

Domain	Scale	Putnam County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	54	44	45	42	38	32
	Perceived Availability of Drugs	49	36	36	24	18	13
	Perceived Availability of Handguns	57	49	50	43	32	34
Family	Poor Family Management	64	43	46	38	38	41
	Family Conflict	31	33	34	36	34	27
School	Poor Academic Performance	57	50	48	44	47	55
	Lack of Commitment to School	55	58	58	55	59	71
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	39	41	41	36	37
	Favorable Attitudes toward ATOD Use	49	44	47	42	35	30
	Early Initiation of Drug Use	44	33	31	25	23	15
Average Prevalence Rate		51	43	44	39	36	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.