

# **2022 Florida Youth Substance Abuse Survey**

**Taylor County Data Tables**



**Table 1. Major demographic characteristics of surveyed Taylor County and Florida Statewide, 2022**

	Taylor County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	133	46.3	22,957	48.3
Male	151	52.6	23,857	50.1
<b>Race/Ethnic group</b>				
African American	61	21.3	10,187	21.4
American Indian	11	3.8	422	0.9
Asian	5	1.7	785	1.7
Hispanic/Latino	6	2.1	10,291	21.6
Native Hawaiian/Pacific Islander	1	0.3	63	0.1
Other/Multiple	61	21.3	6,956	14.6
White, non-Hispanic	139	48.4	18,419	38.7
<b>Parent/Guardian in the Military</b>				
No	237	82.6	41,174	86.6
Yes	48	16.7	5,980	12.6
<b>Age</b>				
11	13	4.5	2,576	5.4
12	55	19.2	6,243	13.1
13	50	17.4	6,872	14.4
14	55	19.2	7,136	15.0
15	53	18.5	7,278	15.3
16	39	13.6	6,918	14.5
17	15	5.2	6,616	13.9
18	4	1.4	3,403	7.2
<b>Grade</b>				
6th	58	20.2	6,626	13.9
7th	58	20.2	6,817	14.3
8th	48	16.7	7,021	14.8
9th	55	19.2	7,193	15.1
10th	37	12.9	7,025	14.8
11th	29	10.1	6,557	13.8
12th	2	0.7	6,333	13.3
<b>Middle School</b>	164	57.1	20,463	43.0
<b>High School</b>	123	42.9	27,109	57.0
<b>Total</b>	<b>287</b>	<b>100.0</b>	<b>47,572</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Taylor County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	26.8	45.5	45.7	26.0	28.4	40.2	36.1	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	22.2	21.5	23.5	--	15.1	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	7.7	27.8	25.9	8.2	7.0	22.9	17.5	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	24.2	39.3	39.3	23.1	25.4	33.3	31.7	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	10.9	34.3	32.3	11.5	12.2	27.8	22.5	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	7.1	36.6	29.5	13.1	8.5	31.3	21.6	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	10.2	16.5	1.5	--	0.8	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	10.0	4.8	10.1	4.4	9.8	5.6	7.4	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.3	12.1	9.6	2.3	0.2	3.0	6.2	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	2.6	13.7	11.9	3.9	2.5	5.0	8.1	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	3.3	10.2	10.0	3.2	3.2	0.7	6.8	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.6	10.2	9.4	0.8	0.4	0.7	5.4	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	0.0	0.7	0.0	0.7	0.0	0.8	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	0.6	15.3	11.9	3.1	0.6	5.9	7.6	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	3.7	14.3	13.7	3.7	3.6	4.6	8.8	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	0.0	15.7	11.5	3.1	0.0	6.2	7.4	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	3.7	4.4	4.1	3.5	4.3	4.5	4.0	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	1.1	0.8	1.4	--	1.5	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	20.9	43.0	41.7	20.5	22.0	38.3	31.7	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	15.2	22.1	23.3	12.9	15.3	14.0	18.6	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	13.3	9.4	11.4	11.5	13.8	10.1	11.3	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	33.6	52.8	53.2	31.7	35.2	49.0	43.0	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	7.9	7.8	9.0	6.2	8.3	8.7	7.9	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Taylor County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.0	24.9	21.1	12.6	10.1	16.8	16.9	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	4.4	17.4	15.1	6.1	4.2	9.8	10.8	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.2	3.5	0.3	4.6	1.1	4.3	2.3	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	12.3	20.5	20.1	11.9	11.8	13.1	16.4	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	5.6	19.7	16.1	8.8	6.6	10.8	12.6	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	6.9	22.6	18.1	10.9	7.4	15.0	14.6	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.5	0.4	2.3	0.4	2.4	0.5	1.4	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	1.0	9.6	9.0	1.1	1.0	0.0	5.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.0	9.6	9.0	0.0	0.0	0.0	4.8	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	2.2	0.0	0.8	1.4	2.0	0.0	1.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	1.2	9.6	9.2	1.1	0.9	0.0	5.4	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	0.2	12.3	10.0	1.7	0.2	2.0	5.9	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.0	11.5	11.3	0.4	1.0	1.1	6.0	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	0.0	11.3	10.3	0.0	0.0	0.5	5.3	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	0.8	0.0	0.9	0.0	0.8	0.0	0.4	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	11.6	23.2	20.9	13.6	12.0	15.5	17.3	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	4.9	11.8	11.6	4.6	4.6	2.7	8.3	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	4.2	6.9	6.7	4.4	4.9	7.4	5.5	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	15.7	29.8	27.2	17.9	16.7	22.6	22.6	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	7.3	5.0	6.9	5.5	7.1	5.9	6.2	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Taylor County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	37.8	65.4	52.6	31.3	52.1	42.7	29.4	45.1	34.7	--	--	--	26.2	37.8	31.6	26.8	45.5	36.1
Blacking Out	--	--	--	--	24.0	--	--	19.4	--	--	--	--	--	15.9	--	--	22.2	--
Cigarettes	23.0	41.8	33.2	20.0	33.1	27.2	15.9	36.3	22.5	--	--	--	16.5	13.3	15.0	7.7	27.8	17.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	23.8	21.5	22.8	24.2	39.3	31.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	8.9	12.7	10.7	10.9	34.3	22.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	15.5	36.8	22.5	--	--	--	--	--	--	--	--	--
Marijuana or Hashish	10.2	32.0	22.0	7.8	25.5	17.5	7.3	32.7	15.8	--	--	--	11.7	18.2	14.7	7.1	36.6	21.6
Synthetic Marijuana	--	22.7	--	--	11.1	--	--	7.5	--	--	--	--	--	1.2	--	--	10.2	--
Inhalants	6.8	6.4	6.6	9.7	5.9	7.6	6.9	5.8	6.5	--	--	--	9.2	0.2	5.0	10.0	4.8	7.4
Club Drugs	1.2	3.4	2.4	1.1	3.2	2.3	0.7	4.8	2.1	--	--	--	2.6	2.1	2.4	0.3	12.1	6.2
LSD, PCP or Mushrooms	2.6	2.7	2.7	2.0	3.0	2.5	2.2	3.9	2.8	--	--	--	0.6	3.8	2.1	2.6	13.7	8.1
Methamphetamine	1.2	0.9	1.1	1.9	1.1	1.4	0.0	3.1	1.0	--	--	--	0.6	2.1	1.3	3.3	10.2	6.8
Cocaine or Crack	1.8	2.0	1.9	2.9	4.6	3.9	0.4	3.3	1.3	--	--	--	1.0	2.9	1.8	0.6	10.2	5.4
Heroin	0.8	1.1	1.0	1.0	0.3	0.6	0.4	0.0	0.2	--	--	--	0.5	1.2	0.8	0.0	0.7	0.3
Prescription Depressants	3.3	7.4	5.5	3.2	3.7	3.5	3.4	10.1	5.6	--	--	--	3.0	6.4	4.6	0.6	15.3	7.6
Prescription Pain Relievers	4.3	9.1	6.9	3.0	4.4	3.8	3.7	7.9	5.1	--	--	--	6.1	6.9	6.5	3.7	14.3	8.8
Prescription Amphetamines	0.6	4.6	2.8	1.5	4.7	3.3	2.4	0.9	1.9	--	--	--	2.0	3.4	2.6	0.0	15.7	7.4
Over-the-Counter Drugs	3.0	5.6	4.4	5.0	5.7	5.4	3.7	8.1	5.2	--	--	--	4.2	3.6	3.9	3.7	4.4	4.0
Needle to Inject Drugs	--	--	--	--	--	--	--	0.0	--	--	--	--	--	2.2	--	--	1.1	--
Any illicit drug	20.7	42.5	32.5	21.8	35.7	29.5	20.5	41.5	27.4	--	--	--	24.9	23.8	24.4	20.9	43.0	31.7
Any illicit drug other than marijuana	16.4	21.5	19.2	19.1	18.9	19.0	15.4	19.6	16.8	--	--	--	18.2	11.2	15.0	15.2	22.1	18.6
Alcohol only	19.4	25.4	22.6	16.4	23.1	20.1	13.3	12.4	13.0	--	--	--	10.8	19.9	15.0	13.3	9.4	11.3
Alcohol or any illicit drug	39.2	67.7	54.5	37.7	58.4	49.1	33.2	53.9	40.1	--	--	--	35.7	43.3	39.2	33.6	52.8	43.0
Any illicit drug, but no alcohol	1.9	2.9	2.4	6.2	7.0	6.6	2.7	8.8	4.7	--	--	--	8.8	5.6	7.3	7.9	7.8	7.9

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Taylor County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.4	37.0	28.0	12.2	29.0	21.5	14.4	23.5	17.5	--	--	--	13.6	13.5	13.6	9.0	24.9	16.9
Binge Drinking	6.1	20.3	13.8	7.4	18.1	13.3	7.6	18.9	11.4	--	--	--	5.0	8.8	6.8	4.4	17.4	10.8
Cigarettes	5.8	13.0	9.7	6.0	9.8	8.1	3.2	12.6	6.3	--	--	--	2.2	5.2	3.6	1.2	3.5	2.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	8.0	10.1	8.9	12.3	20.5	16.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	3.9	3.4	3.7	5.6	19.7	12.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	7.5	11.1	8.6	--	--	--	--	--	--	--	--	--
Marijuana or Hashish	6.7	10.7	8.9	3.4	13.4	8.9	2.7	21.4	9.1	--	--	--	4.1	9.5	6.6	6.9	22.6	14.6
Synthetic Marijuana	--	8.6	--	--	0.0	--	--	3.8	--	--	--	--	--	0.3	--	--	0.0	--
Inhalants	3.7	0.9	2.1	4.1	1.1	2.4	3.8	0.0	2.5	--	--	--	1.2	0.5	0.9	2.5	0.4	1.4
Club Drugs	0.6	0.7	0.6	1.1	1.4	1.3	0.0	0.0	0.0	--	--	--	2.3	1.2	1.8	1.0	9.6	5.3
LSD, PCP or Mushrooms	1.2	0.2	0.7	0.3	0.6	0.5	0.9	2.3	1.4	--	--	--	0.6	1.2	0.9	0.0	9.6	4.8
Methamphetamine	0.0	0.2	0.1	1.2	0.0	0.5	0.0	3.1	1.0	--	--	--	0.6	0.6	0.6	2.2	0.0	1.1
Cocaine or Crack	0.5	0.0	0.2	1.5	1.5	1.5	0.0	0.0	0.0	--	--	--	0.5	0.6	0.6	1.2	9.6	5.4
Heroin	0.0	0.0	0.0	0.4	0.0	0.2	0.4	0.0	0.2	--	--	--	0.5	0.0	0.3	0.0	0.0	0.0
Prescription Depressants	1.4	2.4	1.9	0.0	2.4	1.3	2.1	7.4	3.8	--	--	--	2.5	3.2	2.8	0.2	12.3	5.9
Prescription Pain Relievers	2.2	4.7	3.6	0.5	1.6	1.1	0.9	6.9	2.9	--	--	--	1.2	0.8	1.0	1.0	11.5	6.0
Prescription Amphetamines	0.6	2.3	1.6	0.0	2.4	1.3	0.0	0.0	0.0	--	--	--	1.3	0.0	0.7	0.0	11.3	5.3
Over-the-Counter Drugs	0.9	3.3	2.2	2.4	2.8	2.6	3.3	8.2	4.9	--	--	--	3.1	1.2	2.2	0.8	0.0	0.4
Any illicit drug	13.4	20.6	17.3	9.9	18.6	14.7	9.5	24.2	14.5	--	--	--	11.1	10.3	10.8	11.6	23.2	17.3
Any illicit drug other than marijuana	8.8	10.4	9.7	8.4	8.4	8.4	7.8	13.2	9.6	--	--	--	8.2	5.1	6.8	4.9	11.8	8.3
Alcohol only	9.2	20.7	15.5	8.5	18.3	13.9	8.6	8.5	8.5	--	--	--	7.9	7.2	7.6	4.2	6.9	5.5
Alcohol or any illicit drug	22.1	41.1	32.3	17.9	36.1	27.9	17.0	32.7	22.2	--	--	--	19.0	17.4	18.2	15.7	29.8	22.6
Any illicit drug, but no alcohol	5.5	4.5	4.9	5.2	7.3	6.4	2.8	9.2	5.0	--	--	--	4.6	3.7	4.2	7.3	5.0	6.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Taylor County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	19.3	25.2	11.4	--	9.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	0.7	1.2	0.0	--	0.9	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	14.2	19.8	6.8	--	6.3	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	15.3	18.1	11.6	--	5.5	--	--	6.5	7.2	5.8	--	6.7	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	33.8	25.5	35.1	24.1	33.2	29.8	29.7	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	42.4	46.5	54.8	33.4	44.6	50.2	44.5	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	56.3	57.9	61.3	52.9	58.0	65.4	57.1	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	44.1	29.5	35.6	39.3	42.8	35.3	36.9	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	44.8	21.4	32.3	35.3	42.2	27.1	33.3	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	38.3	17.6	31.4	25.1	37.0	20.9	28.2	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	31.6	12.9	23.9	21.2	27.6	19.2	22.4	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	68.1	58.0	69.8	56.9	69.1	64.4	63.1	67.0	68.4	69.3	66.5	67.5	67.9	67.8
<b>Think it would be wrong to...</b>														
Smoke cigarettes	95.4	81.9	87.3	90.2	94.9	79.9	88.8	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	82.6	64.4	70.0	77.7	80.8	61.8	73.6	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	85.8	59.9	69.8	76.6	84.1	57.0	73.0	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	87.4	70.6	72.4	86.3	87.2	66.3	79.1	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	90.6	66.0	73.2	84.5	88.4	63.8	78.5	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	97.1	98.1	98.7	96.9	97.1	97.9	97.6	97.9	95.1	96.4	96.1	97.7	95.2	96.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	85.4	63.7	68.2	82.5	85.8	68.5	74.9	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	89.5	80.6	83.7	86.6	90.0	87.9	85.2	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	85.1	57.4	66.0	77.9	83.8	62.9	71.6	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	83.2	61.4	65.0	80.8	83.2	66.5	72.6	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	86.9	62.5	68.5	82.6	86.6	66.9	75.1	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	93.9	88.3	88.6	94.0	94.1	97.4	91.2	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Taylor County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	32.1	--	--	25.4	--	--	20.3	--	--	--	--	14.6	--	--	19.3	--	--
Drink monthly	--	5.1	--	--	4.1	--	--	4.9	--	--	--	--	3.5	--	--	0.7	--	--
Smoke cigarettes	--	24.5	--	--	18.0	--	--	16.5	--	--	--	--	5.9	--	--	14.2	--	--
Smoke marijuana	--	11.7	--	--	13.5	--	--	12.0	--	--	--	--	6.9	--	--	15.3	--	--
<b>Great risk of harm</b>																		
Daily alcohol use	38.2	39.5	38.9	42.0	31.8	36.4	41.4	28.5	37.3	--	--	--	48.1	35.0	42.0	33.8	25.5	29.7
5+ drinks daily	--	--	--	52.7	42.9	47.4	50.4	36.2	45.9	--	--	--	61.3	41.8	52.3	42.4	46.5	44.5
Daily cigarette use	60.4	69.9	65.5	62.3	62.6	62.5	63.0	51.6	59.3	--	--	--	60.4	52.5	56.7	56.3	57.9	57.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	52.6	37.7	45.7	44.1	29.5	36.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	54.2	35.9	45.8	44.8	21.4	33.3
Marijuana weekly*	--	--	--	57.4	27.2	40.9	53.7	15.9	41.4	--	--	--	48.3	28.3	39.0	38.3	17.6	28.2
Try marijuana	43.1	24.9	33.3	47.2	23.0	34.0	42.9	15.3	33.9	--	--	--	35.0	22.1	29.0	31.6	12.9	22.4
Prescription drugs	--	70.1	70.1	73.3	61.9	67.1	69.5	59.8	66.4	--	--	--	67.4	60.8	64.3	68.1	58.0	63.1
<b>Think it wrong</b>																		
Smoke cigarettes	91.0	76.3	83.1	91.0	84.5	87.5	93.6	74.7	87.5	--	--	--	89.9	90.1	90.0	95.4	81.9	88.8
Drink regularly	79.8	61.4	69.9	79.7	64.9	71.8	86.0	44.8	72.9	--	--	--	78.7	69.8	74.4	82.6	64.4	73.6
Smoke marijuana	90.8	72.5	81.0	93.2	71.6	81.7	91.3	55.5	79.9	--	--	--	81.8	75.6	78.9	85.8	59.9	73.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	86.4	79.3	83.0	87.4	70.6	79.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	87.2	79.8	83.6	90.6	66.0	78.5
Other illicit drugs	99.2	98.2	98.6	97.5	97.0	97.3	98.3	89.0	95.3	--	--	--	97.1	97.1	97.1	97.1	98.1	97.6
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	82.5	70.5	76.0	88.5	57.9	78.5	--	--	--	84.5	74.6	79.8	85.4	63.7	74.9
Smoke tobacco	--	--	--	86.4	77.4	81.6	92.9	71.4	85.9	--	--	--	88.0	81.0	84.7	89.5	80.6	85.2
Smoke marijuana	--	--	--	86.4	70.7	77.9	89.2	60.7	80.0	--	--	--	81.8	69.4	76.0	85.1	57.4	71.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	82.6	72.4	77.9	83.2	61.4	72.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	85.5	74.3	80.3	86.9	62.5	75.1
Prescription drugs	--	--	--	94.1	90.6	92.2	95.5	85.3	92.2	--	--	--	93.8	93.2	93.5	93.9	88.3	91.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Taylor County and Florida Statewide youth, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	49.5	62.1	21.0	--	49.5	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	11.5	4.0	28.4	--	11.5	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	14.9	4.1	39.4	--	14.9	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	1.1	0.0	3.6	--	1.1	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	8.9	12.8	0.0	--	8.9	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	14.1	17.0	7.5	--	14.1	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Taylor County and Florida Statewide youth, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	28.9	26.5	34.4	--	28.9	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	16.7	1.6	52.1	--	16.7	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	2.7	0.0	9.2	--	2.7	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	1.3	0.0	4.4	--	1.3	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	50.4	71.9	0.0	--	50.4	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Taylor County and Florida Statewide youth, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	9.1	9.6	7.8	--	9.1	--	--	34.2	36.6	31.0	--	34.2	--
2	--	8.0	8.2	7.5	--	8.0	--	--	20.0	22.2	16.3	--	20.0	--
3	--	19.1	8.7	43.4	--	19.1	--	--	15.7	15.6	15.9	--	15.7	--
4	--	3.5	1.6	7.8	--	3.5	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	60.4	71.9	33.5	--	60.4	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Taylor County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.2	16.0	16.4	4.6	5.9	6.3	10.7	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	6.8	17.3	18.1	4.9	8.3	5.3	11.7	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	2.2	12.2	12.8	0.6	2.2	1.6	6.9	1.9	2.7	2.8	1.8	2.0	2.8	2.4

**Table 12. Percentages of Taylor County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.1	24.8	17.1	18.3	12.4	14.8	17.5	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	0.8	14.5	11.2	3.0	1.8	3.0	7.2	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	2.0	11.0	11.0	1.1	2.0	0.0	6.2	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	1.1	8.2	4.2	4.7	2.9	7.6	4.4	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.8	0.0	0.9	0.0	0.8	0.0	0.5	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	31.2	27.8	28.4	31.5	29.1	21.4	29.6	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	8.7	5.3	5.9	8.6	8.3	6.7	7.1	9.3	4.9	6.2	7.2	8.6	5.3	6.7

**Table 13. Trends in delinquent behaviors for Taylor County, 2012 to 2022**

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	10.6	7.8	9.1	15.2	14.8	14.9	5.8	6.3	6.0	--	--	--	19.1	9.7	14.8	11.1	24.8	17.5
Selling drugs	0.5	3.3	2.0	2.7	7.0	5.1	0.8	8.8	3.4	--	--	--	1.8	3.5	2.6	0.8	14.5	7.2
Attempting to steal a vehicle	1.6	1.0	1.3	1.8	1.8	1.8	0.0	3.9	1.3	--	--	--	1.9	3.6	2.7	2.0	11.0	6.2
Being arrested	3.4	1.4	2.3	1.5	3.2	2.5	2.4	1.5	2.1	--	--	--	2.1	5.1	3.5	1.1	8.2	4.4
Taking a handgun to school	0.0	1.4	0.8	0.3	3.4	2.0	0.0	2.6	0.8	--	--	--	0.4	1.3	0.8	0.8	0.0	0.5
Getting suspended	22.3	18.2	20.1	22.8	25.0	24.1	28.9	21.9	26.6	--	--	--	19.2	16.5	18.0	31.2	27.8	29.6
Attacking someone with intent to harm	8.7	9.4	9.0	8.4	10.8	9.8	4.1	8.6	5.5	--	--	--	8.5	10.3	9.3	8.7	5.3	7.1

**Table 14. Percentages of Taylor County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	29.0	39.0	44.0	22.4	32.7	40.0	33.9	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	41.5	45.4	52.7	33.3	41.6	51.0	43.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	28.1	35.0	43.6	17.8	29.3	37.7	31.5	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.2	60.2	64.6	34.0	41.0	57.5	50.0	46.9	47.7	58.4	36.0	46.8	48.1	47.3
<b>Suicide</b>														
Thought about committing suicide in the past 12 months	29.1	28.3	31.7	25.5	32.0	28.2	28.7	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	8.1	9.5	12.4	5.2	8.3	9.9	8.8	10.4	8.1	12.9	5.1	10.1	8.5	9.1



**Table 15. Percentages of Taylor County and Florida Statewide youth who reported involvement in bullying behavior, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.2	5.0	10.8	4.3	10.4	5.1	7.6	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	36.2	32.2	38.0	30.2	37.6	34.2	34.2	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	56.0	47.5	58.8	44.6	57.6	50.4	51.8	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	28.2	21.2	30.4	18.4	27.1	24.7	24.7	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	22.1	12.2	15.0	19.9	22.6	11.7	17.2	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	31.7	17.3	18.8	31.4	32.2	18.4	24.6	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	10.3	19.7	19.3	10.4	10.5	23.3	14.9	13.5	12.4	13.6	12.1	13.6	12.4	12.8

**Table 16. Percentages of Taylor County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	22.9	34.6	6.5	--	12.0	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	5.1	6.8	2.8	--	5.7	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	4.4	5.1	3.4	--	3.0	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	47.4	51.6	41.7	--	41.6	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	3.5	3.1	4.0	--	2.4	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	31.8	45.5	12.9	--	25.0	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	31.4	43.3	15.1	--	22.8	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	30.5	41.7	15.1	--	22.2	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	38.5	54.6	17.4	--	28.2	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	0.7	0.0	1.7	--	1.0	--	--	6.7	8.1	5.2	--	6.7	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Taylor County and Florida Statewide high school youth, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	37.9	28.1	51.0	--	43.6	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	16.0	13.4	19.4	--	16.9	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	8.6	3.8	15.2	--	10.5	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	11.0	16.4	3.7	--	12.0	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	6.5	8.1	4.3	--	6.9	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	5.1	6.6	3.1	--	5.8	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	12.1	21.0	0.0	--	0.6	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	2.9	2.6	3.3	--	3.9	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Taylor County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	31.1	36.5	40.6	27.3	30.2	30.4	33.7	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	23.8	28.2	34.8	17.5	21.4	22.8	25.9	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	27.1	36.7	39.4	24.0	25.7	32.6	31.7	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	26.4	37.6	30.8	33.4	25.6	31.2	31.8	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	39.7	31.4	37.1	34.5	40.1	35.5	35.7	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	57.4	34.9	49.2	44.5	54.8	42.9	46.6	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Taylor County and Florida Statewide youth who reported participation in extracurricular activities, 2022**

	Taylor County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	55.2	50.8	54.8	50.6	52.7	48.1	53.0	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	42.5	20.8	26.0	37.5	38.5	25.2	31.9	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	8.3	5.6	4.0	9.0	8.4	4.6	7.0	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	27.0	26.3	35.5	16.1	26.6	29.4	26.7	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	8.5	9.1	9.7	6.6	7.9	9.8	8.8	8.7	12.0	13.5	7.9	8.7	11.9	10.6

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Taylor County and Florida Statewide youth, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	10.6	9.1	12.9	--	13.2	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	28.8	37.4	16.7	--	34.5	--	--	17.8	20.6	15.1	--	17.9	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	5.1	2.3	9.1	--	6.6	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	7.0	0.6	16.2	--	7.8	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Taylor County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	26.4	--	--	23.4	--	--	28.7	--	--	--	--	--	16.4	--	--	10.6	--
Marijuana	--	22.4	--	--	17.1	--	--	29.5	--	--	--	--	--	19.4	--	--	28.8	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	9.1	--	--	6.3	--	--	13.5	--	--	--	--	--	7.6	--	--	5.1	--
Marijuana	--	5.3	--	--	6.9	--	--	19.5	--	--	--	--	--	9.5	--	--	7.0	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Taylor County and Florida Statewide youth, 2022**

	Taylor County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	64.0	55.2	48.4	71.9	61.9	64.5	59.9	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	25.5	35.4	40.2	19.5	27.9	25.6	30.1	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	10.5	9.5	11.4	8.7	10.3	9.9	10.0	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	18.5	15.9	11.8	23.3	20.2	16.2	17.2	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	12.2	7.8	12.8	7.6	10.5	10.5	10.2	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	32.5	31.9	23.1	42.5	32.5	37.2	32.2	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	25.3	17.0	24.4	18.5	24.3	19.7	21.5	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	11.5	27.4	28.1	8.0	12.4	16.4	18.9	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.



**Table 23. Protective factor prevalence rates for Taylor County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Taylor County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	50	47	53	55	59	54
	Family Rewards for Prosocial Involvement	43	43	46	49	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	55	43	51	60	57	60
	School Rewards for Prosocial Involvement	44	36	45	56	53	58
<b>Peer and Individual</b>	Religiosity	51	67	36	46	56	62
<b>Average Prevalence Rate</b>		<b>49</b>	<b>47</b>	<b>46</b>	<b>53</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Risk factor prevalence rates for Taylor County, Florida Statewide youth, and the national normative database, 2022**

Domain	Scale	Taylor County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	46	41	29	42	42
	Perceived Availability of Drugs	30	27	33	15	45	45
	Perceived Availability of Handguns	35	47	25	30	25	42
<b>Family</b>	Poor Family Management	50	46	47	34	44	45
	Family Conflict	41	33	43	34	42	37
<b>School</b>	Poor Academic Performance	45	56	48	48	45	48
	Lack of Commitment to School	71	75	73	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	46	43	52	39	40	46
	Favorable Attitudes toward ATOD Use	35	41	33	29	39	45
	Early Initiation of Drug Use	25	21	21	13	41	46
<b>Average Prevalence Rate</b>		<b>42</b>	<b>44</b>	<b>42</b>	<b>34</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among middle school students for Taylor County, 2012 to 2022**

Domain	Scale	Taylor County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	62	61	--	64	50
	Family Rewards for Prosocial Involvement	50	52	57	--	51	43
<b>School</b>	School Opportunities for Prosocial Involvement	48	45	58	--	50	55
	School Rewards for Prosocial Involvement	52	53	58	--	45	44
<b>Peer and Individual</b>	Religiosity	66	67	63	--	54	51
<b>Average Prevalence Rate</b>		<b>55</b>	<b>56</b>	<b>59</b>	<b>--</b>	<b>53</b>	<b>49</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Risk factor prevalence rate trends among middle school students for Taylor County, 2012 to 2022**

Domain	Scale	Taylor County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	48	45	--	53	45
	Perceived Availability of Drugs	36	39	33	--	41	30
	Perceived Availability of Handguns	32	37	36	--	46	35
<b>Family</b>	Poor Family Management	50	43	45	--	44	50
	Family Conflict	34	43	41	--	42	41
<b>School</b>	Poor Academic Performance	45	48	55	--	50	45
	Lack of Commitment to School	55	57	56	--	70	71
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	33	37	37	--	48	46
	Favorable Attitudes toward ATOD Use	40	42	36	--	40	35
	Early Initiation of Drug Use	38	31	29	--	36	25
<b>Average Prevalence Rate</b>		<b>41</b>	<b>43</b>	<b>41</b>	<b>--</b>	<b>47</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Protective factor prevalence rate trends among high school students for Taylor County, 2012 to 2022**

Domain	Scale	Taylor County					
		2012	2014	2016	2018	2020	2022
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	58	56	--	57	47
	Family Rewards for Prosocial Involvement	56	52	50	--	50	43
<b>School</b>	School Opportunities for Prosocial Involvement	58	46	53	--	45	43
	School Rewards for Prosocial Involvement	60	56	50	--	43	36
<b>Peer and Individual</b>	Religiosity	74	69	82	--	62	67
<b>Average Prevalence Rate</b>		<b>61</b>	<b>56</b>	<b>58</b>	<b>--</b>	<b>51</b>	<b>47</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Risk factor prevalence rate trends among high school students for Taylor County, 2012 to 2022**

Domain	Scale	Taylor County					
		2012	2014	2016	2018	2020	2022
<b>Community</b>	Laws and Norms Favorable to Drug Use	40	34	37	--	34	46
	Perceived Availability of Drugs	32	25	28	--	15	27
	Perceived Availability of Handguns	52	48	52	--	37	47
<b>Family</b>	Poor Family Management	35	47	41	--	40	46
	Family Conflict	35	32	26	--	24	33
<b>School</b>	Poor Academic Performance	43	41	41	--	53	56
	Lack of Commitment to School	37	51	55	--	65	75
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	29	31	28	--	34	43
	Favorable Attitudes toward ATOD Use	35	35	43	--	23	41
	Early Initiation of Drug Use	36	34	34	--	16	21
<b>Average Prevalence Rate</b>		<b>37</b>	<b>38</b>	<b>39</b>	<b>--</b>	<b>34</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.