

2020 Florida Youth Substance Abuse Survey

Bradford County Data Tables

Table 1. Major demographic characteristics of surveyed Bradford County and Florida Statewide youth, 2020

	Bradford County		Florida Statewide	
	N	%	N	%
Sex				
Female	179	53.8	25,191	48.4
Male	153	45.9	26,328	50.5
Race/Ethnic group				
African American	59	17.7	11,284	21.7
American Indian	9	2.7	491	0.9
Asian	1	0.3	671	1.3
Hispanic/Latino	8	2.4	11,091	21.3
Native Hawaiian/Pacific Islander	1	0.3	68	0.1
Other/Multiple	70	21.0	7,227	13.9
White, non-Hispanic	183	55.0	20,904	40.1
Age				
10	0	0.0	44	0.1
11	12	3.6	3,151	6.0
12	75	22.5	7,124	13.7
13	78	23.4	7,698	14.8
14	53	15.9	7,616	14.6
15	37	11.1	7,582	14.6
16	42	12.6	7,502	14.4
17	27	8.1	7,073	13.6
18	8	2.4	3,807	7.3
19 or older	1	0.3	394	0.8
Grade				
6th	72	21.6	7,718	14.8
7th	72	21.6	7,555	14.5
8th	67	20.1	7,632	14.6
9th	37	11.1	7,668	14.7
10th	40	12.0	7,481	14.4
11th	28	8.4	7,117	13.7
12th	17	5.1	6,923	13.3
Overall Middle School	211	63.4	22,904	44.0
Overall High School	122	36.6	29,189	56.0
Total	333	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Bradford County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.9	36.0	29.6	28.7	24.6	31.9	28.9	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	15.3	15.7	15.4	--	15.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	15.8	10.9	11.0	15.9	16.8	7.5	13.3	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	25.9	26.8	31.6	21.5	27.5	26.8	26.4	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	13.4	17.2	14.5	16.4	13.4	16.3	15.3	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	9.8	22.8	15.5	17.4	11.8	19.0	16.3	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.9	0.5	3.4	--	2.4	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	10.9	2.6	7.0	6.6	10.4	2.9	6.7	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.9	3.7	0.8	5.0	1.8	4.5	2.8	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	4.2	4.7	1.7	7.5	4.0	5.7	4.5	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	2.0	1.1	0.7	2.5	1.9	1.3	1.5	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.5	1.9	0.0	3.4	1.4	2.2	1.7	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	1.4	0.7	0.0	2.1	1.3	0.8	1.0	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	0.7	3.8	2.0	2.6	0.7	4.7	2.3	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	2.3	0.6	0.9	2.0	2.1	0.8	1.4	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.3	2.2	2.4	2.1	2.1	2.7	2.2	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	5.7	3.0	4.7	4.1	6.7	1.8	4.4	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.7	0.0	1.4	--	0.8	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	25.2	29.8	28.7	26.7	28.5	24.8	27.5	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	17.8	11.8	13.6	16.3	18.2	12.3	14.8	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.2	12.9	12.6	9.6	9.9	12.3	11.0	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	33.7	42.2	40.9	35.5	37.4	37.2	37.9	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	12.0	5.7	11.5	6.2	12.2	5.3	8.8	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Bradford County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	11.3	16.9	15.3	13.1	11.7	17.5	14.1	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	7.7	8.5	4.8	11.7	7.9	6.5	8.1	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	7.4	3.7	3.1	8.2	7.1	1.4	5.6	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	15.4	19.0	17.8	16.9	15.7	19.8	17.2	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	6.8	8.9	6.7	9.2	7.1	9.8	7.9	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	7.6	13.9	8.9	12.9	8.0	12.0	10.8	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.2	0.0	2.5	--	1.5	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	5.8	0.0	2.2	3.5	5.5	0.0	2.9	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	1.2	0.0	1.3	0.0	1.4	0.6	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	2.0	0.5	0.0	2.6	1.9	0.6	1.2	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	1.3	0.0	0.7	0.7	1.2	0.0	0.6	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.7	1.2	0.0	2.0	0.7	1.5	1.0	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.7	0.0	0.0	0.7	0.6	0.0	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.7	0.6	0.2	1.3	0.7	0.8	0.7	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.2	0.2	0.2	0.2	0.0	0.4	0.2	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.7	1.3	0.7	1.3	0.7	1.6	1.0	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.1	0.6	1.3	0.5	1.0	0.8	0.9	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	15.4	18.4	14.9	19.3	16.0	16.7	16.9	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	9.8	3.0	4.5	8.6	9.2	3.8	6.4	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	4.5	8.8	8.8	4.6	5.5	7.6	6.7	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	19.6	26.9	23.5	23.3	21.0	24.2	23.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	8.6	10.6	8.4	11.0	9.9	6.8	9.6	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Bradford County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	45.2	59.7	53.4	37.6	62.5	50.6	25.2	49.8	37.9	20.3	50.1	37.6	21.1	53.7	39.2	21.9	36.0	28.9
Blacking Out	--	--	--	--	--	--	--	16.8	--	--	23.5	--	--	21.8	--	--	15.3	--
Cigarettes	26.5	32.6	29.9	20.4	34.8	27.9	17.1	30.3	23.9	15.5	26.9	21.9	11.3	23.3	17.9	15.8	10.9	13.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	25.9	26.8	26.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13.4	17.2	15.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	13.5	39.6	28.3	16.5	40.8	29.8	--	--	--
Marijuana or Hashish	11.5	30.8	22.4	15.2	37.1	26.7	11.8	35.0	23.7	7.7	38.0	25.1	12.7	37.5	26.5	9.8	22.8	16.3
Synthetic Marijuana	--	--	--	--	16.8	--	--	12.5	--	--	6.2	--	--	7.4	--	--	1.9	--
Inhalants	8.3	9.1	8.8	10.1	6.4	8.2	8.8	2.7	5.7	2.9	5.7	4.5	5.2	4.0	4.5	10.9	2.6	6.7
Club Drugs	2.0	1.8	1.9	0.4	4.7	2.7	0.2	1.9	1.0	0.2	0.5	0.4	1.8	3.9	3.0	1.9	3.7	2.8
LSD, PCP or Mushrooms	3.0	6.0	4.7	2.7	5.1	4.0	0.7	3.1	1.9	1.3	2.2	1.8	2.2	3.7	3.0	4.2	4.7	4.5
Methamphetamine	0.9	0.9	0.9	2.1	1.3	1.7	0.2	0.9	0.6	0.4	0.6	0.5	1.5	1.1	1.3	2.0	1.1	1.5
Cocaine or Crack	1.0	2.9	2.1	2.9	1.8	2.3	0.5	2.5	1.5	0.2	0.5	0.4	1.5	3.7	2.8	1.5	1.9	1.7
Heroin	0.6	0.9	0.8	1.2	1.5	1.4	0.5	0.0	0.2	0.0	0.5	0.3	0.9	0.0	0.4	1.4	0.7	1.0
Prescription Depressants	3.1	10.1	7.1	1.4	5.0	3.3	0.9	4.7	2.8	2.0	7.1	4.9	1.9	7.5	4.9	0.7	3.8	2.3
Prescription Pain Relievers	3.8	8.8	6.7	3.7	10.9	7.5	2.5	3.3	2.9	1.7	7.6	5.0	3.1	7.2	5.4	2.3	0.6	1.4
Prescription Amphetamines	2.6	1.5	2.0	0.7	3.4	2.1	0.0	2.7	1.4	0.9	5.5	3.5	1.7	4.1	3.0	2.3	2.2	2.2
Over-the-Counter Drugs	6.7	4.8	5.6	3.3	7.3	5.4	4.2	4.4	4.3	1.4	6.1	4.1	2.8	6.7	5.0	5.7	3.0	4.4
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.6	--	--	1.4	--	--	0.7	--
Any illicit drug	21.4	40.0	31.8	22.5	43.4	33.4	20.5	40.3	30.6	12.0	43.9	30.1	15.9	41.9	30.3	25.2	29.8	27.5
Any illicit drug other than marijuana	15.2	20.6	18.3	15.4	21.5	18.6	13.6	15.1	14.4	6.7	18.0	13.1	7.7	16.0	12.3	17.8	11.8	14.8
Alcohol only	29.8	26.2	27.8	18.4	22.6	20.6	11.1	15.6	13.5	13.5	11.8	12.5	8.5	14.7	11.9	9.2	12.9	11.0
Alcohol or any illicit drug	50.8	66.2	59.5	41.2	66.2	54.2	31.4	55.2	43.6	24.9	55.7	42.4	24.3	56.6	42.1	33.7	42.2	37.9
Any illicit drug, but no alcohol	6.3	7.4	6.9	4.3	4.1	4.2	7.0	5.6	6.3	5.1	5.6	5.4	3.7	3.3	3.5	12.0	5.7	8.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Bradford County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.2	32.1	29.5	20.1	34.3	27.5	11.1	22.3	16.8	10.3	31.6	22.7	11.6	26.7	20.0	11.3	16.9	14.1
Binge Drinking	10.5	18.6	15.1	8.4	19.1	13.9	3.6	17.5	10.7	2.6	12.2	8.1	8.6	16.4	12.9	7.7	8.5	8.1
Cigarettes	8.3	16.1	12.7	6.0	13.1	9.7	2.5	11.4	7.1	2.1	8.3	5.6	5.4	5.4	5.4	7.4	3.7	5.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	15.4	19.0	17.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.8	8.9	7.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	5.3	21.1	14.3	9.6	16.5	13.4	--	--	--
Marijuana or Hashish	5.2	14.9	10.7	6.2	17.7	12.4	5.8	19.7	12.7	3.4	16.4	10.9	6.1	23.4	15.9	7.6	13.9	10.8
Synthetic Marijuana	--	--	--	--	5.3	--	--	3.4	--	--	0.0	--	--	2.1	--	--	1.2	--
Inhalants	3.3	2.1	2.6	3.1	1.5	2.2	4.1	2.2	3.2	1.6	0.6	1.0	0.7	2.2	1.5	5.8	0.0	2.9
Club Drugs	1.1	0.6	0.8	0.2	1.5	0.9	0.2	1.4	0.8	0.0	0.0	0.0	1.6	2.4	2.1	0.0	1.2	0.6
LSD, PCP or Mushrooms	1.2	1.7	1.5	0.8	0.7	0.8	0.2	2.6	1.4	1.4	1.9	1.7	1.7	0.5	1.0	2.0	0.5	1.2
Methamphetamine	0.0	1.0	0.5	0.2	0.5	0.4	0.0	0.4	0.2	0.2	0.9	0.6	1.4	0.0	0.6	1.3	0.0	0.6
Cocaine or Crack	1.1	1.2	1.2	0.0	0.0	0.0	0.2	0.0	0.1	0.9	0.0	0.4	0.4	3.2	2.0	0.7	1.2	1.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3
Prescription Depressants	1.6	3.9	2.9	1.0	1.0	1.0	0.0	2.2	1.1	0.5	2.3	1.6	1.2	1.9	1.6	0.7	0.6	0.7
Prescription Pain Relievers	1.5	4.0	2.9	1.8	4.3	3.1	1.1	3.1	2.1	0.3	2.8	1.7	1.7	2.8	2.3	0.2	0.2	0.2
Prescription Amphetamines	0.4	0.6	0.5	0.2	0.8	0.5	0.0	0.0	0.0	0.2	1.1	0.7	0.2	0.5	0.4	0.7	1.3	1.0
Over-the-Counter Drugs	3.9	1.6	2.6	1.7	2.0	1.8	3.1	2.6	2.9	0.3	2.2	1.4	2.5	3.9	3.3	1.1	0.6	0.9
Any illicit drug	12.0	17.2	14.9	11.1	23.7	17.8	10.9	24.7	17.9	5.8	18.6	13.1	8.4	27.8	19.2	15.4	18.4	16.9
Any illicit drug other than marijuana	9.9	7.2	8.4	6.7	7.7	7.2	6.7	10.0	8.4	3.8	6.1	5.1	4.7	10.7	8.1	9.8	3.0	6.4
Alcohol only	18.0	20.9	19.6	12.8	18.4	15.8	6.9	9.0	8.0	8.5	17.8	13.9	5.5	7.2	6.4	4.5	8.8	6.7
Alcohol or any illicit drug	29.8	36.7	33.7	23.2	42.8	33.4	17.6	32.7	25.4	13.7	36.6	26.7	14.7	34.8	25.8	19.6	26.9	23.2
Any illicit drug, but no alcohol	3.4	5.3	4.5	3.4	8.9	6.3	7.0	10.3	8.7	4.3	4.9	4.6	3.3	8.6	6.3	8.6	10.6	9.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Bradford County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	8.9	6.2	11.9	--	10.1	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.5	2.8	2.3	--	2.3	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	4.7	5.0	4.5	--	5.8	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	3.4	3.4	3.5	--	3.7	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	48.4	46.5	49.1	44.8	51.1	45.3	47.5	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	59.6	44.5	54.2	50.4	62.1	43.6	51.9	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	65.1	69.7	69.7	64.4	67.7	67.4	67.4	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	47.0	50.9	49.8	47.3	47.7	50.1	49.0	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	51.8	45.6	50.1	46.3	54.0	45.0	48.7	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	50.4	36.7	44.3	43.2	50.9	36.5	43.4	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	36.8	27.3	34.6	29.7	38.1	25.2	32.0	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	68.8	65.9	68.1	67.6	71.5	65.1	67.3	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	90.9	94.8	95.6	90.2	91.6	93.7	93.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	83.3	75.2	80.1	77.7	82.5	77.5	79.1	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.4	73.7	81.6	77.7	86.5	75.0	79.8	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	82.3	77.8	79.8	79.7	82.1	78.7	79.9	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	87.1	77.6	84.4	79.5	87.2	77.8	82.1	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	96.9	95.8	96.5	96.1	97.1	94.8	96.3	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.0	80.6	89.6	79.5	89.2	82.8	84.7	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	89.0	87.4	92.8	83.3	89.9	84.6	88.2	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	85.9	69.6	79.8	74.9	84.2	70.9	77.5	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	78.9	68.8	76.4	70.5	77.1	70.6	73.7	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	88.5	72.2	84.3	75.7	86.6	74.1	80.2	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	95.9	92.1	94.9	93.0	96.2	90.5	94.0	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Bradford County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	27.8	--	--	29.6	--	--	21.5	--	--	29.6	--	--	29.0	--	--	8.9	--
Drink monthly	--	9.3	--	--	7.6	--	--	7.1	--	--	7.1	--	--	7.8	--	--	2.5	--
Smoke cigarettes	--	20.7	--	--	22.9	--	--	19.2	--	--	14.4	--	--	10.5	--	--	4.7	--
Smoke marijuana	--	11.7	--	--	18.1	--	--	15.6	--	--	19.3	--	--	16.6	--	--	3.4	--
Great risk of harm																		
Daily alcohol use	42.0	38.1	39.8	37.3	28.6	32.8	43.1	37.7	40.4	29.8	30.8	30.3	43.9	32.6	37.7	48.4	46.5	47.5
5+ drinks daily	--	--	--	--	--	--	50.8	51.0	50.9	44.7	40.7	42.4	50.9	44.9	47.6	59.6	44.5	51.9
Daily cigarette use	62.8	57.0	59.6	63.7	57.2	60.3	65.4	62.9	64.1	57.6	63.3	60.9	59.9	64.3	62.3	65.1	69.7	67.4
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	47.0	50.9	49.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	51.8	45.6	48.7
Marijuana weekly*	--	--	--	--	--	--	49.1	33.5	41.2	47.3	14.8	28.7	46.9	18.4	31.1	50.4	36.7	43.4
Try marijuana	45.7	25.6	34.3	33.4	16.8	24.7	36.4	22.5	29.4	37.5	10.4	22.0	41.6	18.8	29.1	36.8	27.3	32.0
Prescription drugs	--	--	--	--	62.4	62.4	71.7	67.7	69.7	63.1	62.6	62.8	67.9	66.0	66.9	68.8	65.9	67.3
Think it wrong																		
Smoke cigarettes	86.6	69.0	76.8	89.3	73.4	81.0	91.4	78.8	84.7	93.3	82.0	86.9	92.7	84.2	88.0	90.9	94.8	93.0
Drink regularly	69.7	56.5	62.3	75.2	52.3	63.2	83.9	64.3	73.6	84.5	53.3	67.0	84.4	57.3	69.6	83.3	75.2	79.1
Smoke marijuana	86.5	71.4	78.0	87.3	66.5	76.4	84.5	65.0	74.2	86.8	52.9	67.7	82.5	52.5	66.0	86.4	73.7	79.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.3	77.8	79.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.1	77.6	82.1
Other illicit drugs	96.3	96.4	96.3	96.7	93.9	95.3	95.4	91.4	93.3	97.5	93.6	95.3	93.9	95.1	94.6	96.9	95.8	96.3
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	87.1	73.4	80.1	90.0	69.4	78.4	87.5	71.3	78.5	89.0	80.6	84.7
Smoke tobacco	--	--	--	--	--	--	91.2	76.9	83.9	91.8	80.4	85.3	92.4	75.9	83.3	89.0	87.4	88.2
Smoke marijuana	--	--	--	--	--	--	83.3	63.0	72.9	87.5	54.0	68.5	87.1	56.9	70.1	85.9	69.6	77.5
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	78.9	68.8	73.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.5	72.2	80.2
Prescription drugs	--	--	--	--	--	--	96.0	90.6	93.2	95.2	92.1	93.4	95.3	91.1	93.0	95.9	92.1	94.0

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Bradford County and Florida Statewide youth, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	18.4	0.0	30.8	--	8.1	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	16.7	8.1	22.4	--	21.4	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	45.3	48.5	43.1	--	57.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	10.4	20.4	3.7	--	9.3	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	9.2	23.0	0.0	--	4.1	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Bradford County and Florida Statewide youth, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	32.9	37.6	27.6	--	35.2	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	54.6	38.8	72.4	--	48.6	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	11.4	21.5	0.0	--	16.1	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	1.1	2.1	0.0	--	0.0	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Bradford County and Florida Statewide youth, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	23.1	24.6	21.3	--	34.9	--	--	31.9	34.7	28.6	--	32.9	--
2	--	27.0	50.7	0.0	--	27.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	15.9	0.0	34.1	--	0.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	15.7	8.0	24.6	--	23.8	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	18.2	16.7	20.0	--	14.1	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Bradford County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.8	7.1	9.3	4.7	6.4	8.6	7.0	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	4.4	7.1	7.3	4.3	4.0	8.8	5.8	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	3.3	5.1	7.4	0.9	3.7	5.3	4.2	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Bradford County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.8	7.1	3.9	11.2	8.8	6.7	7.4	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.2	4.8	4.4	2.7	2.0	5.8	3.5	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.8	3.1	4.1	0.8	1.7	3.7	2.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.6	4.4	5.9	1.0	3.3	4.2	3.5	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.2	2.1	2.1	0.2	0.2	2.5	1.1	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	19.7	14.4	14.3	20.2	20.3	10.2	17.0	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.3	4.2	5.1	6.5	6.8	5.1	5.7	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Bradford County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.2	9.6	8.1	6.3	9.2	7.8	7.3	6.1	6.7	7.5	9.5	8.6	9.2	13.0	11.2	7.8	7.1	7.4
Selling drugs	3.7	11.8	8.3	3.2	8.9	6.1	3.9	4.3	4.1	1.6	3.2	2.5	3.7	9.8	7.1	2.2	4.8	3.5
Attempting to steal a vehicle	0.4	4.1	2.5	1.1	2.0	1.6	2.1	5.0	3.5	0.7	2.5	1.7	2.6	1.9	2.2	1.8	3.1	2.4
Being arrested	3.2	7.5	5.7	3.1	3.1	3.1	2.7	4.4	3.5	2.0	3.0	2.6	2.4	3.3	2.9	2.6	4.4	3.5
Taking a handgun to school	0.4	2.5	1.6	0.5	0.3	0.4	0.7	0.0	0.3	0.2	1.8	1.1	3.3	0.8	1.9	0.2	2.1	1.1
Getting suspended	17.4	14.6	15.8	19.6	12.5	16.0	16.4	8.4	12.5	9.1	10.0	9.6	11.8	9.6	10.6	19.7	14.4	17.0
Attacking someone with intent to harm	10.7	12.0	11.4	9.2	12.8	11.0	8.2	2.2	5.3	4.6	7.7	6.3	4.7	7.4	6.2	7.3	4.2	5.7

Table 14. Percentages of Bradford County and Florida Statewide youth who reported symptoms of depression, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	28.6	22.5	30.7	19.0	30.6	20.0	25.5	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	41.8	35.1	51.6	24.1	43.2	33.5	38.4	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	30.3	20.2	31.3	17.8	30.8	20.2	25.1	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.7	47.1	60.7	26.5	43.8	44.8	44.0	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Bradford County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.3	11.9	12.7	5.6	8.0	11.9	9.7	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	44.8	29.2	38.9	33.3	47.9	25.1	36.5	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	64.3	51.5	69.1	45.5	65.8	47.2	57.5	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	24.0	33.5	38.1	18.7	25.0	34.4	28.9	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	30.6	18.9	18.8	30.2	30.9	16.3	24.4	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	33.1	24.8	29.2	27.3	33.0	25.1	28.8	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	10.9	14.9	12.3	13.8	11.8	14.9	13.0	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Bradford County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	9.8	13.3	6.4	--	10.6	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	2.1	4.1	0.0	--	1.6	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	2.5	4.7	0.0	--	2.9	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	38.5	36.7	42.1	--	42.7	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	5.7	8.3	3.1	--	3.8	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	28.4	30.1	23.3	--	31.1	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	28.6	32.8	20.8	--	28.3	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	22.1	24.9	19.9	--	19.6	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	22.3	36.3	7.4	--	23.0	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.9	10.8	4.9	--	9.3	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Bradford County and Florida Statewide high school youth, 2020

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	35.6	27.3	46.2	--	34.5	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	19.3	22.2	16.8	--	17.7	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	19.8	15.8	21.0	--	20.5	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	10.8	15.3	6.3	--	13.1	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.8	9.8	6.0	--	7.5	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	1.3	2.6	0.0	--	1.4	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.8	4.1	3.7	--	3.7	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.5	3.0	0.0	--	1.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Bradford County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	20.1	16.9	19.8	17.4	19.4	17.8	18.5	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	25.2	20.4	28.4	17.2	26.2	17.8	22.8	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	20.9	21.1	21.0	21.4	23.1	17.5	21.0	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	22.6	14.5	19.1	18.2	22.3	14.1	18.5	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	31.3	29.0	35.0	25.5	33.3	24.6	30.2	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	44.5	27.1	47.3	24.2	44.5	27.4	35.8	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Bradford County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Bradford County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	42.9	36.4	32.8	45.1	43.8	32.4	39.5	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	30.2	17.9	17.4	30.1	30.9	18.3	23.7	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	23.3	11.5	12.5	21.8	27.0	7.7	17.1	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	33.5	33.7	46.2	20.4	33.0	34.7	33.6	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	11.8	9.0	14.1	6.8	10.8	9.8	10.3	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Bradford County and Florida Statewide youth, 2020

	Bradford County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	12.7	12.4	13.4	--	12.1	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	14.0	16.1	12.3	--	11.9	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	1.3	0.0	2.7	--	1.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	7.2	7.2	7.4	--	8.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Bradford County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	23.4	--	--	14.8	--	--	24.3	--	--	17.7	--	--	12.7	--
Marijuana	--	--	--	--	28.4	--	--	21.4	--	--	23.8	--	--	30.3	--	--	14.0	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	9.4	--	--	5.3	--	--	8.2	--	--	10.7	--	--	1.3	--
Marijuana	--	--	--	--	12.6	--	--	12.9	--	--	12.6	--	--	20.5	--	--	7.2	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Bradford County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	55	55	57	57	59	54
	Family Rewards for Prosocial Involvement	47	47	50	53	54	55
School	School Opportunities for Prosocial Involvement	47	60	51	60	57	60
	School Rewards for Prosocial Involvement	37	57	44	54	53	58
Peer and Individual	Religiosity	53	55	42	52	56	62
Average Prevalence Rate		48	55	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Bradford County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Bradford County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	39	36	41	32	42	42
	Perceived Availability of Drugs	28	17	34	20	45	45
	Perceived Availability of Handguns	24	34	23	31	25	42
Family	Poor Family Management	47	38	43	35	44	45
	Family Conflict	37	28	42	34	42	37
School	Poor Academic Performance	41	57	46	46	45	48
	Lack of Commitment to School	64	69	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	47	29	49	38	40	46
	Favorable Attitudes toward ATOD Use	38	24	35	32	39	45
	Early Initiation of Drug Use	32	14	24	17	41	46
Average Prevalence Rate		40	35	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Bradford County, 2010 to 2020

Domain	Scale	Bradford County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	63	56	63	57	55
	Family Rewards for Prosocial Involvement	50	58	51	58	48	47
School	School Opportunities for Prosocial Involvement	48	45	49	48	47	47
	School Rewards for Prosocial Involvement	44	47	43	44	34	37
Peer and Individual	Religiosity	51	63	50	58	52	53
Average Prevalence Rate		49	55	50	54	48	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Bradford County, 2010 to 2020

Domain	Scale	Bradford County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	56	59	49	42	46	39
	Perceived Availability of Drugs	49	46	41	33	31	28
	Perceived Availability of Handguns	38	31	33	30	23	24
Family	Poor Family Management	51	47	45	48	43	47
	Family Conflict	42	41	38	29	33	37
School	Poor Academic Performance	52	52	51	45	41	41
	Lack of Commitment to School	57	51	57	64	61	64
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	40	40	35	39	47
	Favorable Attitudes toward ATOD Use	56	47	36	38	36	38
	Early Initiation of Drug Use	48	42	31	27	28	32
Average Prevalence Rate		50	46	42	39	38	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Bradford County, 2010 to 2020

Domain	Scale	Bradford County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	52	57	60	58	55	55
	Family Rewards for Prosocial Involvement	45	52	57	50	49	47
School	School Opportunities for Prosocial Involvement	47	47	55	46	53	60
	School Rewards for Prosocial Involvement	49	56	58	48	41	57
Peer and Individual	Religiosity	63	68	62	64	62	55
Average Prevalence Rate		51	56	58	53	52	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Bradford County, 2010 to 2020

Domain	Scale	Bradford County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	47	37	33	40	39	36
	Perceived Availability of Drugs	39	34	31	26	26	17
	Perceived Availability of Handguns	47	49	36	46	34	34
Family	Poor Family Management	49	41	38	47	55	38
	Family Conflict	27	31	29	34	31	28
School	Poor Academic Performance	42	45	54	48	51	57
	Lack of Commitment to School	59	47	51	63	66	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	36	37	28	45	36	29
	Favorable Attitudes toward ATOD Use	39	41	39	44	48	24
	Early Initiation of Drug Use	37	37	28	34	34	14
Average Prevalence Rate		42	40	37	43	42	35

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.