

2020 Florida Youth Substance Abuse Survey

Columbia County Data Tables

Table 1. Major demographic characteristics of surveyed Columbia County and Florida Statewide youth, 2020

	Columbia County		Florida Statewide	
	N	%	N	%
Sex				
Female	258	51.4	25,191	48.4
Male	243	48.4	26,328	50.5
Race/Ethnic group				
African American	97	19.3	11,284	21.7
American Indian	15	3.0	491	0.9
Asian	9	1.8	671	1.3
Hispanic/Latino	28	5.6	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	100	19.9	7,227	13.9
White, non-Hispanic	249	49.6	20,904	40.1
Age				
10	2	0.4	44	0.1
11	31	6.2	3,151	6.0
12	96	19.1	7,124	13.7
13	98	19.5	7,698	14.8
14	92	18.3	7,616	14.6
15	71	14.1	7,582	14.6
16	53	10.6	7,502	14.4
17	38	7.6	7,073	13.6
18	18	3.6	3,807	7.3
19 or older	3	0.6	394	0.8
Grade				
6th	112	22.3	7,718	14.8
7th	93	18.5	7,555	14.5
8th	100	19.9	7,632	14.6
9th	81	16.1	7,668	14.7
10th	49	9.8	7,481	14.4
11th	47	9.4	7,117	13.7
12th	20	4.0	6,923	13.3
Overall Middle School	305	60.8	22,904	44.0
Overall High School	197	39.2	29,189	56.0
Total	502	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Columbia County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Columbia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	24.6	53.7	42.5	37.5	25.7	52.2	39.9	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	26.5	28.5	24.5	--	29.7	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	7.0	22.8	18.5	12.5	7.3	17.4	15.4	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	17.3	38.4	33.7	23.4	17.2	37.6	28.5	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	4.2	30.4	20.7	15.8	5.7	29.3	18.2	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	9.6	37.7	25.0	24.4	11.2	36.0	24.6	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	4.5	1.9	7.2	--	5.2	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	8.4	4.6	5.6	7.1	9.2	4.4	6.4	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.0	0.2	0.4	0.7	0.9	0.3	0.5	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.6	2.0	0.3	2.4	0.5	2.8	1.4	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.4	0.0	0.4	0.0	0.4	0.0	0.2	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.3	2.0	0.4	2.1	0.2	2.9	1.2	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.5	1.3	0.4	1.5	0.4	1.9	0.9	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.9	6.2	6.5	2.9	3.0	8.2	4.7	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	5.2	2.3	4.2	3.1	4.9	2.8	3.6	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.4	0.9	2.3	0.0	1.5	0.6	1.2	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.1	8.9	8.6	2.9	1.9	9.9	5.7	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	1.4	0.0	2.8	--	2.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	21.2	44.5	34.6	32.9	22.6	41.9	33.7	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.4	16.2	17.3	13.4	15.1	17.5	15.3	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	13.2	12.9	13.5	12.6	12.2	14.2	13.1	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	33.9	57.0	48.1	44.7	34.2	55.8	46.3	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	9.5	5.2	5.9	8.6	9.2	4.7	7.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Columbia County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Columbia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.5	30.3	16.9	23.1	9.2	32.3	20.0	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	4.8	19.8	12.7	13.0	4.7	21.2	12.8	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.6	3.9	1.5	4.2	2.2	2.2	2.8	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	4.4	23.0	14.6	14.0	3.9	26.0	14.3	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	0.7	17.2	7.8	11.3	1.5	17.8	9.5	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	2.1	21.4	11.8	13.1	2.4	24.2	12.4	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	0.9	0.9	0.5	1.4	0.9	1.3	0.9	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.4	0.0	0.4	0.0	0.4	0.0	0.2	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	0.4	0.0	0.4	0.0	0.5	0.2	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.5	0.0	0.4	0.1	0.4	0.0	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.1	1.1	1.0	1.1	1.0	1.5	1.1	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.9	0.4	1.4	0.8	1.7	0.6	1.1	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.2	0.8	1.0	0.0	0.2	0.6	0.5	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.9	2.8	1.2	2.7	0.9	1.6	1.9	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	6.0	24.9	14.5	17.8	6.7	25.5	16.1	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.2	4.1	3.3	4.9	3.7	3.3	4.1	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	7.2	12.1	7.1	12.6	6.9	10.6	9.8	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	13.1	36.6	21.6	29.7	13.3	35.9	25.6	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.6	7.5	4.8	7.5	4.5	4.3	6.1	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Columbia County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.7	67.1	54.1	29.0	62.1	46.4	23.3	55.6	40.2	23.0	52.7	38.9	29.0	43.5	36.8	24.6	53.7	39.9
Blacking Out	--	--	--	--	--	--	--	22.3	--	--	18.4	--	--	16.9	--	--	26.5	--
Cigarettes	24.9	36.7	31.1	18.4	37.4	28.4	11.2	30.2	21.1	11.0	26.0	18.9	13.2	25.1	19.6	7.0	22.8	15.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17.3	38.4	28.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.2	30.4	18.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	12.1	37.7	25.7	21.8	34.1	28.4	--	--	--
Marijuana or Hashish	13.3	34.9	24.8	9.7	31.8	21.3	8.1	27.5	18.3	6.0	31.1	19.4	8.2	30.0	19.7	9.6	37.7	24.6
Synthetic Marijuana	--	--	--	--	16.6	--	--	10.3	--	--	5.9	--	--	4.5	--	--	4.5	--
Inhalants	14.3	10.0	12.0	10.5	11.9	11.3	6.6	6.2	6.4	6.7	4.3	5.4	10.7	4.9	7.6	8.4	4.6	6.4
Club Drugs	1.4	3.0	2.3	1.7	2.2	1.9	1.5	1.9	1.7	0.0	2.2	1.2	0.7	1.1	0.9	1.0	0.2	0.5
LSD, PCP or Mushrooms	2.8	4.7	3.8	2.1	5.1	3.7	1.3	3.8	2.6	0.0	3.1	1.7	1.7	4.3	3.1	0.6	2.0	1.4
Methamphetamine	0.8	0.8	0.8	1.3	0.8	1.1	0.7	1.8	1.2	0.7	1.2	1.0	0.6	1.1	0.9	0.4	0.0	0.2
Cocaine or Crack	1.9	2.9	2.4	1.2	2.3	1.8	0.4	2.2	1.3	1.2	2.2	1.7	1.0	3.0	2.0	0.3	2.0	1.2
Heroin	0.3	1.2	0.8	1.3	2.2	1.7	0.4	2.0	1.3	0.4	0.5	0.4	0.1	0.4	0.3	0.5	1.3	0.9
Prescription Depressants	3.4	9.2	6.5	2.2	6.8	4.6	3.1	6.2	4.7	1.3	4.9	3.2	4.7	6.5	5.6	2.9	6.2	4.7
Prescription Pain Relievers	5.5	14.5	10.3	4.7	12.9	9.1	4.0	4.7	4.4	2.8	3.6	3.2	6.3	5.7	6.0	5.2	2.3	3.6
Prescription Amphetamines	1.3	4.0	2.7	2.0	3.5	2.8	2.1	2.2	2.1	0.3	2.9	1.7	3.7	3.6	3.7	1.4	0.9	1.2
Over-the-Counter Drugs	6.2	7.5	6.9	3.6	7.9	5.9	3.4	5.3	4.4	2.7	5.0	3.9	3.2	4.2	3.7	2.1	8.9	5.7
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.3	--	--	0.9	--	--	1.4	--
Any illicit drug	26.2	41.7	34.4	19.7	42.4	31.6	17.0	34.9	26.3	13.5	36.3	25.5	18.9	34.4	27.2	21.2	44.5	33.7
Any illicit drug other than marijuana	20.6	26.0	23.5	16.7	26.1	21.7	12.6	16.8	14.8	10.3	16.0	13.3	16.1	16.2	16.2	14.4	16.2	15.3
Alcohol only	19.1	28.7	24.1	15.9	23.7	20.0	12.6	26.1	19.7	14.0	20.0	17.2	15.4	18.7	17.2	13.2	12.9	13.1
Alcohol or any illicit drug	45.2	70.0	58.3	35.7	66.4	51.9	29.3	61.0	45.8	27.1	56.4	42.6	34.0	53.4	44.4	33.9	57.0	46.3
Any illicit drug, but no alcohol	5.8	2.9	4.3	6.8	4.6	5.6	6.3	5.4	5.8	4.2	3.9	4.1	5.8	10.4	8.3	9.5	5.2	7.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Columbia County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.1	38.7	29.9	14.3	33.7	24.5	8.9	25.8	17.8	8.2	27.3	18.4	8.9	19.6	14.6	8.5	30.3	20.0
Binge Drinking	8.4	19.2	14.1	7.3	18.2	13.0	2.1	16.6	9.7	2.9	13.5	8.6	3.0	11.2	7.5	4.8	19.8	12.8
Cigarettes	6.4	11.7	9.2	5.4	12.8	9.3	3.9	9.5	6.8	2.1	5.6	3.9	1.4	4.7	3.2	1.6	3.9	2.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.4	23.0	14.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7	17.2	9.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	4.3	15.5	10.2	7.6	16.7	12.5	--	--	--
Marijuana or Hashish	7.2	18.5	13.2	6.5	14.7	10.8	3.9	12.8	8.5	2.3	15.1	9.1	3.4	15.1	9.6	2.1	21.4	12.4
Synthetic Marijuana	--	--	--	--	5.6	--	--	1.6	--	--	0.6	--	--	1.8	--	--	0.0	--
Inhalants	5.8	1.5	3.5	3.3	2.3	2.8	1.1	2.0	1.6	2.4	0.7	1.5	1.4	1.0	1.2	0.9	0.9	0.9
Club Drugs	1.0	1.9	1.5	1.2	0.3	0.8	0.2	1.1	0.7	0.0	0.3	0.2	0.3	0.5	0.4	0.4	0.0	0.2
LSD, PCP or Mushrooms	1.3	1.5	1.4	1.3	1.8	1.6	0.0	1.9	1.0	0.0	0.2	0.1	0.2	1.8	1.1	0.3	0.2	0.3
Methamphetamine	0.4	0.7	0.5	0.8	0.3	0.5	0.0	1.2	0.6	0.2	0.3	0.2	0.3	0.5	0.4	0.0	0.0	0.0
Cocaine or Crack	0.2	1.8	1.1	0.6	0.8	0.7	0.0	1.0	0.5	0.0	0.3	0.1	0.0	1.8	0.9	0.0	0.4	0.2
Heroin	0.2	0.4	0.3	0.0	1.5	0.8	0.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2
Prescription Depressants	1.3	3.0	2.2	0.8	3.4	2.2	2.1	2.3	2.2	0.3	1.5	1.0	0.8	0.8	0.8	1.1	1.1	1.1
Prescription Pain Relievers	1.8	5.0	3.5	2.1	4.9	3.6	1.8	2.4	2.1	1.3	2.2	1.8	2.6	1.7	2.1	1.9	0.4	1.1
Prescription Amphetamines	0.2	0.9	0.6	1.5	2.0	1.7	1.3	1.2	1.2	0.0	1.2	0.6	1.1	0.6	0.8	0.2	0.8	0.5
Over-the-Counter Drugs	2.4	1.7	2.1	1.7	4.4	3.1	1.0	2.1	1.6	1.7	2.2	1.9	0.6	1.2	0.9	0.9	2.8	1.9
Any illicit drug	12.4	21.4	17.1	9.9	21.8	16.2	7.9	16.3	12.3	5.4	18.2	12.2	7.1	17.8	12.9	6.0	24.9	16.1
Any illicit drug other than marijuana	8.5	10.4	9.5	7.3	10.6	9.0	5.5	7.9	6.7	4.1	5.8	5.0	4.8	5.1	5.0	4.2	4.1	4.1
Alcohol only	11.2	22.2	17.0	8.7	17.8	13.6	4.7	13.7	9.4	6.7	16.3	11.8	5.2	8.5	7.0	7.2	12.1	9.8
Alcohol or any illicit drug	23.6	42.7	33.7	18.7	39.7	29.8	12.7	30.0	21.8	11.9	33.9	23.5	12.7	26.1	19.9	13.1	36.6	25.6
Any illicit drug, but no alcohol	3.9	4.5	4.2	4.4	6.4	5.5	4.1	4.4	4.2	4.0	6.8	5.5	4.2	7.2	5.9	4.6	7.5	6.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Columbia County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Columbia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	18.1	18.0	18.2	--	21.6	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	7.3	5.0	9.6	--	8.7	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	8.2	6.7	9.6	--	6.7	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	11.0	9.1	12.9	--	12.4	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	47.9	38.0	47.7	37.8	48.2	38.2	42.7	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	60.0	44.2	56.6	46.4	60.7	40.6	51.6	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	74.4	69.9	71.7	72.2	74.5	70.4	72.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	50.9	39.0	48.7	40.2	52.2	36.2	44.5	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	57.1	29.8	45.7	39.2	56.3	31.6	42.6	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	53.6	21.9	37.6	35.5	52.0	26.6	36.7	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	39.6	20.1	31.0	27.2	37.9	24.2	29.3	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	75.6	67.8	75.5	67.2	75.4	67.5	71.4	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	94.6	87.7	92.6	89.2	94.2	88.5	90.9	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	86.6	62.9	74.7	73.3	85.0	61.7	74.0	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	89.7	63.7	74.5	77.0	89.8	61.2	75.8	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	91.5	72.2	81.5	80.9	90.6	72.5	81.3	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	92.2	71.5	81.0	81.2	92.2	70.8	81.2	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	95.2	94.8	96.7	93.2	95.7	94.4	95.0	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.9	73.3	85.5	76.6	88.8	72.7	81.0	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.3	82.3	86.7	88.0	92.6	80.6	87.4	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	88.9	61.0	72.3	75.6	88.7	57.5	74.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	86.0	68.5	76.0	77.1	85.0	66.9	76.6	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	91.5	66.6	76.6	79.7	90.8	64.3	78.2	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	94.0	91.2	90.8	94.2	94.1	90.0	92.5	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Columbia County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	28.0	--	--	32.8	--	--	22.5	--	--	19.2	--	--	13.1	--	--	18.1	--
Drink monthly	--	4.8	--	--	7.6	--	--	3.7	--	--	3.7	--	--	3.7	--	--	7.3	--
Smoke cigarettes	--	21.7	--	--	24.0	--	--	14.6	--	--	11.1	--	--	13.8	--	--	8.2	--
Smoke marijuana	--	14.1	--	--	15.1	--	--	8.4	--	--	9.0	--	--	8.2	--	--	11.0	--
Great risk of harm																		
Daily alcohol use	41.4	42.5	42.0	47.3	28.1	37.2	44.3	34.3	39.1	45.9	40.3	43.0	44.7	39.4	41.8	47.9	38.0	42.7
5+ drinks daily	--	--	--	--	--	--	58.8	48.8	53.6	60.2	50.5	55.1	58.3	52.6	55.2	60.0	44.2	51.6
Daily cigarette use	62.9	64.8	63.9	65.6	61.4	63.4	68.6	67.3	67.9	67.5	66.5	66.9	68.2	63.9	65.9	74.4	69.9	72.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	50.9	39.0	44.5
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	57.1	29.8	42.6
Marijuana weekly*	--	--	--	--	--	--	51.5	29.7	40.2	54.7	28.3	40.8	46.9	28.3	36.8	53.6	21.9	36.7
Try marijuana	40.3	25.6	32.5	46.3	17.6	31.1	40.9	16.3	28.2	42.5	20.0	30.7	33.4	18.3	25.2	39.6	20.1	29.3
Prescription drugs	--	--	--	--	61.1	61.1	69.5	72.1	70.9	73.0	69.3	71.1	72.8	66.8	69.5	75.6	67.8	71.4
Think it wrong																		
Smoke cigarettes	87.7	73.5	80.2	90.7	72.3	81.0	92.8	81.5	87.0	95.6	84.8	89.9	93.6	86.1	89.5	94.6	87.7	90.9
Drink regularly	80.4	56.9	68.0	86.5	56.5	70.7	86.0	63.9	74.5	89.4	64.0	75.9	86.3	63.4	73.8	86.6	62.9	74.0
Smoke marijuana	87.7	69.6	78.2	88.9	66.7	77.2	89.3	66.3	77.3	92.7	64.6	77.9	85.4	61.5	72.3	89.7	63.7	75.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.5	72.2	81.3
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.2	71.5	81.2
Other illicit drugs	97.9	93.8	95.8	96.9	92.3	94.5	97.5	96.6	97.1	98.1	95.2	96.6	97.1	93.9	95.4	95.2	94.8	95.0
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	90.5	71.9	80.9	91.3	74.5	82.4	87.2	73.3	79.7	89.9	73.3	81.0
Smoke tobacco	--	--	--	--	--	--	92.7	76.7	84.5	94.5	83.5	88.7	90.9	80.4	85.2	93.3	82.3	87.4
Smoke marijuana	--	--	--	--	--	--	87.3	65.5	76.0	90.0	62.9	75.6	81.9	56.0	67.8	88.9	61.0	74.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.0	68.5	76.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.5	66.6	78.2
Prescription drugs	--	--	--	--	--	--	95.6	92.2	93.9	97.7	91.9	94.6	91.6	87.4	89.4	94.0	91.2	92.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Columbia County and Florida Statewide youth, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	10.8	3.5	23.5	--	7.4	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.4	0.0	1.0	--	0.5	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	18.6	5.5	41.8	--	16.9	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	30.5	38.7	16.1	--	27.6	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	5.4	4.2	7.5	--	6.0	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	34.3	48.1	10.0	--	41.7	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Columbia County and Florida Statewide youth, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	28.2	24.8	32.2	--	22.3	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	46.1	61.8	27.4	--	48.5	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	13.2	0.0	28.8	--	15.5	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.5	0.0	1.1	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	12.1	13.4	10.5	--	13.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Columbia County and Florida Statewide youth, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	11.9	18.2	4.6	--	11.2	--	--	31.9	34.7	28.6	--	32.9	--
2	--	20.8	27.0	13.6	--	18.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	12.6	5.8	20.7	--	14.5	--	--	16.1	15.5	16.7	--	16.2	--
4	--	17.6	25.2	8.5	--	20.7	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	37.1	23.8	52.7	--	35.4	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Columbia County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.5	11.8	4.2	11.8	4.7	13.1	7.9	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	2.5	19.9	9.6	13.9	2.9	22.9	11.7	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.1	4.8	5.4	1.6	1.9	5.9	3.5	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Columbia County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	10.9	16.3	7.0	20.8	11.7	16.6	13.7	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.3	5.3	0.2	6.8	1.2	2.7	3.4	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.1	2.1	2.2	0.9	1.0	2.8	1.6	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.5	2.3	0.5	4.4	2.3	3.1	2.4	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	1.0	0.0	0.0	0.9	0.9	0.0	0.5	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	13.5	20.0	16.0	18.0	15.1	18.1	16.9	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.5	7.3	6.3	8.6	7.2	6.4	7.4	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Columbia County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.7	6.0	5.4	4.2	5.5	4.9	3.9	6.9	5.5	6.1	8.0	7.1	8.9	10.8	9.9	10.9	16.3	13.7
Selling drugs	4.1	8.3	6.3	3.1	8.1	5.7	2.2	5.6	4.0	1.2	3.8	2.5	1.4	3.5	2.5	1.3	5.3	3.4
Attempting to steal a vehicle	2.5	2.4	2.4	1.0	3.8	2.4	1.3	0.3	0.8	0.7	1.7	1.2	2.0	1.5	1.7	1.1	2.1	1.6
Being arrested	4.4	5.7	5.1	3.7	4.3	4.1	1.8	1.5	1.6	0.8	1.4	1.1	1.9	1.8	1.9	2.5	2.3	2.4
Taking a handgun to school	1.6	1.3	1.4	0.1	1.4	0.8	0.3	0.2	0.3	0.2	0.4	0.3	0.9	1.9	1.4	1.0	0.0	0.5
Getting suspended	22.0	17.2	19.4	11.7	15.6	13.7	9.2	9.1	9.2	13.4	9.1	11.2	12.6	8.8	10.6	13.5	20.0	16.9
Attacking someone with intent to harm	11.9	9.8	10.8	7.9	10.6	9.3	5.1	7.2	6.2	7.8	7.1	7.4	7.2	5.4	6.3	7.5	7.3	7.4

Table 14. Percentages of Columbia County and Florida Statewide youth who reported symptoms of depression, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	21.7	22.9	35.3	9.7	21.3	27.3	22.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	37.2	40.9	53.8	25.0	37.3	43.7	39.2	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	22.7	24.7	36.8	11.1	22.1	28.4	23.7	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	41.0	45.5	57.9	29.3	40.8	54.3	43.4	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Columbia County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.2	14.9	20.5	3.3	9.0	12.8	11.8	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	38.5	28.5	38.4	28.2	39.4	30.6	33.1	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	59.6	55.6	71.2	44.4	60.4	55.7	57.5	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	21.9	40.0	46.8	16.9	24.8	38.2	31.6	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	19.4	17.9	21.1	16.1	19.6	21.8	18.6	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	32.3	27.8	36.2	23.9	33.4	30.7	29.9	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	10.3	13.9	17.1	7.6	10.7	11.8	12.2	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Columbia County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	13.2	18.7	7.3	--	12.0	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	14.7	20.0	9.0	--	14.4	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	4.5	5.7	3.3	--	2.8	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	47.4	46.7	48.1	--	51.4	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	20.1	26.7	13.0	--	19.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	30.7	41.2	19.6	--	36.3	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	29.6	44.1	14.4	--	33.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	35.6	42.2	28.6	--	42.1	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	40.6	51.8	28.9	--	42.0	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	11.1	9.4	12.9	--	15.1	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Columbia County and Florida Statewide high school youth, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	26.1	20.8	31.8	--	22.7	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	22.4	19.4	25.6	--	20.6	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	11.5	7.3	16.0	--	11.6	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	10.3	13.2	7.2	--	11.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	6.6	8.4	4.7	--	8.1	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	8.8	10.8	6.7	--	11.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	6.3	6.9	5.7	--	5.3	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	5.5	9.7	1.0	--	5.3	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.7	0.0	1.4	--	0.9	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	1.8	3.4	0.0	--	2.5	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Columbia County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.8	21.1	26.4	22.1	30.0	19.5	24.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	22.0	22.4	27.8	16.6	23.4	22.1	22.2	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	22.5	29.7	31.8	20.9	23.2	32.3	26.3	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	25.4	27.1	26.7	25.6	25.7	27.2	26.3	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	34.5	29.9	34.7	29.0	32.6	33.3	32.1	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	53.6	41.5	52.3	41.5	53.5	45.6	47.2	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Columbia County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Columbia County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	54.3	39.5	41.3	51.5	50.3	38.9	46.4	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	42.2	17.6	26.6	31.6	39.3	21.6	29.0	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	8.8	5.4	7.6	6.4	7.8	6.1	7.0	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	24.4	27.5	34.4	17.6	25.3	29.3	26.0	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	7.6	9.0	8.9	7.9	7.5	9.9	8.4	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Columbia County and Florida Statewide youth, 2020

	Columbia County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	24.6	29.0	20.3	--	25.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	32.2	31.7	32.8	--	34.0	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	8.8	4.6	12.8	--	7.0	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	12.1	9.9	14.3	--	11.8	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Columbia County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	26.1	--	--	18.9	--	--	16.4	--	--	16.0	--	--	24.6	--
Marijuana	--	--	--	--	22.8	--	--	20.7	--	--	21.9	--	--	22.5	--	--	32.2	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	14.2	--	--	6.1	--	--	6.7	--	--	4.8	--	--	8.8	--
Marijuana	--	--	--	--	11.4	--	--	5.7	--	--	9.3	--	--	10.7	--	--	12.1	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Columbia County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Columbia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	63	50	57	57	59	54
	Family Rewards for Prosocial Involvement	53	41	50	53	54	55
School	School Opportunities for Prosocial Involvement	55	67	51	60	57	60
	School Rewards for Prosocial Involvement	51	60	44	54	53	58
Peer and Individual	Religiosity	46	55	42	52	56	62
Average Prevalence Rate		54	55	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Columbia County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Columbia County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	36	39	41	32	42	42
	Perceived Availability of Drugs	29	17	34	20	45	45
	Perceived Availability of Handguns	31	35	23	31	25	42
Family	Poor Family Management	35	44	43	35	44	45
	Family Conflict	34	38	42	34	42	37
School	Poor Academic Performance	47	51	46	46	45	48
	Lack of Commitment to School	69	70	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	34	49	38	40	46
	Favorable Attitudes toward ATOD Use	36	37	35	32	39	45
	Early Initiation of Drug Use	26	24	24	17	41	46
Average Prevalence Rate		39	39	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Columbia County, 2010 to 2020

Domain	Scale	Columbia County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	57	64	63	61	61	63
	Family Rewards for Prosocial Involvement	47	56	59	59	54	53
School	School Opportunities for Prosocial Involvement	47	56	54	56	57	55
	School Rewards for Prosocial Involvement	47	55	56	63	54	51
Peer and Individual	Religiosity	52	53	54	56	53	46
Average Prevalence Rate		50	57	57	59	56	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Columbia County, 2010 to 2020

Domain	Scale	Columbia County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	54	46	47	37	48	36
	Perceived Availability of Drugs	50	38	36	32	42	29
	Perceived Availability of Handguns	32	28	28	33	36	31
Family	Poor Family Management	49	38	42	35	38	35
	Family Conflict	41	36	32	39	42	34
School	Poor Academic Performance	54	48	44	43	41	47
	Lack of Commitment to School	55	44	48	48	59	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	46	42	39	34	44	44
	Favorable Attitudes toward ATOD Use	46	36	34	34	41	36
	Early Initiation of Drug Use	43	33	22	24	32	26
Average Prevalence Rate		47	39	37	36	42	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Columbia County, 2010 to 2020

Domain	Scale	Columbia County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	60	55	64	55	50
	Family Rewards for Prosocial Involvement	57	59	50	61	53	41
School	School Opportunities for Prosocial Involvement	55	52	60	63	62	67
	School Rewards for Prosocial Involvement	53	61	57	64	60	60
Peer and Individual	Religiosity	65	66	68	65	62	55
Average Prevalence Rate		57	60	58	63	58	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Columbia County, 2010 to 2020

Domain	Scale	Columbia County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	43	42	34	40	39
	Perceived Availability of Drugs	35	30	33	24	25	17
	Perceived Availability of Handguns	46	47	53	45	42	35
Family	Poor Family Management	44	45	43	34	40	44
	Family Conflict	31	30	34	32	36	38
School	Poor Academic Performance	47	45	47	42	45	51
	Lack of Commitment to School	45	51	50	51	57	70
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	40	35	34	33	34
	Favorable Attitudes toward ATOD Use	39	41	40	33	37	37
	Early Initiation of Drug Use	33	37	28	26	20	24
Average Prevalence Rate		40	41	41	36	38	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.