

# **2020 Florida Youth Substance Abuse Survey**

**Flagler County Data Tables**



**Table 1. Major demographic characteristics of surveyed Flagler County and Florida Statewide youth, 2020**

	Flagler County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	432	51.1	25,191	48.4
Male	406	48.0	26,328	50.5
<b>Race/Ethnic group</b>				
African American	85	10.1	11,284	21.7
American Indian	18	2.1	491	0.9
Asian	23	2.7	671	1.3
Hispanic/Latino	79	9.3	11,091	21.3
Native Hawaiian/Pacific Islander	1	0.1	68	0.1
Other/Multiple	222	26.3	7,227	13.9
White, non-Hispanic	412	48.8	20,904	40.1
<b>Age</b>				
10	1	0.1	44	0.1
11	83	9.8	3,151	6.0
12	151	17.9	7,124	13.7
13	127	15.0	7,698	14.8
14	96	11.4	7,616	14.6
15	134	15.9	7,582	14.6
16	122	14.4	7,502	14.4
17	86	10.2	7,073	13.6
18	36	4.3	3,807	7.3
19 or older	6	0.7	394	0.8
<b>Grade</b>				
6th	199	23.6	7,718	14.8
7th	117	13.8	7,555	14.5
8th	111	13.1	7,632	14.6
9th	101	12.0	7,668	14.7
10th	153	18.1	7,481	14.4
11th	113	13.4	7,117	13.7
12th	51	6.0	6,923	13.3
Overall Middle School	427	50.5	22,904	44.0
Overall High School	418	49.5	29,189	56.0
<b>Total</b>	<b>845</b>	<b>100.0</b>	<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	27.5	37.2	36.9	29.3	26.8	40.4	33.1	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	10.7	10.6	11.0	--	9.9	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	8.8	12.2	10.0	11.3	9.5	11.3	10.8	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	20.1	24.6	26.3	19.3	19.9	26.5	22.8	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	10.6	21.1	21.2	12.5	10.7	22.1	16.8	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	12.5	24.8	25.1	14.7	12.1	26.9	19.7	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	2.6	2.9	2.4	--	2.8	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.4	4.8	6.6	6.4	8.4	6.2	6.7	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.5	1.7	1.1	2.2	1.4	2.3	1.6	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.8	5.9	6.0	3.4	2.6	5.0	4.7	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.4	1.1	0.1	1.6	0.4	1.6	0.8	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.8	3.0	2.6	2.4	2.0	1.6	2.5	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.0	0.9	0.0	1.0	0.0	0.3	0.5	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.9	7.5	7.3	3.7	3.3	6.7	5.6	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	4.0	4.8	4.7	4.3	4.2	5.4	4.5	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	3.2	3.7	2.8	4.2	4.4	2.8	3.4	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	5.4	3.8	4.5	4.5	5.1	4.9	4.5	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	2.2	1.2	3.3	--	1.3	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	22.8	33.5	34.9	23.2	23.5	36.2	29.1	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	16.3	18.7	19.2	16.0	16.8	19.4	17.7	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	13.2	15.3	13.3	15.5	12.9	16.0	14.5	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	35.5	48.5	47.8	38.3	35.9	52.0	43.1	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	8.3	11.2	10.7	9.2	9.3	11.8	10.0	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Flagler County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	10.9	15.4	14.8	12.6	9.8	15.3	13.5	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.8	7.3	6.1	7.4	5.2	5.4	6.7	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.7	1.7	0.5	2.9	1.5	0.7	1.7	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	9.2	11.7	11.4	10.0	8.7	12.9	10.6	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	4.9	9.5	8.5	6.9	4.5	9.7	7.6	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	6.6	12.6	12.2	8.2	6.2	13.6	10.1	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.0	1.0	1.1	--	1.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.3	1.5	2.5	1.1	2.4	1.6	1.8	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.6	0.7	0.0	1.4	0.6	1.0	0.7	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.0	2.4	1.3	1.5	0.0	1.3	1.4	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.3	0.0	0.4	0.0	0.4	0.2	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	1.1	1.4	0.8	1.7	1.4	1.4	1.3	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.2	0.0	0.2	0.0	0.3	0.1	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.8	1.7	0.6	2.1	0.7	2.4	1.3	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.7	1.2	1.0	0.9	1.0	1.2	1.0	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	1.0	1.5	0.6	2.1	0.9	1.5	1.3	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	2.2	1.3	1.6	1.7	2.3	1.4	1.7	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	10.1	17.6	16.8	12.5	10.2	19.5	14.5	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.8	7.9	6.3	7.1	5.0	8.2	6.6	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	5.8	7.7	7.6	6.4	5.1	8.4	6.9	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	15.7	25.1	24.2	18.6	15.1	27.7	21.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	5.1	9.9	9.8	6.2	5.5	12.6	7.9	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Flagler County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.6	67.3	55.1	35.1	66.7	53.0	27.2	61.2	46.7	23.1	56.4	42.6	23.5	50.3	39.4	27.5	37.2	33.1
Blacking Out	--	--	--	--	--	--	--	20.7	--	--	19.9	--	--	18.0	--	--	10.7	--
Cigarettes	19.0	37.3	29.2	19.7	36.0	28.9	12.4	28.6	21.7	10.2	24.4	18.3	7.0	20.0	14.6	8.8	12.2	10.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	20.1	24.6	22.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.6	21.1	16.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	16.8	36.6	28.1	19.5	41.9	32.6	--	--	--
Marijuana or Hashish	12.3	33.8	24.4	12.8	36.8	26.4	11.6	39.4	27.6	9.0	35.7	24.3	11.0	36.1	25.5	12.5	24.8	19.7
Synthetic Marijuana	--	--	--	--	17.8	--	--	12.1	--	--	6.0	--	--	4.3	--	--	2.6	--
Inhalants	10.9	8.2	9.3	14.6	5.5	9.4	6.5	4.2	5.2	6.7	4.1	5.2	8.9	4.4	6.3	9.4	4.8	6.7
Club Drugs	1.9	3.1	2.6	0.9	6.2	3.9	1.0	3.9	2.7	0.3	3.1	1.9	0.4	2.8	1.8	1.5	1.7	1.6
LSD, PCP or Mushrooms	1.8	3.0	2.5	2.8	4.8	4.0	1.4	4.1	2.9	0.5	6.5	4.0	2.1	5.9	4.3	2.8	5.9	4.7
Methamphetamine	1.2	1.3	1.2	1.1	1.7	1.5	0.6	1.3	1.0	0.5	0.2	0.3	0.4	1.0	0.8	0.4	1.1	0.8
Cocaine or Crack	1.8	3.3	2.6	2.6	4.0	3.4	0.8	2.5	1.8	0.1	4.0	2.4	0.9	3.6	2.5	1.8	3.0	2.5
Heroin	0.8	0.6	0.7	1.1	1.6	1.4	0.4	0.8	0.6	0.4	0.6	0.5	0.2	0.9	0.6	0.0	0.9	0.5
Prescription Depressants	4.4	8.4	6.6	3.2	7.3	5.5	1.0	6.0	3.9	1.4	11.3	7.0	2.9	8.0	5.8	2.9	7.5	5.6
Prescription Pain Relievers	5.0	8.5	7.0	5.1	12.5	9.3	4.8	8.8	7.1	3.3	8.3	6.1	4.5	5.1	4.9	4.0	4.8	4.5
Prescription Amphetamines	2.3	5.6	4.1	2.4	4.0	3.3	1.0	2.9	2.1	1.4	4.2	3.0	1.9	3.3	2.7	3.2	3.7	3.4
Over-the-Counter Drugs	5.0	9.2	7.4	6.5	9.8	8.4	3.9	5.4	4.8	3.7	7.3	5.8	4.7	5.5	5.2	5.4	3.8	4.5
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.8	--	--	1.5	--	--	2.2	--
Any illicit drug	23.8	40.6	33.2	26.5	45.9	37.4	18.9	44.5	33.5	18.3	40.1	30.8	20.0	39.1	31.0	22.8	33.5	29.1
Any illicit drug other than marijuana	18.8	21.6	20.4	21.1	24.8	23.2	12.4	17.9	15.5	12.5	21.9	17.8	15.2	16.0	15.7	16.3	18.7	17.7
Alcohol only	20.8	29.9	25.9	16.0	25.5	21.4	13.2	21.3	17.9	12.1	21.3	17.5	12.8	18.3	16.1	13.2	15.3	14.5
Alcohol or any illicit drug	44.3	70.3	58.9	42.4	71.2	58.7	32.2	66.1	51.5	30.0	61.3	47.9	32.1	57.4	46.8	35.5	48.5	43.1
Any illicit drug, but no alcohol	5.2	3.1	4.0	7.4	4.5	5.8	5.3	5.0	5.1	7.5	5.1	6.1	9.6	7.4	8.3	8.3	11.2	10.0

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Flagler County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	16.3	39.7	29.5	15.2	37.5	27.8	9.7	30.6	21.7	9.1	27.4	19.8	9.5	22.8	17.3	10.9	15.4	13.5
Binge Drinking	6.9	20.6	14.6	7.2	16.9	12.7	4.0	15.2	10.4	2.8	12.2	8.2	1.9	11.3	7.4	5.8	7.3	6.7
Cigarettes	5.5	13.7	10.1	3.5	13.4	9.1	4.0	10.2	7.5	0.9	8.2	5.1	0.9	4.5	3.0	1.7	1.7	1.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.2	11.7	10.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.9	9.5	7.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.5	12.4	9.8	6.6	19.0	13.8	--	--	--
Marijuana or Hashish	7.0	21.7	15.4	6.5	21.9	15.3	5.8	18.9	13.3	4.6	19.8	13.3	5.2	24.6	16.5	6.6	12.6	10.1
Synthetic Marijuana	--	--	--	--	9.7	--	--	1.1	--	--	0.7	--	--	1.9	--	--	1.0	--
Inhalants	4.4	1.9	3.0	5.4	1.6	3.2	2.1	0.7	1.3	1.8	0.6	1.1	3.6	1.0	2.1	2.3	1.5	1.8
Club Drugs	0.9	1.2	1.0	0.5	1.4	1.0	0.5	1.3	0.9	0.4	0.7	0.6	0.2	1.0	0.6	0.6	0.7	0.7
LSD, PCP or Mushrooms	0.6	0.8	0.7	1.3	1.5	1.4	0.3	0.6	0.5	0.5	1.4	1.0	0.7	1.2	1.0	0.0	2.4	1.4
Methamphetamine	0.7	1.0	0.9	0.6	0.0	0.3	0.8	1.0	0.9	0.5	0.2	0.3	0.2	0.6	0.4	0.0	0.3	0.2
Cocaine or Crack	0.8	0.8	0.8	1.7	0.4	1.0	0.9	1.4	1.2	0.5	1.2	0.9	0.2	2.0	1.2	1.1	1.4	1.3
Heroin	0.2	0.3	0.3	0.5	0.7	0.6	0.4	0.5	0.4	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.1
Prescription Depressants	1.8	3.4	2.7	0.9	2.5	1.8	1.0	2.3	1.7	0.1	4.5	2.6	0.6	2.6	1.7	0.8	1.7	1.3
Prescription Pain Relievers	2.0	4.2	3.3	2.3	5.3	4.0	2.9	2.2	2.5	1.1	2.1	1.7	2.1	1.9	2.0	0.7	1.2	1.0
Prescription Amphetamines	0.4	1.2	0.9	0.9	0.7	0.8	1.1	1.1	1.1	0.0	1.6	0.9	0.6	1.0	0.8	1.0	1.5	1.3
Over-the-Counter Drugs	2.8	3.3	3.1	2.0	3.9	3.1	2.6	1.8	2.2	1.9	3.2	2.6	2.2	2.1	2.2	2.2	1.3	1.7
Any illicit drug	12.5	27.0	20.7	13.6	27.4	21.4	9.0	21.8	16.3	8.4	22.8	16.7	11.1	26.2	19.8	10.1	17.6	14.5
Any illicit drug other than marijuana	9.3	10.5	10.0	9.6	10.6	10.2	6.6	7.4	7.1	5.0	9.5	7.6	6.9	6.1	6.5	4.8	7.9	6.6
Alcohol only	9.3	19.0	14.8	7.1	16.4	12.4	5.9	16.0	11.7	5.5	11.2	8.9	5.2	10.5	8.3	5.8	7.7	6.9
Alcohol or any illicit drug	21.0	45.7	34.9	20.4	43.6	33.5	14.7	37.8	27.9	13.2	34.0	25.1	15.9	36.1	27.6	15.7	25.1	21.2
Any illicit drug, but no alcohol	5.0	6.2	5.7	5.4	6.3	5.9	5.3	7.5	6.6	4.9	6.8	6.0	6.8	13.7	10.8	5.1	9.9	7.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Flagler County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	13.7	15.4	11.9	--	14.5	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.3	2.5	4.1	--	3.0	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	6.7	5.2	7.9	--	6.4	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	9.1	10.0	8.5	--	9.3	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	47.0	44.5	49.9	41.8	47.3	46.6	45.6	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	57.0	53.6	62.5	47.7	57.4	58.4	55.0	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	65.9	68.0	70.5	64.1	67.7	68.2	67.1	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	48.2	43.4	47.3	44.0	47.7	45.3	45.4	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	48.0	37.9	43.1	41.5	47.3	39.7	42.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	45.5	23.7	33.9	32.1	44.0	23.1	32.8	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	28.1	16.3	19.7	23.1	27.4	16.3	21.2	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	69.7	67.8	74.3	63.3	69.1	69.0	68.6	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	94.9	88.0	91.1	90.6	94.4	90.0	90.9	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	87.5	74.7	78.5	81.3	87.6	74.5	80.1	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.3	61.3	71.5	71.9	86.6	57.7	71.7	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	87.7	81.4	83.9	84.0	87.3	83.1	84.1	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	87.0	74.0	78.2	80.5	87.2	73.1	79.4	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	94.9	95.5	95.7	94.8	95.5	94.1	95.3	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	89.8	85.2	88.4	85.8	90.2	86.4	87.1	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.8	86.9	89.3	90.2	93.5	87.4	89.8	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	86.4	60.0	69.3	72.6	85.3	57.5	71.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	81.7	73.9	76.3	77.8	81.5	75.3	77.1	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	86.1	68.8	74.1	78.0	85.5	68.0	76.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	96.9	91.5	94.1	93.2	95.8	91.7	93.7	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Flagler County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	24.9	--	--	29.5	--	--	20.6	--	--	22.7	--	--	18.5	--	--	13.7	--
Drink monthly	--	7.5	--	--	6.0	--	--	3.6	--	--	3.8	--	--	3.8	--	--	3.3	--
Smoke cigarettes	--	19.6	--	--	19.9	--	--	12.3	--	--	13.7	--	--	9.5	--	--	6.7	--
Smoke marijuana	--	9.4	--	--	10.8	--	--	12.4	--	--	13.3	--	--	13.6	--	--	9.1	--
<b>Great risk of harm</b>																		
Daily alcohol use	40.3	38.3	39.2	48.3	34.5	40.5	45.7	37.7	41.1	41.7	39.3	40.3	45.0	34.5	38.8	47.0	44.5	45.6
5+ drinks daily	--	--	--	--	--	--	57.3	52.4	54.5	57.4	54.4	55.7	61.0	49.7	54.3	57.0	53.6	55.0
Daily cigarette use	69.3	65.9	67.4	71.2	64.4	67.3	67.7	69.8	68.9	69.4	69.8	69.6	70.8	67.1	68.6	65.9	68.0	67.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	48.2	43.4	45.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	48.0	37.9	42.1
Marijuana weekly*	--	--	--	--	--	--	50.2	23.0	34.7	48.5	22.7	33.7	47.8	17.3	29.8	45.5	23.7	32.8
Try marijuana	40.1	20.2	28.9	36.1	18.0	25.8	33.9	13.7	22.3	33.9	15.2	23.2	29.2	12.9	19.6	28.1	16.3	21.2
Prescription drugs	--	--	--	--	69.9	69.9	76.7	77.1	76.9	73.7	75.4	74.7	68.3	74.7	72.1	69.7	67.8	68.6
<b>Think it wrong</b>																		
Smoke cigarettes	89.9	70.0	78.8	92.3	74.5	82.2	92.0	81.1	85.7	95.9	82.6	88.2	96.1	85.0	89.5	94.9	88.0	90.9
Drink regularly	82.0	51.0	64.8	85.9	59.6	71.0	84.1	57.1	68.6	88.2	65.6	75.2	85.1	60.7	70.7	87.5	74.7	80.1
Smoke marijuana	87.7	65.3	75.2	88.8	62.5	73.9	83.0	58.2	68.7	88.0	56.3	69.8	80.7	48.0	61.4	86.3	61.3	71.7
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.7	81.4	84.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.0	74.0	79.4
Other illicit drugs	96.6	93.6	94.9	96.5	92.6	94.3	97.8	93.5	95.3	97.2	92.9	94.8	97.5	92.1	94.3	94.9	95.5	95.3
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	90.8	72.1	80.0	92.8	77.4	84.0	91.4	74.4	81.4	89.8	85.2	87.1
Smoke tobacco	--	--	--	--	--	--	92.6	77.2	83.8	96.0	80.2	87.0	94.0	87.1	89.9	93.8	86.9	89.8
Smoke marijuana	--	--	--	--	--	--	82.8	51.3	64.7	85.7	55.5	68.3	80.3	48.9	61.9	86.4	60.0	71.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	81.7	73.9	77.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.1	68.8	76.0
Prescription drugs	--	--	--	--	--	--	98.3	90.2	93.6	96.9	89.5	92.6	94.6	92.5	93.4	96.9	91.5	93.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Flagler County and Florida Statewide youth, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	1.9	0.0	3.5	--	2.7	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	4.3	0.0	7.8	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	2.9	6.4	0.0	--	4.1	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	12.2	15.2	9.8	--	9.8	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	31.5	33.4	29.9	--	32.2	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	1.9	0.0	3.5	--	2.7	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	23.1	23.9	22.4	--	29.5	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	22.2	21.2	23.1	--	19.0	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Flagler County and Florida Statewide youth, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	54.4	51.2	57.6	--	59.3	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	28.9	39.0	18.9	--	22.7	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	1.9	0.0	3.7	--	3.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	1.6	0.0	3.2	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	8.2	8.6	7.9	--	6.9	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	1.2	0.0	2.4	--	1.9	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	3.8	1.2	6.3	--	6.1	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Flagler County and Florida Statewide youth, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	38.6	39.6	37.5	--	41.0	--	--	31.9	34.7	28.6	--	32.9	--
2	--	18.4	26.2	10.6	--	23.8	--	--	21.8	24.0	19.2	--	21.1	--
3	--	21.7	15.9	27.5	--	13.4	--	--	16.1	15.5	16.7	--	16.2	--
4	--	2.5	0.0	4.9	--	0.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	18.8	18.2	19.4	--	21.7	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Flagler County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	9.6	6.2	10.5	4.8	8.5	5.2	7.6	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.6	12.4	11.9	7.3	5.0	14.0	9.5	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	4.0	3.9	5.3	2.7	4.5	2.8	3.9	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Flagler County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.3	3.3	2.1	7.9	6.8	3.7	5.0	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.4	5.4	4.9	3.5	2.6	4.7	4.2	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.1	1.5	1.3	1.4	1.2	1.9	1.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.5	2.2	1.6	3.1	2.1	3.1	2.3	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	13.9	8.5	6.9	14.6	11.3	9.0	10.8	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.6	3.9	5.5	5.5	5.8	5.8	5.4	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Flagler County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.3	3.8	3.6	8.4	4.5	6.2	3.9	6.7	5.5	2.6	7.4	5.3	8.1	9.0	8.6	7.3	3.3	5.0
Selling drugs	2.0	8.7	5.8	2.5	10.7	7.1	1.7	7.3	4.9	2.6	7.0	5.1	1.3	6.0	4.0	2.4	5.4	4.2
Attempting to steal a vehicle	1.6	3.0	2.4	0.8	2.3	1.6	1.2	1.8	1.5	0.7	2.2	1.5	0.9	3.3	2.3	1.1	1.5	1.4
Being arrested	1.9	5.7	4.0	2.5	3.5	3.1	1.9	2.8	2.4	1.2	3.9	2.8	2.0	4.6	3.5	2.5	2.2	2.3
Taking a handgun to school	0.2	0.8	0.6	0.8	1.4	1.1	0.6	0.8	0.7	0.0	1.4	0.8	0.1	1.4	0.9	0.0	0.3	0.2
Getting suspended	15.6	10.3	12.7	14.1	10.5	12.1	10.5	8.4	9.3	11.9	11.0	11.4	10.5	11.7	11.2	13.9	8.5	10.8
Attacking someone with intent to harm	9.4	9.9	9.7	13.1	7.2	9.8	6.6	8.3	7.5	5.4	8.9	7.4	7.2	5.1	6.0	7.6	3.9	5.4

**Table 14. Percentages of Flagler County and Florida Statewide youth who reported symptoms of depression, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	30.9	29.9	41.1	19.2	31.4	30.8	30.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	47.3	43.7	58.1	31.8	46.4	46.5	45.2	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	30.4	30.2	39.2	21.0	30.4	32.0	30.3	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	54.7	48.2	62.2	39.6	52.3	51.2	50.9	44.5	47.6	57.0	35.5	44.6	48.0	46.2



**Table 15. Percentages of Flagler County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	12.2	12.0	18.9	5.9	11.4	11.0	12.1	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	49.8	38.2	46.3	40.2	48.9	37.3	43.0	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	72.2	63.1	70.8	63.4	68.4	67.5	66.9	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	33.5	31.5	41.2	23.9	30.5	37.8	32.3	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	23.8	17.1	17.2	22.7	21.7	18.8	19.9	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	39.8	27.5	32.3	33.1	36.7	32.0	32.6	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	14.6	16.0	16.6	14.5	13.5	17.4	15.4	11.2	12.4	12.3	11.5	11.4	12.4	11.9

**Table 16. Percentages of Flagler County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	21.1	27.7	14.0	--	22.7	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	11.6	13.8	9.5	--	12.1	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	5.5	8.4	2.7	--	5.0	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	38.6	42.2	35.7	--	40.6	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	8.7	10.4	7.3	--	10.3	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	30.1	35.6	25.2	--	33.3	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	35.7	42.7	27.8	--	38.6	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	25.1	28.9	21.5	--	26.2	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	33.8	42.4	24.2	--	36.5	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.1	9.4	5.0	--	7.6	--	--	7.4	8.7	6.1	--	7.2	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Flagler County and Florida Statewide high school youth, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	32.0	25.2	38.8	--	29.3	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	17.5	15.7	19.8	--	16.8	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	14.2	13.5	14.4	--	15.0	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	11.0	11.6	10.2	--	11.1	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.9	11.3	4.7	--	7.8	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	7.6	9.2	6.3	--	9.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	5.7	8.5	3.3	--	5.8	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.1	2.2	1.7	--	2.6	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.6	1.2	0.0	--	0.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.5	0.6	0.3	--	0.4	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.8	1.1	0.5	--	1.1	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Flagler County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	29.3	27.1	28.4	27.8	28.2	30.0	28.0	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	24.7	18.5	21.8	19.7	24.8	20.3	21.1	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	26.9	24.3	30.6	19.9	24.8	28.9	25.4	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	23.3	19.8	21.7	20.5	22.0	22.1	21.2	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	37.2	22.0	30.0	26.7	34.8	25.5	28.3	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	53.7	34.2	50.5	34.2	50.3	38.2	42.3	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Flagler County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Flagler County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	28.6	38.6	31.7	37.2	29.8	39.3	34.4	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	43.0	20.5	29.9	30.3	40.5	20.6	29.9	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	11.6	12.2	12.6	11.2	11.8	13.7	12.0	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	26.0	38.6	42.2	24.2	27.2	41.9	33.4	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	10.0	15.9	16.7	10.6	9.7	18.2	13.4	8.6	12.8	13.8	8.3	8.7	12.5	11.0

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Flagler County and Florida Statewide youth, 2020**

	Flagler County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	14.5	16.2	13.3	--	13.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	17.7	23.6	12.2	--	18.0	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.3	3.6	5.1	--	1.8	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	8.1	8.1	8.3	--	5.7	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Flagler County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	20.1	--	--	20.0	--	--	16.9	--	--	15.1	--	--	14.5	--
Marijuana	--	--	--	--	23.1	--	--	23.8	--	--	24.5	--	--	28.4	--	--	17.7	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	9.5	--	--	5.2	--	--	6.6	--	--	4.8	--	--	4.3	--
Marijuana	--	--	--	--	12.6	--	--	12.1	--	--	12.7	--	--	14.1	--	--	8.1	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Flagler County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	56	52	57	57	59	54
	Family Rewards for Prosocial Involvement	47	49	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	53	62	51	60	57	60
	School Rewards for Prosocial Involvement	48	53	44	54	53	58
<b>Peer and Individual</b>	Religiosity	42	47	42	52	56	62
<b>Average Prevalence Rate</b>		<b>49</b>	<b>53</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 23. Risk factor prevalence rates for Flagler County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Flagler County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	37	33	41	32	42	42
	Perceived Availability of Drugs	41	18	34	20	45	45
	Perceived Availability of Handguns	23	29	23	31	25	42
<b>Family</b>	Poor Family Management	42	38	43	35	44	45
	Family Conflict	46	37	42	34	42	37
<b>School</b>	Poor Academic Performance	48	45	46	46	45	48
	Lack of Commitment to School	71	63	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	46	32	49	38	40	46
	Favorable Attitudes toward ATOD Use	35	30	35	32	39	45
	Early Initiation of Drug Use	27	16	24	17	41	46
<b>Average Prevalence Rate</b>		<b>42</b>	<b>34</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Protective factor prevalence rate trends among middle school students for Flagler County, 2010 to 2020**

Domain	Scale	Flagler County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	53	53	57	63	56	56
	Family Rewards for Prosocial Involvement	46	48	55	57	47	47
<b>School</b>	School Opportunities for Prosocial Involvement	33	42	45	43	53	53
	School Rewards for Prosocial Involvement	45	49	50	48	50	48
<b>Peer and Individual</b>	Religiosity	49	49	48	39	34	42
<b>Average Prevalence Rate</b>		<b>45</b>	<b>48</b>	<b>51</b>	<b>50</b>	<b>48</b>	<b>49</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rate trends among middle school students for Flagler County, 2010 to 2020**

Domain	Scale	Flagler County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	45	40	37	41	43	37
	Perceived Availability of Drugs	54	55	46	42	49	41
	Perceived Availability of Handguns	26	31	29	28	31	23
<b>Family</b>	Poor Family Management	48	42	42	41	44	42
	Family Conflict	47	43	38	39	44	46
<b>School</b>	Poor Academic Performance	41	41	45	47	47	48
	Lack of Commitment to School	56	48	56	61	63	71
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	53	46	41	43	48	46
	Favorable Attitudes toward ATOD Use	43	38	36	36	42	35
	Early Initiation of Drug Use	39	35	29	22	28	27
<b>Average Prevalence Rate</b>		<b>45</b>	<b>42</b>	<b>40</b>	<b>40</b>	<b>44</b>	<b>42</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Protective factor prevalence rate trends among high school students for Flagler County, 2010 to 2020**

Domain	Scale	Flagler County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	58	56	55	56	55	52
	Family Rewards for Prosocial Involvement	57	54	55	53	51	49
<b>School</b>	School Opportunities for Prosocial Involvement	60	64	66	63	68	62
	School Rewards for Prosocial Involvement	61	57	59	57	53	53
<b>Peer and Individual</b>	Religiosity	54	51	53	44	46	47
<b>Average Prevalence Rate</b>		<b>58</b>	<b>56</b>	<b>58</b>	<b>55</b>	<b>55</b>	<b>53</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Flagler County, 2010 to 2020**

Domain	Scale	Flagler County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	41	40	37	37	42	33
	Perceived Availability of Drugs	39	35	32	30	30	18
	Perceived Availability of Handguns	36	40	43	37	40	29
<b>Family</b>	Poor Family Management	41	44	34	40	35	38
	Family Conflict	40	37	34	36	43	37
<b>School</b>	Poor Academic Performance	41	42	40	46	48	45
	Lack of Commitment to School	49	48	48	59	61	63
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	42	40	38	38	40	32
	Favorable Attitudes toward ATOD Use	44	42	42	42	43	30
	Early Initiation of Drug Use	34	34	26	26	22	16
<b>Average Prevalence Rate</b>		<b>41</b>	<b>40</b>	<b>37</b>	<b>39</b>	<b>40</b>	<b>34</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.