

2020 Florida Youth Substance Abuse Survey

Hendry County Data Tables

Table 1. Major demographic characteristics of surveyed Hendry County and Florida Statewide youth, 2020

	Hendry County		Florida Statewide	
	N	%	N	%
Sex				
Female	547	49.4	25,191	48.4
Male	558	50.4	26,328	50.5
Race/Ethnic group				
African American	96	8.7	11,284	21.7
American Indian	8	0.7	491	0.9
Asian	5	0.5	671	1.3
Hispanic/Latino	600	54.2	11,091	21.3
Native Hawaiian/Pacific Islander	3	0.3	68	0.1
Other/Multiple	232	21.0	7,227	13.9
White, non-Hispanic	158	14.3	20,904	40.1
Age				
10	1	0.1	44	0.1
11	41	3.7	3,151	6.0
12	119	10.7	7,124	13.7
13	177	16.0	7,698	14.8
14	202	18.2	7,616	14.6
15	180	16.3	7,582	14.6
16	158	14.3	7,502	14.4
17	147	13.3	7,073	13.6
18	64	5.8	3,807	7.3
19 or older	15	1.4	394	0.8
Grade				
6th	104	9.4	7,718	14.8
7th	170	15.4	7,555	14.5
8th	195	17.6	7,632	14.6
9th	208	18.8	7,668	14.7
10th	171	15.4	7,481	14.4
11th	153	13.8	7,117	13.7
12th	106	9.6	6,923	13.3
Overall Middle School	469	42.4	22,904	44.0
Overall High School	638	57.6	29,189	56.0
Total	1,107	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Hendry County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	22.4	31.2	30.7	23.3	23.2	31.1	27.0	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	9.6	12.5	6.8	--	9.0	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	7.2	9.7	9.1	7.8	6.6	10.6	8.5	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	12.6	20.1	18.3	15.0	13.7	19.1	16.6	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	6.1	14.9	12.1	9.4	6.9	14.5	10.7	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	9.6	21.7	16.5	15.5	11.4	20.7	16.0	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.6	2.4	0.8	--	1.4	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	7.1	2.8	7.3	2.5	7.1	2.0	4.9	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.2	1.3	1.1	1.4	0.9	1.8	1.2	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.5	2.0	1.4	2.2	1.1	2.3	1.8	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.3	1.7	1.6	1.4	1.1	1.6	1.5	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	2.0	1.9	2.2	1.7	1.8	1.8	2.0	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.4	3.3	3.5	2.2	2.5	2.8	2.9	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.2	1.7	3.1	1.8	2.9	1.7	2.4	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.2	1.4	2.9	0.7	2.2	1.4	1.8	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.8	3.7	3.6	3.0	2.7	4.2	3.3	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.5	0.4	0.6	--	0.5	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	19.3	27.0	26.5	20.2	20.7	26.1	23.3	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.5	11.5	15.9	10.1	14.2	10.8	12.9	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.1	12.7	10.9	11.2	9.0	12.9	11.0	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	29.1	39.2	37.9	30.9	30.3	38.6	34.4	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	6.6	7.8	7.0	7.5	6.9	7.6	7.3	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Hendry County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	11.3	16.4	15.5	12.5	12.1	14.3	14.0	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	4.8	8.0	7.1	5.9	5.0	7.4	6.5	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.5	2.5	1.7	2.3	1.3	2.4	2.0	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	3.5	9.9	6.1	7.7	4.1	9.3	6.9	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	2.6	6.3	4.6	4.6	2.9	5.5	4.6	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.1	8.7	6.5	6.6	4.2	7.4	6.6	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.4	0.6	0.3	--	0.3	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.8	0.7	2.5	0.8	2.7	0.3	1.7	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	1.5	0.5	0.5	1.4	1.3	0.6	1.0	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.9	0.8	0.5	1.1	0.8	0.4	0.8	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.7	0.8	0.4	1.1	0.6	0.5	0.7	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.5	1.0	0.5	1.0	0.3	0.9	0.8	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.9	1.1	1.1	0.9	0.9	0.9	1.0	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.6	0.6	0.4	0.8	0.6	0.2	0.6	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.7	0.0	0.4	0.2	0.6	0.0	0.3	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.1	1.1	1.1	1.0	0.9	1.5	1.1	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	8.7	11.4	10.5	9.8	8.9	9.8	10.2	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	6.8	4.4	5.8	5.2	6.6	3.8	5.5	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	6.7	10.7	9.2	8.4	7.3	9.5	8.8	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	16.0	21.8	20.2	17.9	16.7	19.0	19.0	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.9	4.9	4.2	5.6	4.6	4.6	4.9	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Hendry County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.2	62.2	52.8	34.7	54.5	46.0	27.0	37.5	32.9	26.6	48.4	39.6	23.6	35.4	30.3	22.4	31.2	27.0
Blacking Out	--	--	--	--	--	--	--	15.4	--	--	16.2	--	--	11.3	--	--	9.6	--
Cigarettes	25.5	37.0	32.2	16.6	29.3	23.9	9.7	22.4	16.8	10.4	19.6	15.8	8.3	12.3	10.6	7.2	9.7	8.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.6	20.1	16.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.1	14.9	10.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	12.9	28.5	22.0	14.9	24.8	20.5	--	--	--
Marijuana or Hashish	9.9	27.2	20.1	9.7	31.0	22.1	9.3	23.5	17.2	12.4	29.8	22.6	12.1	22.3	17.9	9.6	21.7	16.0
Synthetic Marijuana	--	--	--	--	8.7	--	--	9.8	--	--	5.4	--	--	3.2	--	--	1.6	--
Inhalants	11.6	8.8	9.9	11.8	6.8	8.9	7.4	1.9	4.3	5.6	3.7	4.5	4.8	1.7	3.1	7.1	2.8	4.9
Club Drugs	2.1	4.9	3.8	1.3	4.9	3.3	2.3	2.6	2.5	1.0	2.2	1.7	1.5	2.4	2.0	1.2	1.3	1.2
LSD, PCP or Mushrooms	2.5	3.8	3.2	1.6	3.3	2.6	2.8	2.7	2.7	1.2	1.9	1.6	1.9	3.1	2.6	1.5	2.0	1.8
Methamphetamine	1.8	0.6	1.1	1.6	2.2	2.0	0.7	2.1	1.5	1.2	2.7	2.1	1.4	1.8	1.6	1.3	1.7	1.5
Cocaine or Crack	2.5	4.7	3.8	3.4	4.9	4.2	2.8	2.8	2.8	1.2	2.2	1.8	1.4	1.7	1.5	2.0	1.9	2.0
Heroin	1.8	2.3	2.1	0.8	2.2	1.6	1.8	0.6	1.2	0.8	1.5	1.2	1.3	0.5	0.9	0.2	0.1	0.1
Prescription Depressants	1.9	7.9	5.5	2.2	6.0	4.4	2.0	3.8	3.0	2.1	5.4	4.0	2.2	4.4	3.4	2.4	3.3	2.9
Prescription Pain Relievers	3.8	9.8	7.4	4.5	8.9	7.1	5.2	5.7	5.5	2.7	3.7	3.3	2.0	2.6	2.4	3.2	1.7	2.4
Prescription Amphetamines	0.8	2.9	2.1	2.1	1.9	2.0	0.7	2.1	1.4	1.0	2.2	1.7	1.1	0.9	1.0	2.2	1.4	1.8
Over-the-Counter Drugs	4.3	8.1	6.5	4.4	5.3	4.9	4.0	3.8	3.9	3.2	3.0	3.1	3.3	2.8	3.0	2.8	3.7	3.3
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.0	--	--	1.4	--	--	0.5	--
Any illicit drug	17.9	36.0	28.6	23.6	36.9	31.3	16.3	27.2	22.4	17.9	32.2	26.3	15.8	24.2	20.5	19.3	27.0	23.3
Any illicit drug other than marijuana	14.5	21.9	18.9	18.6	18.6	18.6	12.3	10.6	11.3	10.2	12.7	11.7	8.5	9.6	9.1	14.5	11.5	12.9
Alcohol only	24.9	30.5	28.2	18.1	22.6	20.7	15.4	17.2	16.4	13.5	21.9	18.5	12.7	17.6	15.5	9.1	12.7	11.0
Alcohol or any illicit drug	42.4	66.6	56.7	41.7	59.3	51.8	31.6	44.5	38.8	31.0	53.9	44.4	28.0	41.7	35.7	29.1	39.2	34.4
Any illicit drug, but no alcohol	3.6	4.7	4.2	7.1	4.9	5.8	5.3	7.0	6.3	4.8	5.4	5.1	5.0	6.6	5.9	6.6	7.8	7.3

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Hendry County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	21.0	33.3	28.3	17.9	29.8	24.7	14.2	19.4	17.1	12.7	24.8	19.9	7.6	13.9	11.2	11.3	16.4	14.0
Binge Drinking	9.3	15.8	13.2	8.4	17.9	13.8	9.3	10.5	10.0	6.9	15.0	11.7	4.3	9.7	7.4	4.8	8.0	6.5
Cigarettes	6.0	10.1	8.4	3.7	8.7	6.5	1.1	5.3	3.4	2.3	5.8	4.4	1.9	3.6	2.9	1.5	2.5	2.0
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.5	9.9	6.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.6	6.3	4.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	5.2	8.4	7.1	4.4	11.6	8.5	--	--	--
Marijuana or Hashish	7.2	14.1	11.3	6.2	15.5	11.5	4.6	10.2	7.7	6.3	15.1	11.5	5.2	13.9	10.1	4.1	8.7	6.6
Synthetic Marijuana	--	--	--	--	4.0	--	--	3.4	--	--	2.0	--	--	1.0	--	--	0.4	--
Inhalants	3.0	2.8	2.9	6.1	3.3	4.5	2.8	1.5	2.1	1.7	1.2	1.4	1.4	0.8	1.1	2.8	0.7	1.7
Club Drugs	1.4	0.9	1.1	1.0	1.3	1.2	0.8	1.6	1.3	0.7	1.1	0.9	1.0	0.8	0.9	1.5	0.5	1.0
LSD, PCP or Mushrooms	1.8	0.6	1.1	0.5	1.0	0.8	0.6	2.2	1.5	0.9	0.8	0.8	1.4	0.8	1.1	0.9	0.8	0.8
Methamphetamine	0.0	0.4	0.3	1.1	1.0	1.1	0.6	1.9	1.3	0.5	0.7	0.6	0.6	0.8	0.7	0.7	0.8	0.7
Cocaine or Crack	1.1	1.3	1.2	1.2	2.2	1.8	1.5	1.5	1.5	0.8	1.0	0.9	0.8	0.9	0.8	0.5	1.0	0.8
Heroin	1.4	0.3	0.8	0.5	0.7	0.7	1.3	0.4	0.8	0.5	0.4	0.5	0.2	0.3	0.3	0.1	0.0	0.0
Prescription Depressants	0.8	3.0	2.2	0.6	2.1	1.4	1.1	2.8	2.0	0.8	2.2	1.6	1.1	2.3	1.8	0.9	1.1	1.0
Prescription Pain Relievers	2.6	4.8	3.9	2.9	3.6	3.3	1.8	3.5	2.8	1.0	1.9	1.5	0.9	1.8	1.4	0.6	0.6	0.6
Prescription Amphetamines	0.4	0.8	0.6	0.7	1.0	0.9	0.7	1.5	1.2	0.5	1.5	1.1	1.1	0.3	0.7	0.7	0.0	0.3
Over-the-Counter Drugs	2.3	3.8	3.2	2.5	3.4	3.0	2.0	3.2	2.7	2.2	2.2	2.2	1.8	1.5	1.6	1.1	1.1	1.1
Any illicit drug	11.1	18.9	15.7	13.7	20.7	17.8	9.2	13.4	11.6	9.0	18.2	14.4	8.0	16.2	12.6	8.7	11.4	10.2
Any illicit drug other than marijuana	8.3	10.0	9.4	9.6	11.4	10.6	6.9	6.9	6.9	5.1	6.8	6.1	4.6	5.9	5.3	6.8	4.4	5.5
Alcohol only	12.5	20.9	17.5	10.0	13.6	12.1	8.7	12.6	10.9	6.9	14.1	11.2	4.6	6.2	5.5	6.7	10.7	8.8
Alcohol or any illicit drug	23.8	39.2	32.9	23.8	34.8	30.1	16.8	26.0	22.0	15.5	31.9	25.1	12.5	22.0	17.8	16.0	21.8	19.0
Any illicit drug, but no alcohol	3.2	6.2	5.0	6.2	5.1	5.6	3.4	7.0	5.4	3.2	7.3	5.7	5.0	8.4	6.9	4.9	4.9	4.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Hendry County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	12.3	11.3	13.2	--	11.4	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.5	1.9	3.1	--	2.9	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	4.7	3.5	5.8	--	5.4	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	8.2	8.3	8.1	--	7.2	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	52.3	42.0	50.2	43.7	51.3	43.5	46.9	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	59.3	50.7	57.3	52.3	57.8	54.1	54.7	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.1	61.7	63.8	64.6	67.5	61.5	64.3	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	54.9	42.6	48.8	48.1	54.7	42.3	48.4	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	56.2	38.3	47.0	46.7	54.9	38.4	46.8	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	48.3	32.0	40.8	38.6	46.7	32.7	39.7	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	37.2	24.2	30.5	30.1	36.1	23.7	30.3	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	69.5	62.1	67.1	64.2	69.2	62.6	65.6	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	95.0	90.0	93.3	91.4	95.4	91.8	92.3	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	86.5	74.0	80.5	79.3	85.5	75.7	79.8	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	88.5	72.6	78.1	81.9	87.3	74.3	80.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	93.1	81.6	86.6	87.4	92.1	83.6	87.0	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	91.7	79.0	82.8	87.0	90.1	79.9	84.9	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	95.4	94.8	95.1	94.9	95.7	94.7	95.1	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.4	85.4	90.9	84.0	89.5	85.6	87.3	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	95.7	90.6	95.0	91.2	95.6	91.9	92.9	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	88.5	73.1	80.0	80.7	87.9	73.2	80.3	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	90.4	82.0	87.0	85.0	90.0	82.4	85.9	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	89.6	79.1	83.8	84.4	89.3	79.2	84.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	95.2	94.2	96.1	93.4	95.6	93.6	94.6	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Hendry County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	30.5	--	--	30.1	--	--	20.4	--	--	19.3	--	--	15.9	--	--	12.3	--
Drink monthly	--	8.6	--	--	7.9	--	--	6.1	--	--	5.7	--	--	5.1	--	--	2.5	--
Smoke cigarettes	--	24.0	--	--	19.0	--	--	13.0	--	--	12.2	--	--	8.9	--	--	4.7	--
Smoke marijuana	--	14.2	--	--	13.2	--	--	13.8	--	--	14.9	--	--	9.2	--	--	8.2	--
Great risk of harm																		
Daily alcohol use	41.8	47.1	44.9	38.1	37.5	37.8	39.4	41.7	40.7	44.4	40.1	41.9	41.5	42.4	42.0	52.3	42.0	46.9
5+ drinks daily	--	--	--	--	--	--	50.4	48.7	49.4	51.7	49.2	50.2	55.2	50.8	52.7	59.3	50.7	54.7
Daily cigarette use	58.4	68.3	64.3	58.6	59.0	58.8	58.0	57.3	57.6	58.2	60.1	59.3	63.5	62.1	62.7	67.1	61.7	64.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.9	42.6	48.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	56.2	38.3	46.8
Marijuana weekly*	--	--	--	--	--	--	48.8	33.8	40.2	42.1	29.1	34.5	40.5	28.1	33.5	48.3	32.0	39.7
Try marijuana	40.8	34.8	37.2	33.5	28.2	30.4	39.2	28.1	32.8	32.4	21.5	26.0	32.5	22.1	26.6	37.2	24.2	30.3
Prescription drugs	--	--	--	--	63.8	63.8	64.4	62.0	63.0	62.0	64.3	63.4	63.4	64.7	64.1	69.5	62.1	65.6
Think it wrong																		
Smoke cigarettes	84.6	79.3	81.5	90.6	83.2	86.3	93.8	86.4	89.6	93.8	86.0	89.2	94.0	89.2	91.3	95.0	90.0	92.3
Drink regularly	76.8	57.9	65.7	81.6	66.2	72.7	83.6	74.2	78.2	83.3	69.2	75.1	85.2	72.8	78.1	86.5	74.0	79.8
Smoke marijuana	85.7	74.4	79.1	92.4	72.3	80.8	90.2	75.8	82.0	86.3	69.6	76.5	84.6	68.4	75.4	88.5	72.6	80.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	93.1	81.6	87.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.7	79.0	84.9
Other illicit drugs	91.5	93.6	92.7	96.6	92.6	94.3	96.3	92.0	93.9	95.4	93.3	94.2	94.8	94.9	94.8	95.4	94.8	95.1
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	84.3	76.7	80.0	87.3	76.8	81.2	89.7	79.3	83.8	89.4	85.4	87.3
Smoke tobacco	--	--	--	--	--	--	93.2	88.0	90.3	94.1	84.2	88.3	92.0	89.6	90.6	95.7	90.6	92.9
Smoke marijuana	--	--	--	--	--	--	87.1	75.5	80.5	85.0	67.1	74.5	85.0	67.9	75.2	88.5	73.1	80.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.4	82.0	85.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.6	79.1	84.0
Prescription drugs	--	--	--	--	--	--	93.7	90.4	91.9	95.4	88.6	91.4	93.9	91.4	92.5	95.2	94.2	94.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Hendry County and Florida Statewide youth, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.7	10.8	12.6	--	5.5	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	3.3	4.9	1.8	--	2.1	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	2.4	0.0	4.8	--	1.6	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	11.9	15.6	8.2	--	12.2	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	38.6	44.7	32.6	--	41.5	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	3.7	0.0	7.4	--	6.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	10.8	11.4	10.3	--	16.5	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	17.5	12.6	22.3	--	14.6	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Hendry County and Florida Statewide youth, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.7	31.5	51.8	--	35.1	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	27.7	33.0	21.3	--	30.9	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	2.9	5.4	0.0	--	0.9	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	3.9	1.7	6.6	--	1.9	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	2.1	0.0	4.7	--	3.3	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	3.6	3.6	3.5	--	2.5	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.5	0.0	1.1	--	0.8	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	18.5	24.8	11.0	--	24.5	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Hendry County and Florida Statewide youth, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	32.9	41.7	22.2	--	32.3	--	--	31.9	34.7	28.6	--	32.9	--
2	--	20.4	20.6	20.1	--	22.5	--	--	21.8	24.0	19.2	--	21.1	--
3	--	20.9	13.9	29.5	--	20.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	4.0	5.7	2.0	--	3.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	21.8	18.2	26.3	--	22.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Hendry County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.1	4.7	6.6	4.2	5.5	5.2	5.4	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	6.3	8.1	9.9	4.6	6.2	9.0	7.2	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	4.5	4.0	6.5	2.0	4.4	4.6	4.3	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Hendry County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.4	7.3	8.9	6.7	7.7	8.5	7.8	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	3.5	3.2	3.3	3.4	3.2	3.9	3.3	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	2.2	2.7	3.3	1.6	2.3	2.7	2.5	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	4.0	4.5	5.0	3.5	3.7	5.0	4.3	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	2.5	1.3	2.9	0.9	2.3	1.7	1.9	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	16.1	13.5	14.0	15.3	16.5	12.4	14.7	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	13.9	5.5	10.8	8.3	12.7	6.8	9.5	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Hendry County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.9	8.7	8.0	8.3	6.3	7.2	10.4	6.6	8.4	6.4	8.5	7.6	6.6	7.9	7.4	8.4	7.3	7.8
Selling drugs	5.3	7.8	6.8	3.7	7.2	5.7	6.7	7.3	7.0	2.6	5.7	4.4	3.8	4.5	4.2	3.5	3.2	3.3
Attempting to steal a vehicle	3.9	2.2	2.8	1.2	2.1	1.7	2.9	2.3	2.6	2.1	1.7	1.8	2.5	2.6	2.5	2.2	2.7	2.5
Being arrested	5.1	2.6	3.6	4.8	4.9	4.9	4.6	3.7	4.1	4.5	4.0	4.2	3.7	3.5	3.6	4.0	4.5	4.3
Taking a handgun to school	2.2	1.4	1.7	1.3	1.8	1.6	2.3	2.5	2.4	0.8	0.8	0.8	1.2	1.2	1.2	2.5	1.3	1.9
Getting suspended	28.4	12.4	18.8	19.6	15.0	17.0	15.8	13.4	14.5	16.6	12.0	13.9	8.7	8.8	8.7	16.1	13.5	14.7
Attacking someone with intent to harm	20.1	8.8	13.3	9.5	8.6	9.0	6.8	4.7	5.7	8.5	5.6	6.8	7.9	6.7	7.2	13.9	5.5	9.5

Table 14. Percentages of Hendry County and Florida Statewide youth who reported symptoms of depression, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	30.3	24.7	37.5	17.3	29.9	25.9	27.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	41.6	32.9	47.4	26.6	40.8	33.7	36.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	31.2	23.4	34.6	19.7	30.6	24.6	27.0	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	46.1	39.2	51.1	33.8	45.9	40.6	42.4	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Hendry County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.5	6.0	12.0	2.5	7.6	7.9	7.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	37.7	19.1	28.5	26.9	37.2	17.5	27.7	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	58.0	41.1	51.0	47.0	57.8	40.6	49.0	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	23.2	18.3	26.4	14.9	22.3	19.0	20.6	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	20.9	11.9	16.2	15.9	21.4	10.2	16.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	31.4	22.8	27.0	26.5	30.7	22.5	26.8	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	14.1	9.6	12.0	11.5	14.0	9.3	11.7	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Hendry County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	13.0	15.4	10.6	--	14.0	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	10.7	11.1	10.3	--	11.4	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	5.3	5.7	5.0	--	5.5	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	37.9	43.1	32.7	--	40.0	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	10.3	11.1	9.3	--	11.1	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	28.2	28.6	27.6	--	29.7	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	20.0	23.2	16.8	--	21.2	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	29.9	32.5	27.2	--	30.5	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	27.7	34.4	20.9	--	30.4	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.8	7.8	7.8	--	9.1	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Hendry County and Florida Statewide high school youth, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	37.2	35.8	38.8	--	35.1	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	20.6	20.4	20.8	--	20.3	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	12.6	12.5	12.8	--	13.2	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	8.0	5.1	11.0	--	8.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.2	8.3	6.1	--	7.5	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	6.2	7.4	5.0	--	6.7	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.6	4.6	2.3	--	3.4	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.0	2.0	2.0	--	2.1	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.0	1.0	0.9	--	1.2	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.8	1.3	0.3	--	1.1	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.8	1.6	0.0	--	1.1	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Hendry County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	32.8	26.0	31.6	26.9	31.8	25.8	29.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	32.3	25.6	29.5	28.1	32.9	22.7	28.8	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	27.0	23.6	28.6	21.9	27.8	22.3	25.2	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	26.1	20.7	26.0	20.6	26.3	19.0	23.3	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	39.1	29.3	41.3	26.8	37.9	28.8	33.9	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	51.6	33.1	54.5	29.5	49.8	33.9	41.8	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Hendry County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Hendry County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	40.1	43.2	37.7	45.7	41.1	42.5	41.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	42.4	19.4	28.5	31.7	41.2	16.6	30.0	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	13.6	4.5	8.8	8.6	11.6	6.3	8.7	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	20.6	28.5	31.4	18.5	20.2	31.7	24.9	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	9.9	12.7	15.9	7.1	10.2	13.3	11.4	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Hendry County and Florida Statewide youth, 2020

	Hendry County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	16.9	19.7	14.2	--	16.7	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	17.5	20.9	14.1	--	17.5	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	4.1	2.9	5.2	--	3.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	7.2	8.4	5.9	--	6.3	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Hendry County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	26.6	--	--	19.7	--	--	23.9	--	--	14.5	--	--	16.9	--
Marijuana	--	--	--	--	24.9	--	--	19.6	--	--	24.9	--	--	19.5	--	--	17.5	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	12.1	--	--	10.2	--	--	10.2	--	--	6.9	--	--	4.1	--
Marijuana	--	--	--	--	11.1	--	--	8.2	--	--	13.8	--	--	10.2	--	--	7.2	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Hendry County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	54	58	57	57	59	54
	Family Rewards for Prosocial Involvement	46	51	50	53	54	55
School	School Opportunities for Prosocial Involvement	42	57	51	60	57	60
	School Rewards for Prosocial Involvement	39	56	44	54	53	58
Peer and Individual	Religiosity	45	55	42	52	56	62
Average Prevalence Rate		45	55	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Hendry County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Hendry County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	43	29	41	32	42	42
	Perceived Availability of Drugs	36	13	34	20	45	45
	Perceived Availability of Handguns	25	30	23	31	25	42
Family	Poor Family Management	52	39	43	35	44	45
	Family Conflict	42	26	42	34	42	37
School	Poor Academic Performance	49	45	46	46	45	48
	Lack of Commitment to School	73	58	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	33	49	38	40	46
	Favorable Attitudes toward ATOD Use	34	29	35	32	39	45
	Early Initiation of Drug Use	24	13	24	17	41	46
Average Prevalence Rate		43	32	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Hendry County, 2010 to 2020

Domain	Scale	Hendry County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	50	53	59	54	52	54
	Family Rewards for Prosocial Involvement	45	46	53	50	45	46
School	School Opportunities for Prosocial Involvement	30	42	51	53	42	42
	School Rewards for Prosocial Involvement	39	50	54	54	37	39
Peer and Individual	Religiosity	47	49	48	43	41	45
Average Prevalence Rate		42	48	53	51	43	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Hendry County, 2010 to 2020

Domain	Scale	Hendry County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	52	47	45	47	45	43
	Perceived Availability of Drugs	51	48	36	38	35	36
	Perceived Availability of Handguns	32	34	27	27	26	25
Family	Poor Family Management	51	51	49	49	55	52
	Family Conflict	51	36	36	35	37	42
School	Poor Academic Performance	44	52	50	48	55	49
	Lack of Commitment to School	53	45	43	50	59	73
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	49	45	40	43	43	53
	Favorable Attitudes toward ATOD Use	43	44	36	39	40	34
	Early Initiation of Drug Use	43	37	27	26	26	24
Average Prevalence Rate		47	44	39	40	42	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Hendry County, 2010 to 2020

Domain	Scale	Hendry County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	52	54	50	56	56	58
	Family Rewards for Prosocial Involvement	52	51	46	51	50	51
School	School Opportunities for Prosocial Involvement	46	54	59	63	58	57
	School Rewards for Prosocial Involvement	48	52	64	59	52	56
Peer and Individual	Religiosity	63	62	58	59	53	55
Average Prevalence Rate		52	55	55	58	54	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Hendry County, 2010 to 2020

Domain	Scale	Hendry County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	39	28	37	31	29
	Perceived Availability of Drugs	42	35	22	29	22	13
	Perceived Availability of Handguns	50	50	37	44	38	30
Family	Poor Family Management	50	47	52	43	42	39
	Family Conflict	32	28	21	28	24	26
School	Poor Academic Performance	44	42	45	40	45	45
	Lack of Commitment to School	49	42	45	47	54	58
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	35	31	27	31	34	33
	Favorable Attitudes toward ATOD Use	35	34	27	32	29	29
	Early Initiation of Drug Use	37	35	24	25	20	13
Average Prevalence Rate		42	38	33	36	34	32

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.