## 2020 Florida Youth Substance Abuse Survey

Table 1. Major demographic characteristics of surveyed Liberty County and Florida Statewide youth, 2020

	Liberty	County	Florida S	tatewide
	N	%	N	%
Sex				
Female	81	48.8	25,191	48.4
Male	83	50.0	26,328	50.5
Race/Ethnic group				
African American	14	8.4	11,284	21.7
American Indian	9	5.4	491	0.9
Asian	1	0.6	671	1.3
Hispanic/Latino	11	6.6	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	14	8.4	7,227	13.9
White, non-Hispanic	116	69.9	20,904	40.1
Age				
10	0	0.0	44	0.1
11	3	1.8	3,151	6.0
12	11	6.6	7,124	13.7
13	25	15.1	7,698	14.8
14	22	13.3	7,616	14.6
15	33	19.9	7,582	14.6
16	34	20.5	7,502	14.4
17	22	13.3	7,073	13.6
18	14	8.4	3,807	7.3
19 or older	2	1.2	394	0.8
Grade				
6th	17	10.2	7,718	14.8
7th	22	13.3	7,555	14.5
8th	19	11.4	7,632	14.6
9th	35	21.1	7,668	14.7
10th	29	17.5	7,481	14.4
11th	24	14.5	7,117	13.7
12th	20	12.0	6,923	13.3
Overall Middle School	58	34.9	22,904	44.0
Overall High School	108	65.1	29,189	56.0
Total	166	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Liberty County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.5	43.9	43.3	40.5	26.2	40.0	41.3	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out		21.3	27.4	16.4		19.1			13.8	14.2	13.3		13.4	
Cigarettes	14.3	18.1	16.1	19.3	9.9	16.5	17.6	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	15.1	29.4	31.4	24.5	14.4	26.5	27.4	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	3.8	20.8	21.7	16.0	1.5	20.9	18.5	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	5.7	25.6	28.0	18.7	6.8	27.1	22.8	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana		3.0	0.0	5.5		3.7			2.9	2.9	2.9		2.8	
Inhalants	3.8	2.9	6.0	0.5	3.0	3.6	3.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.0	1.2	2.2	0.0	0.0	0.0	1.0	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.0	0.6	0.0	1.0	0.0	0.7	0.5	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.0	2.0	2.6	0.9	0.0	0.7	1.7	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.0	0.6	0.0	1.0	0.0	0.8	0.5	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	0.0	0.9	0.0	1.5	0.0	1.1	0.8	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	1.9	3.3	4.4	2.0	1.5	4.1	3.1	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	0.0	4.8	4.1	4.2	0.0	4.3	4.1	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	0.0	2.0	3.7	0.0	0.0	1.1	1.7	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs		1.3	0.0	2.4		1.7			0.7	0.6	0.9		0.8	
Any illicit drug	9.1	29.8	33.8	21.3	9.3	30.5	26.9	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	3.6	9.0	11.5	5.5	2.9	8.3	8.2	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	18.2	17.6	12.9	22.3	18.4	14.0	17.7	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	27.3	47.4	46.7	43.6	27.6	44.5	44.6	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	1.8	3.5	3.4	3.1	1.4	4.4	3.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Liberty County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	3.6	16.8	17.1	13.2	7.1	14.9	14.9	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	5.4	8.0	7.4	8.0	7.7	8.0	7.6	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	3.7	3.1	1.6	4.6	2.9	2.4	3.2	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	5.9	16.3	20.1	10.4	4.7	16.3	14.8	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	0.0	6.2	5.4	5.3	0.0	5.3	5.3	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	0.0	13.8	13.0	11.1	3.9	13.8	11.9	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana		0.9	0.0	1.7		1.2			0.9	0.8	1.0		0.9	
Inhalants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	1.3	2.3	0.0	0.0	0.0	1.1	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	2.0	0.0	0.6	0.0	1.5	0.0	0.3	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.0	2.6	4.7	0.0	0.0	3.2	2.2	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	1.9	16.1	18.8	10.3	5.0	15.7	14.1	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	1.9	3.6	7.2	0.0	1.5	3.0	3.3	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.7	8.2	7.8	7.5	7.2	6.3	7.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	5.5	23.8	25.8	17.5	11.9	21.8	21.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	1.9	7.3	9.0	4.5	5.2	6.9	6.5	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Liberty County, 2010 to 2020

		2010			2012			2014			2016			2018			2020	
	Middle School	High School	Total	Middle School	.0	Total	Middle School		Total	Middle School	High School	Total	Middle School		Total	Middle School	High School	Total
Alcohol	38.2	60.2	47.6	32.8	50.1	42.8	32.0	58.3	47.0	26.2	51.8	39.9	24.6	36.2	30.6	25.5	43.9	41.3
Blacking Out								19.1			24.0			15.0			21.3	
Cigarettes	11.1	40.4	23.6	20.7	34.8	28.8	21.3	43.5	33.9	22.3	34.4	28.8	14.3	18.7	16.5	14.3	18.1	17.6
Vaping Nicotine																15.1	29.4	27.4
Vaping Marijuana																3.8	20.8	18.5
Vaporizer / E-Cigarette										20.5	39.6	30.7	16.6	32.2	24.5			
Marijuana or Hashish	1.7	27.0	12.9	8.0	21.3	15.6	10.1	28.5	20.7	12.5	23.2	18.3	13.2	24.4	18.8	5.7	25.6	22.8
Synthetic Marijuana					12.3			11.8			4.3			0.0			3.0	
Inhalants	9.5	7.9	8.8	11.9	7.1	9.2	2.8	5.3	4.2	8.3	1.1	4.4	4.6	2.2	3.4	3.8	2.9	3.1
Club Drugs	0.0	0.0	0.0	0.7	2.9	2.0	0.0	3.0	1.7	0.9	2.6	1.9	0.8	1.6	1.2	0.0	1.2	1.0
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	3.0	1.7	0.9	4.0	2.7	4.8	3.3	4.0	1.1	2.0	1.5	0.0	0.0	0.0
Methamphetamine	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	1.6	1.9	1.1	1.5	0.6	0.0	0.3	0.0	0.6	0.5
Cocaine or Crack	0.0	5.6	2.5	0.0	3.8	2.1	2.0	2.2	2.1	1.4	2.5	2.0	0.6	0.0	0.3	0.0	2.0	1.7
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.1	2.3	0.9	0.0	0.4	0.0	0.0	0.0	0.0	0.6	0.5
Prescription Depressants	1.4	2.6	1.9	1.2	6.0	3.9	0.8	8.0	5.0	3.9	5.1	4.5	1.8	6.2	4.0	0.0	0.9	0.8
Prescription Pain Relievers	1.4	2.6	1.9	3.3	10.5	7.4	2.4	6.9	5.0	3.8	6.8	5.4	4.0	4.3	4.1	1.9	3.3	3.1
Prescription Amphetamines	1.4	0.0	0.8	1.9	4.4	3.3	0.8	4.8	3.1	2.3	7.4	5.0	2.6	2.6	2.6	0.0	4.8	4.1
Over-the-Counter Drugs	9.3	4.9	7.4	3.0	2.3	2.6	5.7	2.8	4.0	4.5	5.8	5.2	4.0	2.2	3.1	0.0	2.0	1.7
Needle to Inject Drugs											0.0			0.0			1.3	
Any illicit drug	18.7	29.5	23.4	19.0	30.6	25.6	16.8	36.4	28.0	23.9	28.8	26.5	18.4	27.5	23.0	9.1	29.8	26.9
Any illicit drug other than marijuana	17.1	16.0	16.6	15.5	18.9	17.4	12.3	19.3	16.3	16.9	14.2	15.4	9.5	12.4	11.0	3.6	9.0	8.2
Alcohol only	23.9	35.1	28.7	15.9	26.4	22.0	20.8	27.4	24.6	10.7	25.8	18.8	14.1	14.8	14.4	18.2	17.6	17.7
Alcohol or any illicit drug	42.6	63.8	51.7	34.5	57.0	47.3	37.2	64.0	52.3	34.2	54.4	45.0	32.2	41.7	37.0	27.3	47.4	44.6
Any illicit drug, but no alcohol	4.4	2.6	3.6	2.7	6.9	5.1	6.1	5.8	5.9	8.4	3.1	5.5	7.2	5.9	6.5	1.8	3.5	3.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Liberty County, 2010 to 2020

		2010			2012			2014			2016			2018			2020	
	Middle School	0	Total	Middle School		Total	Middle School	O	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.2	42.4	30.5	12.3	34.1	24.8	18.2	29.3	24.5	9.7	32.2	21.8	8.3	22.5	15.5	3.6	16.8	14.9
Binge Drinking	7.9	18.3	12.4	2.6	20.0	12.7	5.6	15.2	11.1	6.9	18.0	12.8	5.1	6.9	6.1	5.4	8.0	7.6
Cigarettes	3.2	8.7	5.5	6.4	12.1	9.6	1.7	11.3	7.2	3.8	13.4	9.0	3.8	5.9	4.9	3.7	3.1	3.2
Vaping Nicotine																5.9	16.3	14.8
Vaping Marijuana																0.0	6.2	5.3
Vaporizer / E-Cigarette										9.4	18.7	14.4	7.1	16.0	11.6			
Marijuana or Hashish	0.0	11.0	4.9	4.5	12.1	8.8	3.5	14.5	9.9	8.4	9.0	8.7	4.4	8.4	6.4	0.0	13.8	11.9
Synthetic Marijuana					6.2			0.7			0.0			0.0			0.9	
Inhalants	0.0	0.0	0.0	3.6	5.2	4.5	0.8	2.0	1.5	4.4	1.1	2.7	3.1	0.0	1.5	0.0	0.0	0.0
Club Drugs	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.0	0.0	0.0	1.2	0.6	0.0	0.0	0.0	0.0	1.3	1.1
LSD, PCP or Mushrooms	0.0	0.0	0.0	0.0	0.6	0.4	0.0	0.7	0.4	0.9	0.7	0.8	0.5	0.0	0.2	2.0	0.0	0.3
Methamphetamine	0.0	0.0	0.0	0.7	0.0	0.3	1.8	0.0	0.7	0.0	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Cocaine or Crack	0.0	0.0	0.0	0.0	0.6	0.3	0.0	1.6	0.9	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	0.0	0.0	0.0	0.0	2.5	1.4	0.0	2.6	1.5	1.8	0.9	1.3	0.0	0.4	0.2	0.0	0.0	0.0
Prescription Pain Relievers	0.0	0.0	0.0	1.9	2.1	2.0	0.0	4.2	2.4	1.7	3.2	2.5	0.9	0.7	0.8	0.0	2.6	2.2
Prescription Amphetamines	1.4	0.0	0.8	0.0	1.5	0.9	0.8	2.5	1.8	0.8	2.8	1.9	1.2	1.7	1.4	0.0	0.0	0.0
Over-the-Counter Drugs	2.8	2.5	2.7	0.0	0.0	0.0	4.7	2.4	3.4	2.2	1.7	2.0	1.6	0.3	1.0	0.0	0.0	0.0
Any illicit drug	4.7	11.0	7.4	8.1	17.1	13.2	8.7	23.1	17.0	16.3	12.7	14.4	7.4	8.9	8.1	1.9	16.1	14.1
Any illicit drug other than marijuana	4.7	2.5	3.7	6.2	7.4	6.9	6.3	12.5	9.8	8.2	6.5	7.3	5.6	2.0	3.7	1.9	3.6	3.3
Alcohol only	17.5	30.5	22.8	9.1	22.4	16.7	10.9	15.4	13.5	3.9	21.6	13.4	1.8	17.2	9.7	3.7	8.2	7.6
Alcohol or any illicit drug	22.2	39.3	29.5	16.6	38.7	29.2	20.9	37.2	30.2	20.1	34.1	27.6	11.1	25.4	18.4	5.5	23.8	21.2
Any illicit drug, but no alcohol	0.0	0.0	0.0	4.9	5.0	5.0	3.1	8.0	5.9	10.6	2.2	6.1	2.0	3.2	2.6	1.9	7.3	6.5

Note: The first 18 data rows show results for alcohol, eigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Liberty County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol		10.3	12.3	8.8		13.6			15.9	16.4	15.4		15.3	
Drinking at least once a month		1.6	1.8	1.4		2.1			2.7	2.9	2.5		2.5	
Smoke cigarettes		8.8	9.8	8.1		9.0			5.9	5.6	6.2		5.8	
Smoke marijuana		6.3	6.5	6.2		6.6			8.2	7.6	8.8		7.9	
Great risk of harm														
1 or 2 drinks nearly every day	54.5	36.5	52.2	26.3	56.1	36.3	39.1	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	65.5	48.4	60.2	43.3	69.1	50.3	50.8	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	66.7	56.9	69.5	47.0	69.6	55.6	58.3	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	58.2	39.2	51.8	32.2	54.8	41.8	41.9	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	61.1	34.4	46.3	31.4	61.4	34.8	38.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	56.4	21.8	32.4	22.2	57.5	23.4	26.7	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	50.9	16.5	26.5	17.0	45.8	18.5	21.3	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	72.2	64.2	72.4	58.1	74.6	66.8	65.3	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to														
Smoke cigarettes	92.9	91.8	95.9	88.4	94.3	95.1	92.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	80.4	68.6	73.6	66.7	80.5	69.4	70.2	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	87.5	68.4	73.4	69.2	86.1	69.2	71.1	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	83.9	80.3	79.4	81.6	83.3	83.1	80.8	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	87.5	81.2	81.4	82.3	86.1	82.9	82.1	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	94.6	98.5	97.4	98.5	95.6	98.9	98.0	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to														
1 or 2 drinks nearly every day	86.2	82.8	81.9	84.2	90.1	81.8	83.3	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	89.7	87.1	90.5	84.5	92.9	89.5	87.4	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	85.5	68.8	73.5	70.5	86.0	69.7	71.2	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.5	73.7	77.0	73.1	83.6	74.5	75.0	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	84.2	76.3	86.1	68.9	88.5	76.7	77.4	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	92.9	91.3	93.3	89.8	94.2	92.3	91.5	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

2020 Florida Youth Substance Abuse Survey - Liberty County Report

Table 7. Trends in early ATOD use and attitudes toward substance use for Liberty County, 2010 to 2020

		2010			2012			2014			2016			2018			2020	
	Middle School		Total	Middle School	High School	Total	Middle School		Total	Middle School	High School	Total	Middle School		Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol		31.5			24.6			28.6			23.6			18.4			10.3	
Drink monthly		5.0			8.4			7.4			4.6			4.3			1.6	
Smoke cigarettes		26.5			19.5			25.4			12.7			9.1			8.8	
Smoke marijuana		5.0			5.3			9.9			10.4			7.0			6.3	
Great risk of harm																		
Daily alcohol use	46.5	42.9	45.0	36.3	32.5	34.1	43.3	28.1	34.6	36.2	25.6	30.5	43.0	46.0	44.5	54.5	36.5	39.1
5+ drinks daily							54.3	40.6	46.5	46.9	37.7	42.0	59.1	59.8	59.4	65.5	48.4	50.8
Daily cigarette use	66.6	57.4	62.7	65.8	63.7	64.6	54.4	63.7	59.7	63.2	52.4	57.4	66.0	70.2	68.1	66.7	56.9	58.3
Vaping nicotine																58.2	39.2	41.9
Vaping marijuana																61.1	34.4	38.1
Marijuana weekly*							49.4	34.0	40.6	45.2	30.4	37.3	52.7	40.7	46.8	56.4	21.8	26.7
Try marijuana	37.2	37.5	37.4	39.3	34.8	36.7	45.2	28.7	35.8	32.8	27.0	29.7	39.5	30.4	35.0	50.9	16.5	21.3
Prescription drugs					64.4	64.4	68.3	76.7	73.1	62.6	58.3	60.3	74.6	73.8	74.2	72.2	64.2	65.3
Think it wrong																		
Smoke cigarettes	92.5	78.6	86.6	88.6	70.8	78.4	90.9	77.2	83.2	94.0	82.2	87.7	93.8	83.1	88.4	92.9	91.8	92.0
Drink regularly	78.5	67.7	73.9	87.6	59.8	71.6	85.5	61.4	71.8	85.7	63.3	73.7	82.2	74.6	78.4	80.4	68.6	70.2
Smoke marijuana	92.4	83.7	88.7	91.6	79.1	84.5	93.4	68.2	79.1	89.0	76.4	82.3	82.6	83.3	82.9	87.5	68.4	71.1
Vape nicotine																83.9	80.3	80.8
Vape marijuana																87.5	81.2	82.1
Other illicit drugs	96.3	94.6	95.6	100.0	96.2	97.8	97.6	92.0	94.4	97.0	96.2	96.6	96.2	98.4	97.3	94.6	98.5	98.0
Friends think it wrong																		
Daily alcohol use							84.8	65.1	73.7	83.5	71.5	77.1	87.1	77.7	82.5	86.2	82.8	83.3
Smoke tobacco							92.1	70.8	80.1	88.9	78.0	83.1	92.3	84.6	88.5	89.7	87.1	87.4
Smoke marijuana							89.2	71.5	79.1	87.0	74.2	80.1	84.8	80.4	82.6	85.5	68.8	71.2
Vape nicotine																82.5	73.7	75.0
Vape marijuana																84.2	76.3	77.4
Prescription drugs							94.4	92.4	93.3	94.1	90.5	92.2	94.6	93.8	94.2	92.9	91.3	91.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

<sup>\*</sup> In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among <u>high school</u> drinkers, usual source of alcohol within the past 30 days, Liberty County and Florida Statewide youth, 2020

			Lib	erty Cou	ınty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bought in a store		3.1	0.0	9.4		4.8			6.5	4.6	8.9		5.9	
Bought in a restaurant, bar, or club		0.0	0.0	0.0		0.0			1.9	1.9	2.0		1.5	
Bought at a public event		0.0	0.0	0.0		0.0			1.2	0.7	1.7		1.1	
Someone bought it for me		30.0	34.6	20.5		28.1			13.8	12.9	15.0		13.5	
Someone gave it to me		37.9	42.8	27.9		21.7			40.2	42.9	36.9		41.1	
Took it from a store		0.0	0.0	0.0		0.0			1.6	0.8	2.5		1.7	
Took it from a family member		10.2	15.2	0.0		16.0			15.8	17.6	13.7		16.3	
Some other way		18.7	7.4	42.2		29.3			19.0	18.7	19.3		18.8	

Table 9. Among  $\underline{\text{high school}}$  drinkers, usual drinking location within the past 30 days, Liberty County and Florida Statewide youth, 2020

			Lib	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
My home		45.3	47.3	40.4		34.5			42.7	44.1	40.8		43.3	
Another person's home		32.3	32.4	32.1		42.6			35.2	37.2	33.0		35.4	
Car or other vehicle		0.0	0.0	0.0		0.0			2.4	1.9	3.0		2.5	
Restaurant, bar, or club		5.5	7.7	0.0		0.0			3.0	3.5	2.6		2.2	
Public place		0.0	0.0	0.0		0.0			3.8	2.5	5.5		4.2	
Public event		0.0	0.0	0.0		0.0			1.6	1.3	1.9		1.4	
School property		0.0	0.0	0.0		0.0			1.2	1.0	1.4		1.2	
Some other place		16.8	12.6	27.5		22.9			10.2	8.7	11.8		9.9	

Table 10. Among <u>high school</u> drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Liberty County and Florida Statewide youth, 2020

			Lib	erty Cou	ınty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
1		20.7	34.8	0.0		15.3			31.9	34.7	28.6		32.9	
2		21.2	28.6	10.5		33.7			21.8	24.0	19.2		21.1	
3		18.6	13.5	26.1		12.7			16.1	15.5	16.7		16.2	
4		4.7	8.0	0.0		7.5			9.5	9.5	9.3		9.2	
5 or more		34.7	15.0	63.5		30.8			20.7	16.3	26.2		20.5	

Table 11. Percentages of Liberty County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high <u>before or during school</u> in the past 12 months, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	1.8	4.0	4.6	2.7	1.4	3.2	3.6	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	1.8	8.5	8.9	6.3	1.4	8.1	7.5	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	3.7	1.0	1.1	1.7	2.9	1.3	1.4	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Liberty County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

			Libe	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Carrying a handgun	9.1	6.0	7.6	5.5	7.2	7.8	6.5	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.9	4.2	3.8	4.0	1.5	2.7	3.8	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.9	0.7	0.6	1.2	1.5	0.9	0.9	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	1.8	0.0	0.6	0.0	1.4	0.0	0.3	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	10.9	3.4	3.1	5.9	12.7	3.2	4.5	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	3.6	3.2	2.1	4.5	2.9	4.2	3.3	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Liberty County, 2010 to 2020

		2010			2012			2014			2016			2018			2020	
	Middle School	High School	Total	Middle School	High School		Middle School	0		Middle School	0		Middle School	High School	Total	Middle School	High School	Total
Carrying a handgun	5.1	4.9	5.0	6.5	10.9	9.0	6.6	7.5	7.2	15.2	9.6	12.2	10.1	9.6	9.9	9.1	6.0	6.5
Selling drugs	1.6	2.6	2.0	1.9	6.5	4.5	0.0	6.2	3.6	1.4	2.6	2.0	2.6	2.3	2.5	1.9	4.2	3.8
Attempting to steal a vehicle	1.6	5.0	3.1	1.4	3.4	2.5	0.0	1.1	0.7	1.5	0.8	1.1	0.0	0.6	0.3	0.0	0.0	0.0
Being arrested	5.1	2.6	4.0	0.7	2.6	1.8	0.0	1.2	0.7	0.9	0.0	0.4	2.3	0.0	1.2	1.9	0.7	0.9
Taking a handgun to school	0.0	2.5	1.1	0.0	2.2	1.3	0.0	0.0	0.0	0.0	0.8	0.4	1.4	0.0	0.7	1.8	0.0	0.3
Getting suspended	9.0	13.1	10.8	11.1	8.0	9.3	2.8	3.2	3.0	5.0	6.6	5.8	11.3	3.5	7.5	10.9	3.4	4.5
Attacking someone with intent to harm	15.7	12.5	14.3	8.9	7.4	8.1	6.1	6.2	6.2	3.1	2.7	2.9	8.4	3.3	5.9	3.6	3.2	3.3

Table 14. Percentages of Liberty County and Florida Statewide youth who reported symptoms of depression, 2020

			Libe	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Sometimes I think that life is not worth it	29.3	27.0	37.3	17.0	32.7	28.2	27.4	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	36.2	37.3	54.1	20.6	41.6	35.5	37.1	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	20.7	24.0	29.8	16.3	27.9	24.6	23.5	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	39.7	41.3	49.6	32.2	39.8	41.2	41.1	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Liberty County and Florida Statewide youth who reported involvement in bullying behavior, 2020

			Libe	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Skipped school because of bullying	10.3	11.3	13.5	9.5	12.2	10.9	11.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	37.9	18.8	16.2	26.6	31.6	20.1	21.6	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	62.1	32.7	34.8	39.4	56.9	33.7	36.9	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	27.6	23.8	33.1	17.3	22.6	24.7	24.4	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	17.6	13.5	5.4	21.8	15.4	14.6	14.0	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	29.4	19.5	14.7	26.5	21.3	18.6	20.8	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	13.7	12.6	11.9	13.7	12.9	10.4	12.7	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Liberty County and Florida Statewide <u>high school</u> youth who reported adverse childhood experiences (ACEs), 2020

			Lib	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse		13.2	15.5	11.3		13.0			15.7	20.8	10.6		15.7	
Physical abuse		5.9	3.5	8.5		6.2			10.5	11.9	9.1		10.5	
Sexual abuse		8.0	11.8	4.5		7.1			5.5	8.7	2.2		5.7	
Parents separated or divorced		44.8	48.2	42.5		44.0			40.1	43.1	37.1		40.6	
Physical abuse in household		6.2	8.1	4.5		4.7			8.8	11.0	6.6		8.6	
Substance abuse in household		25.9	25.7	24.7		27.6			26.8	30.3	23.1		26.5	
Mental illness in household		26.5	40.7	11.6		27.4			30.5	38.0	22.8		30.6	
Incarcerated household member		22.7	31.5	14.9		22.7			26.8	29.3	24.3		26.6	
Emotional neglect		26.8	27.9	24.4		29.1			29.2	36.6	21.7		29.1	
Physical neglect		7.4	5.9	9.1		8.2			7.4	8.7	6.1		7.2	

Table 17. Number of adverse childhood experiences (ACEs) reported by Liberty County and Florida Statewide <u>high school</u> youth, 2020

			Lib	erty Cou	inty					Flori	ida State	wide		
	Middle School	0	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported		41.1	32.9	49.7		40.3			32.1	25.8	38.4		31.7	
1 ACE		18.0	23.3	13.4		17.8			21.0	20.0	22.1		21.4	
2 ACEs		16.1	16.2	16.2		14.5			14.3	14.5	14.0		14.4	
3 ACEs		7.5	5.1	8.1		9.0			10.9	12.1	9.8		10.8	
4 ACEs		6.0	6.9	5.2		7.0			8.1	9.9	6.3		7.9	
5 ACEs		0.0	0.0	0.0		0.0			5.7	6.9	4.5		5.8	
6 ACEs		2.3	3.4	1.3		3.1			3.7	5.0	2.4		3.8	
7 ACEs		2.7	4.1	1.4		3.6			2.1	2.8	1.2		2.0	
8 ACEs		3.1	6.3	0.0		2.2			1.3	1.7	0.8		1.2	
9 ACEs		0.0	0.0	0.0		0.0			0.6	0.9	0.2		0.6	
10 ACEs		3.2	1.8	4.5		2.5			0.3	0.4	0.2		0.3	

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Liberty County and Florida Statewide youth who "agree" or "strongly agree" with statements indicating impulsiveness or a lack of self-control, 2020

			Libe	erty Cou	nty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
I often do what brings me pleasure now	37.5	27.8	40.4	19.8	30.7	20.9	29.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	30.4	20.5	26.7	17.6	21.2	19.7	21.9	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	27.3	28.6	29.1	27.8	24.3	28.7	28.4	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	23.2	24.4	23.3	25.1	20.5	21.9	24.2	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	35.7	31.0	35.0	29.4	38.5	29.8	31.7	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	56.4	29.2	48.1	19.5	48.1	28.4	33.0	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Table 19. Percentages of Liberty County and Florida Statewide youth who reported participation in extracurricular activities, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
School Sports	63.8	50.6	48.3	57.1	61.9	53.2	52.5	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	36.2	11.9	18.7	12.9	29.7	12.7	15.4	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	6.9	8.7	10.7	4.8	5.5	9.9	8.5	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	22.4	34.7	46.7	20.4	24.8	36.2	33.0	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	13.8	9.3	16.3	4.7	16.9	7.8	10.0	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of <u>high school</u> students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Liberty County and Florida Statewide youth, 2020

			Lib	erty Cou	inty					Flori	da State	wide		
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Riding in a vehicle														
Alcohol		13.6	17.0	10.9		15.3			14.7	16.2	13.3		14.8	
Marijuana		16.6	20.4	13.5		18.0			22.1	24.0	20.2		21.8	
Driving a vehicle														
Alcohol		5.8	10.7	1.6		5.2			4.1	3.6	4.6		3.8	
Marijuana		8.9	7.9	10.1		9.7			9.0	8.2	9.8		8.8	

Table 21. Trends for <u>high school</u> students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Liberty County, 2012 and 2020

		2010		2012			2014		2016			2018		2020	
	Middle School	High School	Middle School	_	Total	Middle School		Middle School	High School	Total	Middle School	High School	Middle School	High School	Total
Riding in a vehicle															
Alcohol			 	21.4			20.8	 	20.9			18.5	 	13.6	
Marijuana			 	14.9			17.6	 	15.7			9.1	 	16.6	
Driving a vehicle															
Alcohol			 	10.6			8.9	 	12.7			7.0	 	5.8	
Marijuana			 	6.7			9.2	 	7.2			2.6	 	8.9	

Table 22. Protective factor prevalence rates for Liberty County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Liberty	County	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
Family	Family Opportunities for Prosocial Involvement	60	57	57	57	59	54
Family	Family Rewards for Prosocial Involvement	54	45	50	53	54	55
School	School Opportunities for Prosocial Involvement	62	61	51	60	57	60
SCHOOL	School Rewards for Prosocial Involvement	55	56	44	54	53	58
Peer and Individual	Religiosity	58	60	42	52	56	62
Average Prevalence R	ate	58	56	49	55	56	58

Table 23. Risk factor prevalence rates for Liberty County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Liberty	County	Florida S	Statewide	Nationa	l Norms
		Middle School	High School	Middle School	High School	Middle School	High School
	Laws and Norms Favorable to Drug Use	47	32	41	32	42	42
Community	Perceived Availability of Drugs	28	23	34	20	45	45
	Perceived Availability of Handguns	23	48	23	31	25	42
E9	Poor Family Management	50	32	43	35	44	45
Family	Family Conflict	42	22	42	34	42	37
Cahaal	Poor Academic Performance	47	56	46	46	45	48
School	Lack of Commitment to School	53	72	69	63	47	46
Peer and	Favorable Attitudes toward Antisocial Behavior	33	31	49	38	40	46
Individual	Favorable Attitudes toward ATOD Use	30	30	35	32	39	45
	Early Initiation of Drug Use	24	17	24	17	41	46
<b>Average Preval</b>	ence Rate	38	36	41	35	41	44

Table 24. Protective factor prevalence rate trends among middle school students for Liberty County, 2010 to 2020

Domain	Scale			Liberty	County		
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	59	59	67	59	60	60
Family	Family Rewards for Prosocial Involvement	47	48	62	51	54	54
School	School Opportunities for Prosocial Involvement	46	48	51	45	61	62
SCHOOL	School Rewards for Prosocial Involvement	60	53	43	43	60	55
Peer and Individual	Religiosity	67	68	57	59	59	58
Average Prevalence R	ate	56	55	56	51	59	58

Table 25. Risk factor prevalence rate trends among middle school students for Liberty County, 2010 to 2020

Domain	Scale	Liberty County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	46	47	49	60	40	47
	Perceived Availability of Drugs	48	43	38	51	38	28
	Perceived Availability of Handguns	50	39	33	47	33	23
Family	Poor Family Management	47	38	51	44	37	50
	Family Conflict	53	35	23	39	36	42
School	Poor Academic Performance	39	55	41	46	44	47
	Lack of Commitment to School	63	54	58	64	59	53
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	42	49	28	56	34	33
	Favorable Attitudes toward ATOD Use	37	45	35	41	39	30
	Early Initiation of Drug Use	42	34	34	33	24	24
Average Prevalence Rate		47	44	39	48	38	38

Table 26. Protective factor prevalence rate trends among high school students for Liberty County, 2010 to 2020

Domain	Scale	Liberty County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	62	59	64	57	57	57
Family	Family Rewards for Prosocial Involvement	62	58	56	50	57	45
School	School Opportunities for Prosocial Involvement	67	46	52	59	65	61
	School Rewards for Prosocial Involvement	73	66	59	60	57	56
Peer and Individual	Religiosity	47	66	68	64	65	60
Average Prevalence Rate		62	59	60	58	60	56

Table 27. Risk factor prevalence rate trends among high school students for Liberty County, 2010 to 2020

Domain	Scale	Liberty County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	32	35	38	46	31	32
	Perceived Availability of Drugs	42	35	29	31	20	23
	Perceived Availability of Handguns	63	64	64	47	50	48
Family	Poor Family Management	38	40	32	51	29	32
	Family Conflict	37	37	32	33	23	22
School	Poor Academic Performance	50	48	41	45	42	56
	Lack of Commitment to School	68	61	61	63	55	72
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	20	34	31	31	27	31
	Favorable Attitudes toward ATOD Use	37	36	40	35	27	30
	Early Initiation of Drug Use	37	32	37	29	16	17
Average Prevalence Rate		42	42	41	41	32	36