

2020 Florida Youth Substance Abuse Survey

Martin County Data Tables

Table 1. Major demographic characteristics of surveyed Martin County and Florida Statewide youth, 2020

	Martin County			Florida Statewide	
	N	%		N	%
Sex					
Female	465	48.0		25,191	48.4
Male	499	51.5		26,328	50.5
Race/Ethnic group					
African American	61	6.3		11,284	21.7
American Indian	11	1.1		491	0.9
Asian	18	1.9		671	1.3
Hispanic/Latino	202	20.9		11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0		68	0.1
Other/Multiple	196	20.2		7,227	13.9
White, non-Hispanic	468	48.3		20,904	40.1
Age					
10	0	0.0		44	0.1
11	55	5.7		3,151	6.0
12	143	14.8		7,124	13.7
13	168	17.4		7,698	14.8
14	163	16.8		7,616	14.6
15	160	16.5		7,582	14.6
16	111	11.5		7,502	14.4
17	100	10.3		7,073	13.6
18	50	5.2		3,807	7.3
19 or older	10	1.0		394	0.8
Grade					
6th	170	17.6		7,718	14.8
7th	153	15.8		7,555	14.5
8th	165	17.0		7,632	14.6
9th	147	15.2		7,668	14.7
10th	150	15.5		7,481	14.4
11th	77	8.0		7,117	13.7
12th	106	11.0		6,923	13.3
Overall Middle School	488	50.4		22,904	44.0
Overall High School	480	49.6		29,189	56.0
Total	968	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Martin County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.4	44.5	38.8	32.4	25.1	45.9	35.6	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	17.3	19.5	15.2	--	18.6	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	4.1	8.2	6.1	6.9	3.3	8.5	6.5	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	16.3	36.5	32.3	24.1	17.0	39.5	28.1	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	6.7	26.5	20.9	15.5	7.6	27.4	18.2	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	6.4	32.1	22.7	19.8	7.7	31.8	21.3	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	0.7	0.8	0.6	--	0.6	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.7	3.0	7.9	3.7	8.3	3.3	5.8	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.9	2.2	1.8	1.5	0.6	2.4	1.7	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.9	5.1	3.2	3.5	1.2	5.0	3.3	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.9	0.7	1.2	0.3	0.6	1.1	0.8	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.4	1.1	1.5	0.1	0.3	1.0	0.8	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.0	0.2	0.3	0.0	0.0	0.0	0.1	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.4	5.8	4.9	3.9	2.6	6.0	4.4	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.8	3.5	4.7	2.6	3.5	4.0	3.6	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.2	5.8	3.9	3.9	0.9	5.8	3.9	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.2	4.0	3.9	2.7	2.3	4.5	3.3	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.4	0.4	0.3	--	0.2	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	17.5	35.9	31.8	24.6	17.1	36.2	28.2	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	12.6	12.7	15.1	10.2	11.7	13.5	12.6	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	12.2	14.4	13.9	13.2	13.5	14.6	13.5	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	29.4	50.0	45.6	37.2	30.4	50.4	41.3	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	6.2	6.1	7.1	5.2	5.5	5.3	6.1	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Martin County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	7.4	22.2	16.7	15.1	7.7	25.2	16.0	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	2.4	10.7	7.8	6.4	1.7	11.7	7.2	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.0	1.2	1.6	0.6	0.5	0.8	1.1	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	9.6	19.4	18.3	12.4	10.0	21.1	15.3	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	4.2	14.0	10.0	9.7	3.7	15.6	9.9	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.3	17.7	12.3	11.8	4.1	19.1	12.1	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.3	0.4	0.3	--	0.2	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	4.2	0.6	3.6	0.7	3.8	0.5	2.1	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.9	0.6	0.9	0.5	0.6	0.8	0.7	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.6	1.5	1.3	0.9	0.4	1.6	1.1	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.7	0.0	0.6	0.0	0.2	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.2	0.5	0.4	0.3	0.2	0.3	0.3	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.2	0.2	0.3	0.1	0.2	0.0	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.8	1.6	1.6	1.0	0.5	2.2	1.3	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.0	1.3	1.6	0.7	0.9	1.4	1.2	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.6	1.4	1.5	0.6	0.5	1.1	1.1	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.8	1.9	2.2	0.7	0.8	2.3	1.4	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	9.0	21.1	16.9	15.1	7.7	23.3	16.0	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	6.0	5.9	8.1	3.8	5.4	6.3	5.9	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	4.1	8.4	7.3	6.0	4.8	9.3	6.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	13.0	29.2	24.0	20.8	12.4	32.2	22.4	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	5.6	7.5	7.5	6.0	4.7	7.6	6.7	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Martin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	34.6	64.9	52.7	28.9	61.6	48.2	23.9	53.9	41.6	22.2	56.8	43.2	20.5	55.3	41.3	23.4	44.5	35.6
Blacking Out	--	--	--	--	--	--	--	22.4	--	--	15.9	--	--	19.8	--	--	17.3	--
Cigarettes	16.0	34.3	26.9	10.2	32.0	23.1	5.6	23.0	15.8	5.0	16.1	11.6	7.2	18.5	13.9	4.1	8.2	6.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16.3	36.5	28.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.7	26.5	18.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	11.9	35.5	26.0	20.1	48.4	36.8	--	--	--
Marijuana or Hashish	12.7	40.5	29.4	9.2	37.9	26.2	9.1	38.3	26.2	5.2	33.0	22.0	8.0	35.1	24.0	6.4	32.1	21.3
Synthetic Marijuana	--	--	--	--	12.2	--	--	7.7	--	--	3.4	--	--	2.9	--	--	0.7	--
Inhalants	10.8	8.2	9.2	8.7	4.4	6.1	10.6	4.9	7.2	4.7	4.4	4.5	10.5	6.0	7.8	9.7	3.0	5.8
Club Drugs	2.2	4.1	3.3	0.6	4.5	2.9	1.8	2.2	2.0	0.7	2.0	1.5	0.9	1.9	1.5	0.9	2.2	1.7
LSD, PCP or Mushrooms	3.5	7.0	5.6	1.7	5.2	3.8	2.0	6.3	4.6	1.5	7.0	4.8	1.6	6.4	4.4	0.9	5.1	3.3
Methamphetamine	1.2	1.3	1.3	1.0	0.4	0.6	1.1	0.5	0.7	0.9	0.8	0.8	0.0	0.2	0.1	0.9	0.7	0.8
Cocaine or Crack	2.0	2.9	2.5	1.6	1.6	1.6	1.4	3.8	2.8	0.5	2.8	1.9	1.9	4.0	3.1	0.4	1.1	0.8
Heroin	1.7	1.4	1.5	0.6	0.4	0.5	0.4	0.5	0.5	0.2	0.3	0.3	0.5	0.2	0.3	0.0	0.2	0.1
Prescription Depressants	3.1	9.7	7.1	1.2	7.0	4.7	1.9	6.1	4.4	2.0	6.7	4.8	3.2	6.5	5.1	2.4	5.8	4.4
Prescription Pain Relievers	5.3	11.9	9.3	2.9	8.2	6.0	4.0	6.2	5.3	3.7	6.3	5.2	3.0	6.7	5.2	3.8	3.5	3.6
Prescription Amphetamines	1.1	5.5	3.7	0.7	5.2	3.4	1.0	5.5	3.7	1.2	4.9	3.4	2.2	6.0	4.5	1.2	5.8	3.9
Over-the-Counter Drugs	5.9	8.5	7.5	3.0	6.1	4.8	3.1	5.8	4.7	3.6	4.4	4.1	4.1	5.9	5.2	2.2	4.0	3.3
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.9	--	--	0.4	--	--	0.4	--
Any illicit drug	24.4	46.1	37.3	16.8	41.6	31.4	19.5	40.9	32.1	14.8	38.2	28.8	18.7	41.6	32.3	17.5	35.9	28.2
Any illicit drug other than marijuana	19.8	25.6	23.2	12.6	19.3	16.6	14.8	21.8	18.9	11.7	18.3	15.7	14.9	18.9	17.3	12.6	12.7	12.6
Alcohol only	15.5	23.2	20.1	17.6	21.9	20.2	13.8	18.6	16.6	12.2	23.7	19.2	10.0	18.1	14.9	12.2	14.4	13.5
Alcohol or any illicit drug	39.7	69.2	57.3	34.4	63.6	51.5	33.2	59.5	48.7	27.0	61.7	47.8	28.2	59.8	46.9	29.4	50.0	41.3
Any illicit drug, but no alcohol	5.3	4.5	4.8	5.5	2.1	3.5	9.3	5.5	7.1	5.4	5.0	5.2	8.3	4.5	6.0	6.2	6.1	6.1

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Martin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Alcohol	19.0	39.7	31.4	12.9	37.9	27.7	7.6	27.8	19.5	7.4	30.4	21.4	6.2	27.9	19.1	7.4	22.2	16.0
Binge Drinking	9.3	23.3	17.6	6.7	16.9	12.7	3.3	15.1	10.2	3.3	11.7	8.4	3.0	15.0	10.1	2.4	10.7	7.2
Cigarettes	6.1	14.7	11.2	2.9	9.9	7.0	1.6	10.3	6.7	1.1	3.3	2.4	1.9	5.1	3.8	1.0	1.2	1.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.6	19.4	15.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.2	14.0	9.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	4.9	15.1	11.0	12.7	31.1	23.5	--	--	--
Marijuana or Hashish	8.6	21.8	16.6	5.0	21.1	14.5	4.1	23.8	15.6	3.2	21.2	14.1	5.4	21.5	15.0	4.3	17.7	12.1
Synthetic Marijuana	--	--	--	--	2.9	--	--	1.1	--	--	1.2	--	--	0.9	--	--	0.3	--
Inhalants	4.0	1.8	2.7	3.5	0.6	1.8	4.3	1.0	2.4	2.3	1.1	1.6	3.8	2.0	2.7	4.2	0.6	2.1
Club Drugs	0.8	1.7	1.3	0.1	0.2	0.2	1.1	0.9	1.0	0.4	0.3	0.3	0.1	0.0	0.0	0.9	0.6	0.7
LSD, PCP or Mushrooms	1.1	1.4	1.3	0.5	0.3	0.4	0.6	2.6	1.8	0.3	3.5	2.3	0.3	2.1	1.4	0.6	1.5	1.1
Methamphetamine	0.2	0.2	0.2	0.9	0.2	0.5	0.5	0.2	0.3	0.5	0.2	0.3	0.0	0.0	0.0	0.7	0.0	0.3
Cocaine or Crack	1.5	0.7	1.0	1.0	0.0	0.4	1.1	1.3	1.2	0.1	2.1	1.3	0.9	0.3	0.6	0.2	0.5	0.3
Heroin	0.8	0.3	0.5	0.0	0.7	0.4	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.0	0.1	0.2	0.2	0.2
Prescription Depressants	0.2	2.7	1.7	0.2	2.6	1.6	1.0	1.9	1.5	0.8	2.3	1.7	1.6	2.6	2.2	0.8	1.6	1.3
Prescription Pain Relievers	2.2	3.5	3.0	1.0	2.0	1.6	1.0	1.8	1.5	1.3	2.5	2.1	1.4	0.7	1.0	1.0	1.3	1.2
Prescription Amphetamines	0.6	2.1	1.5	0.4	1.6	1.1	0.2	2.2	1.4	0.6	1.2	1.0	0.5	1.2	0.9	0.6	1.4	1.1
Over-the-Counter Drugs	1.3	3.2	2.5	1.2	1.9	1.6	1.8	1.9	1.9	1.4	1.9	1.7	1.0	1.6	1.4	0.8	1.9	1.4
Any illicit drug	13.2	26.3	21.1	9.3	23.5	17.7	8.3	24.2	17.7	6.9	23.5	17.0	10.4	25.9	19.6	9.0	21.1	16.0
Any illicit drug other than marijuana	7.4	11.2	9.7	5.9	6.9	6.5	6.9	8.5	7.9	5.3	8.9	7.5	6.8	7.6	7.3	6.0	5.9	5.9
Alcohol only	9.8	19.2	15.5	8.7	19.2	14.9	3.9	12.4	9.0	4.4	15.6	11.3	2.1	11.5	7.7	4.1	8.4	6.6
Alcohol or any illicit drug	22.7	45.2	36.1	17.6	42.4	32.1	11.9	36.5	26.4	11.4	38.9	27.9	12.2	37.4	27.1	13.0	29.2	22.4
Any illicit drug, but no alcohol	4.1	5.6	5.0	4.9	4.6	4.7	4.2	8.7	6.9	4.4	8.7	7.0	6.3	9.6	8.3	5.6	7.5	6.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Martin County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Early ATOD use</i>														
More than a sip of alcohol	--	15.3	16.6	14.1	--	15.1	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.0	4.4	1.8	--	2.9	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	2.8	3.3	2.3	--	2.8	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	8.3	8.7	7.9	--	9.2	--	--	8.2	7.6	8.8	--	7.9	--
<i>Great risk of harm</i>														
1 or 2 drinks nearly every day	50.7	42.5	46.2	45.7	50.5	43.1	46.0	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	58.6	51.3	57.3	51.5	58.6	53.3	54.4	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	66.9	68.5	65.6	69.9	68.9	69.5	67.8	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	53.3	43.8	47.1	48.2	53.3	44.7	47.8	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	54.1	36.4	41.8	45.8	53.1	36.3	43.8	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	44.9	21.9	29.4	33.6	43.7	21.2	31.6	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	32.1	14.3	20.0	23.4	30.1	14.4	21.8	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	70.1	70.8	71.5	69.4	71.2	73.3	70.5	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<i>Think it would be wrong to...</i>														
Smoke cigarettes	97.0	93.2	94.1	95.3	97.0	92.6	94.8	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	88.1	73.0	77.8	80.7	87.4	71.3	79.3	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	89.0	68.3	75.0	78.9	87.8	67.2	77.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	89.7	83.2	83.0	88.7	89.5	81.8	85.9	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	91.0	76.9	80.6	84.9	90.0	76.7	82.8	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.6	94.1	94.7	96.4	97.8	93.6	95.6	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	92.9	86.0	89.0	88.9	92.4	85.5	88.9	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.7	90.8	92.0	92.1	93.7	90.7	92.0	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	90.8	61.8	72.7	75.4	89.2	59.7	74.0	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	86.5	70.8	73.5	81.2	85.7	69.4	77.4	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	91.1	68.2	75.7	79.8	89.5	66.9	77.8	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	96.5	93.4	94.6	94.7	96.3	92.2	94.7	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Martin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	24.1	--	--	22.5	--	--	18.1	--	--	16.6	--	--	19.8	--	--	15.3	--
Drink monthly	--	4.0	--	--	5.5	--	--	2.6	--	--	2.2	--	--	3.1	--	--	3.0	--
Smoke cigarettes	--	15.5	--	--	14.5	--	--	10.7	--	--	6.9	--	--	7.3	--	--	2.8	--
Smoke marijuana	--	11.7	--	--	12.1	--	--	10.9	--	--	10.6	--	--	11.6	--	--	8.3	--
Great risk of harm																		
Daily alcohol use	45.2	38.7	41.3	50.1	36.0	41.8	48.4	42.4	44.8	46.7	37.4	41.1	52.2	40.9	45.5	50.7	42.5	46.0
5+ drinks daily	--	--	--	--	--	--	62.6	57.2	59.4	62.3	47.6	53.5	64.1	53.6	57.9	58.6	51.3	54.4
Daily cigarette use	70.8	73.1	72.2	72.5	69.7	70.8	64.5	74.5	70.4	72.9	70.2	71.3	70.9	71.1	71.0	66.9	68.5	67.8
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	53.3	43.8	47.8
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.1	36.4	43.8
Marijuana weekly*	--	--	--	--	--	--	52.2	24.9	35.9	57.4	22.2	36.4	48.8	23.8	33.9	44.9	21.9	31.6
Try marijuana	36.8	15.1	23.9	41.0	14.4	25.3	33.8	13.7	21.9	38.9	14.2	24.1	31.3	14.1	21.1	32.1	14.3	21.8
Prescription drugs	--	--	--	--	69.3	69.3	66.8	75.4	71.9	71.5	70.8	71.1	67.2	69.5	68.6	70.1	70.8	70.5
Think it wrong																		
Smoke cigarettes	90.4	73.2	80.2	94.9	76.5	84.0	95.7	82.1	87.7	95.5	89.1	91.6	95.2	89.2	91.7	97.0	93.2	94.8
Drink regularly	81.6	48.5	62.0	90.2	55.0	69.5	88.2	61.3	72.3	89.4	59.0	71.1	90.2	65.5	75.6	88.1	73.0	79.3
Smoke marijuana	86.7	60.5	71.2	91.8	65.4	76.2	90.6	58.3	71.5	91.2	57.6	70.8	87.9	57.2	69.7	89.0	68.3	77.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.7	83.2	85.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.0	76.9	82.8
Other illicit drugs	95.9	93.9	94.7	97.1	94.0	95.3	97.5	90.5	93.3	98.0	92.1	94.4	97.1	88.4	92.0	97.6	94.1	95.6
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	92.6	77.3	83.6	92.3	78.4	83.9	93.7	78.0	84.4	92.9	86.0	88.9
Smoke tobacco	--	--	--	--	--	--	96.0	82.5	88.0	96.0	86.5	90.3	94.9	87.6	90.6	93.7	90.8	92.0
Smoke marijuana	--	--	--	--	--	--	91.0	56.6	70.6	87.6	52.5	66.5	87.4	55.6	68.6	90.8	61.8	74.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.5	70.8	77.4
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	91.1	68.2	77.8
Prescription drugs	--	--	--	--	--	--	96.2	91.5	93.4	95.5	91.0	92.8	94.6	92.2	93.2	96.5	93.4	94.7

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Martin County and Florida Statewide youth, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.6	1.6	11.4	--	8.3	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	3.4	6.9	0.0	--	4.3	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	1.6	3.2	0.0	--	2.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	15.0	16.9	13.2	--	18.9	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	33.0	36.1	30.1	--	23.8	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	2.9	2.5	3.3	--	3.7	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	16.5	15.4	17.5	--	17.5	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	21.1	17.5	24.5	--	21.6	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Martin County and Florida Statewide youth, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.1	24.8	44.9	--	34.9	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	37.6	48.1	25.3	--	37.2	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	4.1	6.3	1.5	--	5.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	4.2	1.2	7.7	--	3.4	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	4.0	6.3	1.4	--	5.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	1.6	0.0	3.4	--	2.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	14.4	13.3	15.7	--	12.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Martin County and Florida Statewide youth, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	23.3	17.3	29.5	--	24.3	--	--	31.9	34.7	28.6	--	32.9	--
2	--	24.7	25.8	23.4	--	22.4	--	--	21.8	24.0	19.2	--	21.1	--
3	--	13.9	17.2	10.5	--	13.9	--	--	16.1	15.5	16.7	--	16.2	--
4	--	13.3	17.0	9.4	--	13.6	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	24.9	22.6	27.2	--	25.8	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Martin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.9	2.6	2.5	3.0	3.1	1.5	2.7	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	3.0	12.5	10.6	6.4	3.1	12.6	8.5	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	1.9	4.7	5.0	2.1	2.2	4.3	3.5	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Martin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	4.7	3.7	3.3	4.9	4.2	3.5	4.1	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.5	5.4	4.1	3.4	1.2	5.7	3.8	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.1	0.7	0.7	0.2	0.2	0.5	0.5	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	3.3	2.2	2.3	3.0	3.0	2.4	2.7	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	12.3	9.4	7.6	13.7	11.3	9.1	10.6	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	4.7	2.6	3.3	3.7	4.7	2.2	3.5	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Martin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.0	4.2	4.2	4.3	4.2	4.2	6.2	6.2	6.2	5.0	7.3	6.4	4.4	5.0	4.7	4.7	3.7	4.1
Selling drugs	4.9	11.1	8.6	2.4	7.3	5.3	1.6	11.3	7.4	2.0	6.8	4.9	2.9	9.9	7.2	1.5	5.4	3.8
Attempting to steal a vehicle	2.4	2.2	2.3	1.2	1.1	1.1	1.5	0.7	1.0	0.4	1.3	1.0	1.5	1.5	1.5	0.1	0.7	0.5
Being arrested	3.6	4.7	4.3	2.0	2.4	2.3	1.9	3.4	2.8	1.7	1.7	1.7	1.5	3.2	2.6	3.3	2.2	2.7
Taking a handgun to school	0.9	0.8	0.9	0.7	0.6	0.7	0.9	0.8	0.9	0.5	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0
Getting suspended	12.6	14.6	13.8	11.1	11.4	11.3	7.5	9.9	8.9	8.9	8.9	8.9	8.8	9.6	9.3	12.3	9.4	10.6
Attacking someone with intent to harm	8.0	8.9	8.5	7.2	5.6	6.2	4.3	5.5	5.0	4.6	3.7	4.1	5.7	5.0	5.3	4.7	2.6	3.5

Table 14. Percentages of Martin County and Florida Statewide youth who reported symptoms of depression, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	27.2	27.4	40.2	15.1	25.9	29.8	27.3	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	40.1	39.4	53.1	27.1	38.9	40.5	39.7	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	28.9	25.6	35.3	19.1	26.8	29.1	27.0	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	39.6	43.0	55.1	28.7	38.4	45.4	41.6	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Martin County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.7	9.6	16.1	3.5	10.2	10.6	9.6	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	41.7	30.0	32.2	37.6	40.8	31.5	34.9	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	66.9	61.3	70.7	57.2	67.5	62.0	63.7	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	28.8	32.8	40.2	22.7	29.1	34.2	31.2	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	23.0	12.8	15.1	18.8	21.8	12.5	17.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	32.4	28.9	29.3	31.4	32.2	30.0	30.4	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	13.0	12.0	15.5	9.4	11.9	12.9	12.4	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Martin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	11.4	15.3	7.4	--	11.0	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	7.1	9.5	4.7	--	5.9	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	3.9	5.9	1.9	--	4.1	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	31.7	34.5	28.8	--	34.8	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	7.8	9.9	5.6	--	6.9	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	22.7	23.3	22.1	--	24.4	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	29.0	37.3	20.3	--	31.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	20.3	22.8	17.6	--	20.8	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	27.2	34.3	19.7	--	29.1	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	4.4	4.8	4.0	--	4.0	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Martin County and Florida Statewide high school youth, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	39.5	30.6	48.6	--	36.5	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	18.4	21.0	15.7	--	20.4	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	13.4	11.9	14.8	--	13.1	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	12.1	14.2	10.0	--	12.8	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	8.1	11.2	4.9	--	8.0	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	5.0	6.7	3.1	--	4.9	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	1.5	1.9	1.0	--	2.0	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	1.2	1.0	1.3	--	1.1	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.5	0.5	0.5	--	0.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.4	0.8	0.0	--	0.5	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Martin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.3	27.5	32.5	22.4	27.8	28.9	27.4	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	22.0	19.6	22.6	18.8	22.1	19.2	20.6	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	26.7	26.7	29.3	24.1	28.4	26.2	26.7	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	25.2	25.9	27.4	23.8	25.4	26.0	25.6	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	25.3	26.3	27.8	24.0	25.4	27.1	25.9	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	41.1	39.4	49.4	30.8	42.2	41.7	40.1	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “--” indicates that data are not available.

.....

Table 19. Percentages of Martin County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	25.9	43.4	35.2	36.9	27.2	43.2	36.1	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	48.1	25.8	31.9	38.4	48.2	24.5	35.2	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	22.3	9.3	16.0	13.7	21.0	9.0	14.8	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	30.5	40.2	47.2	25.8	31.8	39.9	36.2	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	13.7	19.2	19.3	14.6	13.7	16.1	16.9	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Martin County and Florida Statewide youth, 2020

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	14.7	16.4	12.9	--	14.8	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	18.6	18.5	18.5	--	18.6	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	5.4	5.1	5.7	--	5.8	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	10.9	9.2	12.2	--	10.3	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Martin County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	23.4	--	--	17.8	--	--	15.8	--	--	16.2	--	--	14.7	--
Marijuana	--	--	--	--	27.8	--	--	26.5	--	--	25.8	--	--	23.1	--	--	18.6	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	7.7	--	--	7.3	--	--	4.6	--	--	4.6	--	--	5.4	--
Marijuana	--	--	--	--	13.8	--	--	12.7	--	--	12.9	--	--	11.3	--	--	10.9	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Martin County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Martin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	58	63	57	57	59	54
	Family Rewards for Prosocial Involvement	52	60	50	53	54	55
School	School Opportunities for Prosocial Involvement	44	60	51	60	57	60
	School Rewards for Prosocial Involvement	39	59	44	54	53	58
Peer and Individual	Religiosity	43	58	42	52	56	62
Average Prevalence Rate		47	60	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Martin County, Florida Statewide youth and the national normative database, 2020

Domain		Scale		Martin County		Florida Statewide		National Norms	
				Middle School	High School	Middle School	High School	Middle School	High School
Community	Laws and Norms Favorable to Drug Use			41	27	41	32	42	42
	Perceived Availability of Drugs			36	18	34	20	45	45
	Perceived Availability of Handguns			24	29	23	31	25	42
Family	Poor Family Management			43	27	43	35	44	45
	Family Conflict			39	30	42	34	42	37
School	Poor Academic Performance			41	37	46	46	45	48
	Lack of Commitment to School			72	60	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior			50	35	49	38	40	46
	Favorable Attitudes toward ATOD Use			33	28	35	32	39	45
	Early Initiation of Drug Use			24	16	24	17	41	46
Average Prevalence Rate				40	31	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Martin County, 2010 to 2020

Domain		Martin County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	55	63	66	61	57	58
	Family Rewards for Prosocial Involvement	52	56	60	58	53	52
School	School Opportunities for Prosocial Involvement	37	45	40	50	46	44
	School Rewards for Prosocial Involvement	44	48	49	42	44	39
Peer and Individual	Religiosity	51	52	51	49	47	43
Average Prevalence Rate		48	53	53	52	49	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Martin County, 2010 to 2020

Domain		Scale	Martin County					
			2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use		43	36	34	35	41	41
	Perceived Availability of Drugs		50	43	46	35	41	36
	Perceived Availability of Handguns		26	27	28	21	27	24
Family	Poor Family Management		45	40	37	44	46	43
	Family Conflict		38	35	35	32	37	39
School	Poor Academic Performance		35	35	34	35	37	41
	Lack of Commitment to School		60	56	52	58	63	72
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		47	43	44	37	42	50
	Favorable Attitudes toward ATOD Use		38	30	30	31	36	33
	Early Initiation of Drug Use		33	26	19	19	23	24
Average Prevalence Rate			42	37	36	35	39	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Martin County, 2010 to 2020

Domain		Martin County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	54	60	55	60	64	63
	Family Rewards for Prosocial Involvement	54	56	56	56	57	60
School	School Opportunities for Prosocial Involvement	57	64	60	59	57	60
	School Rewards for Prosocial Involvement	59	61	62	56	51	59
Peer and Individual	Religiosity	59	57	57	55	52	58
Average Prevalence Rate		57	60	58	57	56	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Martin County, 2010 to 2020

Domain		Martin County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	42	36	33	35	32	27
	Perceived Availability of Drugs	42	33	34	30	32	18
	Perceived Availability of Handguns	41	37	39	39	38	29
Family	Poor Family Management	43	42	37	41	38	27
	Family Conflict	38	31	31	34	30	30
School	Poor Academic Performance	36	37	35	36	39	37
	Lack of Commitment to School	57	47	58	60	58	60
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	42	40	40	43	40	35
	Favorable Attitudes toward ATOD Use	46	43	42	45	38	28
	Early Initiation of Drug Use	34	31	24	23	22	16
Average Prevalence Rate		42	38	37	39	37	31

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.