

# **2020 Florida Youth Substance Abuse Survey**

**Osceola County Data Tables**



**Table 1. Major demographic characteristics of surveyed Osceola County and Florida Statewide youth, 2020**

	Osceola County			Florida Statewide	
	N	%		N	%
<b>Sex</b>					
Female	705	55.3		25,191	48.4
Male	550	43.1		26,328	50.5
<b>Race/Ethnic group</b>					
African American	124	9.7		11,284	21.7
American Indian	14	1.1		491	0.9
Asian	31	2.4		671	1.3
Hispanic/Latino	688	53.9		11,091	21.3
Native Hawaiian/Pacific Islander	3	0.2		68	0.1
Other/Multiple	252	19.7		7,227	13.9
White, non-Hispanic	159	12.5		20,904	40.1
<b>Age</b>					
10	0	0.0		44	0.1
11	118	9.2		3,151	6.0
12	234	18.3		7,124	13.7
13	229	17.9		7,698	14.8
14	185	14.5		7,616	14.6
15	151	11.8		7,582	14.6
16	152	11.9		7,502	14.4
17	142	11.1		7,073	13.6
18	50	3.9		3,807	7.3
19 or older	13	1.0		394	0.8
<b>Grade</b>					
6th	253	19.8		7,718	14.8
7th	255	20.0		7,555	14.5
8th	199	15.6		7,632	14.6
9th	168	13.2		7,668	14.7
10th	110	8.6		7,481	14.4
11th	178	13.9		7,117	13.7
12th	113	8.9		6,923	13.3
Overall Middle School	707	55.4		22,904	44.0
Overall High School	569	44.6		29,189	56.0
<b>Total</b>	<b>1,276</b>	<b>100.0</b>		<b>52,093</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Osceola County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020**

	Osceola County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	19.9	44.9	40.3	27.8	23.3	42.0	34.1	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	11.3	14.5	8.1	--	9.5	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	4.6	8.1	6.9	6.4	4.6	8.7	6.6	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	5.0	21.3	18.4	10.2	7.3	17.6	14.3	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	3.2	15.5	12.3	8.6	4.1	13.1	10.3	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	4.4	21.6	15.0	13.6	5.5	20.9	14.3	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	3.3	5.1	1.6	--	2.1	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	7.3	3.6	7.1	3.3	7.2	3.4	5.1	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.1	1.2	0.6	1.8	1.0	0.9	1.1	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.4	2.5	1.2	2.1	0.6	1.8	1.6	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.5	1.2	1.1	0.7	0.7	0.9	0.9	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.8	1.8	1.3	1.5	0.7	1.1	1.4	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.3	0.2	0.2	0.4	0.3	0.0	0.3	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	0.8	2.5	1.9	1.6	1.0	1.8	1.7	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	2.1	1.7	2.7	1.1	2.3	1.0	1.9	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.8	1.9	3.1	0.7	2.1	0.9	1.9	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.7	3.2	3.7	2.4	2.9	2.9	3.0	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.3	0.4	0.3	--	0.2	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	12.9	27.5	23.7	18.9	14.5	25.6	21.2	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	10.9	10.7	12.7	9.2	11.4	9.2	10.8	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	12.1	23.5	20.3	16.8	14.1	22.8	18.6	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	24.5	50.1	44.0	34.4	28.1	47.0	39.0	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	4.7	5.7	3.8	6.8	4.9	5.3	5.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Osceola County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020**

	Osceola County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	5.9	15.1	12.9	9.1	6.4	12.9	11.1	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	2.6	7.8	5.6	5.1	2.4	6.8	5.5	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.3	2.1	2.2	1.3	1.2	2.3	1.7	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	2.2	9.7	8.1	4.8	2.7	8.6	6.5	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	1.2	7.9	5.6	4.6	1.8	7.1	5.0	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	2.0	12.4	7.3	8.9	2.7	11.1	8.0	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.8	1.0	0.6	--	0.4	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.0	1.0	2.0	0.9	2.2	0.6	1.4	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	0.2	0.2	0.0	0.0	0.0	0.1	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.0	0.6	0.2	0.5	0.0	0.5	0.3	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.4	0.1	0.0	0.5	0.5	0.0	0.2	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.1	0.6	0.4	0.4	0.1	0.5	0.4	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.2	0.4	0.4	0.3	0.2	0.0	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.5	0.5	1.0	0.0	0.5	0.4	0.5	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.1	0.9	1.5	0.5	1.2	0.7	1.0	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.7	0.8	0.9	0.7	0.9	0.6	0.8	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.7	1.0	1.7	1.1	1.6	1.1	1.3	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	6.5	14.9	11.7	11.2	7.0	12.8	11.2	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	5.3	3.4	4.9	3.7	5.3	2.9	4.2	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.1	7.5	7.1	3.6	3.1	7.6	5.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	9.5	21.9	18.7	14.5	10.3	19.4	16.6	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	3.8	7.1	6.1	5.4	4.0	6.6	5.7	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Osceola County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	36.7	63.7	52.1	--	--	--	25.9	54.5	42.6	21.7	44.7	35.2	19.4	44.0	33.8	19.9	44.9	34.1
Blacking Out	--	--	--	--	--	--	--	14.0	--	--	12.7	--	--	9.8	--	--	11.3	--
Cigarettes	13.3	29.3	22.4	--	--	--	9.6	20.5	16.0	7.6	12.8	10.6	4.9	12.0	9.0	4.6	8.1	6.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.0	21.3	14.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.2	15.5	10.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	12.4	30.5	23.0	12.7	28.9	22.1	--	--	--
Marijuana or Hashish	7.8	28.4	19.7	--	--	--	7.5	27.1	18.9	5.7	20.3	14.3	5.9	23.1	15.9	4.4	21.6	14.3
Synthetic Marijuana	--	--	--	--	--	--	--	9.7	--	--	4.2	--	--	3.1	--	--	3.3	--
Inhalants	13.1	9.1	10.8	--	--	--	9.6	5.8	7.4	7.1	6.7	6.8	10.5	3.8	6.6	7.3	3.6	5.1
Club Drugs	1.3	4.2	3.0	--	--	--	1.0	3.3	2.3	0.6	4.6	2.9	1.5	1.1	1.3	1.1	1.2	1.1
LSD, PCP or Mushrooms	1.3	3.8	2.8	--	--	--	1.2	3.5	2.5	0.8	3.9	2.6	1.7	2.4	2.1	0.4	2.5	1.6
Methamphetamine	1.2	1.2	1.2	--	--	--	0.4	0.6	0.5	0.3	0.4	0.4	1.4	0.6	1.0	0.5	1.2	0.9
Cocaine or Crack	1.4	3.4	2.6	--	--	--	0.7	1.7	1.3	0.4	1.6	1.1	1.7	1.4	1.6	0.8	1.8	1.4
Heroin	0.7	0.8	0.8	--	--	--	1.1	0.2	0.6	0.2	0.0	0.1	0.0	0.0	0.0	0.3	0.2	0.3
Prescription Depressants	2.7	7.8	5.6	--	--	--	1.4	4.0	2.9	2.0	6.3	4.5	2.8	3.2	3.0	0.8	2.5	1.7
Prescription Pain Relievers	5.3	10.3	8.1	--	--	--	4.0	7.0	5.8	3.3	5.7	4.7	2.8	3.6	3.2	2.1	1.7	1.9
Prescription Amphetamines	1.1	4.1	2.8	--	--	--	1.3	2.6	2.1	0.5	3.3	2.1	0.5	1.8	1.2	1.8	1.9	1.9
Over-the-Counter Drugs	4.2	9.6	7.3	--	--	--	4.0	5.6	4.9	2.2	4.3	3.4	4.0	4.0	4.0	2.7	3.2	3.0
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.7	--	--	1.8	--	--	0.3	--
Any illicit drug	21.5	38.6	31.3	--	--	--	17.6	33.7	27.0	15.9	28.4	23.2	15.2	30.3	24.0	12.9	27.5	21.2
Any illicit drug other than marijuana	17.7	24.8	21.7	--	--	--	13.6	17.1	15.6	12.3	16.7	14.9	13.5	14.7	14.2	10.9	10.7	10.8
Alcohol only	20.2	30.9	26.3	--	--	--	14.0	27.6	21.9	12.8	22.5	18.5	12.7	21.8	18.0	12.1	23.5	18.6
Alcohol or any illicit drug	41.5	69.4	57.4	--	--	--	31.5	61.4	48.9	28.6	50.8	41.5	27.2	51.8	41.5	24.5	50.1	39.0
Any illicit drug, but no alcohol	5.0	5.8	5.5	--	--	--	5.7	7.2	6.5	7.3	6.3	6.7	8.1	8.0	8.0	4.7	5.7	5.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Osceola County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.7	31.9	25.0	--	--	--	9.7	23.8	17.9	6.9	18.2	13.6	5.4	14.7	10.8	5.9	15.1	11.1
Binge Drinking	7.3	15.6	12.1	--	--	--	4.3	10.9	8.1	3.2	8.7	6.4	1.5	8.5	5.6	2.6	7.8	5.5
Cigarettes	3.5	11.5	8.1	--	--	--	2.3	5.8	4.3	0.5	3.2	2.1	0.7	3.0	2.0	1.3	2.1	1.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2	9.7	6.5
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.2	7.9	5.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	3.8	5.8	5.0	5.6	12.7	9.7	--	--	--
Marijuana or Hashish	3.4	15.0	10.1	--	--	--	3.0	16.3	10.7	1.7	11.6	7.5	2.4	13.0	8.6	2.0	12.4	8.0
Synthetic Marijuana	--	--	--	--	--	--	--	2.3	--	--	1.8	--	--	1.5	--	--	0.8	--
Inhalants	4.6	2.9	3.6	--	--	--	4.0	1.1	2.3	3.2	1.8	2.4	2.6	2.0	2.3	2.0	1.0	1.4
Club Drugs	0.7	1.9	1.4	--	--	--	0.4	1.6	1.1	0.0	0.2	0.1	0.2	0.2	0.2	0.0	0.2	0.1
LSD, PCP or Mushrooms	0.7	1.3	1.0	--	--	--	0.5	1.1	0.8	0.2	1.4	0.9	0.2	0.8	0.6	0.0	0.6	0.3
Methamphetamine	0.9	0.4	0.6	--	--	--	0.2	0.1	0.2	0.2	0.9	0.6	0.6	0.4	0.5	0.4	0.1	0.2
Cocaine or Crack	0.4	0.8	0.6	--	--	--	0.2	0.7	0.5	0.2	0.4	0.3	0.8	0.2	0.4	0.1	0.6	0.4
Heroin	0.3	0.3	0.3	--	--	--	0.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3
Prescription Depressants	0.3	2.5	1.6	--	--	--	0.6	1.3	1.0	0.6	2.8	1.9	1.4	0.3	0.8	0.5	0.5	0.5
Prescription Pain Relievers	1.8	3.8	3.0	--	--	--	1.8	2.7	2.3	1.2	2.6	2.0	1.0	1.2	1.1	1.1	0.9	1.0
Prescription Amphetamines	0.5	1.9	1.3	--	--	--	0.6	1.6	1.2	0.5	1.0	0.8	0.0	0.8	0.5	0.7	0.8	0.8
Over-the-Counter Drugs	1.8	3.7	2.9	--	--	--	1.8	2.5	2.2	0.8	1.3	1.1	2.2	1.2	1.6	1.7	1.0	1.3
Any illicit drug	9.2	20.9	15.9	--	--	--	8.0	20.3	15.1	7.2	16.0	12.3	5.2	17.3	12.2	6.5	14.9	11.2
Any illicit drug other than marijuana	7.2	11.3	9.6	--	--	--	6.9	8.0	7.5	5.9	8.8	7.6	4.5	5.7	5.2	5.3	3.4	4.2
Alcohol only	10.8	17.7	14.8	--	--	--	6.4	11.9	9.6	5.0	10.0	7.9	3.2	7.1	5.5	3.1	7.5	5.6
Alcohol or any illicit drug	19.7	38.4	30.4	--	--	--	14.2	32.4	24.8	12.3	25.5	20.0	9.0	23.9	17.6	9.5	21.9	16.6
Any illicit drug, but no alcohol	4.2	6.9	5.7	--	--	--	4.8	9.1	7.3	5.5	7.5	6.7	3.9	9.5	7.2	3.8	7.1	5.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Osceola County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020**

	Osceola County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	14.0	17.7	10.3	--	11.6	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	1.2	1.0	1.5	--	0.6	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	2.7	3.7	1.7	--	2.3	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	5.6	5.6	4.9	--	4.7	--	--	8.2	7.6	8.8	--	7.9	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	51.9	49.5	53.6	47.1	50.9	50.6	50.6	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	61.3	56.2	60.4	56.6	61.6	56.4	58.4	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	65.8	66.2	67.5	64.3	65.5	67.3	66.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	54.7	43.5	49.9	46.2	52.4	44.8	48.3	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	57.8	39.0	48.1	45.4	53.9	41.7	47.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	49.1	27.2	37.1	35.6	47.1	28.7	36.7	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	34.8	18.5	23.8	26.6	33.1	19.6	25.6	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	67.6	66.7	67.5	66.8	67.0	67.2	67.1	68.5	66.8	69.4	65.8	68.6	66.9	67.6
<b>Think it would be wrong to...</b>														
Smoke cigarettes	96.2	92.5	94.8	93.4	95.7	93.4	94.1	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	92.2	71.3	78.6	81.8	90.0	72.1	80.2	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	94.2	68.0	77.9	80.4	92.4	68.7	79.2	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	93.7	84.0	87.4	89.1	93.3	84.4	88.2	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	96.0	79.4	85.2	87.9	94.2	81.2	86.6	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.4	95.5	96.7	95.9	97.4	95.6	96.3	97.5	93.5	95.9	94.6	97.4	93.6	95.3
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	93.8	81.7	85.5	88.3	92.2	81.5	87.0	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	95.9	90.1	91.8	93.7	95.1	90.0	92.7	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	93.1	65.1	74.7	79.8	90.3	66.0	77.4	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	92.8	78.8	81.2	88.6	90.6	79.1	85.0	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	94.5	74.1	80.9	85.1	91.4	76.0	83.1	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	96.8	93.3	94.3	95.4	96.6	92.6	94.9	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Osceola County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	27.7	--	--	--	--	--	17.9	--	--	14.8	--	--	17.0	--	--	14.0	--
Drink monthly	--	6.4	--	--	--	--	--	2.4	--	--	1.7	--	--	3.1	--	--	1.2	--
Smoke cigarettes	--	15.9	--	--	--	--	--	10.9	--	--	5.8	--	--	6.3	--	--	2.7	--
Smoke marijuana	--	9.3	--	--	--	--	--	9.8	--	--	5.8	--	--	8.9	--	--	5.6	--
<b>Great risk of harm</b>																		
Daily alcohol use	43.1	44.2	43.7	--	--	--	48.2	39.7	43.3	45.8	42.1	43.6	48.0	47.8	47.9	51.9	49.5	50.6
5+ drinks daily	--	--	--	--	--	--	61.3	49.8	54.6	54.2	53.3	53.7	59.9	58.0	58.8	61.3	56.2	58.4
Daily cigarette use	64.7	67.7	66.4	--	--	--	67.9	67.4	67.6	67.4	65.7	66.4	62.2	67.0	65.0	65.8	66.2	66.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.7	43.5	48.3
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	57.8	39.0	47.1
Marijuana weekly*	--	--	--	--	--	--	54.9	29.1	39.8	55.3	27.2	39.0	48.4	23.6	34.1	49.1	27.2	36.7
Try marijuana	41.7	23.5	31.3	--	--	--	39.2	18.6	27.2	38.8	19.8	27.8	34.1	16.5	23.9	34.8	18.5	25.6
Prescription drugs	--	--	--	--	--	--	69.4	68.5	68.9	65.0	62.3	63.4	61.2	65.2	63.6	67.6	66.7	67.1
<b>Think it wrong</b>																		
Smoke cigarettes	90.2	79.6	84.2	--	--	--	94.5	82.8	87.8	96.2	91.0	93.2	95.1	91.8	93.2	96.2	92.5	94.1
Drink regularly	80.4	59.8	68.7	--	--	--	88.8	63.8	74.5	89.2	69.9	77.9	88.4	70.2	78.0	92.2	71.3	80.2
Smoke marijuana	90.0	75.0	81.5	--	--	--	91.5	63.9	75.6	92.8	69.1	78.9	86.6	63.4	73.2	94.2	68.0	79.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	93.7	84.0	88.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.0	79.4	86.6
Other illicit drugs	95.8	94.6	95.1	--	--	--	96.9	93.4	94.9	97.5	93.8	95.3	96.7	94.9	95.6	97.4	95.5	96.3
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	92.2	78.9	84.5	90.6	82.0	85.6	91.1	85.9	88.0	93.8	81.7	87.0
Smoke tobacco	--	--	--	--	--	--	94.9	86.2	89.9	94.7	90.5	92.3	94.6	90.9	92.5	95.9	90.1	92.7
Smoke marijuana	--	--	--	--	--	--	90.9	61.1	73.8	90.1	67.5	77.0	87.2	65.2	74.4	93.1	65.1	77.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.8	78.8	85.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.5	74.1	83.1
Prescription drugs	--	--	--	--	--	--	96.6	91.5	93.7	95.4	91.0	92.9	94.1	92.1	93.0	96.8	93.3	94.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Osceola County and Florida Statewide youth, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	3.0	0.0	7.6	--	4.2	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	4.5	2.3	8.2	--	6.4	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	2.3	3.9	0.0	--	3.2	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	47.9	49.2	42.0	--	50.6	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	1.0	0.0	2.5	--	1.4	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	20.3	25.6	13.9	--	17.1	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	21.1	19.0	25.8	--	16.9	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Osceola County and Florida Statewide youth, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	52.5	58.6	45.0	--	50.2	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	32.9	32.6	30.6	--	35.7	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.8	1.3	0.0	--	1.2	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	1.1	1.9	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	12.7	5.6	24.4	--	12.9	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Osceola County and Florida Statewide youth, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	35.0	33.8	37.9	--	38.9	--	--	31.9	34.7	28.6	--	32.9	--
2	--	22.2	26.0	17.7	--	24.6	--	--	21.8	24.0	19.2	--	21.1	--
3	--	23.1	29.9	14.8	--	19.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	11.5	2.6	20.4	--	11.1	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	8.3	7.7	9.3	--	6.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Osceola County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.5	4.9	5.2	2.4	2.7	4.5	3.9	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	3.0	10.4	7.9	6.9	2.7	11.1	7.3	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	1.9	3.6	3.4	2.1	1.5	3.4	2.8	2.6	4.2	3.8	3.2	2.8	4.2	3.5

**Table 12. Percentages of Osceola County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	3.1	5.6	2.5	6.8	3.0	6.0	4.5	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	0.4	2.6	0.8	2.5	0.6	2.2	1.6	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.3	1.2	0.9	1.6	1.2	1.0	1.2	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.4	1.5	1.0	2.0	1.1	1.8	1.5	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	12.2	7.6	6.5	12.4	9.9	9.1	9.5	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	6.9	4.8	4.2	7.5	6.8	4.6	5.7	8.3	5.5	5.8	7.6	7.8	5.6	6.7

**Table 13. Trends in delinquent behaviors for Osceola County, 2010 to 2020**

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.7	4.2	4.4	--	--	--	6.4	6.2	6.3	5.9	3.8	4.7	6.4	6.4	6.4	3.1	5.6	4.5
Selling drugs	1.8	5.5	3.9	--	--	--	2.1	5.4	4.1	0.9	3.8	2.6	1.7	3.8	2.9	0.4	2.6	1.6
Attempting to steal a vehicle	1.2	2.0	1.7	--	--	--	1.8	0.9	1.3	0.5	0.8	0.7	1.3	0.9	1.1	1.3	1.2	1.2
Being arrested	4.9	4.8	4.8	--	--	--	2.4	2.8	2.7	0.8	1.4	1.1	1.1	2.1	1.7	1.4	1.5	1.5
Taking a handgun to school	1.0	1.1	1.1	--	--	--	0.9	0.5	0.7	0.6	0.0	0.3	0.2	1.4	0.9	0.1	0.0	0.0
Getting suspended	22.5	15.3	18.4	--	--	--	14.0	10.8	12.1	13.5	12.0	12.6	12.4	8.2	10.0	12.2	7.6	9.5
Attacking someone with intent to harm	11.5	9.5	10.4	--	--	--	10.0	7.4	8.5	5.8	4.1	4.8	6.9	6.4	6.6	6.9	4.8	5.7

**Table 14. Percentages of Osceola County and Florida Statewide youth who reported symptoms of depression, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	29.5	29.6	38.0	20.7	29.4	29.5	29.6	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	48.1	43.0	57.8	32.7	49.0	42.2	45.3	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	32.9	26.7	39.6	18.9	33.0	25.5	29.4	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	45.4	46.5	57.4	34.4	45.8	46.5	46.0	44.5	47.6	57.0	35.5	44.6	48.0	46.2



**Table 15. Percentages of Osceola County and Florida Statewide youth who reported involvement in bullying behavior, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.1	8.6	13.3	4.1	10.0	8.1	8.8	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	33.6	22.4	28.7	25.2	34.4	19.6	27.3	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	55.8	47.6	58.5	44.0	56.8	46.4	51.1	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	20.5	24.2	29.3	16.0	21.2	21.3	22.6	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	16.5	11.2	12.1	14.4	16.3	11.0	13.4	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	26.5	23.0	21.9	26.9	26.6	23.0	24.5	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	6.9	11.3	9.1	9.7	8.6	9.4	9.4	11.2	12.4	12.3	11.5	11.4	12.4	11.9

**Table 16. Percentages of Osceola County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.0	19.2	9.3	--	13.2	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	8.4	9.3	7.7	--	8.2	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	4.7	8.3	1.3	--	4.9	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	39.8	44.3	35.4	--	39.8	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	6.3	8.3	4.6	--	4.3	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	20.0	25.3	14.9	--	19.0	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	28.6	37.6	20.6	--	26.8	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	19.9	23.3	17.0	--	18.5	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	28.5	38.0	20.0	--	26.0	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.4	7.7	7.3	--	5.7	--	--	7.4	8.7	6.1	--	7.2	--

**Table 17. Number of adverse childhood experiences (ACEs) reported by Osceola County and Florida Statewide high school youth, 2020**

	Osceola County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	35.7	27.1	43.0	--	36.5	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	24.1	22.8	25.8	--	25.4	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	13.1	14.7	11.6	--	12.4	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	10.4	12.3	8.8	--	11.0	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	6.3	9.7	2.9	--	6.2	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	3.0	3.2	2.9	--	3.0	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.2	4.4	2.0	--	2.0	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.0	2.9	1.1	--	1.2	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	2.1	2.5	1.8	--	2.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.2	0.3	0.0	--	0.2	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

**Table 18. Percentages of Osceola County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	32.9	26.6	28.9	29.6	34.0	24.9	29.3	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	26.3	24.6	26.3	24.6	26.5	24.3	25.3	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	26.6	24.2	25.5	25.9	28.0	23.0	25.3	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	25.3	24.0	23.1	26.6	25.3	24.8	24.6	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	34.1	29.0	35.8	26.4	34.9	28.4	31.2	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	46.6	38.7	48.1	35.6	46.7	38.1	42.1	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

**Table 19. Percentages of Osceola County and Florida Statewide youth who reported participation in extracurricular activities, 2020**

	Osceola County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	35.5	38.9	34.9	39.4	35.3	40.1	37.4	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	31.9	19.9	22.6	28.2	29.6	21.1	25.1	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	14.0	5.9	11.9	6.9	12.6	6.5	9.4	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	16.2	22.8	28.0	12.0	16.5	22.7	19.9	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	7.2	9.9	10.5	7.4	7.0	9.9	8.7	8.6	12.8	13.8	8.3	8.7	12.5	11.0

**Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Osceola County and Florida Statewide youth, 2020**

	Osceola County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	12.3	12.6	11.7	--	13.2	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	19.4	23.5	15.9	--	17.3	--	--	22.1	24.0	20.2	--	21.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	4.2	4.6	4.1	--	4.1	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	8.8	7.5	10.1	--	7.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Osceola County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	14.9	--	--	10.4	--	--	12.7	--	--	12.3	--
Marijuana	--	--	--	--	--	--	--	19.5	--	--	18.1	--	--	20.0	--	--	19.4	--
<b><i>Driving a vehicle</i></b>				--	--	--												
Alcohol	--	--	--	--	--	--	--	4.6	--	--	5.4	--	--	3.4	--	--	4.2	--
Marijuana	--	--	--	--	--	--	--	10.0	--	--	7.3	--	--	8.1	--	--	8.8	--

Note: The symbol "--" indicates that data are not available.

**Table 22. Protective factor prevalence rates for Osceola County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Osceola County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	64	57	57	59	54
	Family Rewards for Prosocial Involvement	50	56	50	53	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	48	56	51	60	57	60
	School Rewards for Prosocial Involvement	45	50	44	54	53	58
<b>Peer and Individual</b>	Religiosity	39	51	42	52	56	62
<b>Average Prevalence Rate</b>		<b>48</b>	<b>55</b>	<b>49</b>	<b>55</b>	<b>56</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.



**Table 23. Risk factor prevalence rates for Osceola County, Florida Statewide youth and the national normative database, 2020**

Domain	Scale	Osceola County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	36	29	41	32	42	42
	Perceived Availability of Drugs	26	16	34	20	45	45
	Perceived Availability of Handguns	17	23	23	31	25	42
<b>Family</b>	Poor Family Management	40	36	43	35	44	45
	Family Conflict	38	30	42	34	42	37
<b>School</b>	Poor Academic Performance	47	47	46	46	45	48
	Lack of Commitment to School	70	65	69	63	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	42	35	49	38	40	46
	Favorable Attitudes toward ATOD Use	27	25	35	32	39	45
	Early Initiation of Drug Use	18	12	24	17	41	46
<b>Average Prevalence Rate</b>		<b>36</b>	<b>32</b>	<b>41</b>	<b>35</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 24. Protective factor prevalence rate trends among middle school students for Osceola County, 2010 to 2020**

Domain	Scale	Osceola County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	51	--	58	59	46	59
	Family Rewards for Prosocial Involvement	45	--	55	53	46	50
<b>School</b>	School Opportunities for Prosocial Involvement	48	--	52	49	48	48
	School Rewards for Prosocial Involvement	45	--	52	48	44	45
<b>Peer and Individual</b>	Religiosity	48	--	48	47	46	39
<b>Average Prevalence Rate</b>		<b>47</b>		<b>53</b>	<b>51</b>	<b>46</b>	<b>48</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rate trends among middle school students for Osceola County, 2010 to 2020**

Domain	Scale	Osceola County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	44	--	36	37	37	36
	Perceived Availability of Drugs	46	--	38	37	31	26
	Perceived Availability of Handguns	28	--	25	25	24	17
<b>Family</b>	Poor Family Management	47	--	39	43	45	40
	Family Conflict	47	--	43	39	42	38
<b>School</b>	Poor Academic Performance	44	--	45	49	50	47
	Lack of Commitment to School	52	--	55	60	61	70
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	48	--	40	41	43	42
	Favorable Attitudes toward ATOD Use	39	--	29	34	36	27
	Early Initiation of Drug Use	35	--	24	21	18	18
<b>Average Prevalence Rate</b>		<b>43</b>		<b>37</b>	<b>39</b>	<b>39</b>	<b>36</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Protective factor prevalence rate trends among high school students for Osceola County, 2010 to 2020**

Domain	Scale	Osceola County					
		2010	2012	2014	2016	2018	2020
<b>Family</b>	Family Opportunities for Prosocial Involvement	54	--	58	61	55	64
	Family Rewards for Prosocial Involvement	51	--	52	54	48	56
<b>School</b>	School Opportunities for Prosocial Involvement	59	--	61	65	62	56
	School Rewards for Prosocial Involvement	58	--	57	55	57	50
<b>Peer and Individual</b>	Religiosity	60	--	57	54	53	51
<b>Average Prevalence Rate</b>		<b>56</b>		<b>57</b>	<b>58</b>	<b>55</b>	<b>55</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among high school students for Osceola County, 2010 to 2020**

Domain	Scale	Osceola County					
		2010	2012	2014	2016	2018	2020
<b>Community</b>	Laws and Norms Favorable to Drug Use	33	--	31	27	30	29
	Perceived Availability of Drugs	33	--	27	24	24	16
	Perceived Availability of Handguns	37	--	36	33	33	23
<b>Family</b>	Poor Family Management	45	--	36	34	41	36
	Family Conflict	40	--	33	34	36	30
<b>School</b>	Poor Academic Performance	41	--	48	51	48	47
	Lack of Commitment to School	48	--	50	55	58	65
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	37	--	38	33	36	35
	Favorable Attitudes toward ATOD Use	34	--	36	28	31	25
	Early Initiation of Drug Use	29	--	20	14	18	12
<b>Average Prevalence Rate</b>		<b>38</b>		<b>36</b>	<b>33</b>	<b>36</b>	<b>32</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.