

2020 Florida Youth Substance Abuse Survey

Sumter County Data Tables

Table 1. Major demographic characteristics of surveyed Sumter County and Florida Statewide youth, 2020

	Sumter County		Florida Statewide	
	N	%	N	%
Sex				
Female	429	50.1	25,191	48.4
Male	418	48.8	26,328	50.5
Race/Ethnic group				
African American	84	9.8	11,284	21.7
American Indian	21	2.5	491	0.9
Asian	15	1.8	671	1.3
Hispanic/Latino	110	12.8	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	167	19.5	7,227	13.9
White, non-Hispanic	454	53.0	20,904	40.1
Age				
10	0	0.0	44	0.1
11	61	7.1	3,151	6.0
12	164	19.1	7,124	13.7
13	143	16.7	7,698	14.8
14	126	14.7	7,616	14.6
15	137	16.0	7,582	14.6
16	127	14.8	7,502	14.4
17	73	8.5	7,073	13.6
18	22	2.6	3,807	7.3
19 or older	3	0.4	394	0.8
Grade				
6th	161	18.8	7,718	14.8
7th	173	20.2	7,555	14.5
8th	119	13.9	7,632	14.6
9th	148	17.3	7,668	14.7
10th	130	15.2	7,481	14.4
11th	90	10.5	7,117	13.7
12th	36	4.2	6,923	13.3
Overall Middle School	453	52.9	22,904	44.0
Overall High School	404	47.1	29,189	56.0
Total	857	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Sumter County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Sumter County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.8	37.5	35.8	26.8	23.2	37.0	31.3	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	11.0	13.5	8.8	--	11.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	6.1	15.9	10.2	12.6	6.1	14.2	11.4	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	12.5	29.8	24.7	19.2	13.7	28.8	21.9	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	4.9	23.4	14.3	15.9	5.7	22.0	15.0	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	7.1	29.0	17.5	20.9	7.1	28.4	19.0	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	2.4	4.1	0.8	--	3.1	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.6	6.6	9.3	6.3	9.5	6.7	7.9	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.9	3.0	1.9	2.2	1.1	2.3	2.0	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.0	4.7	2.9	3.2	1.8	3.9	3.0	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.0	0.6	0.0	0.7	0.0	0.8	0.4	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.9	1.0	0.8	1.2	1.1	1.0	1.0	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.6	5.4	5.7	2.3	2.5	5.5	4.1	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	2.6	4.0	4.3	2.4	2.9	3.7	3.3	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.1	2.6	2.2	2.5	2.2	3.0	2.4	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.0	5.4	4.1	3.7	2.5	4.4	3.8	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	1.3	0.4	2.1	--	1.7	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	19.0	34.8	27.8	27.2	19.5	34.0	27.6	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.0	16.2	17.4	12.7	14.8	15.7	15.2	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	12.0	12.5	15.3	9.3	11.5	12.0	12.3	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	30.9	47.2	43.1	36.4	30.9	45.9	39.8	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	7.2	9.7	7.4	9.5	7.7	8.8	8.6	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Sumter County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Sumter County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	10.2	16.7	15.2	12.6	10.3	16.9	13.7	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	2.7	8.8	7.5	4.7	2.5	9.7	6.0	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	1.5	4.9	1.9	4.8	1.3	4.2	3.3	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	3.7	15.8	11.2	9.7	4.6	15.6	10.3	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	2.4	11.4	7.6	7.2	2.9	10.9	7.3	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	4.2	18.2	10.4	13.3	4.3	18.0	11.8	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.9	0.8	1.0	--	1.0	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.8	1.8	2.9	1.6	3.0	1.8	2.3	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.5	0.4	0.5	0.4	0.7	0.2	0.4	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.0	1.6	0.4	1.3	0.7	1.3	0.9	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	1.2	0.0	1.3	0.0	1.5	0.7	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.1	0.2	0.1	0.3	0.3	0.0	0.2	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.4	0.6	0.7	0.4	0.4	0.8	0.6	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	0.2	1.4	1.1	0.6	0.5	0.8	0.9	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.3	0.8	0.4	0.7	0.3	1.0	0.6	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.2	1.1	0.4	1.0	0.2	1.5	0.7	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	6.8	21.7	13.0	16.9	7.3	21.7	14.9	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	3.7	6.2	5.3	4.8	4.3	6.1	5.1	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	5.7	5.9	7.0	4.8	6.5	5.5	5.8	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	12.5	27.7	20.1	21.8	13.8	27.3	20.8	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	2.3	11.0	5.0	9.1	3.6	10.3	7.0	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Sumter County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	30.1	64.4	48.9	28.3	59.2	45.3	22.5	56.9	41.3	20.9	47.0	34.6	18.5	45.0	32.6	23.8	37.5	31.3
Blacking Out	--	--	--	--	--	--	--	22.8	--	--	17.3	--	--	15.7	--	--	11.0	--
Cigarettes	17.3	37.7	28.5	17.4	34.5	26.7	10.0	30.8	21.4	10.2	22.4	16.5	5.0	17.0	11.4	6.1	15.9	11.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.5	29.8	21.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.9	23.4	15.0
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	9.2	28.9	19.5	12.5	33.1	23.4	--	--	--
Marijuana or Hashish	6.6	27.1	17.9	7.5	27.4	18.5	5.7	29.7	18.9	6.0	24.9	15.8	4.5	27.4	16.5	7.1	29.0	19.0
Synthetic Marijuana	--	--	--	--	13.6	--	--	10.6	--	--	5.0	--	--	3.5	--	--	2.4	--
Inhalants	8.9	9.7	9.3	9.0	6.6	7.7	8.4	3.9	5.9	6.9	3.7	5.2	5.9	5.2	5.5	9.6	6.6	7.9
Club Drugs	1.7	4.0	2.9	1.1	4.0	2.7	0.8	3.5	2.3	0.7	2.4	1.6	0.4	2.6	1.6	0.9	3.0	2.0
LSD, PCP or Mushrooms	1.7	4.7	3.4	1.2	4.9	3.3	0.5	4.5	2.7	1.3	4.7	3.1	1.3	4.9	3.1	1.0	4.7	3.0
Methamphetamine	0.6	0.9	0.8	0.6	1.6	1.1	0.6	1.4	1.1	1.4	1.0	1.2	0.5	1.3	0.9	0.0	0.6	0.4
Cocaine or Crack	1.1	3.1	2.2	1.2	3.7	2.6	1.4	3.7	2.7	1.0	2.3	1.7	0.3	3.1	1.7	0.9	1.0	1.0
Heroin	0.6	0.7	0.7	0.7	0.6	0.7	0.4	1.0	0.8	0.4	0.6	0.5	0.0	0.3	0.1	0.2	0.0	0.1
Prescription Depressants	3.1	7.3	5.4	1.4	6.9	4.5	0.5	6.4	3.7	2.9	5.1	4.0	2.6	6.0	4.4	2.6	5.4	4.1
Prescription Pain Relievers	2.8	13.8	8.8	3.9	11.2	7.9	3.3	8.9	6.4	3.5	7.2	5.4	2.4	4.9	3.7	2.6	4.0	3.3
Prescription Amphetamines	1.7	6.1	4.1	1.3	4.9	3.3	1.3	4.9	3.3	1.8	3.7	2.8	0.6	1.5	1.0	2.1	2.6	2.4
Over-the-Counter Drugs	3.0	8.2	5.9	4.4	7.4	6.0	3.5	8.8	6.4	3.1	4.1	3.6	2.6	4.0	3.3	2.0	5.4	3.8
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.7	--	--	1.6	--	--	1.3	--
Any illicit drug	16.1	36.2	27.1	17.4	37.9	28.7	15.3	35.6	26.4	16.5	30.9	24.0	12.3	31.4	22.3	19.0	34.8	27.6
Any illicit drug other than marijuana	13.4	25.1	19.8	14.7	23.1	19.3	11.8	20.6	16.6	13.8	18.0	16.0	10.1	16.2	13.3	14.0	16.2	15.2
Alcohol only	18.9	30.3	25.2	15.0	27.3	21.8	13.2	22.1	18.1	12.2	23.6	18.2	11.2	18.0	14.8	12.0	12.5	12.3
Alcohol or any illicit drug	34.8	66.5	52.1	32.2	65.2	50.4	28.1	57.9	44.3	28.1	54.6	41.9	23.1	49.8	37.1	30.9	47.2	39.8
Any illicit drug, but no alcohol	4.9	2.2	3.4	4.1	5.9	5.1	5.6	1.2	3.2	7.6	7.7	7.6	4.8	4.8	4.8	7.2	9.7	8.6

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Sumter County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.1	37.7	28.5	13.7	36.5	26.3	8.9	30.8	21.0	8.2	23.5	16.2	6.8	25.4	16.7	10.2	16.7	13.7
Binge Drinking	6.7	21.2	14.7	6.6	18.1	13.0	4.0	19.5	12.4	1.6	13.0	7.6	3.3	14.1	9.0	2.7	8.8	6.0
Cigarettes	4.9	12.1	8.9	4.4	11.9	8.5	3.5	9.9	7.0	2.2	5.1	3.7	0.7	4.7	2.8	1.5	4.9	3.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.7	15.8	10.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.4	11.4	7.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	2.6	9.8	6.4	3.2	14.2	9.0	--	--	--
Marijuana or Hashish	3.0	14.4	9.3	3.3	14.6	9.6	2.7	16.2	10.1	2.3	13.4	8.1	2.6	16.2	9.6	4.2	18.2	11.8
Synthetic Marijuana	--	--	--	--	4.2	--	--	1.9	--	--	0.8	--	--	1.4	--	--	0.9	--
Inhalants	3.6	4.1	3.9	3.5	1.5	2.4	3.2	0.2	1.6	1.7	1.4	1.6	3.2	1.9	2.5	2.8	1.8	2.3
Club Drugs	0.7	1.1	0.9	0.2	0.9	0.6	0.6	0.9	0.7	0.0	1.1	0.6	0.1	0.8	0.5	0.5	0.4	0.4
LSD, PCP or Mushrooms	0.8	0.6	0.7	0.2	0.4	0.3	0.4	0.9	0.7	0.4	1.1	0.8	1.3	1.7	1.5	0.0	1.6	0.9
Methamphetamine	0.2	0.2	0.2	0.2	0.0	0.1	0.4	0.3	0.3	0.6	0.3	0.5	0.1	1.2	0.7	0.0	1.2	0.7
Cocaine or Crack	0.5	0.9	0.7	0.4	0.8	0.6	0.1	1.0	0.6	0.5	0.3	0.4	0.1	1.0	0.6	0.1	0.2	0.2
Heroin	0.5	0.5	0.5	0.6	0.0	0.3	0.3	0.3	0.3	0.2	0.6	0.4	0.0	0.3	0.1	0.1	0.0	0.0
Prescription Depressants	1.6	2.9	2.4	1.5	1.8	1.7	0.6	2.1	1.4	0.8	2.6	1.8	0.5	2.1	1.3	0.4	0.6	0.6
Prescription Pain Relievers	1.9	5.9	4.1	2.0	3.8	3.0	2.3	3.1	2.7	1.6	2.3	2.0	1.3	2.0	1.7	0.2	1.4	0.9
Prescription Amphetamines	0.7	2.6	1.7	1.0	1.8	1.4	0.9	0.6	0.8	1.0	2.9	2.0	0.5	0.6	0.5	0.3	0.8	0.6
Over-the-Counter Drugs	1.0	3.9	2.6	1.3	3.3	2.4	1.6	3.6	2.7	1.2	2.6	1.9	1.9	1.5	1.7	0.2	1.1	0.7
Any illicit drug	8.4	21.6	15.6	8.5	20.2	15.0	8.1	19.6	14.4	6.4	18.5	12.7	6.6	19.3	13.2	6.8	21.7	14.9
Any illicit drug other than marijuana	6.7	13.7	10.5	6.6	10.4	8.7	6.7	7.8	7.3	4.9	8.5	6.8	5.6	7.5	6.6	3.7	6.2	5.1
Alcohol only	12.1	21.5	17.3	8.2	21.1	15.4	6.6	16.5	12.1	5.2	13.3	9.5	4.3	13.6	9.2	5.7	5.9	5.8
Alcohol or any illicit drug	20.4	43.4	32.9	16.4	41.5	30.2	14.0	35.9	25.9	11.2	31.5	21.7	10.6	32.3	22.0	12.5	27.7	20.8
Any illicit drug, but no alcohol	3.7	5.8	4.9	2.9	4.9	4.0	4.3	4.9	4.6	2.9	8.3	5.7	3.8	7.2	5.6	2.3	11.0	7.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Sumter County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Sumter County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	16.4	16.1	16.7	--	14.7	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	4.4	4.3	4.5	--	3.3	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	8.9	7.2	10.7	--	6.8	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	9.2	7.1	11.4	--	7.4	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	52.8	44.5	51.3	45.1	52.3	44.7	48.3	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	62.8	52.8	62.2	52.5	61.8	52.8	57.4	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.0	69.4	69.2	67.0	68.2	72.4	68.3	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	57.0	46.3	53.3	49.1	55.9	48.2	51.2	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	56.7	41.4	50.3	46.4	54.4	43.7	48.4	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	52.0	31.8	43.4	38.3	50.8	32.7	41.1	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	36.3	21.0	27.0	28.4	34.4	23.2	28.0	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	66.6	67.6	68.9	65.3	66.9	65.7	67.2	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	97.0	88.1	91.8	92.7	96.1	91.7	92.2	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	90.2	73.8	77.7	84.7	89.4	73.2	81.4	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	93.5	68.1	80.3	79.2	92.4	68.6	79.8	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	94.0	79.1	84.3	87.7	93.2	79.8	86.0	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	94.0	74.4	82.8	84.0	92.4	76.1	83.4	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	98.3	95.2	96.6	96.9	98.0	96.1	96.6	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	92.4	83.3	88.1	86.6	92.1	84.1	87.4	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	95.5	84.9	92.2	87.4	94.5	88.2	89.8	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	90.7	64.7	78.8	74.3	89.6	66.0	76.6	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	92.7	72.9	81.2	82.8	91.4	73.6	82.0	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	92.8	72.1	82.7	80.4	91.7	74.5	81.6	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	96.7	92.9	96.0	93.2	96.3	93.9	94.6	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Sumter County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	23.0	--	--	29.9	--	--	24.2	--	--	18.3	--	--	20.1	--	--	16.4	--
Drink monthly	--	5.6	--	--	8.3	--	--	6.5	--	--	3.3	--	--	4.2	--	--	4.4	--
Smoke cigarettes	--	20.5	--	--	22.8	--	--	20.7	--	--	9.0	--	--	10.3	--	--	8.9	--
Smoke marijuana	--	11.0	--	--	13.7	--	--	13.2	--	--	9.1	--	--	10.5	--	--	9.2	--
Great risk of harm																		
Daily alcohol use	50.1	37.0	42.9	42.6	34.0	37.9	45.3	40.9	42.9	54.5	38.6	46.3	51.3	39.6	45.1	52.8	44.5	48.3
5+ drinks daily	--	--	--	--	--	--	58.9	49.3	53.6	67.5	54.7	60.9	66.4	49.6	57.5	62.8	52.8	57.4
Daily cigarette use	67.4	63.6	65.3	66.9	64.0	65.3	65.9	62.7	64.1	76.7	68.9	72.7	72.6	67.0	69.6	67.0	69.4	68.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	57.0	46.3	51.2
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	56.7	41.4	48.4
Marijuana weekly*	--	--	--	--	--	--	60.6	30.9	44.2	64.9	34.0	49.0	58.1	26.5	41.3	52.0	31.8	41.1
Try marijuana	47.6	26.0	35.8	40.6	24.1	31.6	40.8	19.1	28.9	43.7	23.7	33.3	38.8	18.9	28.2	36.3	21.0	28.0
Prescription drugs	--	--	--	--	63.6	63.6	76.3	69.8	72.8	76.9	73.5	75.2	71.7	67.3	69.4	66.6	67.6	67.2
Think it wrong																		
Smoke cigarettes	91.6	71.1	80.5	89.7	74.3	81.3	92.6	76.6	83.9	96.3	86.5	91.3	98.4	87.1	92.4	97.0	88.1	92.2
Drink regularly	84.8	55.6	69.0	82.7	55.3	67.7	88.4	59.9	72.9	91.7	64.2	77.5	90.8	67.2	78.4	90.2	73.8	81.4
Smoke marijuana	93.6	73.4	82.7	88.5	68.4	77.5	89.7	65.9	76.6	93.5	68.7	80.8	91.3	65.1	77.4	93.5	68.1	79.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.0	79.1	86.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.0	74.4	83.4
Other illicit drugs	97.5	92.9	95.0	96.6	91.9	94.0	96.6	94.6	95.5	97.8	93.5	95.5	98.9	94.5	96.6	98.3	95.2	96.6
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	92.2	70.6	80.4	92.2	80.2	86.0	91.1	74.8	82.5	92.4	83.3	87.4
Smoke tobacco	--	--	--	--	--	--	93.0	75.8	83.6	94.3	86.7	90.4	96.3	85.3	90.5	95.5	84.9	89.8
Smoke marijuana	--	--	--	--	--	--	93.2	64.6	77.5	90.8	68.3	79.2	92.4	60.7	75.7	90.7	64.7	76.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.7	72.9	82.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.8	72.1	81.6
Prescription drugs	--	--	--	--	--	--	96.9	92.1	94.2	96.2	94.3	95.2	97.8	88.8	93.1	96.7	92.9	94.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Sumter County and Florida Statewide youth, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.0	8.0	8.0	--	7.1	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	6.9	10.0	2.5	--	4.3	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	1.4	2.4	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	16.1	17.4	14.0	--	17.0	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	34.8	31.4	39.9	--	35.7	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	3.3	2.8	3.9	--	2.1	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	13.5	13.4	13.6	--	12.5	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	16.0	14.5	18.1	--	21.3	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Sumter County and Florida Statewide youth, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.2	38.5	42.6	--	34.5	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	30.6	35.0	24.7	--	38.0	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	6.2	7.7	4.1	--	3.4	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	4.5	6.2	2.3	--	1.3	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	7.3	2.3	14.0	--	9.3	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	3.1	2.6	3.8	--	4.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.9	1.6	0.0	--	1.2	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	7.2	6.1	8.6	--	8.3	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Sumter County and Florida Statewide youth, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	39.5	40.9	37.4	--	42.0	--	--	31.9	34.7	28.6	--	32.9	--
2	--	23.6	23.0	24.6	--	20.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	7.2	9.1	4.0	--	3.5	--	--	16.1	15.5	16.7	--	16.2	--
4	--	12.3	12.9	11.2	--	11.1	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	17.4	14.0	22.9	--	23.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Sumter County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.5	7.5	6.9	4.6	3.7	7.7	5.7	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	1.7	15.1	9.2	8.9	1.9	15.7	9.0	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	0.3	5.3	2.7	3.5	0.8	5.5	3.0	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Sumter County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.4	7.9	5.2	11.5	9.2	6.3	8.6	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	0.2	8.8	3.3	6.5	0.2	8.8	4.9	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.1	1.2	0.9	0.5	0.1	1.5	0.7	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.8	1.9	2.3	1.5	1.6	2.6	1.9	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.1	1.4	1.1	0.5	0.1	1.8	0.8	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	14.6	8.2	6.1	16.2	14.0	8.9	11.1	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	6.5	5.6	4.7	6.9	6.0	4.7	6.0	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Sumter County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	5.5	6.6	6.1	4.3	5.5	5.0	8.4	10.4	9.5	3.6	7.2	5.5	8.9	7.6	8.3	9.4	7.9	8.6
Selling drugs	1.8	6.9	4.6	3.8	6.7	5.4	1.2	7.8	4.8	0.4	4.2	2.4	1.8	6.5	4.2	0.2	8.8	4.9
Attempting to steal a vehicle	1.7	2.0	1.9	2.1	2.6	2.4	1.3	1.9	1.6	0.6	1.4	1.0	1.7	1.2	1.4	0.1	1.2	0.7
Being arrested	2.7	5.2	4.1	4.4	4.0	4.2	1.8	3.6	2.8	1.9	3.3	2.6	1.5	2.1	1.8	1.8	1.9	1.9
Taking a handgun to school	0.7	1.0	0.9	0.8	1.1	1.0	0.6	0.7	0.7	0.0	0.2	0.1	0.8	1.4	1.1	0.1	1.4	0.8
Getting suspended	10.5	11.9	11.3	17.8	15.6	16.6	8.8	9.1	9.0	7.8	7.6	7.7	7.9	6.5	7.2	14.6	8.2	11.1
Attacking someone with intent to harm	8.7	11.3	10.1	6.5	8.9	7.8	7.3	9.4	8.5	5.1	5.0	5.1	4.5	6.6	5.6	6.5	5.6	6.0

Table 14. Percentages of Sumter County and Florida Statewide youth who reported symptoms of depression, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	27.2	31.8	35.5	23.1	27.4	30.4	29.7	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	40.6	43.5	55.4	28.5	39.8	43.2	42.2	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	27.6	29.7	35.9	21.1	27.4	27.6	28.7	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.1	47.6	56.4	35.4	44.5	47.1	46.0	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Sumter County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.3	7.0	11.2	3.1	6.8	7.0	7.1	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	42.1	21.2	30.3	30.4	40.8	18.9	30.8	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	60.2	42.4	57.9	42.7	58.7	42.3	50.5	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	22.2	29.1	35.7	15.7	22.4	27.5	25.9	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	18.1	10.0	11.9	15.4	16.7	12.4	13.7	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	30.1	21.0	27.0	23.2	29.3	21.5	25.2	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	10.7	8.8	11.6	7.6	10.2	8.3	9.7	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Sumter County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.8	19.2	10.9	--	14.3	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	6.4	6.3	6.2	--	6.0	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	3.9	7.6	0.4	--	2.3	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	34.6	42.4	27.3	--	35.6	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	11.8	16.6	7.5	--	10.6	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	30.3	35.5	25.5	--	31.9	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	26.8	39.0	15.0	--	25.5	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	29.8	35.5	24.5	--	30.7	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	27.7	36.4	19.6	--	27.5	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	8.1	11.7	4.9	--	7.5	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Sumter County and Florida Statewide high school youth, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	35.0	26.8	42.7	--	33.8	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	20.7	16.0	25.4	--	21.0	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	11.4	11.7	10.8	--	13.2	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	11.0	12.9	9.4	--	10.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	6.3	10.4	2.5	--	6.9	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	7.4	12.3	2.6	--	6.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	4.3	5.7	2.9	--	5.3	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.0	2.2	3.7	--	2.4	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.5	1.1	0.0	--	0.5	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.4	0.8	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Sumter County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	28.5	27.8	30.3	25.6	28.2	27.2	28.1	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	26.8	20.6	25.6	21.4	25.1	22.1	23.4	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	25.2	30.3	34.1	21.8	25.5	31.2	27.9	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	24.9	24.0	25.5	23.0	24.8	24.7	24.4	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	38.2	26.9	33.9	29.6	36.9	29.7	32.0	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	46.6	33.6	48.8	30.0	45.2	34.4	39.5	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Sumter County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Sumter County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	54.2	55.7	53.7	57.0	55.7	55.8	55.0	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	39.7	26.3	29.5	35.5	40.1	25.8	32.5	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	12.4	9.5	11.7	9.2	11.8	9.3	10.8	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	24.8	34.8	37.6	22.8	26.4	33.1	30.2	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	10.5	14.0	14.2	10.7	10.4	15.9	12.3	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Sumter County and Florida Statewide youth, 2020

	Sumter County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	20.2	20.1	20.1	--	16.5	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	23.9	24.6	23.5	--	20.2	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	6.2	5.7	6.7	--	5.2	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	14.9	12.6	17.2	--	13.7	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Sumter County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	23.1	--	--	25.4	--	--	13.5	--	--	14.5	--	--	20.2	--
Marijuana	--	--	--	--	24.0	--	--	27.8	--	--	19.1	--	--	21.7	--	--	23.9	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	11.9	--	--	8.0	--	--	5.0	--	--	3.8	--	--	6.2	--
Marijuana	--	--	--	--	9.8	--	--	11.3	--	--	8.7	--	--	9.3	--	--	14.9	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Sumter County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Sumter County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	57	52	57	57	59	54
	Family Rewards for Prosocial Involvement	50	49	50	53	54	55
School	School Opportunities for Prosocial Involvement	57	69	51	60	57	60
	School Rewards for Prosocial Involvement	54	65	44	54	53	58
Peer and Individual	Religiosity	54	57	42	52	56	62
Average Prevalence Rate		54	58	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Sumter County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Sumter County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	44	37	41	32	42	42
	Perceived Availability of Drugs	28	20	34	20	45	45
	Perceived Availability of Handguns	28	38	23	31	25	42
Family	Poor Family Management	42	45	43	35	44	45
	Family Conflict	34	27	42	34	42	37
School	Poor Academic Performance	48	45	46	46	45	48
	Lack of Commitment to School	64	65	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	32	49	38	40	46
	Favorable Attitudes toward ATOD Use	29	32	35	32	39	45
	Early Initiation of Drug Use	22	19	24	17	41	46
Average Prevalence Rate		38	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Sumter County, 2010 to 2020

Domain	Scale	Sumter County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	58	60	62	61	57
	Family Rewards for Prosocial Involvement	49	54	58	62	53	50
School	School Opportunities for Prosocial Involvement	52	52	61	69	64	57
	School Rewards for Prosocial Involvement	49	57	57	62	58	54
Peer and Individual	Religiosity	54	57	57	62	60	54
Average Prevalence Rate		52	56	59	63	59	54

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Sumter County, 2010 to 2020

Domain	Scale	Sumter County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	46	45	39	36	41	44
	Perceived Availability of Drugs	41	39	34	32	36	28
	Perceived Availability of Handguns	32	29	33	27	31	28
Family	Poor Family Management	47	43	38	31	37	42
	Family Conflict	38	35	32	36	37	34
School	Poor Academic Performance	50	45	44	37	36	48
	Lack of Commitment to School	54	53	51	46	57	64
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	40	33	31	35	40
	Favorable Attitudes toward ATOD Use	31	37	29	23	28	29
	Early Initiation of Drug Use	33	31	23	24	23	22
Average Prevalence Rate		41	40	36	32	36	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Sumter County, 2010 to 2020

Domain	Scale	Sumter County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	57	51	63	58	52
	Family Rewards for Prosocial Involvement	51	56	54	55	57	49
School	School Opportunities for Prosocial Involvement	60	62	67	65	62	69
	School Rewards for Prosocial Involvement	67	66	66	70	58	65
Peer and Individual	Religiosity	67	65	61	62	57	57
Average Prevalence Rate		60	61	60	63	58	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Sumter County, 2010 to 2020

Domain	Scale	Sumter County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	37	36	34	33	34	37
	Perceived Availability of Drugs	31	31	32	24	22	20
	Perceived Availability of Handguns	47	43	48	46	42	38
Family	Poor Family Management	45	41	40	32	36	45
	Family Conflict	32	32	35	29	28	27
School	Poor Academic Performance	46	43	44	35	38	45
	Lack of Commitment to School	52	50	50	57	63	65
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	40	37	30	36	32
	Favorable Attitudes toward ATOD Use	38	39	38	33	33	32
	Early Initiation of Drug Use	33	37	31	23	22	19
Average Prevalence Rate		40	39	39	34	35	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.