

2020 Florida Youth Substance Abuse Survey

Suwannee County Data Tables

Table 1. Major demographic characteristics of surveyed Suwannee County and Florida Statewide youth, 2020

	Suwannee County			Florida Statewide	
	N	%		N	%
Sex					
Female	309	45.3		25,191	48.4
Male	373	54.7		26,328	50.5
Race/Ethnic group					
African American	68	10.0		11,284	21.7
American Indian	29	4.3		491	0.9
Asian	5	0.7		671	1.3
Hispanic/Latino	87	12.8		11,091	21.3
Native Hawaiian/Pacific Islander	1	0.1		68	0.1
Other/Multiple	143	21.0		7,227	13.9
White, non-Hispanic	342	50.1		20,904	40.1
Age					
10	3	0.4		44	0.1
11	40	5.9		3,151	6.0
12	104	15.2		7,124	13.7
13	142	20.8		7,698	14.8
14	134	19.6		7,616	14.6
15	117	17.2		7,582	14.6
16	82	12.0		7,502	14.4
17	40	5.9		7,073	13.6
18	18	2.6		3,807	7.3
19 or older	2	0.3		394	0.8
Grade					
6th	115	16.9		7,718	14.8
7th	144	21.1		7,555	14.5
8th	142	20.8		7,632	14.6
9th	118	17.3		7,668	14.7
10th	86	12.6		7,481	14.4
11th	46	6.7		7,117	13.7
12th	31	4.5		6,923	13.3
Overall Middle School	401	58.8		22,904	44.0
Overall High School	281	41.2		29,189	56.0
Total	682	100.0		52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Suwannee County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	30.3	49.9	39.9	41.5	31.5	48.8	40.7	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	16.0	14.6	17.3	--	17.0	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	15.6	17.4	13.7	19.2	14.0	19.6	16.6	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	25.4	41.2	32.7	34.9	25.0	42.3	33.8	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	9.1	14.8	13.6	10.8	8.6	18.0	12.1	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	12.7	28.2	18.3	23.3	13.7	28.3	20.9	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	2.3	2.8	2.0	--	3.0	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	8.5	6.5	7.2	7.7	8.2	7.4	7.4	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.3	2.1	1.5	2.0	1.0	2.4	1.7	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.6	1.2	1.3	1.5	0.8	2.3	1.4	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.7	1.3	0.3	1.7	0.4	1.5	1.0	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.9	1.3	0.8	1.4	0.2	2.1	1.1	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.4	0.4	0.7	0.1	0.4	0.5	0.4	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	3.5	4.7	5.6	2.7	2.6	6.1	4.1	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	5.2	3.4	5.0	3.5	4.5	3.7	4.2	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.2	2.3	2.9	1.7	2.0	2.6	2.3	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	4.3	3.9	3.8	4.3	3.9	4.6	4.1	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	1.3	0.0	2.4	--	1.3	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	23.1	36.4	30.0	30.2	23.7	37.7	30.1	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	13.8	15.1	15.0	14.0	13.4	16.9	14.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	14.4	20.6	18.0	17.5	14.4	19.9	17.7	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	37.0	56.8	47.5	47.4	37.6	57.2	47.4	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	7.3	7.1	8.1	6.4	6.7	8.9	7.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Suwannee County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Alcohol	12.6	20.7	13.9	19.7	12.9	22.1	16.9	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	7.0	12.9	5.9	13.9	7.5	13.1	10.1	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.0	3.4	1.8	3.6	1.7	3.5	2.8	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	8.4	24.8	16.6	17.8	8.6	26.6	17.2	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	2.2	8.8	5.9	5.6	1.8	11.2	5.8	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	6.8	12.5	7.3	12.1	6.5	13.5	9.8	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.0	0.0	2.0	--	1.3	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	3.4	1.7	2.6	2.5	3.0	2.0	2.5	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	1.1	0.0	1.3	0.1	1.3	0.7	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.6	0.3	0.5	0.5	0.6	0.4	0.5	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.1	1.3	0.0	1.4	0.1	1.3	0.8	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	1.3	0.0	1.3	0.0	1.3	0.7	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	1.5	0.9	1.2	1.2	0.9	1.3	1.2	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	2.5	1.3	2.6	1.1	2.3	1.3	1.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.6	1.4	1.8	0.3	0.5	1.4	1.0	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.2	1.3	1.0	0.6	0.2	1.2	0.8	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	11.3	17.7	15.1	14.3	10.3	20.1	14.7	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	5.6	5.1	7.0	3.8	5.0	6.2	5.4	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	8.1	12.9	7.2	13.8	8.1	13.5	10.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	19.2	30.6	22.0	28.1	18.1	33.6	25.2	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	6.6	10.0	8.2	8.6	5.3	11.7	8.4	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Suwannee County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	44.1	66.1	56.1	37.3	68.6	53.8	30.3	62.3	47.3	26.1	58.1	44.7	23.1	50.0	38.3	30.3	49.9	40.7
Blacking Out	--	--	--	--	--	--	--	20.8	--	--	19.2	--	--	14.2	--	--	16.0	--
Cigarettes	26.0	43.0	35.2	19.7	42.7	31.8	21.7	34.1	28.3	11.6	36.4	25.8	12.3	27.5	20.7	15.6	17.4	16.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	25.4	41.2	33.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.1	14.8	12.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	12.2	41.6	28.9	16.3	41.0	30.1	--	--	--
Marijuana or Hashish	14.1	33.7	24.8	11.4	36.3	24.7	12.5	32.2	23.1	5.3	32.2	20.9	7.9	25.6	17.8	12.7	28.2	20.9
Synthetic Marijuana	--	--	--	--	21.6	--	--	12.5	--	--	7.9	--	--	2.2	--	--	2.3	--
Inhalants	11.3	7.6	9.3	9.4	9.2	9.3	7.7	5.7	6.6	6.4	4.2	5.1	8.0	4.6	6.1	8.5	6.5	7.4
Club Drugs	2.7	4.1	3.5	2.7	5.7	4.3	1.2	3.4	2.4	0.9	2.6	1.9	0.0	1.3	0.7	1.3	2.1	1.7
LSD, PCP or Mushrooms	4.2	5.5	4.9	5.0	5.9	5.5	1.5	4.8	3.3	0.8	5.1	3.3	1.5	2.5	2.0	1.6	1.2	1.4
Methamphetamine	0.7	0.9	0.8	1.9	1.4	1.7	1.0	0.8	0.9	0.6	1.5	1.1	0.0	0.7	0.4	0.7	1.3	1.0
Cocaine or Crack	1.1	3.4	2.3	1.3	5.0	3.3	0.8	1.5	1.1	1.1	2.4	1.8	1.4	1.4	1.4	0.9	1.3	1.1
Heroin	0.4	0.5	0.5	2.1	1.8	1.9	1.2	0.4	0.8	0.7	1.9	1.4	0.2	0.6	0.4	0.4	0.4	0.4
Prescription Depressants	4.2	6.2	5.3	4.1	7.0	5.7	2.7	5.7	4.3	2.6	6.9	5.1	2.4	3.8	3.2	3.5	4.7	4.1
Prescription Pain Relievers	7.4	12.5	10.2	5.2	12.7	9.2	3.7	7.6	5.8	3.1	7.3	5.5	2.8	3.5	3.2	5.2	3.4	4.2
Prescription Amphetamines	2.1	6.2	4.3	3.2	5.9	4.6	1.2	3.0	2.1	0.7	5.2	3.3	1.6	1.6	1.6	2.2	2.3	2.3
Over-the-Counter Drugs	4.1	10.3	7.5	4.0	7.8	6.0	6.6	7.1	6.9	2.5	4.2	3.5	4.3	4.3	4.3	4.3	3.9	4.1
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.2	--	--	0.3	--	--	1.3	--
Any illicit drug	24.8	40.9	33.5	20.0	43.7	32.5	20.7	41.3	31.7	13.3	36.9	26.9	17.0	30.6	24.5	23.1	36.4	30.1
Any illicit drug other than marijuana	19.1	24.9	22.2	15.9	23.5	19.9	14.6	18.6	16.7	11.6	17.5	15.0	13.0	13.5	13.3	13.8	15.1	14.5
Alcohol only	24.8	28.8	27.0	21.4	28.5	25.1	16.1	26.5	21.7	16.8	26.6	22.5	12.9	25.4	20.0	14.4	20.6	17.7
Alcohol or any illicit drug	49.0	69.6	60.2	40.9	72.0	57.2	36.3	68.0	53.1	29.0	63.5	48.7	29.5	56.0	44.2	37.0	56.8	47.4
Any illicit drug, but no alcohol	5.2	3.7	4.4	3.6	3.3	3.4	6.2	5.7	5.9	3.6	5.4	4.7	6.8	6.1	6.4	7.3	7.1	7.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Suwannee County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	20.8	36.6	29.4	19.2	37.1	28.6	16.9	28.7	23.1	9.7	29.7	21.3	8.8	23.6	17.1	12.6	20.7	16.9
Binge Drinking	11.1	20.0	15.9	8.3	20.5	14.7	5.7	13.7	10.0	2.5	16.3	10.5	4.6	11.3	8.4	7.0	12.9	10.1
Cigarettes	8.2	16.8	12.9	7.0	17.3	12.4	4.3	10.2	7.4	1.9	12.9	8.2	2.2	8.2	5.5	2.0	3.4	2.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.4	24.8	17.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.2	8.8	5.8
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	4.7	15.2	10.6	5.9	16.9	12.0	--	--	--
Marijuana or Hashish	9.5	18.0	14.2	7.2	18.4	13.2	6.7	13.3	10.3	2.7	17.9	11.5	3.8	12.8	8.9	6.8	12.5	9.8
Synthetic Marijuana	--	--	--	--	10.5	--	--	2.3	--	--	2.0	--	--	0.2	--	--	1.0	--
Inhalants	4.4	1.7	2.9	3.1	3.5	3.3	2.3	1.7	2.0	3.9	1.3	2.4	1.4	1.7	1.6	3.4	1.7	2.5
Club Drugs	0.0	0.5	0.3	0.4	2.4	1.5	0.6	1.8	1.3	0.2	0.1	0.2	0.0	0.2	0.1	0.1	1.1	0.7
LSD, PCP or Mushrooms	2.0	0.6	1.2	1.2	1.9	1.6	0.8	2.3	1.6	0.9	1.7	1.4	0.0	0.4	0.2	0.6	0.3	0.5
Methamphetamine	0.7	0.5	0.6	1.7	0.9	1.3	0.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.3	0.8
Cocaine or Crack	0.5	1.0	0.8	0.2	1.6	1.0	0.4	1.1	0.8	0.2	0.4	0.3	0.7	0.3	0.5	0.0	1.3	0.7
Heroin	0.0	0.0	0.0	0.5	0.6	0.6	0.6	0.0	0.3	0.2	0.0	0.1	0.2	0.3	0.2	0.2	0.1	0.2
Prescription Depressants	1.2	2.2	1.7	2.1	1.6	1.8	0.7	1.1	0.9	0.9	1.5	1.2	0.5	1.0	0.8	1.5	0.9	1.2
Prescription Pain Relievers	3.4	5.0	4.3	2.3	2.8	2.6	1.5	3.6	2.6	2.0	2.7	2.4	0.6	1.0	0.8	2.5	1.3	1.8
Prescription Amphetamines	0.5	0.8	0.7	0.6	1.6	1.1	0.3	0.9	0.7	0.0	1.2	0.7	0.4	0.2	0.3	0.6	1.4	1.0
Over-the-Counter Drugs	1.8	3.3	2.6	2.4	2.8	2.6	3.1	3.7	3.4	1.1	2.2	1.8	2.8	1.6	2.2	0.2	1.3	0.8
Any illicit drug	13.9	22.1	18.4	10.1	25.6	18.3	11.4	18.6	15.3	8.2	21.5	15.9	7.7	15.0	11.8	11.3	17.7	14.7
Any illicit drug other than marijuana	8.3	10.8	9.7	7.1	12.2	9.8	7.1	8.9	8.1	7.6	7.8	7.7	5.5	5.4	5.4	5.6	5.1	5.4
Alcohol only	12.8	20.4	17.0	13.1	19.3	16.4	11.1	18.7	15.2	5.9	15.4	11.5	5.9	13.5	10.2	8.1	12.9	10.6
Alcohol or any illicit drug	26.3	41.6	34.6	22.2	44.5	33.9	22.1	36.9	29.9	13.5	36.6	26.7	12.9	27.8	21.2	19.2	30.6	25.2
Any illicit drug, but no alcohol	6.1	5.3	5.7	3.6	7.6	5.7	5.7	8.5	7.2	3.9	6.8	5.6	4.2	4.3	4.3	6.6	10.0	8.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Suwannee County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Suwannee County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	19.6	16.9	21.9	--	19.2	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	3.3	4.5	2.2	--	3.5	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	10.0	6.8	12.9	--	9.9	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	7.7	7.7	7.6	--	7.4	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	39.3	37.4	40.3	36.4	37.2	37.4	38.3	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	47.8	46.4	54.2	40.6	46.8	45.4	47.1	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	59.2	63.4	59.8	62.9	60.0	60.9	61.4	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	41.5	39.0	41.5	39.0	41.2	36.2	40.2	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	45.4	36.8	41.0	40.9	44.1	34.6	40.9	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	41.8	25.1	34.1	32.1	40.6	24.4	33.1	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	30.6	18.2	24.1	24.0	29.2	16.5	24.1	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	64.7	68.9	66.8	67.1	64.2	69.5	66.9	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	91.7	88.4	90.1	89.8	92.5	87.9	89.9	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	82.5	63.1	72.1	72.4	83.0	64.3	72.3	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	86.7	62.2	71.3	75.9	85.5	63.4	73.7	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	85.4	70.7	76.2	78.9	84.6	70.4	77.6	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	89.1	74.1	79.9	82.5	88.6	73.9	81.3	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	98.2	95.4	97.6	95.9	97.9	95.8	96.7	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	84.1	76.7	83.6	77.1	83.7	76.6	80.2	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	87.3	83.2	86.0	84.4	88.2	80.7	85.2	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	83.0	66.6	74.9	73.9	83.0	66.2	74.4	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	76.1	63.6	69.9	69.1	76.3	62.7	69.5	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	84.6	73.1	79.1	78.1	84.3	71.3	78.6	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.3	93.6	93.6	93.3	92.6	93.6	93.5	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Suwannee County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Early ATOD use</i>																		
Try alcohol	--	29.7	--	--	27.9	--	--	24.4	--	--	20.3	--	--	20.6	--	--	19.6	--
Drink monthly	--	7.1	--	--	4.4	--	--	2.3	--	--	5.6	--	--	2.8	--	--	3.3	--
Smoke cigarettes	--	27.9	--	--	22.6	--	--	18.9	--	--	18.6	--	--	11.2	--	--	10.0	--
Smoke marijuana	--	15.6	--	--	12.7	--	--	10.6	--	--	12.2	--	--	10.5	--	--	7.7	--
<i>Great risk of harm</i>																		
Daily alcohol use	36.1	35.6	35.9	37.8	31.8	34.6	39.9	38.8	39.3	42.3	32.5	36.7	41.3	37.1	39.0	39.3	37.4	38.3
5+ drinks daily	--	--	--	--	--	--	52.2	50.7	51.4	53.0	50.1	51.3	54.6	47.7	50.8	47.8	46.4	47.1
Daily cigarette use	60.1	63.9	62.2	62.4	63.7	63.1	64.4	68.8	66.7	68.3	68.7	68.5	64.9	62.2	63.4	59.2	63.4	61.4
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	41.5	39.0	40.2
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	45.4	36.8	40.9
Marijuana weekly*	--	--	--	--	--	--	47.3	29.1	37.7	53.0	29.4	39.4	49.2	23.8	35.0	41.8	25.1	33.1
Try marijuana	43.4	21.3	31.4	35.3	18.9	26.7	36.0	17.7	26.3	36.5	17.8	25.8	30.9	16.7	23.0	30.6	18.2	24.1
Prescription drugs	--	--	--	--	68.3	68.3	69.7	74.9	72.5	68.6	72.0	70.6	67.3	65.4	66.2	64.7	68.9	66.9
<i>Think it wrong</i>																		
Smoke cigarettes	87.7	66.4	76.1	87.0	69.5	77.8	92.5	80.2	86.1	94.6	79.7	86.1	93.8	85.8	89.3	91.7	88.4	89.9
Drink regularly	72.5	52.9	61.8	79.9	49.8	64.2	83.1	58.8	70.4	85.2	57.0	69.0	82.9	60.9	70.6	82.5	63.1	72.3
Smoke marijuana	85.2	67.4	75.5	85.9	66.7	75.8	87.2	67.2	76.8	92.4	63.9	76.0	87.7	67.3	76.3	86.7	62.2	73.7
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85.4	70.7	77.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.1	74.1	81.3
Other illicit drugs	96.7	93.2	94.8	95.2	89.7	92.3	98.6	94.0	96.2	97.8	93.2	95.2	97.4	97.2	97.3	98.2	95.4	96.7
<i>Friends think it wrong</i>																		
Daily alcohol use	--	--	--	--	--	--	84.5	70.9	77.5	86.4	69.8	76.9	86.1	73.3	79.0	84.1	76.7	80.2
Smoke tobacco	--	--	--	--	--	--	89.6	75.8	82.4	92.2	75.6	82.8	91.9	78.0	84.2	87.3	83.2	85.2
Smoke marijuana	--	--	--	--	--	--	84.2	62.1	72.7	88.8	63.5	74.3	87.4	65.4	75.2	83.0	66.6	74.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	76.1	63.6	69.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.6	73.1	78.6
Prescription drugs	--	--	--	--	--	--	95.2	93.3	94.2	95.1	90.1	92.3	93.9	93.3	93.6	93.3	93.6	93.5

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Suwannee County and Florida Statewide youth, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	9.8	3.3	14.6	--	5.6	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	9.7	0.0	16.8	--	4.3	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	15.9	13.4	17.7	--	20.5	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	36.9	55.3	23.4	--	37.2	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	1.6	0.0	2.7	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	17.6	24.7	12.3	--	21.3	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	8.6	3.2	12.5	--	11.1	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Suwannee County and Florida Statewide youth, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	42.6	43.9	41.8	--	39.7	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	30.9	30.2	31.4	--	33.5	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	8.6	3.2	11.9	--	6.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	2.4	0.0	3.9	--	1.2	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	15.4	22.7	10.9	--	19.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Suwannee County and Florida Statewide youth, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	17.5	24.5	12.9	--	18.2	--	--	31.9	34.7	28.6	--	32.9	--
2	--	10.2	17.0	5.8	--	9.2	--	--	21.8	24.0	19.2	--	21.1	--
3	--	24.2	35.4	17.0	--	23.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	20.8	15.4	24.3	--	19.3	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	27.3	7.7	40.0	--	30.3	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Suwannee County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	7.0	7.9	7.7	7.3	6.0	10.1	7.5	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	4.1	10.3	6.4	8.4	3.5	11.3	7.4	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.3	2.7	1.3	3.7	2.3	2.6	2.5	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Suwannee County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.5	9.3	4.1	13.6	8.7	9.2	8.9	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	0.8	2.4	1.1	2.2	0.6	2.3	1.7	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.9	0.9	1.4	0.4	0.5	1.4	0.9	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	2.3	1.7	2.2	1.7	2.3	1.6	2.0	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.2	0.5	0.6	0.2	0.1	0.7	0.4	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	16.8	8.6	10.4	14.5	15.5	10.2	12.4	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.7	6.0	4.6	9.0	7.6	5.8	6.8	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Suwannee County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	8.8	8.1	8.4	6.3	5.3	5.7	8.3	6.4	7.3	8.5	10.2	9.5	13.6	10.5	11.9	8.5	9.3	8.9
Selling drugs	3.6	7.2	5.5	2.8	9.6	6.4	3.3	6.6	5.1	0.7	4.7	3.0	0.7	2.4	1.6	0.8	2.4	1.7
Attempting to steal a vehicle	3.2	3.3	3.2	1.4	1.1	1.2	1.7	0.2	0.9	1.3	1.9	1.6	1.5	0.6	1.0	0.9	0.9	0.9
Being arrested	4.0	3.1	3.5	2.2	1.2	1.7	2.4	1.8	2.1	2.0	2.3	2.2	0.9	1.4	1.1	2.3	1.7	2.0
Taking a handgun to school	1.5	2.7	2.1	0.0	0.5	0.3	0.8	0.5	0.7	0.8	1.2	1.0	0.3	0.2	0.3	0.2	0.5	0.4
Getting suspended	21.8	13.8	17.5	14.6	13.6	14.1	11.3	6.1	8.5	10.2	10.2	10.2	7.6	7.2	7.4	16.8	8.6	12.4
Attacking someone with intent to harm	12.8	9.8	11.2	8.7	5.9	7.2	6.4	4.2	5.2	6.4	6.9	6.7	4.7	3.4	4.0	7.7	6.0	6.8

Table 14. Percentages of Suwannee County and Florida Statewide youth who reported symptoms of depression, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	24.8	30.3	35.1	20.8	25.2	28.9	27.7	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	36.2	43.8	51.3	30.0	37.0	40.1	40.1	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	25.5	34.5	36.8	24.2	25.5	32.5	30.2	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	39.9	42.9	53.2	30.7	40.9	43.6	41.5	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Suwannee County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.4	8.4	10.1	7.8	9.6	7.8	8.9	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	40.2	28.6	27.4	40.2	39.7	29.8	34.0	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	65.9	48.2	54.5	58.3	65.0	50.7	56.5	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	27.3	28.1	33.2	22.6	25.8	30.9	27.7	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	15.4	13.7	8.0	20.5	14.9	14.2	14.5	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	36.7	24.3	25.5	34.3	35.1	27.1	30.1	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	9.8	15.2	13.7	11.7	10.7	14.6	12.7	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Suwannee County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	14.4	13.4	15.3	--	15.4	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	7.4	6.4	8.4	--	8.3	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	7.0	11.6	2.8	--	8.8	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	45.3	48.0	42.8	--	43.3	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	7.5	9.8	5.5	--	8.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	28.1	26.4	29.6	--	28.8	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	24.6	28.6	21.0	--	24.4	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	30.0	29.9	30.0	--	28.4	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	28.4	29.1	27.8	--	27.3	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	6.3	5.4	7.0	--	6.0	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Suwannee County and Florida Statewide high school youth, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	28.0	26.2	29.8	--	30.6	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	25.3	28.6	22.3	--	22.9	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	15.4	15.3	15.6	--	15.1	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	9.1	7.6	10.4	--	9.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	8.2	4.5	11.6	--	7.5	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	6.6	8.7	4.7	--	6.3	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	4.8	5.3	4.4	--	5.4	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	0.8	0.9	0.8	--	0.7	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	0.9	1.3	0.5	--	1.1	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.6	1.2	0.0	--	0.7	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.2	0.5	0.0	--	0.3	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Suwannee County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	27.6	20.9	21.5	26.4	26.9	23.4	24.0	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	24.2	19.9	22.3	21.5	22.5	20.5	21.9	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	25.9	26.6	26.8	25.7	26.1	27.8	26.3	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	28.9	24.2	25.7	27.0	28.0	27.0	26.4	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	36.2	33.8	36.8	33.1	35.8	32.0	34.9	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	45.7	44.4	50.3	40.0	44.0	49.1	45.0	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Suwannee County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Suwannee County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	44.1	46.8	42.4	48.4	43.9	47.2	45.5	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	37.0	22.1	29.7	28.6	34.9	25.2	29.1	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	8.2	8.6	9.2	7.7	8.5	9.5	8.4	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	24.1	29.5	32.5	21.8	25.2	28.2	26.9	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	6.1	11.2	12.1	5.7	6.0	11.7	8.8	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Suwannee County and Florida Statewide youth, 2020

	Suwannee County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	24.2	24.3	24.1	--	24.7	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	22.8	21.4	24.0	--	22.5	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	8.4	5.3	11.0	--	9.6	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	11.3	7.7	14.6	--	12.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Suwannee County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	26.2	--	--	19.7	--	--	24.5	--	--	19.0	--	--	24.2	--
Marijuana	--	--	--	--	26.3	--	--	17.9	--	--	21.3	--	--	19.8	--	--	22.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	11.7	--	--	8.7	--	--	9.6	--	--	6.3	--	--	8.4	--
Marijuana	--	--	--	--	12.4	--	--	8.1	--	--	10.8	--	--	9.3	--	--	11.3	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Suwannee County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Suwannee County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	48	66	57	57	59	54
	Family Rewards for Prosocial Involvement	41	57	50	53	54	55
School	School Opportunities for Prosocial Involvement	53	56	51	60	57	60
	School Rewards for Prosocial Involvement	39	55	44	54	53	58
Peer and Individual	Religiosity	50	59	42	52	56	62
Average Prevalence Rate		46	59	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Suwannee County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Suwannee County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	46	34	41	32	42	42
	Perceived Availability of Drugs	33	15	34	20	45	45
	Perceived Availability of Handguns	27	36	23	31	25	42
Family	Poor Family Management	47	33	43	35	44	45
	Family Conflict	43	32	42	34	42	37
School	Poor Academic Performance	51	52	46	46	45	48
	Lack of Commitment to School	69	60	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	45	36	49	38	40	46
	Favorable Attitudes toward ATOD Use	38	38	35	32	39	45
	Early Initiation of Drug Use	30	21	24	17	41	46
Average Prevalence Rate		43	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Suwannee County, 2010 to 2020

Domain		Suwannee County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	53	56	62	66	60	48
	Family Rewards for Prosocial Involvement	45	52	51	62	54	41
School	School Opportunities for Prosocial Involvement	54	53	56	59	50	53
	School Rewards for Prosocial Involvement	39	51	57	58	42	39
Peer and Individual	Religiosity	52	52	64	60	58	50
Average Prevalence Rate		49	53	58	61	53	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Suwannee County, 2010 to 2020

Domain		Suwannee County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	54	48	47	40	44	46
	Perceived Availability of Drugs	49	46	37	34	34	33
	Perceived Availability of Handguns	36	35	36	36	42	27
Family	Poor Family Management	48	43	41	37	38	47
	Family Conflict	38	36	34	30	32	43
School	Poor Academic Performance	44	49	46	41	45	51
	Lack of Commitment to School	57	46	52	49	57	69
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	49	40	41	39	44	45
	Favorable Attitudes toward ATOD Use	50	41	40	37	44	38
	Early Initiation of Drug Use	46	34	33	27	30	30
Average Prevalence Rate		47	42	41	37	41	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Suwannee County, 2010 to 2020

Domain		Suwannee County					
Scale		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	55	57	59	59	65	66
	Family Rewards for Prosocial Involvement	53	52	58	54	56	57
School	School Opportunities for Prosocial Involvement	58	60	59	57	61	56
	School Rewards for Prosocial Involvement	60	57	59	58	59	55
Peer and Individual	Religiosity	67	60	72	66	63	59
Average Prevalence Rate		59	57	61	59	61	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Suwannee County, 2010 to 2020

Domain		Suwannee County					
Scale		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	46	46	37	39	34	34
	Perceived Availability of Drugs	37	35	30	30	20	15
	Perceived Availability of Handguns	49	51	48	52	45	36
Family	Poor Family Management	46	43	33	34	32	33
	Family Conflict	34	32	31	30	22	32
School	Poor Academic Performance	51	48	35	42	46	52
	Lack of Commitment to School	53	47	41	56	50	60
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	35	32	36	31	36
	Favorable Attitudes toward ATOD Use	43	47	39	43	36	38
	Early Initiation of Drug Use	41	34	30	29	22	21
Average Prevalence Rate		44	42	36	39	34	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.