

2018 Florida Youth Substance Abuse Survey

Okeechobee Data Tables

Table 1. Major demographic characteristics of surveyed Okeechobee and Florida Statewide, 2018

	Okeechobee		Florida Statewide	
	N	%	N	%
Sex				
Female	488	51.2	26,340	48.2
Male	445	46.6	27,468	50.3
Race/Ethnic group				
African American	63	6.6	12,088	22.1
American Indian	32	3.4	555	1.0
Asian	11	1.2	659	1.2
Hispanic/Latino	305	32.0	11,242	20.6
Native Hawaiian/Pacific Islander	0	0.0	79	0.1
Other/Multiple	190	19.9	6,899	12.6
White, non-Hispanic	339	35.5	22,618	41.4
Age				
10	0	0.0	50	0.1
11	66	6.9	3,339	6.1
12	148	15.5	7,363	13.5
13	158	16.6	7,738	14.2
14	154	16.1	7,864	14.4
15	137	14.4	7,982	14.6
16	146	15.3	7,926	14.5
17	85	8.9	7,725	14.1
18	46	4.8	3,990	7.3
19 or older	11	1.2	495	0.9
Grade				
6th	186	19.5	8,050	14.7
7th	159	16.7	7,706	14.1
8th	156	16.4	7,715	14.1
9th	141	14.8	8,024	14.7
10th	142	14.9	7,925	14.5
11th	96	10.1	7,775	14.2
12th	74	7.8	7,417	13.6
Overall Middle School	501	52.5	23,470	43.0
Overall High School	453	47.5	31,141	57.0
Total	954	100.0	54,611	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Okeechobee and Florida Statewide youth who reported having used various drugs in their lifetimes, 2018

	Okeechobee							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	28.2	50.7	42.4	40.4	28.7	51.8	40.9	20.8	48.0	38.9	34.1	22.9	48.1	36.5
Blacking Out	--	20.6	25.0	17.3	--	22.8	--	--	14.2	15.0	13.5	--	14.0	--
Cigarettes	13.3	22.0	16.8	20.1	12.3	24.0	18.2	6.7	14.7	11.1	11.4	6.7	14.7	11.3
Vaporizer / E-Cigarette	21.7	38.2	32.8	29.8	21.1	41.2	30.9	15.1	36.0	26.5	27.6	16.7	36.4	27.1
Marijuana or Hashish	13.5	36.6	27.4	26.4	14.6	35.8	26.5	7.6	29.7	21.0	19.4	8.7	29.8	20.2
Synthetic Marijuana	--	5.0	4.7	5.4	--	4.6	--	--	3.5	3.7	3.3	--	3.5	--
Inhalants	6.2	3.2	5.0	4.3	5.9	4.0	4.5	7.8	4.3	6.7	4.9	7.6	4.3	5.8
Flakka	--	1.6	1.6	1.7	--	2.3	--	--	0.8	0.7	0.8	--	0.7	--
Club Drugs	0.3	3.1	1.4	2.5	0.3	3.4	1.9	0.7	1.8	1.2	1.4	0.7	1.7	1.3
LSD, PCP or Mushrooms	2.6	5.1	2.9	5.2	2.2	6.4	4.0	1.0	4.0	2.3	3.1	1.1	3.9	2.7
Methamphetamine	0.8	2.9	1.5	2.5	0.4	3.2	2.0	0.7	0.7	0.6	0.8	0.7	0.6	0.7
Cocaine or Crack Cocaine	1.5	6.1	4.3	4.1	0.6	6.6	4.1	0.8	1.9	1.3	1.6	0.8	1.7	1.4
Heroin	0.7	1.4	1.1	1.0	0.3	2.2	1.1	0.4	0.3	0.3	0.4	0.4	0.3	0.4
Prescription Depressants	3.3	9.7	6.9	7.0	3.2	11.3	6.9	2.3	5.9	4.4	4.3	2.5	5.9	4.4
Prescription Pain Relievers	3.8	6.3	5.8	4.8	3.2	7.9	5.2	2.6	5.0	4.4	3.6	2.8	4.9	4.0
Prescription Amphetamines	1.6	3.3	3.9	1.4	1.8	3.5	2.5	1.2	3.6	2.6	2.6	1.4	3.4	2.6
Steroids (without a doctor's order)	0.5	1.3	0.4	1.5	0.9	1.1	0.9	0.7	0.4	0.5	0.6	0.7	0.4	0.5
Over-the-Counter Drugs	3.6	7.5	5.9	5.9	3.3	8.6	5.8	3.2	4.9	4.3	4.1	3.4	4.9	4.2
Needle to Inject Illegal Drugs	--	2.5	3.2	1.9	--	2.8	--	--	0.6	0.5	0.8	--	0.6	--
Any illicit drug	21.7	39.7	32.8	31.7	22.4	39.1	31.8	16.5	34.8	28.7	25.2	17.4	34.9	26.9
Any illicit drug other than marijuana	13.3	20.5	18.2	17.1	13.6	21.9	17.4	12.6	16.2	15.5	13.7	12.8	16.2	14.6
Alcohol only	12.1	16.1	15.3	13.9	12.8	16.7	14.4	11.3	19.8	16.8	15.6	12.4	19.7	16.2
Alcohol or any illicit drug	33.2	55.7	47.5	45.2	34.7	55.6	45.7	27.5	54.4	45.2	40.5	29.5	54.5	42.9
Any illicit drug, but no alcohol	6.0	5.1	5.4	5.8	6.8	4.2	5.5	6.9	6.6	6.7	6.7	6.9	6.7	6.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Okeechobee and Florida Statewide youth who reported having used various drugs in the past 30 days, 2018

	Okeechobee							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.3	24.8	18.5	18.0	10.1	25.9	18.0	7.3	21.2	16.8	13.8	8.1	20.9	15.3
Binge Drinking	8.0	14.1	10.7	12.3	7.6	16.3	11.4	3.1	9.6	6.7	6.9	3.2	9.4	6.8
Cigarettes	2.5	6.0	2.8	6.1	2.2	5.7	4.5	1.2	3.5	2.6	2.4	1.2	3.3	2.5
Vaporizer / E-Cigarette	9.1	16.5	12.5	14.1	9.0	17.2	13.2	6.4	19.2	13.5	14.0	7.5	19.1	13.7
Marijuana or Hashish	7.8	19.4	14.9	13.9	8.4	18.2	14.4	3.7	16.3	11.0	10.7	4.2	16.2	10.9
Synthetic Marijuana	--	2.1	1.7	2.6	--	2.7	--	--	1.1	1.1	1.1	--	1.1	--
Inhalants	2.1	1.0	1.1	1.8	1.8	1.5	1.5	2.8	1.1	2.1	1.6	2.6	1.1	1.8
Flakka	--	0.9	0.8	1.0	--	1.2	--	--	0.4	0.3	0.4	--	0.3	--
Club Drugs	0.0	1.0	0.2	1.0	0.0	1.4	0.6	0.2	0.5	0.3	0.5	0.2	0.5	0.4
LSD, PCP or Mushrooms	1.2	2.0	1.3	2.0	0.8	3.0	1.7	0.4	1.1	0.7	0.9	0.4	1.2	0.8
Methamphetamine	0.7	1.7	0.9	1.8	0.2	2.1	1.3	0.4	0.4	0.3	0.5	0.4	0.4	0.4
Cocaine or Crack Cocaine	1.2	1.8	1.6	1.5	0.5	2.1	1.5	0.3	0.5	0.4	0.5	0.3	0.4	0.4
Heroin	0.4	0.4	0.4	0.4	0.0	0.9	0.4	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Prescription Depressants	1.3	4.1	3.2	2.6	0.7	5.4	2.8	0.9	1.6	1.4	1.2	0.9	1.6	1.3
Prescription Pain Relievers	2.2	2.8	2.6	2.7	1.4	4.4	2.6	1.0	1.4	1.5	0.9	1.0	1.5	1.2
Prescription Amphetamines	0.8	2.1	2.6	0.6	0.7	2.8	1.6	0.5	1.0	0.8	0.7	0.5	1.0	0.8
Steroids (without a doctor's order)	0.0	0.5	0.0	0.6	0.0	0.7	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.2
Over-the-Counter Drugs	3.0	3.4	4.2	2.4	2.3	4.5	3.2	1.4	1.8	1.7	1.5	1.5	1.8	1.6
Any illicit drug	11.6	22.3	18.2	17.2	11.7	21.8	17.6	7.9	19.0	15.0	13.4	8.3	19.1	14.3
Any illicit drug other than marijuana	6.6	10.0	9.2	8.0	5.8	11.5	8.5	5.5	6.0	6.5	5.1	5.5	6.1	5.8
Alcohol only	4.1	10.4	8.0	7.7	5.3	10.6	7.7	4.3	11.1	9.0	7.4	4.8	10.9	8.2
Alcohol or any illicit drug	15.1	32.5	26.1	24.0	16.3	32.3	24.8	12.1	29.5	23.7	20.4	12.9	29.4	22.0
Any illicit drug, but no alcohol	6.5	7.7	7.6	6.7	6.9	6.3	7.2	4.9	8.6	7.2	6.9	5.1	8.8	7.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Okeechobee, 2008 to 2018

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	53.8	76.9	66.7	--	--	--	40.9	67.0	55.5	26.2	63.6	46.8	27.0	46.9	38.6	28.2	50.7	40.9
Blacking Out	--	--	--	--	--	--	--	--	--	--	26.8	--	--	18.7	--	--	20.6	--
Cigarettes	33.0	44.5	39.4	--	--	--	23.9	41.4	33.7	13.4	36.9	26.4	13.6	26.1	20.8	13.3	22.0	18.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	18.4	35.1	28.0	21.7	38.2	30.9
Marijuana or Hashish	14.5	32.0	24.3	--	--	--	12.4	33.1	24.1	9.5	34.9	23.4	12.5	27.4	21.2	13.5	36.6	26.5
Synthetic Marijuana	--	--	--	--	--	--	--	12.3	--	--	14.8	--	--	5.5	--	--	5.0	--
Inhalants	18.2	12.1	14.8	--	--	--	12.6	6.8	9.4	6.7	6.3	6.5	4.8	3.8	4.2	6.2	3.2	4.5
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	2.3	--	--	1.6	--
Club Drugs	3.1	--	--	--	--	--	2.7	4.4	3.7	1.9	4.7	3.4	0.6	1.8	1.3	0.3	3.1	1.9
LSD, PCP or Mushrooms	2.7	--	--	--	--	--	2.1	4.9	3.7	3.6	6.3	5.1	2.9	4.9	4.1	2.6	5.1	4.0
Methamphetamine	1.0	3.9	2.6	--	--	--	1.8	2.3	2.0	0.5	1.0	0.8	0.7	1.2	1.0	0.8	2.9	2.0
Cocaine or Crack	3.5	--	--	--	--	--	2.0	4.6	3.5	1.9	6.3	4.3	0.6	3.0	2.0	1.5	6.1	4.1
Heroin	0.9	1.8	1.4	--	--	--	0.6	1.5	1.1	0.0	0.9	0.5	0.2	0.9	0.6	0.7	1.4	1.1
Prescription Depressants	5.0	10.3	7.9	--	--	--	3.0	6.4	4.9	2.6	8.7	5.9	2.1	4.9	3.7	3.3	9.7	6.9
Prescription Pain Relievers	6.7	12.3	9.8	--	--	--	4.8	9.5	7.4	3.6	7.9	5.9	4.0	4.4	4.2	3.8	6.3	5.2
Prescription Amphetamines	2.2	6.5	4.6	--	--	--	2.2	5.6	4.1	1.5	2.4	2.0	1.5	2.3	2.0	1.6	3.3	2.5
Steroids (without a doctor's order)	0.5	1.0	0.8	--	--	--	1.8	1.2	1.4	0.2	0.5	0.3	0.0	0.8	0.5	0.5	1.3	0.9
Over-the-Counter Drugs	4.5	--	--	--	--	--	5.9	5.6	5.7	5.4	6.1	5.8	1.7	3.1	2.5	3.6	7.5	5.8
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	2.5	--	--	2.5	--
Any illicit drug	29.9	42.3	36.8	--	--	--	25.0	38.9	32.8	16.9	41.4	30.4	17.0	31.3	25.3	21.7	39.7	31.8
Any illicit drug other than marijuana	25.2	29.8	27.8	--	--	--	20.1	22.0	21.2	13.1	23.1	18.6	11.5	15.4	13.7	13.3	20.5	17.4
Alcohol only	27.8	36.0	32.4	--	--	--	22.3	30.5	26.9	13.2	25.5	20.0	13.3	19.7	17.0	12.1	16.1	14.4
Alcohol or any illicit drug	57.8	78.2	69.1	--	--	--	47.1	69.5	59.7	30.1	66.8	50.3	31.1	51.2	42.7	33.2	55.7	45.7
Any illicit drug, but no alcohol	4.1	1.7	2.8	--	--	--	6.3	2.7	4.3	3.9	3.4	3.6	5.0	4.3	4.6	6.0	5.1	5.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Okeechobee, 2008 to 2018

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	27.8	49.3	39.7	--	--	--	22.1	40.3	32.4	13.6	34.8	25.3	11.1	24.9	19.1	9.3	24.8	18.0
Binge Drinking	14.0	30.7	23.3	--	--	--	13.2	23.0	18.7	6.4	19.9	13.9	6.2	13.7	10.5	8.0	14.1	11.4
Cigarettes	7.3	18.4	13.5	--	--	--	4.5	17.1	11.6	2.6	11.2	7.3	1.5	9.9	6.3	2.5	6.0	4.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	--	--	--	7.9	16.0	12.6	9.1	16.5	13.2
Marijuana or Hashish	6.6	15.4	11.5	--	--	--	5.1	17.9	12.3	6.7	16.1	11.9	5.1	16.0	11.5	7.8	19.4	14.4
Synthetic Marijuana	--	--	--	--	--	--	--	5.3	--	--	1.7	--	--	2.1	--	--	2.1	--
Inhalants	6.8	0.3	3.2	--	--	--	4.5	1.8	3.0	3.5	1.3	2.3	2.2	2.4	2.3	2.1	1.0	1.5
Flakka	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9	--	--	0.9	--
Club Drugs	0.7	--	--	--	--	--	0.9	1.9	1.5	0.9	0.5	0.7	0.2	0.4	0.3	0.0	1.0	0.6
LSD, PCP or Mushrooms	0.5	--	--	--	--	--	0.9	1.5	1.2	1.1	1.0	1.1	1.3	1.0	1.1	1.2	2.0	1.7
Methamphetamine	0.5	0.9	0.7	--	--	--	0.8	0.7	0.7	0.4	0.0	0.2	0.0	0.7	0.4	0.7	1.7	1.3
Cocaine or Crack	1.7	--	--	--	--	--	0.9	1.8	1.4	0.7	1.7	1.2	0.2	1.0	0.6	1.2	1.8	1.5
Heroin	0.0	0.0	0.0	--	--	--	0.0	0.9	0.5	0.0	0.3	0.2	0.0	0.5	0.3	0.4	0.4	0.4
Prescription Depressants	1.8	4.6	3.4	--	--	--	1.5	1.9	1.7	1.1	2.2	1.7	1.1	2.3	1.8	1.3	4.1	2.8
Prescription Pain Relievers	3.3	4.7	4.1	--	--	--	1.4	2.9	2.3	1.9	1.6	1.7	3.1	2.4	2.7	2.2	2.8	2.6
Prescription Amphetamines	0.8	0.4	0.6	--	--	--	1.0	1.4	1.2	0.9	0.4	0.6	0.8	1.3	1.1	0.8	2.1	1.6
Steroids (without a doctor's order)	0.4	0.2	0.3	--	--	--	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.6	0.3	0.0	0.5	0.3
Over-the-Counter Drugs	2.4	--	--	--	--	--	2.3	1.9	2.1	3.0	1.8	2.4	1.0	0.9	0.9	3.0	3.4	3.2
Any illicit drug	15.4	19.1	17.5	--	--	--	11.0	21.3	16.8	9.7	20.5	15.7	8.6	18.5	14.3	11.6	22.3	17.6
Any illicit drug other than marijuana	12.2	10.1	11.0	--	--	--	7.2	8.4	7.9	5.8	7.8	6.9	5.8	6.8	6.4	6.6	10.0	8.5
Alcohol only	17.1	33.2	26.0	--	--	--	14.4	24.1	19.9	7.6	20.9	15.0	5.0	12.4	9.3	4.1	10.4	7.7
Alcohol or any illicit drug	32.1	51.8	43.1	--	--	--	25.9	45.0	36.6	17.2	41.1	30.4	15.1	30.5	24.0	15.1	32.5	24.8
Any illicit drug, but no alcohol	4.7	2.8	3.7	--	--	--	3.7	4.8	4.3	3.9	6.6	5.4	4.4	5.8	5.2	6.5	7.7	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 6. Percentages of Okeechobee and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2018

	Okeechobee							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	23.2	22.4	24.5	--	23.6	--	--	17.6	17.1	18.1	--	17.1	--
Drinking at least once a month	--	5.0	3.6	6.1	--	4.6	--	--	2.5	2.4	2.5	--	2.5	--
Smoke cigarettes	--	11.1	9.0	13.0	--	11.9	--	--	7.4	6.9	7.9	--	7.6	--
Smoke marijuana	--	15.5	11.6	19.6	--	14.8	--	--	9.3	8.0	10.6	--	9.1	--
Great risk of harm														
1 or 2 drinks nearly every day	44.6	33.2	40.6	36.3	44.1	32.7	38.2	49.3	43.3	49.1	42.8	48.7	43.6	45.9
5+ drinks once or twice a week	54.9	43.2	51.1	45.6	54.7	44.5	48.2	62.1	55.0	61.3	54.9	61.9	55.3	58.0
1+ packs of cigarettes per day	60.5	62.7	64.1	59.7	62.0	63.1	61.7	66.8	67.1	67.6	66.6	67.3	67.2	67.0
Marijuana once or twice a week	43.3	21.8	30.5	31.8	41.3	22.3	31.1	49.1	23.3	35.2	33.7	47.1	23.1	34.4
Try marijuana once or twice	34.3	16.7	22.0	26.4	31.9	18.0	24.4	33.2	15.8	22.8	23.6	31.5	15.7	23.2
Use prescription drugs	67.4	65.5	68.7	64.7	67.4	66.9	66.3	68.2	67.1	69.5	65.9	68.2	67.0	67.6
Think it would be wrong to...														
Smoke cigarettes	93.9	87.7	90.2	90.6	93.6	88.2	90.4	95.6	89.8	92.6	92.1	95.6	90.8	92.3
Drink alcohol regularly	83.1	60.3	69.3	70.6	82.6	61.8	70.2	88.4	67.2	75.9	76.7	87.1	67.7	76.3
Smoke marijuana	81.9	56.0	65.4	69.1	80.1	57.6	67.4	88.5	60.9	72.9	72.8	86.7	61.1	72.8
Smoke synthetic marijuana	90.0	86.5	87.0	89.3	89.7	87.0	88.0	92.3	88.3	90.0	90.1	91.9	88.4	90.0
Use other illicit drugs	96.3	89.7	93.9	91.9	96.8	89.5	92.6	97.3	94.3	96.2	95.1	97.2	94.6	95.6
Parents think it would be wrong to...														
1 or 2 drinks nearly every day	95.9	90.0	92.5	92.4	95.0	91.0	92.6	97.6	94.2	95.7	95.5	97.3	94.4	95.6
Smoke cigarettes	98.3	94.6	97.7	94.7	98.0	95.3	96.2	98.8	97.4	98.1	97.9	98.8	97.7	98.0
Smoke marijuana	94.0	85.7	89.8	88.4	93.8	88.1	89.3	96.4	87.9	91.8	91.2	96.0	88.2	91.5
Use prescription drugs	97.3	97.0	97.5	96.8	97.5	96.9	97.1	98.1	97.1	97.3	97.8	98.0	97.1	97.5
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	88.8	70.1	79.4	77.0	86.7	71.3	78.2	90.9	81.2	87.1	83.7	90.0	81.3	85.3
Smoke tobacco	93.4	80.3	90.5	81.6	90.9	84.9	86.0	94.4	88.7	92.1	90.2	94.1	89.3	91.1
Smoke marijuana	81.3	54.2	64.4	67.2	78.4	56.3	66.0	87.0	59.1	71.5	70.6	84.7	59.3	71.0
Use prescription drugs	95.2	88.1	92.6	89.7	93.5	90.2	91.2	95.0	91.8	94.1	92.3	94.7	91.9	93.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Okeechobee, 2008 to 2018

	2008			2010			2012			2014			2016			2018		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	38.7	--	--	--	--	--	31.2	--	--	26.8	--	--	25.3	--	--	23.2	--
Drink monthly	--	10.3	--	--	--	--	--	10.2	--	--	4.9	--	--	5.9	--	--	5.0	--
Smoke cigarettes	--	32.5	--	--	--	--	--	19.4	--	--	23.0	--	--	15.9	--	--	11.1	--
Smoke marijuana	--	17.6	--	--	--	--	--	13.7	--	--	15.0	--	--	14.0	--	--	15.5	--
Great risk of harm																		
Daily alcohol use	35.9	33.8	34.7	--	--	--	38.7	31.9	34.9	39.3	26.0	31.9	38.1	36.8	37.3	44.6	33.2	38.2
5+ drinks daily	--	--	--	--	--	--	--	--	--	47.3	41.1	43.8	50.5	44.4	47.0	54.9	43.2	48.2
Daily cigarette use	64.0	65.6	64.9	--	--	--	60.7	59.6	60.0	61.5	59.9	60.6	60.7	62.4	61.7	60.5	62.7	61.7
Marijuana weekly*	--	--	--	--	--	--	--	--	--	47.4	24.4	34.6	44.5	30.8	36.6	43.3	21.8	31.1
Try marijuana	42.4	23.4	31.9	--	--	--	35.5	23.3	28.6	39.1	16.5	26.4	32.4	23.1	27.0	34.3	16.7	24.4
Prescription drugs	--	--	--	--	--	--	--	74.0	74.0	70.6	75.7	73.4	68.5	66.9	67.5	67.4	65.5	66.3
Think it wrong																		
Smoke cigarettes	84.0	60.5	70.8	--	--	--	88.7	70.9	78.6	92.0	79.7	85.1	92.8	82.4	86.8	93.9	87.7	90.4
Drink regularly	70.8	44.6	56.1	--	--	--	75.0	51.7	61.8	85.4	56.9	69.3	83.4	62.6	71.4	83.1	60.3	70.2
Smoke marijuana	87.1	74.2	79.8	--	--	--	88.6	68.5	77.2	87.8	63.9	74.3	87.4	65.2	74.6	81.9	56.0	67.4
Smoke synthetic marijuana	--	--	--	--	--	--	--	--	--	--	--	--	90.6	89.0	89.7	90.0	86.5	88.0
Use other illicit drugs	94.4	91.6	92.8	--	--	--	95.6	94.3	94.8	96.1	94.7	95.3	96.7	92.1	94.1	96.3	89.7	92.6
Parents think it wrong																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	96.2	87.8	91.6	96.1	92.1	93.8	95.9	90.0	92.6
Smoke cigarettes	94.7	86.3	90.1	--	--	--	96.4	91.3	93.5	97.5	94.3	95.8	98.8	92.7	95.3	98.3	94.6	96.2
Smoke marijuana	97.1	93.2	95.0	--	--	--	94.9	92.2	93.4	96.3	87.1	91.3	95.9	86.9	90.8	94.0	85.7	89.3
Prescription drugs	--	--	--	--	--	--	--	--	--	98.4	97.8	98.1	98.0	97.1	97.5	97.3	97.0	97.1
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	88.0	66.5	76.1	86.6	71.5	77.8	88.8	70.1	78.2
Smoke tobacco	--	--	--	--	--	--	--	--	--	92.7	75.9	83.3	93.4	79.1	85.2	93.4	80.3	86.0
Smoke marijuana	--	--	--	--	--	--	--	--	--	88.5	59.9	72.6	81.7	63.1	71.0	81.3	54.2	66.0
Prescription drugs	--	--	--	--	--	--	--	--	--	94.4	92.3	93.2	95.9	91.3	93.2	95.2	88.1	91.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Okeechobee and Florida Statewide youth, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.3	6.3	10.6	--	7.4	--	--	7.9	4.9	11.3	--	7.0	--
Bought in a restaurant, bar, or club	--	1.4	2.6	0.0	--	1.7	--	--	1.7	2.1	1.2	--	1.6	--
Bought at a public event	--	1.4	0.0	3.0	--	1.8	--	--	1.1	1.2	1.1	--	1.1	--
Someone bought it for me	--	20.5	23.9	16.6	--	24.3	--	--	15.2	15.4	15.2	--	15.1	--
Someone gave it to me	--	37.0	37.1	36.8	--	35.7	--	--	41.9	45.7	37.4	--	42.3	--
Took it from a store	--	3.6	0.0	7.6	--	2.8	--	--	0.6	0.4	0.7	--	0.5	--
Took it from a family member	--	13.5	17.6	9.0	--	12.9	--	--	13.8	16.1	10.9	--	14.6	--
Some other way	--	14.3	12.5	16.4	--	13.5	--	--	17.8	14.3	22.2	--	17.9	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Okeechobee and Florida Statewide youth, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	38.0	35.5	40.8	--	32.8	--	--	41.0	41.9	39.5	--	41.5	--
Another person's home	--	40.4	45.6	34.7	--	42.7	--	--	38.3	39.0	37.8	--	38.2	--
Car or other vehicle	--	4.2	3.0	5.7	--	4.4	--	--	1.5	1.7	1.3	--	1.6	--
Restaurant, bar, or club	--	1.3	2.5	0.0	--	1.6	--	--	3.3	4.4	1.6	--	2.7	--
Public place	--	0.5	1.0	0.0	--	0.7	--	--	3.6	2.8	4.5	--	3.5	--
Public event	--	1.3	0.0	2.8	--	1.7	--	--	1.7	1.5	1.9	--	1.6	--
School property	--	1.5	2.8	0.0	--	1.9	--	--	1.2	0.8	1.8	--	1.3	--
Some other place	--	12.7	9.7	16.0	--	14.2	--	--	9.4	7.8	11.6	--	9.6	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Okeechobee and Florida Statewide youth, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	27.1	30.5	23.4	--	23.7	--	--	30.0	33.1	26.0	--	30.5	--
2	--	24.7	21.6	28.2	--	19.3	--	--	23.5	24.0	22.7	--	23.8	--
3	--	12.7	16.8	8.2	--	13.8	--	--	14.9	15.9	13.9	--	14.7	--
4	--	7.4	12.6	1.7	--	9.9	--	--	10.7	10.9	10.5	--	10.6	--
5 or more	--	28.1	18.6	38.5	--	33.3	--	--	20.9	16.1	26.8	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Okeechobee and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.1	10.5	9.2	8.3	6.4	12.0	8.6	3.7	6.7	5.9	4.8	3.8	7.0	5.4
Smoking marijuana	7.1	16.6	14.2	11.1	6.8	18.3	12.5	3.7	13.0	8.7	9.2	4.1	13.3	9.0
Used another drug to get high	3.0	6.8	6.3	4.2	2.9	7.4	5.1	1.7	3.7	2.6	3.1	1.9	3.7	2.9

Table 12. Percentages of Okeechobee and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.5	9.1	7.1	11.7	10.2	7.5	9.3	5.7	6.2	3.2	8.7	5.6	6.4	6.0
Selling drugs	2.5	9.3	5.0	7.8	2.5	9.4	6.3	1.5	5.7	2.7	5.1	1.8	5.6	3.9
Attempting to steal a vehicle	2.6	3.4	2.3	3.5	1.6	4.5	3.0	1.4	1.6	1.2	1.8	1.4	1.6	1.5
Being arrested	2.8	4.7	2.8	5.1	1.9	5.8	3.9	1.7	2.6	1.7	2.8	1.8	2.7	2.3
Taking a handgun to school	0.5	2.4	0.7	2.5	0.5	2.4	1.6	0.4	0.8	0.3	0.9	0.5	0.8	0.6
Getting suspended	9.0	10.5	10.1	9.9	8.4	12.5	9.9	10.7	8.7	7.3	11.7	10.4	8.9	9.5
Attacking someone with intent to harm	6.8	8.9	7.7	8.3	5.8	10.4	8.0	7.2	5.9	5.6	7.3	7.0	6.0	6.5

Table 13. Trends in delinquent behaviors for Okeechobee, 2008 to 2018

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.4	10.0	8.9	--	--	--	7.4	6.4	6.9	9.8	8.3	9.0	10.3	7.8	8.9	9.5	9.1	9.3
Selling drugs	4.1	10.4	7.6	--	--	--	3.6	6.8	5.4	2.9	6.2	4.7	4.3	4.8	4.6	2.5	9.3	6.3
Attempting to steal a vehicle	4.4	2.4	3.3	--	--	--	1.9	2.6	2.3	2.5	1.3	1.9	1.4	2.3	1.9	2.6	3.4	3.0
Being arrested	5.3	6.0	5.7	--	--	--	3.8	4.7	4.3	3.3	5.0	4.2	4.5	3.4	3.9	2.8	4.7	3.9
Taking a handgun to school	0.8	1.7	1.3	--	--	--	0.3	1.4	0.9	0.2	0.6	0.4	1.0	1.4	1.3	0.5	2.4	1.6
Getting suspended	17.0	24.0	20.8	--	--	--	13.6	16.0	14.9	15.1	10.3	12.5	15.8	13.1	14.3	9.0	10.5	9.9
Attacking someone with intent to harm	15.4	21.2	18.6	--	--	--	11.0	12.8	12.0	7.7	7.6	7.7	8.3	5.9	7.0	6.8	8.9	8.0

Table 14. Percentages of Okeechobee and Florida Statewide youth who reported symptoms of depression, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	30.1	31.7	38.9	23.7	30.0	33.5	31.0	26.5	29.5	35.9	20.5	26.9	30.1	28.2
At times I think I am no good at all	42.2	41.7	50.9	33.9	41.9	42.4	41.9	38.2	40.8	49.9	29.6	38.8	41.6	39.7
All in all, I am inclined to think that I am a failure	27.4	28.9	36.6	20.6	26.7	32.1	28.3	24.5	26.3	32.1	18.8	24.8	27.3	25.5
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.2	45.7	50.8	36.4	39.9	49.0	43.3	40.6	44.1	53.1	32.2	40.5	45.3	42.6

Table 15. Percentages of Okeechobee and Florida Statewide youth who reported involvement in bullying behavior, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	9.8	11.9	17.6	4.8	10.6	11.9	11.0	7.7	8.4	11.7	4.5	7.7	8.5	8.1
Was ever kicked or shoved	35.5	21.2	29.5	25.7	35.2	21.1	27.4	36.9	22.6	27.2	30.1	35.9	22.5	28.8
Was ever taunted or teased	60.0	47.1	61.9	44.9	60.6	46.3	52.8	62.7	50.9	60.6	51.4	62.1	51.4	56.0
Was ever a victim of cyber bullying	23.7	30.3	39.2	16.8	25.2	26.8	27.4	23.0	27.6	33.5	17.9	23.4	28.3	25.6
Ever physically bullied others	19.3	17.0	15.8	19.9	18.2	20.0	18.0	19.1	12.1	12.0	18.0	18.4	12.0	15.1
Ever verbally bullied others	31.0	24.3	28.2	26.2	31.5	24.8	27.2	30.3	24.7	25.7	28.3	30.0	24.9	27.1
Ever cyber bullied others	11.7	14.1	17.4	8.8	11.7	15.1	13.1	10.0	11.6	12.3	9.6	10.2	11.8	10.9

Table 16. Percentages of Okeechobee and Florida Statewide youth who reported gang membership, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	3.0	4.9	2.7	5.2	2.5	6.2	4.1	3.8	3.7	2.4	5.0	3.6	3.8	3.7
Did that gang have a name?	23.1	22.0	18.4	25.6	21.8	25.0	22.3	25.5	16.2	14.4	23.1	24.0	17.0	19.4
Are you a gang member now?	--	2.1	1.7	2.6	--	2.3	--	--	2.3	1.4	3.3	--	2.3	--

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

Table 17. Percentages of Okeechobee and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	37.3	32.7	34.0	34.7	36.0	33.6	34.6	29.3	28.3	29.0	28.3	28.9	28.8	28.7
I'm more concerned with the short run	33.7	23.8	29.5	26.7	32.7	23.6	28.1	25.6	21.6	24.2	22.3	25.1	22.4	23.3
Getting in trouble is exciting	28.4	33.4	30.9	31.2	30.5	31.8	31.2	23.3	27.7	25.6	25.9	24.1	27.9	25.8
Excitement is more important than security	29.5	29.2	27.5	30.8	30.4	30.0	29.3	23.5	23.5	21.4	25.5	23.5	23.5	23.5
People better stay away from me when I'm really angry	45.0	36.7	39.7	40.5	44.4	37.4	40.3	36.0	32.5	35.8	32.1	35.7	33.0	34.0
I get upset when I have a disagreement with someone	48.8	41.4	51.9	37.8	50.1	39.9	44.6	45.0	38.0	47.4	34.6	45.0	38.3	41.0

Note: The symbol “--” indicates that data are not available.

Table 18. Percentages of Okeechobee and Florida Statewide youth who reported participation in extracurricular activities, 2018

	Okeechobee							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	27.5	36.4	27.5	37.2	29.4	36.3	32.5	36.0	39.7	34.7	41.4	36.8	40.0	38.1
Organized Sports Outside of School	40.6	17.2	25.1	30.1	38.1	16.9	27.4	38.6	19.8	25.7	30.1	37.2	19.7	27.9
School Band	25.3	9.1	19.8	13.0	23.7	10.8	16.2	17.3	8.1	12.5	11.6	16.6	8.0	12.0
School Club(s)	20.9	26.0	30.5	16.8	23.2	23.2	23.8	22.2	30.2	34.6	19.4	22.8	30.4	26.8
Community Club(s)	9.6	13.9	15.3	9.2	11.3	12.4	12.0	8.5	11.7	13.3	7.5	8.4	11.6	10.3

Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Okeechobee and Florida Statewide youth, 2018

	Okeechobee							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	21.6	20.9	22.1	--	21.9	--	--	14.3	15.1	13.4	--	14.3	--
Marijuana	--	29.3	30.5	29.1	--	29.1	--	--	22.9	24.4	21.5	--	22.8	--
<i>Driving a vehicle</i>														
Alcohol	--	11.0	7.1	14.7	--	10.0	--	--	4.4	3.8	4.9	--	4.3	--
Marijuana	--	16.5	16.2	17.0	--	17.4	--	--	9.5	8.7	10.1	--	9.2	--

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Okeechobee, 2012 and 2018

	2008			2010			2012			2014			2016			2018		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	30.6	--	--	27.8	--	--	20.8	--	--	21.6	--
Marijuana	--	--	--	--	--	--	--	24.6	--	--	26.3	--	--	24.7	--	--	29.3	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	--	--	--	11.5	--	--	11.4	--	--	9.8	--	--	11.0	--
Marijuana	--	--	--	--	--	--	--	10.5	--	--	12.7	--	--	12.9	--	--	16.5	--

Note: The symbol "--" indicates that data are not available.

Table 21. Protective factor prevalence rates for Okeechobee, Florida Statewide youth and the national normative database, 2018

Domain	Scale	Okeechobee		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	53	53	58	57	59	54
	Family Rewards for Prosocial Involvement	45	49	50	51	54	55
School	School Opportunities for Prosocial Involvement	50	65	54	64	57	60
	School Rewards for Prosocial Involvement	44	54	45	55	53	58
Peer and Individual	Religiosity	48	57	46	54	56	62
Average Prevalence Rate		48	56	51	56	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 22. Risk factor prevalence rates for Okeechobee, Florida Statewide youth and the national normative database, 2018

Domain	Scale	Okeechobee		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Community Disorganization	48	52	38	40	47	47
	Transitions and Mobility	58	60	59	61	47	46
	Laws and Norms Favorable to Drug Use	51	41	38	32	42	42
	Perceived Availability of Drugs	42	30	35	24	45	45
	Perceived Availability of Handguns	33	44	24	34	25	42
Family	Poor Family Management	48	42	43	37	44	45
	Family Conflict	40	32	39	34	42	37
School	Poor Academic Performance	57	52	43	43	45	48
	Lack of Commitment to School	67	62	60	57	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	41	43	36	40	46
	Favorable Attitudes toward ATOD Use	48	43	35	34	39	45
	Early Initiation of Drug Use	31	29	24	19	41	46
Average Prevalence Rate		48	44	40	38	40	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Protective factor prevalence rate trends among middle school students for Okeechobee, 2008 to 2018

Domain	Scale	Okeechobee					
		2008	2010	2012	2014	2016	2018
Family	Family Opportunities for Prosocial Involvement	52	--	55	52	55	53
	Family Rewards for Prosocial Involvement	44	--	48	41	52	45
School	School Opportunities for Prosocial Involvement	44	--	48	50	45	50
	School Rewards for Prosocial Involvement	41	--	52	44	53	44
Peer and Individual	Religiosity	52	--	54	52	48	48
Average Prevalence Rate		47		51	48	51	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rate trends among middle school students for Okeechobee, 2008 to 2018

Domain	Scale	Okeechobee					
		2008	2010	2012	2014	2016	2018
Community	Community Disorganization	60	--	58	56	54	48
	Transitions and Mobility	59	--	58	52	55	58
	Laws and Norms Favorable to Drug Use	57	--	45	44	45	51
	Perceived Availability of Drugs	63	--	44	40	38	42
	Perceived Availability of Handguns	46	--	37	34	28	33
Family	Poor Family Management	54	--	49	47	49	48
	Family Conflict	51	--	42	38	38	40
School	Poor Academic Performance	51	--	48	49	57	57
	Lack of Commitment to School	58	--	53	55	61	67
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	55	--	49	36	45	51
	Favorable Attitudes toward ATOD Use	53	--	48	32	39	48
	Early Initiation of Drug Use	52	--	43	25	28	31
Average Prevalence Rate		52	--	49	42	45	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among high school students for Okeechobee, 2008 to 2018

Domain	Scale	Okeechobee					
		2008	2010	2012	2014	2016	2018
Family	Family Opportunities for Prosocial Involvement	50	--	54	58	59	53
	Family Rewards for Prosocial Involvement	49	--	53	52	56	49
School	School Opportunities for Prosocial Involvement	60	--	52	56	54	65
	School Rewards for Prosocial Involvement	57	--	51	50	55	54
Peer and Individual	Religiosity	61	--	62	60	58	57
Average Prevalence Rate		55		54	55	56	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among high school students for Okeechobee, 2008 to 2018

Domain	Scale	Okeechobee					
		2008	2010	2012	2014	2016	2018
Community	Community Disorganization	56	--	56	54	48	52
	Transitions and Mobility	72	--	59	63	57	60
	Laws and Norms Favorable to Drug Use	50	--	47	41	34	41
	Perceived Availability of Drugs	54	--	43	36	27	30
	Perceived Availability of Handguns	58	--	51	56	41	44
Family	Poor Family Management	53	--	44	41	44	42
	Family Conflict	41	--	35	35	30	32
School	Poor Academic Performance	52	--	50	49	51	52
	Lack of Commitment to School	50	--	48	59	63	62
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	55	--	42	42	36	41
	Favorable Attitudes toward ATOD Use	50	--	43	43	37	43
	Early Initiation of Drug Use	46	--	35	35	29	29
Average Prevalence Rate		49	--	46	46	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.