

2016 Florida Youth Substance Abuse Survey Statewide Tables

Table 1. Major demographic characteristics of surveyed Florida youth, 2016

| | Unweighted | | | Weighted | |
|----------------------------------|---------------|--------------|--|---------------|--------------|
| | N | % | | N | % |
| Sex | | | | | |
| Female | 32,501 | 49.4 | | 31,515 | 47.9 |
| Male | 31,927 | 48.5 | | 32,905 | 50.0 |
| Race/Ethnic group | | | | | |
| American Indian | 1,359 | 2.1 | | 568 | 0.9 |
| Asian | 1,366 | 2.1 | | 743 | 1.1 |
| African American | 9,742 | 14.8 | | 14,666 | 22.3 |
| Hispanic/Latino | 10,892 | 16.6 | | 13,174 | 20.0 |
| Native Hawaiian/Pacific Islander | 235 | 0.4 | | 144 | 0.2 |
| Other/Multiple | 10,991 | 16.7 | | 7,523 | 11.4 |
| White, non-Hispanic | 30,457 | 46.3 | | 28,309 | 43.0 |
| Age | | | | | |
| 10 | 75 | 0.1 | | 65 | 0.1 |
| 11 | 4,606 | 7.0 | | 3,856 | 5.9 |
| 12 | 10,174 | 15.5 | | 8,338 | 12.7 |
| 13 | 11,422 | 17.4 | | 9,230 | 14.0 |
| 14 | 10,598 | 16.1 | | 9,454 | 14.4 |
| 15 | 9,462 | 14.4 | | 10,070 | 15.3 |
| 16 | 8,398 | 12.8 | | 9,684 | 14.7 |
| 17 | 6,914 | 10.5 | | 9,348 | 14.2 |
| 18 | 3,355 | 5.1 | | 4,799 | 7.3 |
| 19 or older | 443 | 0.7 | | 618 | 0.9 |
| Grade | | | | | |
| 6th | 11,403 | 17.3 | | 9,301 | 14.1 |
| 7th | 11,406 | 17.3 | | 9,215 | 14.0 |
| 8th | 11,737 | 17.8 | | 9,326 | 14.2 |
| 9th | 9,371 | 14.2 | | 10,140 | 15.4 |
| 10th | 8,893 | 13.5 | | 9,834 | 15.0 |
| 11th | 7,221 | 11.0 | | 9,254 | 14.1 |
| 12th | 5,745 | 8.7 | | 8,705 | 13.2 |
| Middle School | 34,336 | 52.2 | | 27,678 | 42.1 |
| High School | 31,105 | 47.3 | | 37,765 | 57.4 |
| Total | 65,776 | 100.0 | | 65,776 | 100.0 |

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases.

Table 2. Demographic characteristics of historical samples—2004 to 2016

| | 2004 | | 2006 | | 2008 | | 2010 | | 2012 | | 2014 | | 2016 | |
|--------------------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Sex | | | | | | | | | | | | | | |
| Female | 31,076 | 51.5 | 27,252 | 47.6 | 43,913 | 48.0 | 35,119 | 48.2 | 34,179 | 48.2 | 31,702 | 48.1 | 31,515 | 47.9 |
| Male | 27,126 | 45.0 | 28,304 | 49.4 | 45,413 | 49.6 | 36,540 | 50.2 | 35,544 | 50.2 | 33,056 | 50.1 | 32,905 | 50.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 11,358 | 18.8 | 9,572 | 16.7 | 16,647 | 18.2 | 12,829 | 17.7 | 12,176 | 17.2 | 12,512 | 19.0 | 14,666 | 22.3 |
| Hispanic/Latino | 12,820 | 21.2 | 11,336 | 19.8 | 20,767 | 22.7 | 16,990 | 23.5 | 16,088 | 22.7 | 12,827 | 19.5 | 13,174 | 20.0 |
| White, non-Hispanic | 25,443 | 42.2 | 26,239 | 45.8 | 37,000 | 40.4 | 29,034 | 40.1 | 27,787 | 39.2 | 29,014 | 44.0 | 28,309 | 43.0 |
| Age | | | | | | | | | | | | | | |
| 11 | 2,367 | 3.9 | 1,951 | 3.4 | 3,294 | 3.6 | 2,655 | 3.6 | 4,037 | 5.7 | 3,909 | 17.5 | 3,856 | 5.9 |
| 12 | 7,778 | 12.9 | 6,872 | 12.0 | 10,971 | 12.0 | 8,828 | 12.1 | 9,151 | 12.9 | 8,589 | 5.9 | 8,338 | 12.7 |
| 13 | 9,144 | 15.2 | 8,377 | 14.6 | 13,299 | 14.5 | 10,495 | 14.4 | 10,289 | 14.5 | 9,491 | 13.0 | 9,230 | 14.0 |
| 14 | 9,586 | 15.9 | 8,781 | 15.3 | 14,098 | 15.4 | 10,640 | 14.6 | 10,537 | 14.9 | 9,764 | 14.4 | 9,454 | 14.4 |
| 15 | 10,397 | 17.2 | 9,914 | 17.3 | 14,339 | 15.7 | 11,346 | 15.6 | 10,727 | 15.1 | 10,011 | 14.8 | 10,070 | 15.3 |
| 16 | 8,675 | 14.4 | 8,861 | 15.5 | 13,913 | 15.2 | 11,220 | 15.4 | 10,384 | 14.7 | 9,431 | 15.2 | 9,684 | 14.7 |
| 17 | 7,468 | 12.4 | 7,453 | 13.0 | 12,824 | 14.0 | 10,069 | 13.8 | 9,533 | 13.5 | 8,940 | 14.3 | 9,348 | 14.2 |
| 18 | 4,214 | 7.0 | 4,270 | 7.5 | 7,552 | 8.3 | 6,339 | 8.7 | 5,217 | 7.4 | 4,837 | 13.6 | 4,799 | 7.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 8,939 | 14.8 | 7,818 | 13.7 | 13,265 | 14.5 | 10,458 | 14.4 | 10,330 | 14.6 | 9,610 | 14.6 | 9,301 | 14.1 |
| 7th | 9,082 | 15.0 | 8,435 | 14.7 | 13,552 | 14.8 | 10,655 | 14.6 | 10,332 | 14.6 | 9,611 | 14.6 | 9,215 | 14.0 |
| 8th | 8,885 | 14.7 | 8,377 | 14.6 | 12,869 | 14.1 | 10,428 | 14.3 | 10,134 | 14.3 | 9,427 | 14.3 | 9,326 | 14.2 |
| 9th | 11,137 | 18.5 | 9,884 | 17.3 | 14,738 | 16.1 | 11,566 | 15.9 | 11,051 | 15.6 | 10,281 | 15.6 | 10,140 | 15.4 |
| 10th | 8,391 | 13.9 | 8,545 | 14.9 | 13,593 | 14.9 | 10,486 | 14.4 | 10,314 | 14.6 | 9,595 | 14.6 | 9,834 | 15.0 |
| 11th | 7,197 | 11.9 | 7,491 | 13.1 | 12,297 | 13.4 | 10,131 | 13.9 | 9,879 | 13.9 | 9,190 | 13.9 | 9,254 | 14.1 |
| 12th | 6,283 | 10.4 | 6,343 | 11.1 | 11,157 | 12.2 | 9,072 | 12.5 | 8,819 | 12.4 | 8,203 | 12.4 | 8,705 | 13.2 |
| Middle School | 26,906 | 44.6 | 24,630 | 43.0 | 39,686 | 43.4 | 31,541 | 43.3 | 30,796 | 43.5 | 28,547 | 43.3 | 27,678 | 42.1 |
| High School | 33,008 | 54.7 | 32,263 | 56.3 | 51,785 | 56.6 | 41,256 | 56.7 | 40,063 | 56.5 | 37,164 | 56.4 | 37,765 | 57.4 |
| Total | 60,345 | 100.0 | 57,274 | 100.0 | 91,471 | 100.0 | 72,797 | 100.0 | 70,859 | 100.0 | 65,917 | 100.0 | 65,776 | 100.0 |

Note: Demographic results represent samples after sample weights have been applied.

Table 3. Lifetime prevalence of ATOD use, 2016

| | Grade Level | | | | | | |
|-------------------------------------|-------------|----------|----------|----------|-----------|-----------|-----------|
| | 6th % | 7th % | 8th % | 9th % | 10th % | 11th % | 12th % |
| Alcohol | 12.5 | 21.6 | 31.2 | 39.9 | 47.9 | 56.7 | 62.8 |
| Cigarettes | 4.3 | 8.3 | 11.3 | 13.8 | 17.2 | 21.4 | 22.4 |
| Vaporizer / E-Cigarette | 6.9 | 14.1 | 22.8 | 28.8 | 33.7 | 36.8 | 36.9 |
| Marijuana or Hashish | 2.1 | 6.5 | 12.5 | 21.1 | 29.0 | 37.3 | 40.7 |
| Synthetic Marijuana | -- | -- | -- | 3.7 | 4.7 | 5.5 | 5.9 |
| Inhalants | 5.4 | 6.3 | 7.6 | 6.0 | 5.0 | 4.3 | 3.0 |
| Flakka | -- | -- | -- | 1.1 | 1.3 | 0.8 | 0.8 |
| Club Drugs | 0.4 | 0.7 | 1.1 | 2.0 | 2.7 | 3.4 | 4.2 |
| LSD, PCP or Mushrooms | 0.4 | 0.8 | 1.8 | 2.8 | 4.5 | 5.8 | 6.4 |
| Methamphetamine | 0.4 | 0.5 | 0.7 | 0.7 | 1.0 | 0.9 | 0.8 |
| Cocaine or Crack Cocaine | 0.5 | 0.7 | 1.0 | 1.5 | 2.0 | 2.8 | 3.8 |
| Heroin | 0.4 | 0.4 | 0.4 | 0.4 | 0.6 | 0.3 | 0.3 |
| Depressants | 1.0 | 1.9 | 3.6 | 4.6 | 6.4 | 7.7 | 7.7 |
| Prescription Pain Relievers | 2.4 | 3.2 | 4.2 | 5.1 | 5.6 | 6.3 | 6.4 |
| Prescription Amphetamines | 0.8 | 1.2 | 1.8 | 2.6 | 4.2 | 5.8 | 6.4 |
| Steroids (without a doctor's order) | 0.5 | 0.6 | 0.6 | 0.4 | 0.6 | 0.5 | 0.6 |
| Over-the-Counter Drugs | 2.3 | 3.0 | 4.3 | 4.8 | 5.7 | 5.6 | 5.1 |
| Needle to Inject Illegal Drugs | -- | -- | -- | 0.6 | 1.0 | 0.7 | 0.7 |

Table 4. Past-30-day prevalence of ATOD use, 2016

| | Grade Level | | | | | | |
|-------------------------------------|-------------|----------|----------|----------|-----------|-----------|-----------|
| | 6th % | 7th % | 8th % | 9th % | 10th % | 11th % | 12th % |
| Alcohol | 4.0 | 7.7 | 13.2 | 17.2 | 22.3 | 29.2 | 34.4 |
| Binge Drinking | 1.6 | 3.2 | 4.9 | 6.9 | 9.0 | 12.7 | 15.8 |
| Cigarettes | 0.8 | 1.5 | 2.0 | 2.9 | 4.6 | 5.0 | 7.1 |
| Vaporizer / E-Cigarette | 2.5 | 5.1 | 7.8 | 10.7 | 13.4 | 12.6 | 14.5 |
| Marijuana or Hashish | 0.8 | 3.0 | 5.9 | 11.6 | 15.8 | 19.6 | 21.5 |
| Synthetic Marijuana | -- | -- | -- | 1.1 | 1.1 | 1.2 | 0.7 |
| Inhalants | 1.8 | 2.5 | 2.5 | 1.8 | 1.2 | 1.0 | 0.7 |
| Flakka | -- | -- | -- | 0.4 | 0.6 | 0.6 | 0.4 |
| Club Drugs | 0.2 | 0.4 | 0.3 | 0.5 | 0.7 | 1.1 | 0.8 |
| LSD, PCP or Mushrooms | 0.1 | 0.2 | 0.5 | 0.9 | 1.4 | 1.6 | 1.6 |
| Methamphetamine | 0.2 | 0.3 | 0.4 | 0.3 | 0.6 | 0.5 | 0.3 |
| Cocaine or Crack Cocaine | 0.2 | 0.3 | 0.3 | 0.5 | 0.8 | 0.9 | 1.2 |
| Heroin | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 |
| Depressants | 0.3 | 0.9 | 1.3 | 1.8 | 2.4 | 2.8 | 2.7 |
| Prescription Pain Relievers | 1.1 | 1.7 | 1.9 | 2.3 | 2.0 | 2.0 | 1.8 |
| Prescription Amphetamines | 0.3 | 0.7 | 0.7 | 0.9 | 1.6 | 2.1 | 1.9 |
| Steroids (without a doctor's order) | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 |
| Over-the-Counter Drugs | 1.2 | 1.6 | 2.5 | 2.2 | 2.5 | 1.9 | 1.7 |

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2004 to 2016

| | Alcohol Use | | | | | | | | | | | | | |
|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 58.7 | 58.1 | 54.9 | 53.0 | 48.8 | 44.3 | 41.3 | 32.9 | 33.1 | 30.6 | 29.4 | 25.3 | 21.7 | 19.9 |
| Male | 56.3 | 54.3 | 51.5 | 50.2 | 45.8 | 40.9 | 37.1 | 31.7 | 30.9 | 29.0 | 28.3 | 23.8 | 19.4 | 17.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 45.3 | 43.7 | 42.8 | 45.0 | 38.7 | 34.3 | 31.0 | 20.8 | 19.3 | 20.1 | 21.7 | 17.4 | 13.8 | 12.4 |
| Hispanic/Latino | 60.2 | 56.8 | 55.7 | 54.0 | 48.8 | 45.3 | 41.5 | 33.6 | 31.8 | 31.5 | 30.3 | 25.5 | 22.0 | 18.6 |
| White, non-Hispanic | 63.0 | 61.5 | 57.6 | 54.4 | 50.5 | 46.0 | 42.1 | 37.9 | 37.9 | 34.5 | 32.4 | 27.6 | 23.7 | 21.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 24.1 | 20.0 | 18.3 | 15.2 | 14.6 | 11.2 | 10.0 | 10.1 | 7.2 | 6.8 | 5.7 | 5.6 | 3.8 | 2.5 |
| 12 | 33.2 | 29.4 | 26.6 | 25.2 | 21.0 | 18.1 | 15.7 | 12.1 | 11.6 | 10.2 | 10.3 | 7.2 | 6.1 | 5.3 |
| 13 | 44.1 | 41.5 | 37.9 | 36.4 | 31.6 | 28.0 | 24.8 | 21.4 | 19.2 | 17.6 | 16.8 | 14.0 | 11.2 | 9.4 |
| 14 | 56.4 | 52.5 | 49.7 | 49.2 | 44.8 | 39.0 | 34.6 | 29.7 | 27.9 | 26.2 | 25.3 | 20.3 | 18.3 | 14.7 |
| 15 | 65.0 | 62.9 | 59.3 | 58.0 | 54.8 | 48.6 | 43.4 | 37.0 | 36.1 | 32.8 | 32.3 | 29.1 | 22.7 | 19.9 |
| 16 | 70.9 | 69.8 | 67.3 | 64.4 | 62.4 | 58.0 | 51.4 | 42.2 | 41.9 | 39.4 | 37.4 | 33.4 | 28.3 | 23.6 |
| 17 | 73.5 | 73.1 | 70.7 | 68.5 | 68.4 | 63.9 | 60.3 | 46.0 | 46.1 | 44.2 | 41.9 | 40.2 | 34.1 | 32.4 |
| 18 | 75.9 | 75.8 | 73.2 | 70.2 | 68.9 | 64.4 | 61.3 | 53.2 | 53.3 | 47.9 | 46.6 | 42.0 | 36.2 | 34.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 29.3 | 26.3 | 24.2 | 22.6 | 17.4 | 15.1 | 12.5 | 11.2 | 11.0 | 10.3 | 9.4 | 6.5 | 5.0 | 4.0 |
| 7th | 43.1 | 39.4 | 37.0 | 35.1 | 29.3 | 24.0 | 21.6 | 20.7 | 17.5 | 17.0 | 16.8 | 12.0 | 9.5 | 7.7 |
| 8th | 55.1 | 52.3 | 47.9 | 48.0 | 40.2 | 35.9 | 31.2 | 28.8 | 27.7 | 24.7 | 24.1 | 18.5 | 15.9 | 13.2 |
| 9th | 63.9 | 60.3 | 57.3 | 56.4 | 51.8 | 45.4 | 39.9 | 35.8 | 34.4 | 31.6 | 31.1 | 26.7 | 21.3 | 17.2 |
| 10th | 68.8 | 68.4 | 66.0 | 63.7 | 58.6 | 54.0 | 47.9 | 40.5 | 40.7 | 38.1 | 37.1 | 31.4 | 26.3 | 22.3 |
| 11th | 73.9 | 72.6 | 70.0 | 67.1 | 66.6 | 60.2 | 56.7 | 45.4 | 44.0 | 42.5 | 39.7 | 36.8 | 30.3 | 29.2 |
| 12th | 75.8 | 76.0 | 73.9 | 70.3 | 70.1 | 66.9 | 62.8 | 51.0 | 52.2 | 48.2 | 46.0 | 42.7 | 37.5 | 34.4 |
| Middle School | 42.6 | 39.7 | 36.3 | 35.3 | 28.9 | 25.0 | 21.8 | 20.3 | 19.0 | 17.3 | 16.8 | 12.3 | 10.1 | 8.3 |
| High School | 69.6 | 68.4 | 66.2 | 63.9 | 61.3 | 56.0 | 51.4 | 42.0 | 41.8 | 39.5 | 38.0 | 33.9 | 28.4 | 25.5 |
| Total | 57.5 | 56.1 | 53.2 | 51.5 | 47.3 | 42.6 | 39.1 | 32.3 | 32.0 | 29.8 | 28.8 | 24.6 | 20.5 | 18.3 |

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2016

| | 2016 Alcohol | | | | | | |
|--------------------------|-------------------------------------|-------------|------------|------------|------------|------------|------------|
| | Number of Occasions in Past 30 Days | | | | | | |
| | 0 % | 1-2 % | 3-5 % | 6-9 % | 10-19 % | 20-39 % | 40+ % |
| Sex | | | | | | | |
| Female | 80.1 | 13.0 | 3.9 | 1.7 | 0.8 | 0.2 | 0.2 |
| Male | 83.0 | 10.0 | 3.6 | 1.7 | 0.9 | 0.3 | 0.5 |
| Race/Ethnic group | | | | | | | |
| African American | 87.6 | 8.3 | 2.1 | 1.0 | 0.4 | 0.2 | 0.4 |
| Hispanic/Latino | 81.4 | 11.6 | 3.7 | 1.7 | 0.8 | 0.2 | 0.5 |
| White, non-Hispanic | 78.6 | 13.0 | 4.6 | 2.1 | 1.1 | 0.2 | 0.4 |
| Age | | | | | | | |
| 11 | 97.5 | 2.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 |
| 12 | 94.7 | 4.0 | 0.8 | 0.2 | 0.1 | 0.1 | 0.0 |
| 13 | 90.6 | 6.5 | 1.5 | 0.8 | 0.4 | 0.1 | 0.2 |
| 14 | 85.3 | 10.0 | 2.8 | 1.1 | 0.5 | 0.1 | 0.2 |
| 15 | 80.1 | 12.6 | 4.0 | 1.9 | 0.7 | 0.3 | 0.4 |
| 16 | 76.4 | 14.5 | 4.9 | 2.2 | 1.1 | 0.4 | 0.5 |
| 17 | 67.6 | 19.5 | 6.9 | 3.0 | 1.8 | 0.4 | 0.6 |
| 18 | 65.5 | 18.7 | 8.5 | 3.7 | 2.2 | 0.4 | 0.9 |
| Grade | | | | | | | |
| 6th | 96.0 | 3.1 | 0.6 | 0.2 | 0.1 | 0.0 | 0.1 |
| 7th | 92.3 | 5.4 | 1.2 | 0.5 | 0.3 | 0.1 | 0.1 |
| 8th | 86.8 | 8.8 | 2.2 | 1.3 | 0.5 | 0.1 | 0.3 |
| 9th | 82.8 | 11.2 | 3.4 | 1.5 | 0.7 | 0.2 | 0.2 |
| 10th | 77.7 | 13.7 | 4.6 | 2.2 | 0.8 | 0.5 | 0.5 |
| 11th | 70.8 | 17.8 | 6.2 | 2.6 | 1.6 | 0.3 | 0.7 |
| 12th | 65.6 | 19.7 | 7.9 | 3.6 | 2.0 | 0.6 | 0.7 |
| Middle School | 91.7 | 5.8 | 1.3 | 0.7 | 0.3 | 0.1 | 0.2 |
| High School | 74.5 | 15.4 | 5.5 | 2.4 | 1.3 | 0.4 | 0.5 |
| Total | 81.7 | 11.4 | 3.7 | 1.7 | 0.9 | 0.3 | 0.4 |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2004 to 2016

| | High-Risk Alcohol Use | | | | | | | | | | | | | |
|--------------------------|-----------------------|-------------|-------------|-------------|-------------|------------|------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Binge Drinking | | | | | | | Blacking Out | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 14.9 | 15.8 | 14.0 | 13.0 | 10.6 | 9.5 | 7.9 | | | | | | 19.8 | 16.5 |
| Male | 17.2 | 17.6 | 15.6 | 15.2 | 11.9 | 9.4 | 7.7 | | | | | | 18.1 | 15.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 9.0 | 8.6 | 8.1 | 9.7 | 7.1 | 6.0 | 4.9 | | | | | | 10.3 | 8.4 |
| Hispanic/Latino | 17.1 | 16.5 | 15.2 | 15.1 | 12.3 | 11.3 | 8.6 | | | | | | 18.6 | 15.3 |
| White, non-Hispanic | 19.4 | 20.5 | 18.3 | 16.6 | 12.8 | 10.7 | 8.8 | | | | | | 22.4 | 20.0 |
| Age | | | | | | | | | | | | | | |
| 11 | 2.6 | 2.3 | 1.8 | 1.7 | 1.5 | 1.1 | 0.6 | | | | | | -- | -- |
| 12 | 4.4 | 4.2 | 2.8 | 3.7 | 2.2 | 1.9 | 1.8 | | | | | | -- | -- |
| 13 | 8.1 | 7.8 | 6.0 | 6.5 | 4.9 | 4.4 | 3.7 | | | | | | -- | -- |
| 14 | 12.8 | 12.7 | 10.5 | 10.8 | 8.3 | 6.7 | 5.5 | | | | | | 10.0 | 7.3 |
| 15 | 18.3 | 17.6 | 16.0 | 14.2 | 13.5 | 10.2 | 7.8 | | | | | | 14.2 | 11.5 |
| 16 | 22.5 | 23.8 | 21.6 | 18.7 | 16.0 | 14.4 | 9.6 | | | | | | 20.0 | 15.5 |
| 17 | 25.5 | 27.0 | 24.3 | 22.6 | 19.9 | 16.7 | 15.4 | | | | | | 24.5 | 21.2 |
| 18 | 31.3 | 33.3 | 29.8 | 28.4 | 22.1 | 19.0 | 15.7 | | | | | | 23.1 | 22.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 4.6 | 4.6 | 3.4 | 3.8 | 2.1 | 1.9 | 1.6 | | | | | | -- | -- |
| 7th | 8.5 | 7.4 | 6.2 | 6.9 | 4.6 | 3.8 | 3.2 | | | | | | -- | -- |
| 8th | 12.5 | 12.8 | 9.1 | 10.0 | 7.4 | 6.0 | 4.9 | | | | | | -- | -- |
| 9th | 17.3 | 17.0 | 16.0 | 14.0 | 11.9 | 9.3 | 6.9 | | | | | | 12.7 | 9.5 |
| 10th | 21.6 | 22.3 | 20.3 | 18.0 | 14.8 | 12.7 | 9.0 | | | | | | 17.9 | 14.0 |
| 11th | 24.6 | 24.3 | 22.5 | 21.0 | 17.8 | 14.9 | 12.7 | | | | | | 21.0 | 18.9 |
| 12th | 27.9 | 32.0 | 29.3 | 27.1 | 22.1 | 19.2 | 15.8 | | | | | | 25.4 | 22.3 |
| Middle School | 8.5 | 8.4 | 6.2 | 6.9 | 4.7 | 3.9 | 3.2 | | | | | | -- | -- |
| High School | 22.0 | 23.0 | 21.5 | 19.6 | 16.4 | 13.7 | 10.9 | | | | | | 18.9 | 15.9 |
| Total | 16.0 | 16.8 | 14.8 | 14.1 | 11.3 | 9.5 | 7.7 | | | | | | -- | -- |

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2004 to 2016

| | Cigarette Use | | | | | | | | | | | | | |
|--------------------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 34.9 | 31.7 | 27.4 | 25.4 | 21.1 | 17.2 | 14.0 | 11.9 | 10.9 | 8.8 | 8.1 | 6.0 | 4.4 | 3.3 |
| Male | 33.0 | 29.4 | 26.4 | 26.5 | 21.5 | 18.0 | 14.1 | 10.9 | 10.4 | 9.4 | 9.5 | 7.1 | 5.3 | 3.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 22.8 | 19.9 | 17.4 | 17.6 | 13.6 | 10.3 | 8.9 | 3.9 | 3.7 | 3.4 | 3.8 | 2.9 | 2.0 | 1.5 |
| Hispanic/Latino | 34.6 | 30.1 | 26.5 | 25.8 | 20.3 | 17.2 | 13.4 | 10.0 | 8.3 | 7.0 | 7.1 | 5.2 | 3.6 | 2.6 |
| White, non-Hispanic | 39.2 | 35.3 | 32.0 | 30.7 | 25.3 | 21.2 | 16.7 | 15.7 | 14.3 | 12.9 | 12.5 | 9.1 | 6.9 | 4.7 |
| Age | | | | | | | | | | | | | | |
| 11 | 8.7 | 6.7 | 5.8 | 4.8 | 4.4 | 3.7 | 2.4 | 1.8 | 1.2 | 0.8 | 0.8 | 0.9 | 0.4 | 0.3 |
| 12 | 15.6 | 12.5 | 10.1 | 10.3 | 7.2 | 6.5 | 5.1 | 3.8 | 2.8 | 2.0 | 2.5 | 1.1 | 1.1 | 0.8 |
| 13 | 24.5 | 21.5 | 17.4 | 16.5 | 12.9 | 10.6 | 9.1 | 6.4 | 5.5 | 4.5 | 4.1 | 2.7 | 2.2 | 1.7 |
| 14 | 32.9 | 27.1 | 24.8 | 23.1 | 18.3 | 15.2 | 12.4 | 9.7 | 8.5 | 7.4 | 6.7 | 4.4 | 3.6 | 2.2 |
| 15 | 38.1 | 33.9 | 30.5 | 28.7 | 24.4 | 19.3 | 14.9 | 13.3 | 11.5 | 10.0 | 9.4 | 7.2 | 5.1 | 3.5 |
| 16 | 44.1 | 39.0 | 34.5 | 32.7 | 28.0 | 22.9 | 18.5 | 16.5 | 14.2 | 12.7 | 11.6 | 8.7 | 6.5 | 4.3 |
| 17 | 47.3 | 42.7 | 38.2 | 36.9 | 33.9 | 28.9 | 22.4 | 17.6 | 16.8 | 14.1 | 13.7 | 12.8 | 9.0 | 6.2 |
| 18 | 48.6 | 47.4 | 41.4 | 41.3 | 36.5 | 30.2 | 23.6 | 18.7 | 21.2 | 17.6 | 17.9 | 14.6 | 11.1 | 7.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | 14.5 | 12.4 | 10.7 | 10.4 | 6.7 | 5.7 | 4.3 | 3.5 | 3.0 | 2.2 | 2.4 | 1.3 | 1.0 | 0.8 |
| 7th | 24.6 | 20.9 | 18.0 | 16.8 | 11.7 | 9.5 | 8.3 | 7.0 | 5.7 | 4.7 | 4.5 | 2.4 | 2.1 | 1.5 |
| 8th | 32.5 | 27.5 | 23.7 | 22.6 | 17.1 | 14.2 | 11.3 | 10.1 | 9.0 | 7.1 | 6.6 | 4.3 | 2.9 | 2.0 |
| 9th | 37.0 | 31.9 | 29.0 | 27.9 | 22.8 | 18.3 | 13.8 | 12.3 | 10.7 | 9.7 | 9.3 | 6.6 | 5.2 | 2.9 |
| 10th | 41.2 | 37.2 | 33.1 | 31.8 | 26.2 | 22.0 | 17.2 | 15.3 | 13.1 | 11.8 | 10.8 | 7.8 | 6.2 | 4.6 |
| 11th | 47.1 | 39.8 | 36.8 | 34.1 | 30.2 | 24.7 | 21.4 | 16.8 | 14.7 | 14.0 | 12.9 | 11.0 | 7.2 | 5.0 |
| 12th | 47.2 | 47.1 | 40.3 | 39.7 | 36.5 | 30.8 | 22.4 | 17.7 | 20.1 | 15.7 | 16.3 | 13.9 | 10.8 | 7.1 |
| Middle School | 23.9 | 20.5 | 17.4 | 16.6 | 11.8 | 9.8 | 8.0 | 6.9 | 6.0 | 4.7 | 4.5 | 2.7 | 2.0 | 1.4 |
| High School | 42.2 | 38.1 | 34.4 | 33.0 | 28.5 | 23.6 | 18.5 | 15.0 | 14.1 | 12.6 | 12.1 | 9.6 | 7.1 | 4.8 |
| Total | 34.0 | 30.6 | 27.0 | 25.9 | 21.3 | 17.6 | 14.1 | 11.4 | 10.6 | 9.1 | 8.8 | 6.6 | 4.9 | 3.4 |

Table 9. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days, 2016

| | Electronic Vaporizer Use | | | | | | | | | | | | | |
|--------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-------------|--------------|-----------|-----------|-----------|-----------|-----------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | | | 24.4 | | | | | | | 8.4 |
| Male | | | | | | | 27.1 | | | | | | | 10.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | | | 17.9 | | | | | | | 5.5 |
| Hispanic/Latino | | | | | | | 26.7 | | | | | | | 9.6 |
| White, non-Hispanic | | | | | | | 29.2 | | | | | | | 11.8 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | | | 4.9 | | | | | | | 1.4 |
| 12 | | | | | | | 8.8 | | | | | | | 2.9 |
| 13 | | | | | | | 17.5 | | | | | | | 6.3 |
| 14 | | | | | | | 24.4 | | | | | | | 8.8 |
| 15 | | | | | | | 31.5 | | | | | | | 11.7 |
| 16 | | | | | | | 35.1 | | | | | | | 13.2 |
| 17 | | | | | | | 37.0 | | | | | | | 13.8 |
| 18 | | | | | | | 36.9 | | | | | | | 14.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | | | 6.9 | | | | | | | 2.5 |
| 7th | | | | | | | 14.1 | | | | | | | 5.1 |
| 8th | | | | | | | 22.8 | | | | | | | 7.8 |
| 9th | | | | | | | 28.8 | | | | | | | 10.7 |
| 10th | | | | | | | 33.7 | | | | | | | 13.4 |
| 11th | | | | | | | 36.8 | | | | | | | 12.6 |
| 12th | | | | | | | 36.9 | | | | | | | 14.5 |
| Middle School | | | | | | | 14.6 | | | | | | | 5.1 |
| High School | | | | | | | 33.9 | | | | | | | 12.8 |
| Total | | | | | | | 25.8 | | | | | | | 9.6 |

Table 10. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2004 to 2016

| | Marijuana or Hashish Use | | | | | | | | | | | | | |
|--------------------------|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 22.6 | 21.5 | 20.0 | 22.0 | 21.9 | 22.1 | 21.4 | 10.7 | 10.1 | 9.8 | 11.4 | 10.6 | 11.7 | 10.9 |
| Male | 24.6 | 23.6 | 22.1 | 25.5 | 24.5 | 23.0 | 21.3 | 12.4 | 12.6 | 12.3 | 14.6 | 14.1 | 13.1 | 11.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 17.2 | 16.7 | 15.1 | 19.5 | 19.3 | 20.9 | 19.4 | 7.8 | 8.0 | 7.1 | 10.4 | 10.1 | 10.7 | 9.1 |
| Hispanic/Latino | 20.3 | 19.2 | 18.7 | 22.2 | 21.5 | 22.0 | 20.5 | 9.4 | 8.9 | 9.6 | 11.7 | 11.3 | 11.4 | 10.7 |
| White, non-Hispanic | 28.8 | 27.2 | 25.8 | 27.9 | 26.0 | 24.3 | 22.6 | 14.5 | 14.2 | 14.0 | 15.5 | 13.8 | 13.7 | 12.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 1.8 | 1.5 | 1.3 | 1.2 | 1.1 | 1.4 | 0.9 | 1.0 | 0.9 | 0.5 | 0.7 | 0.4 | 0.5 | 0.3 |
| 12 | 4.1 | 3.5 | 2.6 | 4.5 | 3.4 | 4.2 | 2.9 | 1.9 | 1.5 | 1.0 | 2.2 | 1.4 | 2.0 | 1.1 |
| 13 | 9.8 | 8.7 | 7.6 | 9.5 | 9.0 | 8.7 | 8.0 | 4.5 | 4.3 | 4.0 | 4.8 | 4.3 | 3.8 | 3.8 |
| 14 | 19.1 | 16.7 | 15.4 | 18.5 | 17.2 | 17.1 | 15.8 | 9.3 | 8.7 | 8.1 | 10.3 | 8.7 | 9.8 | 7.9 |
| 15 | 27.9 | 25.7 | 24.1 | 26.7 | 28.0 | 27.1 | 24.1 | 14.6 | 13.5 | 13.3 | 15.1 | 15.3 | 15.5 | 13.3 |
| 16 | 36.8 | 33.6 | 31.5 | 35.0 | 35.0 | 35.0 | 32.5 | 18.0 | 17.0 | 16.9 | 19.1 | 19.0 | 18.1 | 16.9 |
| 17 | 39.3 | 37.6 | 36.7 | 39.4 | 41.9 | 41.1 | 39.2 | 18.4 | 18.6 | 18.5 | 21.0 | 22.8 | 23.5 | 20.9 |
| 18 | 41.8 | 42.4 | 39.1 | 41.0 | 43.8 | 41.4 | 41.7 | 19.6 | 20.3 | 20.4 | 22.9 | 23.3 | 23.6 | 22.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 3.6 | 3.9 | 2.9 | 3.8 | 2.8 | 3.0 | 2.1 | 1.8 | 1.9 | 1.3 | 2.0 | 1.1 | 1.1 | 0.8 |
| 7th | 10.3 | 8.8 | 7.6 | 9.7 | 7.5 | 7.6 | 6.5 | 5.2 | 4.5 | 4.0 | 5.0 | 3.8 | 3.7 | 3.0 |
| 8th | 18.5 | 16.0 | 15.2 | 17.9 | 14.8 | 14.6 | 12.5 | 8.9 | 8.7 | 7.9 | 9.9 | 7.7 | 7.8 | 5.9 |
| 9th | 26.2 | 23.8 | 22.0 | 25.9 | 24.4 | 23.6 | 21.1 | 13.6 | 12.5 | 12.3 | 15.0 | 13.2 | 13.5 | 11.6 |
| 10th | 33.7 | 31.1 | 29.8 | 33.7 | 31.7 | 31.9 | 29.0 | 16.8 | 15.6 | 15.9 | 18.5 | 17.1 | 17.6 | 15.8 |
| 11th | 38.8 | 35.3 | 35.6 | 36.9 | 39.2 | 37.5 | 37.3 | 17.7 | 17.6 | 18.0 | 19.8 | 21.6 | 20.4 | 19.6 |
| 12th | 40.6 | 42.0 | 38.0 | 40.7 | 44.6 | 42.8 | 40.7 | 19.2 | 19.9 | 19.7 | 21.8 | 23.2 | 24.1 | 21.5 |
| Middle School | 10.9 | 9.8 | 8.5 | 10.5 | 8.3 | 8.4 | 7.0 | 5.3 | 5.2 | 4.4 | 5.7 | 4.2 | 4.2 | 3.2 |
| High School | 33.6 | 32.0 | 30.8 | 33.8 | 34.4 | 33.4 | 31.7 | 16.4 | 16.0 | 16.2 | 18.6 | 18.5 | 18.6 | 17.0 |
| Total | 23.5 | 22.5 | 21.1 | 23.8 | 23.2 | 22.6 | 21.3 | 11.5 | 11.4 | 11.1 | 13.0 | 12.4 | 12.4 | 11.2 |

Table 11. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2016

| | 2016 Marijuana or Hashish | | | | | | |
|--------------------------|-------------------------------------|------------|------------|------------|------------|------------|------------|
| | Number of Occasions in Past 30 Days | | | | | | |
| | 0 % | 1-2 % | 3-5 % | 6-9 % | 10-19 % | 20-39 % | 40+ % |
| Sex | | | | | | | |
| Female | 89.1 | 4.4 | 2.1 | 1.2 | 1.3 | 0.8 | 1.0 |
| Male | 88.5 | 3.5 | 2.0 | 1.5 | 1.5 | 1.2 | 1.9 |
| Race/Ethnic group | | | | | | | |
| African American | 90.9 | 3.3 | 2.0 | 1.0 | 0.9 | 0.7 | 1.2 |
| Hispanic/Latino | 89.3 | 4.1 | 2.0 | 1.2 | 1.4 | 0.7 | 1.2 |
| White, non-Hispanic | 87.7 | 4.3 | 1.9 | 1.5 | 1.6 | 1.4 | 1.7 |
| Age | | | | | | | |
| 11 | 99.7 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 |
| 12 | 98.9 | 0.6 | 0.2 | 0.2 | 0.1 | 0.0 | 0.0 |
| 13 | 96.2 | 1.6 | 0.9 | 0.5 | 0.3 | 0.1 | 0.3 |
| 14 | 92.1 | 3.3 | 1.4 | 1.1 | 1.0 | 0.5 | 0.7 |
| 15 | 86.7 | 5.5 | 2.4 | 1.7 | 1.5 | 1.0 | 1.2 |
| 16 | 83.1 | 5.9 | 3.5 | 2.0 | 1.9 | 1.5 | 2.1 |
| 17 | 79.1 | 7.0 | 3.3 | 2.1 | 2.9 | 2.3 | 3.2 |
| 18 | 77.7 | 6.0 | 3.8 | 2.6 | 3.1 | 2.7 | 4.0 |
| Grade | | | | | | | |
| 6th | 99.2 | 0.3 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 |
| 7th | 97.0 | 1.3 | 0.7 | 0.4 | 0.2 | 0.1 | 0.3 |
| 8th | 94.1 | 2.5 | 1.1 | 0.6 | 0.7 | 0.4 | 0.5 |
| 9th | 88.4 | 4.7 | 2.2 | 1.7 | 1.2 | 0.7 | 1.1 |
| 10th | 84.2 | 6.0 | 2.8 | 2.0 | 1.7 | 1.4 | 2.0 |
| 11th | 80.4 | 6.5 | 3.8 | 2.2 | 2.7 | 2.1 | 2.3 |
| 12th | 78.5 | 6.6 | 3.4 | 2.2 | 3.1 | 2.5 | 3.8 |
| Middle School | 96.8 | 1.4 | 0.7 | 0.4 | 0.4 | 0.2 | 0.3 |
| High School | 83.0 | 5.9 | 3.0 | 2.0 | 2.1 | 1.6 | 2.3 |
| Total | 88.8 | 4.0 | 2.0 | 1.3 | 1.4 | 1.0 | 1.4 |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 12. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2016

| | Synthetic Marijuana Use | | | | | | | | | | | | | |
|--------------------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | 10.9 | 7.7 | 4.8 | | | | | 3.3 | 1.2 | 0.9 |
| Male | | | | | 15.2 | 10.0 | 5.0 | | | | | 5.3 | 1.6 | 1.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | 5.7 | 4.7 | 3.1 | | | | | 2.2 | 0.9 | 1.2 |
| Hispanic/Latino | | | | | 9.1 | 7.7 | 4.8 | | | | | 3.8 | 2.0 | 1.2 |
| White, non-Hispanic | | | | | 17.5 | 11.0 | 5.6 | | | | | 5.3 | 1.4 | 0.8 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 12 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 13 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 14 | | | | | 7.5 | 5.6 | 2.8 | | | | | 2.7 | 1.0 | 0.5 |
| 15 | | | | | 9.9 | 6.7 | 3.6 | | | | | 4.0 | 1.5 | 1.0 |
| 16 | | | | | 13.5 | 8.8 | 4.8 | | | | | 4.3 | 1.5 | 1.1 |
| 17 | | | | | 15.6 | 11.2 | 6.0 | | | | | 5.1 | 1.5 | 1.2 |
| 18 | | | | | 16.9 | 11.2 | 6.2 | | | | | 4.5 | 1.2 | 0.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 7th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 8th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 9th | | | | | 9.7 | 6.6 | 3.7 | | | | | 4.1 | 1.3 | 1.1 |
| 10th | | | | | 11.8 | 8.4 | 4.7 | | | | | 3.9 | 1.6 | 1.1 |
| 11th | | | | | 14.6 | 8.9 | 5.5 | | | | | 4.9 | 1.4 | 1.2 |
| 12th | | | | | 16.7 | 12.2 | 5.9 | | | | | 4.4 | 1.3 | 0.7 |
| Middle School | | | | | -- | -- | -- | | | | | -- | -- | -- |
| High School | | | | | 13.0 | 8.8 | 4.9 | | | | | 4.3 | 1.4 | 1.0 |
| Total | | | | | -- | -- | -- | | | | | -- | -- | -- |

Table 13. Usual source for synthetic marijuana, among Florida high school youth who have smoked synthetic marijuana, 2016

| | Convenience Store or Gas Station | Tobacco Store or Head Shop | Bought On-Line | Bought from an Individual | Someone Gave It to Me |
|--------------------------|-------------------------------------|-------------------------------|----------------|------------------------------|--------------------------|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 31.1 | 5.7 | 4.1 | 18.7 | 40.4 |
| Male | 47.5 | 5.2 | 5.0 | 14.9 | 27.4 |
| Race/Ethnic group | | | | | |
| African American | 46.7 | 6.0 | 4.4 | 15.3 | 27.5 |
| Hispanic/Latino | 41.1 | 4.6 | 3.4 | 16.2 | 34.6 |
| White, non- Hispanic | 35.3 | 5.3 | 5.6 | 16.9 | 37.0 |
| Age | | | | | |
| 11 | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- |
| 14 | 35.0 | 7.9 | 5.0 | 17.2 | 34.9 |
| 15 | 37.8 | 3.8 | 3.4 | 19.1 | 35.9 |
| 16 | 39.0 | 5.5 | 5.1 | 15.6 | 34.9 |
| 17 | 39.7 | 4.3 | 5.4 | 17.2 | 33.4 |
| 18 | 48.3 | 6.8 | 3.3 | 13.6 | 28.0 |
| Grade | | | | | |
| 6th | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- |
| 9th | 37.7 | 5.5 | 4.4 | 17.9 | 34.5 |
| 10th | 39.2 | 4.1 | 3.8 | 16.5 | 36.4 |
| 11th | 37.8 | 5.8 | 5.4 | 16.7 | 34.3 |
| 12th | 47.0 | 6.1 | 4.8 | 15.1 | 27.1 |
| Middle School | -- | -- | -- | -- | -- |
| High School | 40.0 | 5.3 | 4.5 | 16.7 | 33.4 |
| Total | -- | -- | -- | -- | -- |

Table 14. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2004 to 2016

| | Inhalant Use | | | | | | | | | | | | | |
|--------------------------|--------------|-------------|-------------|-------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 13.4 | 13.4 | 12.9 | 11.0 | 8.9 | 7.2 | 6.1 | 4.6 | 4.4 | 4.1 | 3.6 | 3.0 | 2.3 | 1.9 |
| Male | 12.2 | 10.9 | 10.0 | 8.9 | 6.8 | 5.8 | 4.7 | 3.7 | 3.4 | 2.8 | 2.8 | 2.0 | 1.9 | 1.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 7.8 | 7.2 | 8.8 | 7.6 | 6.0 | 5.8 | 5.3 | 2.7 | 2.9 | 3.6 | 3.1 | 2.4 | 2.3 | 1.8 |
| Hispanic/Latino | 12.2 | 11.3 | 11.4 | 11.0 | 8.0 | 6.9 | 5.5 | 4.3 | 3.6 | 3.4 | 3.8 | 2.6 | 2.3 | 1.7 |
| White, non-Hispanic | 14.8 | 13.9 | 12.0 | 9.8 | 7.9 | 6.2 | 5.1 | 4.5 | 4.2 | 3.1 | 2.6 | 2.1 | 1.7 | 1.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 12.8 | 10.5 | 9.7 | 10.3 | 7.9 | 6.3 | 4.8 | 5.2 | 4.5 | 4.4 | 4.8 | 2.9 | 2.9 | 1.4 |
| 12 | 13.9 | 13.2 | 11.9 | 11.4 | 9.0 | 7.8 | 6.0 | 6.5 | 5.2 | 4.9 | 4.6 | 3.9 | 2.7 | 2.2 |
| 13 | 16.4 | 14.6 | 13.7 | 13.0 | 10.8 | 9.5 | 6.7 | 7.0 | 6.0 | 5.2 | 5.2 | 4.0 | 3.3 | 2.4 |
| 14 | 15.8 | 14.1 | 13.8 | 13.2 | 9.5 | 8.5 | 7.1 | 5.3 | 5.1 | 4.8 | 4.3 | 3.4 | 2.5 | 2.1 |
| 15 | 12.2 | 12.2 | 11.4 | 9.9 | 7.8 | 5.8 | 5.8 | 3.5 | 3.4 | 2.8 | 2.8 | 1.8 | 2.0 | 1.7 |
| 16 | 10.8 | 11.8 | 10.4 | 7.9 | 6.1 | 4.8 | 4.5 | 2.6 | 2.9 | 2.4 | 2.1 | 1.5 | 1.4 | 1.1 |
| 17 | 9.5 | 10.1 | 9.4 | 6.8 | 5.5 | 4.3 | 3.8 | 1.6 | 2.4 | 1.8 | 1.5 | 1.3 | 1.0 | 0.7 |
| 18 | 8.7 | 7.6 | 8.4 | 6.7 | 5.4 | 3.5 | 3.3 | 1.5 | 1.4 | 1.6 | 1.2 | 1.1 | 0.5 | 1.0 |
| Grade | | | | | | | | | | | | | | |
| 6th | 13.0 | 12.2 | 11.5 | 10.8 | 8.3 | 7.1 | 5.4 | 6.0 | 5.1 | 5.2 | 5.0 | 3.6 | 2.8 | 1.8 |
| 7th | 16.7 | 14.8 | 12.9 | 13.7 | 10.6 | 9.3 | 6.3 | 7.5 | 6.2 | 5.2 | 5.1 | 4.1 | 3.3 | 2.5 |
| 8th | 17.2 | 14.3 | 15.1 | 13.1 | 10.7 | 9.6 | 7.6 | 6.2 | 5.3 | 5.2 | 4.3 | 3.7 | 3.1 | 2.5 |
| 9th | 12.1 | 12.6 | 11.4 | 10.1 | 8.1 | 5.9 | 6.0 | 3.3 | 3.8 | 2.9 | 3.0 | 2.3 | 1.7 | 1.8 |
| 10th | 11.6 | 11.6 | 10.6 | 8.4 | 6.1 | 5.3 | 5.0 | 2.4 | 2.8 | 2.4 | 2.4 | 1.5 | 1.7 | 1.2 |
| 11th | 9.0 | 10.2 | 9.4 | 6.9 | 5.6 | 4.4 | 4.3 | 1.7 | 2.3 | 1.5 | 1.3 | 1.2 | 0.9 | 1.0 |
| 12th | 8.6 | 8.8 | 8.6 | 6.1 | 5.4 | 3.7 | 3.0 | 1.5 | 1.7 | 1.9 | 1.2 | 1.2 | 0.7 | 0.7 |
| Middle School | 15.7 | 13.8 | 13.2 | 12.5 | 9.9 | 8.6 | 6.4 | 6.6 | 5.5 | 5.2 | 4.8 | 3.8 | 3.1 | 2.2 |
| High School | 10.6 | 11.0 | 10.1 | 8.0 | 6.4 | 4.9 | 4.6 | 2.4 | 2.8 | 2.2 | 2.0 | 1.6 | 1.3 | 1.2 |
| Total | 12.9 | 12.2 | 11.4 | 10.0 | 7.9 | 6.5 | 5.4 | 4.2 | 3.9 | 3.5 | 3.2 | 2.5 | 2.1 | 1.6 |

Table 15. Percentage of surveyed Florida youth who used the stimulant known as “flakka” or “gravel” in lifetime and past 30 days, 2016

| | Flakka Use | | | | | | | | | | | | | |
|--------------------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | | | 0.9 | | | | | | | 0.4 |
| Male | | | | | | | 1.1 | | | | | | | 0.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | | | 1.3 | | | | | | | 0.8 |
| Hispanic/Latino | | | | | | | 1.2 | | | | | | | 0.5 |
| White, non-Hispanic | | | | | | | 0.7 | | | | | | | 0.3 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | | | -- | | | | | | | -- |
| 12 | | | | | | | -- | | | | | | | -- |
| 13 | | | | | | | -- | | | | | | | -- |
| 14 | | | | | | | 0.7 | | | | | | | 0.2 |
| 15 | | | | | | | 1.1 | | | | | | | 0.5 |
| 16 | | | | | | | 1.1 | | | | | | | 0.4 |
| 17 | | | | | | | 0.8 | | | | | | | 0.6 |
| 18 | | | | | | | 1.1 | | | | | | | 0.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | | | -- | | | | | | | -- |
| 7th | | | | | | | -- | | | | | | | -- |
| 8th | | | | | | | -- | | | | | | | -- |
| 9th | | | | | | | 1.1 | | | | | | | 0.4 |
| 10th | | | | | | | 1.3 | | | | | | | 0.6 |
| 11th | | | | | | | 0.8 | | | | | | | 0.6 |
| 12th | | | | | | | 0.8 | | | | | | | 0.4 |
| Middle School | | | | | | | -- | | | | | | | -- |
| High School | | | | | | | 1.0 | | | | | | | 0.5 |
| Total | | | | | | | -- | | | | | | | -- |

Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2008 to 2016

| | Club Drug Use | | | | | | | | | | | | | |
|--------------------------|---------------|-----------|-----------|------------|------------|------------|------------|--------------|-----------|-----------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | 1.4 | 3.5 | 3.2 | 2.8 | 1.9 | | | 0.5 | 1.1 | 0.9 | 0.7 | 0.5 |
| Male | | | 1.8 | 3.9 | 3.5 | 3.2 | 2.2 | | | 0.7 | 1.4 | 1.2 | 0.8 | 0.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | 1.1 | 1.8 | 1.3 | 1.4 | 1.2 | | | 0.5 | 0.8 | 0.4 | 0.4 | 0.4 |
| Hispanic/Latino | | | 2.0 | 4.0 | 3.6 | 3.1 | 2.1 | | | 0.8 | 1.4 | 1.2 | 0.8 | 0.5 |
| White, non-Hispanic | | | 1.6 | 4.4 | 3.8 | 3.5 | 2.3 | | | 0.5 | 1.3 | 1.1 | 0.8 | 0.6 |
| Age | | | | | | | | | | | | | | |
| 11 | | | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 | | | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 |
| 12 | | | 0.6 | 0.7 | 0.5 | 0.5 | 0.4 | | | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| 13 | | | 1.3 | 1.7 | 1.0 | 1.0 | 0.9 | | | 0.4 | 0.6 | 0.3 | 0.4 | 0.3 |
| 14 | | | 2.6 | 2.8 | 2.3 | 2.4 | 1.3 | | | 1.0 | 0.9 | 0.7 | 0.7 | 0.4 |
| 15 | | | -- | 4.1 | 3.3 | 3.3 | 2.3 | | | -- | 1.5 | 1.1 | 1.0 | 0.6 |
| 16 | | | -- | 5.8 | 5.1 | 4.1 | 2.9 | | | -- | 2.0 | 1.6 | 1.1 | 0.8 |
| 17 | | | -- | 5.3 | 6.7 | 5.4 | 3.6 | | | -- | 1.7 | 1.9 | 0.9 | 0.8 |
| 18 | | | -- | 7.0 | 7.6 | 6.9 | 4.5 | | | -- | 2.0 | 2.3 | 1.3 | 0.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | 0.6 | 0.8 | 0.6 | 0.4 | 0.4 | | | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 |
| 7th | | | 1.5 | 1.8 | 0.9 | 0.9 | 0.7 | | | 0.6 | 0.7 | 0.4 | 0.3 | 0.4 |
| 8th | | | 2.7 | 2.6 | 1.9 | 2.0 | 1.1 | | | 0.9 | 0.9 | 0.7 | 0.5 | 0.3 |
| 9th | | | -- | 4.2 | 3.1 | 2.7 | 2.0 | | | -- | 1.5 | 0.9 | 0.8 | 0.5 |
| 10th | | | -- | 5.1 | 4.2 | 4.0 | 2.7 | | | -- | 1.7 | 1.4 | 1.1 | 0.7 |
| 11th | | | -- | 5.7 | 5.7 | 4.9 | 3.4 | | | -- | 1.9 | 1.7 | 1.1 | 1.1 |
| 12th | | | -- | 6.2 | 7.8 | 6.7 | 4.2 | | | -- | 1.8 | 2.2 | 1.2 | 0.8 |
| Middle School | | | 1.6 | 1.7 | 1.1 | 1.1 | 0.7 | | | 0.6 | 0.6 | 0.4 | 0.3 | 0.3 |
| High School | | | -- | 5.2 | 5.1 | 4.5 | 3.0 | | | -- | 1.7 | 1.5 | 1.0 | 0.8 |
| Total | | | -- | 3.7 | 3.4 | 3.0 | 2.1 | | | -- | 1.3 | 1.1 | 0.7 | 0.6 |

Note: Prior to 2008, individual survey questions were used to ask about the use of Ecstasy, Rohypnol, GHB, and ketamine. These multiple items were replaced with a combined “club drugs” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the Ecstasy, Rohypnol, GHB, and ketamine questions.

Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2008 to 2016

| | LSD, PCP or Hallucinogenic Mushroom Use | | | | | | | | | | | | | |
|--------------------------|---|-----------|-----------|------------|------------|------------|------------|--------------|-----------|-----------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | 1.1 | 3.2 | 2.8 | 2.8 | 2.7 | | | 0.3 | 0.9 | 0.7 | 0.8 | 0.7 |
| Male | | | 1.9 | 4.7 | 4.3 | 4.3 | 3.7 | | | 0.8 | 1.3 | 1.2 | 1.2 | 1.1 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | 0.8 | 1.3 | 1.0 | 1.1 | 1.1 | | | 0.4 | 0.6 | 0.4 | 0.5 | 0.4 |
| Hispanic/Latino | | | 1.2 | 3.4 | 2.9 | 3.1 | 2.8 | | | 0.4 | 1.1 | 1.0 | 0.9 | 0.8 |
| White, non-Hispanic | | | 1.9 | 5.3 | 4.5 | 4.7 | 4.2 | | | 0.6 | 1.4 | 1.1 | 1.3 | 1.1 |
| Age | | | | | | | | | | | | | | |
| 11 | | | 0.2 | 0.4 | 0.5 | 0.3 | 0.2 | | | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 |
| 12 | | | 0.5 | 1.0 | 0.7 | 0.5 | 0.5 | | | 0.2 | 0.4 | 0.3 | 0.3 | 0.2 |
| 13 | | | 1.6 | 1.8 | 1.1 | 1.4 | 1.1 | | | 0.5 | 0.8 | 0.4 | 0.5 | 0.2 |
| 14 | | | 2.3 | 3.1 | 2.6 | 2.6 | 2.0 | | | 0.9 | 1.0 | 0.8 | 1.0 | 0.5 |
| 15 | | | -- | 4.1 | 3.9 | 4.3 | 3.7 | | | -- | 1.3 | 1.1 | 1.2 | 1.1 |
| 16 | | | -- | 5.5 | 4.8 | 5.1 | 5.2 | | | -- | 1.4 | 1.3 | 1.5 | 1.7 |
| 17 | | | -- | 6.1 | 6.7 | 6.6 | 5.8 | | | -- | 1.3 | 1.4 | 1.5 | 1.4 |
| 18 | | | -- | 6.8 | 7.4 | 6.9 | 6.8 | | | -- | 1.9 | 1.6 | 1.6 | 1.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | 0.6 | 0.8 | 0.5 | 0.4 | 0.4 | | | 0.2 | 0.4 | 0.2 | 0.2 | 0.1 |
| 7th | | | 1.3 | 1.9 | 1.1 | 1.2 | 0.8 | | | 0.5 | 0.8 | 0.4 | 0.4 | 0.2 |
| 8th | | | 2.6 | 3.0 | 2.5 | 2.4 | 1.8 | | | 1.0 | 0.9 | 0.9 | 1.1 | 0.5 |
| 9th | | | -- | 4.3 | 3.7 | 3.5 | 2.8 | | | -- | 1.4 | 1.1 | 1.1 | 0.9 |
| 10th | | | -- | 5.1 | 4.1 | 5.0 | 4.5 | | | -- | 1.5 | 1.1 | 1.6 | 1.4 |
| 11th | | | -- | 5.9 | 5.6 | 5.8 | 5.8 | | | -- | 1.2 | 1.4 | 1.4 | 1.6 |
| 12th | | | -- | 6.8 | 7.6 | 7.2 | 6.4 | | | -- | 1.8 | 1.6 | 1.5 | 1.6 |
| Middle School | | | 1.5 | 1.9 | 1.4 | 1.3 | 1.0 | | | 0.6 | 0.7 | 0.5 | 0.6 | 0.3 |
| High School | | | -- | 5.4 | 5.1 | 5.3 | 4.8 | | | -- | 1.4 | 1.3 | 1.4 | 1.4 |
| Total | | | -- | 3.9 | 3.5 | 3.6 | 3.2 | | | -- | 1.1 | 1.0 | 1.0 | 0.9 |

Note: Prior to 2008, individual survey questions were used to ask about the use of LSD or PCP, and the use of hallucinogenic mushrooms. These multiple items were replaced with the combined "LSD, PCP or hallucinogenic mushroom" item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the LSD or PCP question and the hallucinogenic mushrooms question.

Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2008 to 2016

| | Cocaine or Crack Cocaine Use | | | | | | | | | | | | | |
|--------------------------|------------------------------|-----------|-----------|------------|------------|------------|------------|--------------|-----------|-----------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | 1.7 | 2.7 | 1.9 | 1.6 | 1.6 | | | 0.5 | 0.8 | 0.5 | 0.5 | 0.6 |
| Male | | | 1.9 | 3.1 | 2.6 | 2.1 | 1.9 | | | 0.7 | 0.9 | 0.8 | 0.7 | 0.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | 1.1 | 1.2 | 0.8 | 0.6 | 0.9 | | | 0.6 | 0.7 | 0.3 | 0.3 | 0.4 |
| Hispanic/Latino | | | 2.6 | 3.7 | 2.6 | 2.3 | 1.8 | | | 0.8 | 1.2 | 0.6 | 0.7 | 0.7 |
| White, non-Hispanic | | | 1.7 | 3.2 | 2.5 | 2.1 | 2.1 | | | 0.5 | 0.7 | 0.7 | 0.6 | 0.7 |
| Age | | | | | | | | | | | | | | |
| 11 | | | 0.3 | 0.7 | 0.5 | 0.2 | 0.2 | | | 0.0 | 0.3 | 0.1 | 0.0 | 0.1 |
| 12 | | | 1.0 | 1.0 | 0.8 | 0.7 | 0.5 | | | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 13 | | | 2.0 | 1.7 | 1.1 | 1.2 | 1.0 | | | 0.6 | 0.7 | 0.2 | 0.5 | 0.3 |
| 14 | | | 2.5 | 2.3 | 1.8 | 1.2 | 0.9 | | | 0.8 | 0.8 | 0.6 | 0.6 | 0.3 |
| 15 | | | -- | 2.4 | 2.3 | 1.5 | 1.8 | | | -- | 0.7 | 0.7 | 0.5 | 0.6 |
| 16 | | | -- | 4.0 | 3.1 | 2.3 | 2.4 | | | -- | 1.1 | 0.9 | 0.8 | 0.9 |
| 17 | | | -- | 4.5 | 3.5 | 3.7 | 2.8 | | | -- | 1.1 | 0.9 | 0.8 | 0.9 |
| 18 | | | -- | 5.4 | 4.7 | 3.9 | 4.4 | | | -- | 1.1 | 1.4 | 1.1 | 1.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | 1.0 | 1.1 | 0.8 | 0.5 | 0.5 | | | 0.3 | 0.5 | 0.2 | 0.1 | 0.2 |
| 7th | | | 1.8 | 1.8 | 1.0 | 1.1 | 0.7 | | | 0.6 | 0.8 | 0.3 | 0.5 | 0.3 |
| 8th | | | 2.7 | 2.4 | 1.7 | 1.2 | 1.0 | | | 0.9 | 0.8 | 0.5 | 0.6 | 0.3 |
| 9th | | | -- | 2.6 | 2.4 | 1.5 | 1.5 | | | -- | 0.8 | 0.7 | 0.5 | 0.5 |
| 10th | | | -- | 3.3 | 2.5 | 1.9 | 2.0 | | | -- | 0.9 | 0.7 | 0.5 | 0.8 |
| 11th | | | -- | 4.5 | 3.4 | 3.0 | 2.8 | | | -- | 1.1 | 1.0 | 0.8 | 0.9 |
| 12th | | | -- | 4.9 | 4.4 | 4.1 | 3.8 | | | -- | 1.0 | 1.3 | 1.1 | 1.2 |
| Middle School | | | 1.8 | 1.8 | 1.1 | 0.9 | 0.8 | | | 0.6 | 0.7 | 0.4 | 0.4 | 0.3 |
| High School | | | -- | 3.8 | 3.1 | 2.5 | 2.5 | | | -- | 0.9 | 0.9 | 0.7 | 0.8 |
| Total | | | -- | 2.9 | 2.3 | 1.9 | 1.8 | | | -- | 0.8 | 0.7 | 0.6 | 0.6 |

Note: Prior to 2008, individual survey questions were used to ask about the use of cocaine and crack cocaine. These multiple items were replaced with a combined “cocaine or crack cocaine” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the cocaine question and the crack cocaine question.

Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2004 to 2016

| | Methamphetamine Use | | | | | | | | | | | | | |
|--------------------------|---------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 2.7 | 2.0 | 1.3 | 1.2 | 0.9 | 0.8 | 0.6 | 0.9 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 |
| Male | 2.4 | 2.1 | 1.4 | 1.3 | 1.1 | 1.2 | 0.8 | 0.9 | 0.7 | 0.6 | 0.6 | 0.5 | 0.6 | 0.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.5 | 0.8 | 0.9 | 1.0 | 0.8 | 0.9 | 0.6 | 0.9 | 0.4 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 |
| Hispanic/Latino | 2.5 | 1.9 | 1.6 | 1.5 | 1.1 | 1.2 | 0.7 | 1.0 | 0.7 | 0.6 | 0.7 | 0.5 | 0.4 | 0.4 |
| White, non-Hispanic | 2.7 | 2.5 | 1.4 | 1.2 | 1.0 | 0.9 | 0.7 | 0.7 | 0.7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.7 | 0.9 | 0.5 | 0.6 | 0.6 | 0.2 | 0.3 | 0.2 | 0.5 | 0.4 | 0.2 | 0.4 | 0.1 | 0.1 |
| 12 | 1.6 | 1.0 | 0.8 | 0.9 | 0.9 | 0.8 | 0.4 | 0.8 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.2 |
| 13 | 2.3 | 2.2 | 1.2 | 1.3 | 0.9 | 1.0 | 0.6 | 1.1 | 0.9 | 0.5 | 0.7 | 0.3 | 0.5 | 0.3 |
| 14 | 2.8 | 2.1 | 1.6 | 1.4 | 1.2 | 0.9 | 0.6 | 1.0 | 0.9 | 0.7 | 0.4 | 0.6 | 0.5 | 0.3 |
| 15 | 2.9 | 2.0 | 1.3 | 1.4 | 0.9 | 1.2 | 0.8 | 0.9 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.4 |
| 16 | 2.7 | 2.6 | 1.6 | 1.3 | 1.4 | 1.0 | 0.9 | 0.7 | 0.5 | 0.6 | 0.4 | 0.7 | 0.5 | 0.5 |
| 17 | 3.2 | 2.3 | 1.6 | 1.1 | 0.9 | 1.3 | 0.6 | 0.8 | 0.6 | 0.5 | 0.5 | 0.3 | 0.5 | 0.4 |
| 18 | 2.7 | 2.1 | 1.7 | 1.5 | 1.1 | 1.0 | 1.3 | 0.7 | 0.5 | 0.6 | 0.8 | 0.5 | 0.4 | 0.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.2 | 1.3 | 0.8 | 1.0 | 1.0 | 0.7 | 0.4 | 0.7 | 0.7 | 0.5 | 0.5 | 0.5 | 0.3 | 0.2 |
| 7th | 2.8 | 2.1 | 1.2 | 1.4 | 0.9 | 1.0 | 0.5 | 1.5 | 1.0 | 0.6 | 0.7 | 0.4 | 0.5 | 0.3 |
| 8th | 3.0 | 2.5 | 1.4 | 1.5 | 1.1 | 1.0 | 0.7 | 0.9 | 0.9 | 0.6 | 0.5 | 0.5 | 0.5 | 0.4 |
| 9th | 2.7 | 2.2 | 1.7 | 1.4 | 1.0 | 1.1 | 0.7 | 0.8 | 0.6 | 0.5 | 0.5 | 0.4 | 0.5 | 0.3 |
| 10th | 3.0 | 2.2 | 1.6 | 1.3 | 1.0 | 0.9 | 1.0 | 0.8 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.6 |
| 11th | 2.7 | 1.8 | 1.3 | 0.9 | 1.2 | 1.0 | 0.9 | 0.6 | 0.3 | 0.5 | 0.4 | 0.7 | 0.5 | 0.5 |
| 12th | 2.5 | 2.4 | 1.4 | 1.4 | 1.1 | 1.3 | 0.8 | 0.6 | 0.7 | 0.5 | 0.7 | 0.3 | 0.5 | 0.3 |
| Middle School | 2.4 | 2.0 | 1.2 | 1.3 | 1.0 | 0.9 | 0.5 | 1.0 | 0.9 | 0.6 | 0.6 | 0.5 | 0.4 | 0.3 |
| High School | 2.7 | 2.1 | 1.5 | 1.3 | 1.1 | 1.1 | 0.8 | 0.7 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 |
| Total | 2.6 | 2.1 | 1.4 | 1.3 | 1.0 | 1.0 | 0.7 | 0.9 | 0.7 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 |

Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2004 to 2016

| | Depressant Use | | | | | | | | | | | | | |
|--------------------------|----------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 8.1 | 7.4 | 6.5 | 6.5 | 5.2 | 5.1 | 5.3 | 3.2 | 2.8 | 2.4 | 2.3 | 1.6 | 1.8 | 2.0 |
| Male | 6.0 | 5.7 | 5.4 | 5.2 | 4.1 | 3.6 | 4.1 | 2.2 | 2.1 | 2.0 | 1.7 | 1.5 | 1.2 | 1.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.1 | 0.9 | 1.4 | 1.6 | 1.1 | 1.7 | 2.0 | 0.4 | 0.4 | 0.6 | 0.8 | 0.4 | 0.8 | 1.0 |
| Hispanic/Latino | 5.3 | 4.4 | 4.0 | 5.0 | 4.3 | 4.2 | 4.7 | 1.8 | 1.5 | 1.1 | 1.6 | 1.5 | 1.4 | 1.7 |
| White, non-Hispanic | 10.8 | 9.6 | 9.3 | 8.2 | 6.2 | 5.4 | 5.8 | 4.2 | 3.6 | 3.4 | 2.8 | 2.1 | 1.8 | 2.0 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.4 | 0.9 | 0.6 | 0.8 | 0.6 | 0.4 | 0.6 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 |
| 12 | 1.4 | 1.2 | 1.3 | 1.6 | 1.0 | 1.0 | 1.4 | 0.6 | 0.3 | 0.4 | 0.6 | 0.6 | 0.4 | 0.4 |
| 13 | 2.7 | 2.7 | 2.2 | 2.6 | 1.8 | 2.4 | 2.6 | 1.0 | 1.3 | 0.9 | 1.1 | 0.6 | 1.0 | 1.0 |
| 14 | 5.0 | 4.9 | 4.2 | 4.6 | 3.2 | 3.5 | 3.8 | 2.0 | 1.7 | 1.8 | 1.8 | 1.2 | 1.3 | 1.6 |
| 15 | 8.9 | 6.9 | 6.8 | 5.9 | 4.8 | 5.1 | 5.5 | 3.6 | 3.0 | 2.3 | 2.2 | 1.9 | 2.2 | 2.3 |
| 16 | 10.8 | 9.7 | 8.4 | 8.6 | 7.0 | 6.6 | 6.6 | 4.5 | 3.7 | 3.2 | 3.1 | 2.4 | 1.7 | 2.3 |
| 17 | 12.5 | 11.2 | 10.6 | 9.2 | 9.0 | 7.2 | 7.8 | 4.4 | 4.0 | 3.4 | 2.7 | 2.6 | 2.7 | 2.8 |
| 18 | 13.4 | 11.8 | 11.3 | 10.4 | 8.6 | 7.3 | 8.0 | 4.4 | 4.3 | 4.0 | 3.0 | 2.4 | 1.9 | 2.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.1 | 1.1 | 1.2 | 1.1 | 0.9 | 0.8 | 1.0 | 0.5 | 0.3 | 0.4 | 0.5 | 0.5 | 0.3 | 0.3 |
| 7th | 2.9 | 2.6 | 2.0 | 2.9 | 1.4 | 1.8 | 1.9 | 1.0 | 1.2 | 0.8 | 1.1 | 0.6 | 0.8 | 0.9 |
| 8th | 5.0 | 4.9 | 4.1 | 4.3 | 3.0 | 3.0 | 3.6 | 2.1 | 2.1 | 1.8 | 1.6 | 1.2 | 1.2 | 1.3 |
| 9th | 8.0 | 6.7 | 6.3 | 6.0 | 4.5 | 4.3 | 4.6 | 3.3 | 2.7 | 2.3 | 2.4 | 1.5 | 1.8 | 1.8 |
| 10th | 10.4 | 9.0 | 8.2 | 7.9 | 5.8 | 6.2 | 6.4 | 4.4 | 3.4 | 3.0 | 2.8 | 2.2 | 2.1 | 2.4 |
| 11th | 12.2 | 10.1 | 10.1 | 9.7 | 7.9 | 6.9 | 7.7 | 4.2 | 3.5 | 3.1 | 3.0 | 2.4 | 2.1 | 2.8 |
| 12th | 12.7 | 12.0 | 11.0 | 9.5 | 9.6 | 7.8 | 7.7 | 4.3 | 4.3 | 3.1 | 2.8 | 2.5 | 2.5 | 2.7 |
| Middle School | 3.0 | 2.9 | 2.4 | 2.8 | 1.8 | 1.9 | 2.2 | 1.2 | 1.2 | 1.0 | 1.1 | 0.8 | 0.8 | 0.8 |
| High School | 10.4 | 9.1 | 8.7 | 8.2 | 6.8 | 6.2 | 6.5 | 3.9 | 3.4 | 3.0 | 2.7 | 2.1 | 2.1 | 2.4 |
| Total | 7.1 | 6.5 | 6.0 | 5.8 | 4.6 | 4.3 | 4.7 | 2.8 | 2.5 | 2.1 | 2.0 | 1.6 | 1.5 | 1.8 |

Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2004 to 2016

| | Heroin Use | | | | | | | | | | | | | |
|--------------------------|------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.0 | 1.1 | 0.8 | 1.0 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.1 |
| Male | 1.1 | 1.0 | 1.1 | 1.1 | 0.8 | 0.8 | 0.4 | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.5 | 0.5 | 0.3 | 0.7 | 0.5 | 0.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| Hispanic/Latino | 1.3 | 1.0 | 1.0 | 1.1 | 0.5 | 0.6 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 |
| White, non-Hispanic | 1.0 | 1.2 | 1.2 | 1.1 | 0.8 | 0.6 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.5 | 0.3 | 0.2 | 0.5 | 0.3 | 0.1 | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 |
| 12 | 0.6 | 0.4 | 0.5 | 0.6 | 0.3 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 |
| 13 | 1.2 | 1.1 | 1.0 | 1.0 | 0.6 | 0.7 | 0.5 | 0.3 | 0.3 | 0.5 | 0.4 | 0.2 | 0.3 | 0.2 |
| 14 | 1.4 | 1.1 | 1.0 | 1.0 | 0.8 | 0.6 | 0.3 | 0.5 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.1 |
| 15 | 1.0 | 1.1 | 1.1 | 0.9 | 0.6 | 0.5 | 0.5 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| 16 | 1.1 | 1.5 | 1.1 | 1.4 | 1.0 | 0.7 | 0.5 | 0.3 | 0.6 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 |
| 17 | 1.1 | 1.2 | 1.0 | 1.0 | 0.8 | 0.9 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.4 | 0.1 |
| 18 | 0.6 | 1.0 | 0.9 | 1.4 | 0.8 | 0.5 | 0.5 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.1 | 0.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.5 | 0.5 | 0.5 | 0.6 | 0.3 | 0.4 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 |
| 7th | 1.4 | 1.0 | 0.9 | 1.0 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.2 | 0.2 | 0.1 |
| 8th | 1.4 | 1.3 | 1.1 | 1.1 | 0.8 | 0.9 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.3 | 0.4 | 0.1 |
| 9th | 1.0 | 1.2 | 1.3 | 1.0 | 0.7 | 0.6 | 0.4 | 0.4 | 0.6 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 |
| 10th | 1.1 | 1.2 | 1.0 | 1.1 | 0.9 | 0.5 | 0.6 | 0.4 | 0.5 | 0.2 | 0.4 | 0.4 | 0.2 | 0.2 |
| 11th | 0.8 | 1.1 | 0.7 | 1.2 | 0.9 | 0.7 | 0.3 | 0.1 | 0.3 | 0.3 | 0.4 | 0.5 | 0.3 | 0.2 |
| 12th | 0.9 | 1.1 | 0.9 | 1.2 | 0.8 | 0.8 | 0.3 | 0.3 | 0.4 | 0.2 | 0.4 | 0.3 | 0.3 | 0.1 |
| Middle School | 1.1 | 0.9 | 0.8 | 0.9 | 0.5 | 0.6 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.1 |
| High School | 1.0 | 1.2 | 1.0 | 1.1 | 0.8 | 0.7 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.2 |
| Total | 1.0 | 1.1 | 0.9 | 1.0 | 0.7 | 0.6 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 |

Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2004 to 2016

| | Prescription Pain Reliever Use | | | | | | | | | | | | | |
|--------------------------|--------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 9.4 | 9.1 | 8.3 | 8.0 | 7.0 | 5.9 | 5.3 | 3.6 | 3.5 | 3.2 | 3.1 | 2.6 | 2.4 | 2.2 |
| Male | 7.5 | 7.4 | 7.6 | 6.9 | 5.9 | 5.1 | 4.2 | 3.0 | 2.9 | 3.2 | 2.7 | 2.0 | 1.8 | 1.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 3.0 | 2.5 | 3.4 | 3.4 | 3.7 | 3.4 | 3.7 | 1.4 | 1.2 | 1.9 | 2.0 | 1.8 | 1.7 | 1.8 |
| Hispanic/Latino | 5.8 | 5.3 | 5.3 | 5.8 | 5.8 | 5.2 | 4.6 | 2.4 | 2.1 | 2.3 | 2.3 | 2.5 | 2.1 | 2.0 |
| White, non-Hispanic | 12.3 | 11.7 | 11.4 | 10.0 | 7.9 | 6.3 | 5.2 | 4.5 | 4.3 | 4.2 | 3.6 | 2.3 | 2.1 | 1.7 |
| Age | | | | | | | | | | | | | | |
| 11 | 2.3 | 1.6 | 1.9 | 2.5 | 2.2 | 1.6 | 1.7 | 1.0 | 0.4 | 0.6 | 0.8 | 1.3 | 0.5 | 0.8 |
| 12 | 3.4 | 2.8 | 3.0 | 2.7 | 2.7 | 2.0 | 2.8 | 1.5 | 1.1 | 1.7 | 1.4 | 1.2 | 1.0 | 1.4 |
| 13 | 5.1 | 4.7 | 4.9 | 4.1 | 4.0 | 3.6 | 3.6 | 2.0 | 2.0 | 2.1 | 2.0 | 1.7 | 1.7 | 1.6 |
| 14 | 6.3 | 6.8 | 6.9 | 6.2 | 5.0 | 4.9 | 4.6 | 2.8 | 3.0 | 3.2 | 3.0 | 2.0 | 2.4 | 2.0 |
| 15 | 9.8 | 8.9 | 8.9 | 7.7 | 6.8 | 6.6 | 5.2 | 4.2 | 3.4 | 3.6 | 3.3 | 2.8 | 2.6 | 2.3 |
| 16 | 12.3 | 11.3 | 10.3 | 10.7 | 8.8 | 7.2 | 6.1 | 4.8 | 4.5 | 4.0 | 3.8 | 2.9 | 2.7 | 2.1 |
| 17 | 12.7 | 12.5 | 12.0 | 11.0 | 10.7 | 8.4 | 5.9 | 4.8 | 4.6 | 3.9 | 3.5 | 2.9 | 2.6 | 1.9 |
| 18 | 14.0 | 14.0 | 12.7 | 11.1 | 10.0 | 7.4 | 7.0 | 3.8 | 4.6 | 5.0 | 3.5 | 2.8 | 2.1 | 1.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | 3.2 | 2.8 | 2.8 | 2.8 | 2.5 | 1.8 | 2.4 | 1.5 | 1.2 | 1.5 | 1.5 | 1.4 | 0.8 | 1.1 |
| 7th | 4.9 | 4.5 | 4.7 | 4.0 | 3.7 | 3.4 | 3.2 | 1.9 | 2.0 | 2.2 | 2.1 | 1.6 | 1.6 | 1.7 |
| 8th | 7.2 | 6.8 | 7.3 | 6.2 | 4.7 | 3.6 | 4.2 | 3.2 | 3.1 | 3.1 | 2.9 | 2.0 | 1.8 | 1.9 |
| 9th | 8.5 | 8.2 | 8.2 | 7.4 | 6.4 | 6.2 | 5.1 | 3.8 | 3.2 | 3.7 | 3.1 | 2.5 | 2.7 | 2.3 |
| 10th | 11.5 | 10.9 | 10.0 | 10.4 | 7.7 | 7.5 | 5.6 | 4.3 | 4.3 | 3.6 | 3.9 | 2.8 | 3.1 | 2.0 |
| 11th | 12.8 | 11.9 | 11.7 | 10.8 | 9.9 | 7.4 | 6.3 | 4.8 | 4.2 | 3.9 | 3.3 | 2.9 | 2.1 | 2.0 |
| 12th | 13.4 | 13.3 | 12.1 | 10.6 | 10.5 | 8.3 | 6.4 | 4.2 | 4.4 | 4.5 | 3.4 | 2.9 | 2.4 | 1.8 |
| Middle School | 5.1 | 4.8 | 4.9 | 4.4 | 3.6 | 3.0 | 3.3 | 2.2 | 2.1 | 2.3 | 2.2 | 1.7 | 1.4 | 1.6 |
| High School | 11.1 | 10.8 | 10.4 | 9.7 | 8.5 | 7.3 | 5.8 | 4.2 | 4.0 | 3.9 | 3.4 | 2.8 | 2.6 | 2.0 |
| Total | 8.5 | 8.3 | 8.0 | 7.4 | 6.4 | 5.5 | 4.8 | 3.3 | 3.2 | 3.2 | 2.9 | 2.3 | 2.1 | 1.8 |

Note: The results from 2004 represent the combination of two different survey items covering the use of OxyContin and “Other Prescription Pain Relievers.” Starting in 2006, these were combined into a single survey item.

Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2008 to 2016

| | Over-the-Counter Drug Use | | | | | | | | | | | | | |
|--------------------------|---------------------------|-----------|-----------|------------|------------|------------|------------|--------------|-----------|-----------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | 5.9 | 6.9 | 5.9 | 5.1 | 4.7 | | | 2.6 | 2.8 | 2.5 | 2.3 | 2.0 |
| Male | | | 3.9 | 6.2 | 5.2 | 4.8 | 4.2 | | | 1.8 | 2.3 | 2.0 | 1.8 | 1.9 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | 4.7 | 5.5 | 4.6 | 4.8 | 3.9 | | | 2.7 | 2.7 | 2.5 | 2.4 | 1.7 |
| Hispanic/Latino | | | 4.8 | 6.3 | 5.7 | 4.4 | 4.2 | | | 2.1 | 2.5 | 2.4 | 2.0 | 1.9 |
| White, non-Hispanic | | | 4.8 | 7.2 | 5.7 | 5.0 | 4.6 | | | 2.2 | 2.4 | 2.0 | 1.8 | 2.0 |
| Age | | | | | | | | | | | | | | |
| 11 | | | 2.1 | 1.9 | 2.7 | 1.9 | 1.9 | | | 0.8 | 0.4 | 1.0 | 1.2 | 1.0 |
| 12 | | | 2.8 | 3.4 | 2.5 | 2.6 | 2.7 | | | 1.5 | 1.7 | 1.2 | 1.1 | 1.3 |
| 13 | | | 5.0 | 4.5 | 4.1 | 3.4 | 3.3 | | | 2.1 | 2.1 | 1.6 | 1.6 | 1.8 |
| 14 | | | 7.0 | 6.4 | 5.0 | 4.9 | 4.6 | | | 3.1 | 3.1 | 2.4 | 2.4 | 2.4 |
| 15 | | | -- | 8.1 | 6.0 | 6.1 | 5.1 | | | -- | 3.4 | 2.7 | 3.0 | 2.3 |
| 16 | | | -- | 8.1 | 7.3 | 5.9 | 5.6 | | | -- | 2.7 | 3.0 | 2.1 | 2.1 |
| 17 | | | -- | 7.8 | 7.6 | 6.4 | 5.6 | | | -- | 2.4 | 2.3 | 2.1 | 2.0 |
| 18 | | | -- | 8.8 | 8.4 | 7.2 | 5.5 | | | -- | 2.8 | 2.7 | 2.6 | 2.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | 3.2 | 3.1 | 2.8 | 2.5 | 2.3 | | | 1.6 | 1.3 | 1.1 | 1.2 | 1.2 |
| 7th | | | 4.4 | 4.8 | 3.9 | 3.2 | 3.0 | | | 1.9 | 2.2 | 1.8 | 1.5 | 1.6 |
| 8th | | | 7.2 | 6.3 | 4.6 | 4.5 | 4.3 | | | 3.3 | 2.9 | 2.2 | 2.2 | 2.5 |
| 9th | | | -- | 7.4 | 5.9 | 5.3 | 4.8 | | | -- | 3.5 | 2.8 | 2.5 | 2.2 |
| 10th | | | -- | 8.5 | 6.6 | 6.8 | 5.7 | | | -- | 3.0 | 2.5 | 2.9 | 2.5 |
| 11th | | | -- | 7.9 | 7.8 | 6.2 | 5.6 | | | -- | 2.5 | 3.0 | 2.1 | 1.9 |
| 12th | | | -- | 8.2 | 7.5 | 6.6 | 5.1 | | | -- | 2.4 | 2.2 | 2.1 | 1.7 |
| Middle School | | | 4.9 | 4.8 | 3.7 | 3.4 | 3.2 | | | 2.2 | 2.2 | 1.7 | 1.6 | 1.8 |
| High School | | | -- | 8.0 | 6.9 | 6.1 | 5.3 | | | -- | 2.9 | 2.6 | 2.4 | 2.1 |
| Total | | | -- | 6.6 | 5.5 | 5.0 | 4.4 | | | -- | 2.6 | 2.2 | 2.1 | 2.0 |

Table 24. Percentage of surveyed Florida youth who used steroids without a doctor’s order in lifetime and past 30 days—2004 to 2016

| | Steroid Use | | | | | | | | | | | | | |
|--------------------------|-------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.0 | 0.6 | 0.6 | 0.4 | 0.5 | 0.3 | 0.4 | 0.4 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 |
| Male | 1.8 | 1.5 | 1.4 | 1.2 | 1.2 | 1.0 | 0.6 | 0.7 | 0.8 | 0.7 | 0.6 | 0.6 | 0.4 | 0.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.9 | 0.6 | 0.8 | 0.8 | 0.7 | 0.6 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 |
| Hispanic/Latino | 1.5 | 0.8 | 0.8 | 0.7 | 0.7 | 0.5 | 0.5 | 0.7 | 0.5 | 0.3 | 0.3 | 0.4 | 0.2 | 0.2 |
| White, non-Hispanic | 1.4 | 1.3 | 1.2 | 0.9 | 0.9 | 0.7 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.2 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.6 | 0.9 | 0.2 | 0.5 | 0.6 | 0.3 | 0.3 | 0.3 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 12 | 1.2 | 0.7 | 0.7 | 0.6 | 0.5 | 0.4 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 |
| 13 | 1.6 | 1.3 | 0.8 | 0.6 | 0.6 | 0.5 | 0.6 | 0.5 | 0.6 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 |
| 14 | 1.1 | 0.7 | 0.9 | 0.9 | 0.8 | 0.5 | 0.4 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| 15 | 1.3 | 1.0 | 1.1 | 0.9 | 0.7 | 0.7 | 0.4 | 0.5 | 0.4 | 0.5 | 0.6 | 0.4 | 0.3 | 0.2 |
| 16 | 1.2 | 1.5 | 1.1 | 0.6 | 1.0 | 0.7 | 0.7 | 0.5 | 0.8 | 0.5 | 0.2 | 0.5 | 0.3 | 0.2 |
| 17 | 1.7 | 1.0 | 1.3 | 0.9 | 0.9 | 0.9 | 0.5 | 0.5 | 0.7 | 0.5 | 0.3 | 0.4 | 0.4 | 0.2 |
| 18 | 1.6 | 1.1 | 1.4 | 1.2 | 1.6 | 1.1 | 0.7 | 0.9 | 0.6 | 0.8 | 0.6 | 1.0 | 0.4 | 0.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.2 | 0.9 | 0.8 | 0.5 | 0.6 | 0.4 | 0.5 | 0.3 | 0.4 | 0.4 | 0.1 | 0.3 | 0.2 | 0.2 |
| 7th | 1.6 | 1.2 | 0.7 | 0.7 | 0.6 | 0.5 | 0.6 | 0.8 | 0.5 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 |
| 8th | 1.3 | 1.1 | 0.9 | 0.9 | 0.8 | 0.7 | 0.6 | 0.6 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |
| 9th | 1.1 | 0.9 | 1.1 | 0.8 | 0.8 | 0.5 | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.4 | 0.2 | 0.2 |
| 10th | 1.3 | 1.3 | 1.1 | 0.7 | 0.9 | 0.7 | 0.6 | 0.5 | 0.7 | 0.4 | 0.3 | 0.4 | 0.4 | 0.2 |
| 11th | 1.5 | 0.9 | 1.3 | 0.7 | 0.8 | 0.9 | 0.5 | 0.5 | 0.6 | 0.6 | 0.3 | 0.4 | 0.3 | 0.1 |
| 12th | 1.5 | 1.3 | 1.3 | 1.0 | 1.3 | 1.0 | 0.6 | 0.7 | 0.6 | 0.7 | 0.5 | 0.8 | 0.4 | 0.2 |
| Middle School | 1.4 | 1.1 | 0.8 | 0.7 | 0.7 | 0.5 | 0.6 | 0.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| High School | 1.3 | 1.1 | 1.2 | 0.8 | 0.9 | 0.8 | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 | 0.5 | 0.3 | 0.2 |
| Total | 1.3 | 1.1 | 1.0 | 0.8 | 0.8 | 0.7 | 0.5 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 |

Table 25. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2004 to 2016

| | Prescription Amphetamine Use | | | | | | | | | | | | | |
|--------------------------|------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 4.1 | 4.7 | 3.8 | 3.9 | 3.4 | 3.5 | 3.3 | 1.3 | 1.5 | 1.0 | 1.1 | 1.0 | 1.1 | 1.1 |
| Male | 3.7 | 4.0 | 3.5 | 3.3 | 3.1 | 3.2 | 3.2 | 1.3 | 1.3 | 1.3 | 1.1 | 1.0 | 1.1 | 1.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.9 | 1.4 | 1.1 | 1.3 | 1.1 | 1.3 | 1.2 | 0.4 | 0.5 | 0.6 | 0.6 | 0.5 | 0.6 | 0.6 |
| Hispanic/Latino | 2.2 | 1.9 | 2.1 | 2.6 | 2.3 | 2.8 | 2.5 | 0.7 | 0.7 | 0.6 | 0.9 | 0.7 | 1.2 | 0.9 |
| White, non-Hispanic | 6.0 | 6.5 | 5.8 | 5.3 | 4.5 | 4.3 | 4.3 | 1.8 | 2.1 | 1.7 | 1.4 | 1.4 | 1.3 | 1.5 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.5 | 0.4 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 12 | 1.2 | 1.1 | 0.9 | 1.0 | 0.8 | 0.7 | 1.0 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 13 | 2.2 | 2.2 | 1.6 | 1.5 | 1.2 | 1.1 | 1.4 | 0.8 | 0.9 | 0.6 | 0.5 | 0.4 | 0.6 | 0.6 |
| 14 | 3.3 | 3.4 | 2.6 | 2.5 | 1.9 | 2.1 | 2.2 | 1.5 | 1.2 | 1.1 | 1.0 | 0.8 | 0.9 | 0.8 |
| 15 | 4.3 | 4.7 | 4.1 | 3.3 | 2.9 | 3.6 | 3.2 | 1.4 | 1.7 | 1.3 | 1.2 | 1.1 | 1.3 | 1.3 |
| 16 | 6.2 | 6.8 | 4.7 | 5.4 | 4.8 | 4.7 | 4.9 | 2.1 | 2.1 | 1.5 | 1.4 | 1.5 | 1.5 | 1.8 |
| 17 | 6.1 | 6.9 | 6.3 | 6.1 | 6.7 | 6.9 | 5.6 | 1.6 | 2.1 | 1.5 | 1.6 | 1.8 | 2.1 | 2.1 |
| 18 | 6.0 | 6.6 | 7.5 | 7.2 | 7.1 | 6.6 | 6.9 | 1.3 | 1.5 | 2.2 | 1.6 | 1.7 | 2.1 | 1.8 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.1 | 1.2 | 1.0 | 0.9 | 0.7 | 0.6 | 0.8 | 0.5 | 0.6 | 0.5 | 0.4 | 0.3 | 0.4 | 0.3 |
| 7th | 2.0 | 1.9 | 1.4 | 1.4 | 1.2 | 1.0 | 1.2 | 0.8 | 0.8 | 0.5 | 0.5 | 0.5 | 0.5 | 0.7 |
| 8th | 3.3 | 3.5 | 2.4 | 2.4 | 1.5 | 1.4 | 1.8 | 1.4 | 1.5 | 0.8 | 0.9 | 0.5 | 0.6 | 0.7 |
| 9th | 4.3 | 4.5 | 4.0 | 3.4 | 2.4 | 3.1 | 2.6 | 1.5 | 1.4 | 1.5 | 1.1 | 1.0 | 1.1 | 0.9 |
| 10th | 5.8 | 6.4 | 4.6 | 4.9 | 4.2 | 4.5 | 4.2 | 1.8 | 2.0 | 1.2 | 1.4 | 1.4 | 1.4 | 1.6 |
| 11th | 5.6 | 6.5 | 5.9 | 6.0 | 5.4 | 5.4 | 5.8 | 1.6 | 1.9 | 1.6 | 1.6 | 1.6 | 1.7 | 2.1 |
| 12th | 6.2 | 6.8 | 7.0 | 6.8 | 7.8 | 7.7 | 6.4 | 1.4 | 1.7 | 1.9 | 1.4 | 1.9 | 2.5 | 1.9 |
| Middle School | 2.2 | 2.2 | 1.6 | 1.6 | 1.1 | 1.0 | 1.3 | 0.9 | 1.0 | 0.6 | 0.6 | 0.4 | 0.5 | 0.5 |
| High School | 5.3 | 5.9 | 5.3 | 5.2 | 4.8 | 5.1 | 4.7 | 1.6 | 1.7 | 1.6 | 1.4 | 1.5 | 1.7 | 1.6 |
| Total | 3.9 | 4.4 | 3.7 | 3.6 | 3.2 | 3.3 | 3.2 | 1.3 | 1.4 | 1.2 | 1.1 | 1.0 | 1.2 | 1.2 |

Table 26. Percentage of surveyed Florida youth who used a needle to inject an illegal drug in lifetime, 2016

| | Needle to Inject Illegal Drug | | | | | | |
|--------------------------|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Lifetime | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | |
| Female | | | | | | | 0.6 |
| Male | | | | | | | 0.8 |
| Race/Ethnic group | | | | | | | |
| African American | | | | | | | 0.6 |
| Hispanic/Latino | | | | | | | 0.6 |
| White, non-Hispanic | | | | | | | 0.8 |
| Age | | | | | | | |
| 11 | | | | | | | -- |
| 12 | | | | | | | -- |
| 13 | | | | | | | -- |
| 14 | | | | | | | 0.4 |
| 15 | | | | | | | 0.7 |
| 16 | | | | | | | 0.9 |
| 17 | | | | | | | 0.7 |
| 18 | | | | | | | 0.7 |
| Grade | | | | | | | |
| 6th | | | | | | | -- |
| 7th | | | | | | | -- |
| 8th | | | | | | | -- |
| 9th | | | | | | | 0.6 |
| 10th | | | | | | | 1.0 |
| 11th | | | | | | | 0.7 |
| 12th | | | | | | | 0.7 |
| Middle School | | | | | | | -- |
| High School | | | | | | | 0.8 |
| Total | | | | | | | -- |

Table 27. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2004 to 2016

| | Any Illicit Drug | | | | | | | | | | | | | |
|--------------------------|------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 34.1 | 32.5 | 31.3 | 32.7 | 31.6 | 30.7 | 29.0 | 17.5 | 15.6 | 15.7 | 17.3 | 16.3 | 16.4 | 15.1 |
| Male | 33.9 | 32.0 | 30.6 | 33.2 | 31.8 | 29.4 | 26.4 | 17.6 | 16.9 | 16.6 | 18.6 | 18.0 | 16.3 | 14.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 25.9 | 24.1 | 24.4 | 28.4 | 27.5 | 27.9 | 26.1 | 12.6 | 11.6 | 12.6 | 15.4 | 14.9 | 14.4 | 12.6 |
| Hispanic/Latino | 31.6 | 29.2 | 28.7 | 32.1 | 30.4 | 29.7 | 26.9 | 15.9 | 13.6 | 14.5 | 16.8 | 16.3 | 15.7 | 14.4 |
| White, non-Hispanic | 39.1 | 37.0 | 35.1 | 35.9 | 33.8 | 31.3 | 28.6 | 20.6 | 19.5 | 18.7 | 20.0 | 18.0 | 17.5 | 15.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 16.7 | 13.5 | 12.7 | 13.8 | 12.0 | 9.6 | 8.0 | 8.3 | 6.1 | 6.1 | 5.8 | 5.3 | 4.7 | 3.2 |
| 12 | 18.9 | 17.3 | 16.3 | 17.0 | 14.1 | 12.9 | 11.9 | 9.6 | 7.7 | 7.6 | 8.2 | 6.7 | 5.7 | 5.6 |
| 13 | 25.6 | 22.3 | 22.6 | 22.4 | 21.0 | 19.5 | 17.0 | 13.5 | 11.0 | 11.1 | 11.0 | 9.8 | 8.9 | 8.0 |
| 14 | 31.4 | 28.1 | 28.4 | 29.8 | 27.0 | 26.6 | 23.7 | 16.1 | 14.4 | 14.5 | 16.3 | 14.2 | 14.3 | 12.2 |
| 15 | 36.9 | 34.7 | 32.9 | 35.6 | 35.5 | 34.0 | 30.0 | 19.7 | 17.6 | 17.6 | 20.0 | 20.4 | 19.8 | 16.9 |
| 16 | 43.7 | 41.2 | 37.9 | 41.8 | 41.4 | 40.4 | 37.0 | 22.4 | 21.2 | 20.3 | 23.2 | 23.1 | 21.6 | 19.8 |
| 17 | 44.5 | 43.4 | 42.3 | 44.9 | 47.8 | 46.1 | 43.1 | 22.5 | 22.4 | 21.9 | 24.7 | 26.8 | 26.6 | 23.4 |
| 18 | 47.2 | 47.7 | 44.2 | 45.7 | 49.4 | 45.0 | 44.8 | 22.8 | 24.1 | 24.6 | 25.9 | 27.1 | 26.6 | 24.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 18.5 | 16.9 | 16.3 | 16.0 | 13.2 | 12.0 | 10.2 | 9.7 | 7.9 | 8.2 | 8.2 | 6.3 | 5.4 | 4.6 |
| 7th | 26.0 | 22.6 | 21.7 | 23.2 | 19.3 | 17.3 | 15.1 | 14.4 | 11.4 | 11.0 | 11.2 | 9.3 | 8.3 | 7.4 |
| 8th | 31.7 | 27.8 | 29.5 | 29.2 | 25.7 | 24.4 | 21.6 | 16.2 | 14.5 | 15.0 | 15.6 | 13.2 | 12.3 | 10.5 |
| 9th | 35.2 | 32.9 | 31.0 | 34.8 | 32.8 | 31.1 | 27.3 | 18.5 | 17.1 | 16.3 | 20.1 | 18.4 | 17.6 | 15.2 |
| 10th | 41.2 | 39.1 | 36.7 | 40.9 | 38.3 | 38.4 | 34.5 | 21.0 | 19.5 | 19.3 | 22.7 | 21.4 | 21.8 | 19.1 |
| 11th | 44.6 | 42.2 | 41.2 | 42.7 | 45.5 | 42.4 | 41.3 | 22.1 | 21.3 | 21.2 | 23.2 | 25.7 | 23.5 | 22.4 |
| 12th | 45.6 | 46.9 | 43.2 | 45.7 | 49.4 | 47.0 | 44.0 | 22.6 | 23.8 | 23.7 | 25.6 | 26.9 | 27.0 | 23.7 |
| Middle School | 25.4 | 22.6 | 22.5 | 22.8 | 19.4 | 17.9 | 15.7 | 13.5 | 11.4 | 11.4 | 11.7 | 9.6 | 8.7 | 7.5 |
| High School | 40.8 | 39.4 | 37.5 | 40.7 | 41.0 | 39.3 | 36.4 | 20.7 | 20.0 | 19.8 | 22.7 | 22.9 | 22.3 | 20.0 |
| Total | 33.9 | 32.2 | 31.0 | 33.0 | 31.7 | 30.0 | 27.7 | 17.5 | 16.3 | 16.2 | 18.0 | 17.2 | 16.4 | 14.7 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. Also, in 2016, the artificial stimulant “flakka” was added to the high school questionnaire. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2004 to 2016

| | Any Illicit Drug Other Than Marijuana | | | | | | | | | | | | | |
|--------------------------|---------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 24.7 | 23.0 | 22.4 | 22.0 | 19.7 | 17.9 | 16.4 | 11.1 | 9.9 | 9.6 | 9.8 | 8.6 | 7.9 | 7.3 |
| Male | 22.5 | 21.2 | 20.3 | 20.0 | 17.8 | 16.4 | 14.2 | 9.9 | 9.4 | 9.1 | 8.8 | 7.7 | 7.0 | 6.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 13.3 | 11.7 | 14.1 | 15.3 | 13.5 | 12.8 | 12.3 | 6.6 | 5.4 | 7.3 | 7.6 | 6.7 | 6.2 | 5.7 |
| Hispanic/Latino | 23.0 | 20.2 | 19.4 | 21.1 | 18.9 | 16.9 | 15.2 | 10.1 | 8.3 | 8.4 | 9.3 | 8.5 | 7.5 | 7.0 |
| White, non-Hispanic | 28.1 | 26.5 | 25.1 | 23.0 | 20.2 | 18.5 | 16.3 | 12.3 | 11.5 | 10.5 | 9.9 | 8.0 | 7.6 | 6.8 |
| Age | | | | | | | | | | | | | | |
| 11 | 16.0 | 13.1 | 12.4 | 13.2 | 11.6 | 8.7 | 7.5 | 7.8 | 5.8 | 5.7 | 5.6 | 5.2 | 4.3 | 3.1 |
| 12 | 17.6 | 16.2 | 15.3 | 15.2 | 12.5 | 11.2 | 10.5 | 8.9 | 7.1 | 7.2 | 7.1 | 5.9 | 4.6 | 5.0 |
| 13 | 22.2 | 18.9 | 19.7 | 18.1 | 16.3 | 15.2 | 12.9 | 11.4 | 8.9 | 8.8 | 8.5 | 6.9 | 6.7 | 5.8 |
| 14 | 23.5 | 21.3 | 21.8 | 21.7 | 17.8 | 16.9 | 15.3 | 10.9 | 9.8 | 9.9 | 10.1 | 8.2 | 7.9 | 7.2 |
| 15 | 24.8 | 23.0 | 21.9 | 22.1 | 19.0 | 17.9 | 16.7 | 10.7 | 9.6 | 9.4 | 9.7 | 8.8 | 8.6 | 7.8 |
| 16 | 27.2 | 26.0 | 22.9 | 23.7 | 22.0 | 19.0 | 17.6 | 11.7 | 10.8 | 9.3 | 10.6 | 9.6 | 8.4 | 7.7 |
| 17 | 26.5 | 25.8 | 24.8 | 23.9 | 24.3 | 22.9 | 19.0 | 10.3 | 10.9 | 10.0 | 9.7 | 9.3 | 9.1 | 7.5 |
| 18 | 26.7 | 27.3 | 26.1 | 24.0 | 24.5 | 21.8 | 19.8 | 9.7 | 11.7 | 12.0 | 10.1 | 10.0 | 8.1 | 8.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 17.2 | 15.4 | 15.2 | 14.4 | 12.1 | 10.5 | 9.2 | 9.0 | 7.1 | 7.6 | 7.3 | 5.8 | 4.8 | 4.2 |
| 7th | 22.6 | 19.4 | 18.8 | 19.4 | 15.4 | 14.0 | 11.7 | 12.1 | 9.4 | 8.8 | 8.8 | 6.7 | 6.1 | 5.7 |
| 8th | 24.7 | 21.3 | 23.2 | 21.1 | 18.3 | 16.7 | 15.1 | 11.5 | 9.9 | 10.5 | 9.4 | 8.3 | 7.6 | 6.8 |
| 9th | 23.7 | 22.7 | 21.0 | 21.9 | 18.8 | 16.8 | 15.6 | 10.3 | 9.6 | 9.0 | 10.2 | 8.6 | 7.8 | 7.2 |
| 10th | 26.3 | 24.8 | 22.6 | 23.4 | 19.5 | 19.5 | 17.8 | 10.8 | 10.3 | 9.0 | 10.4 | 8.8 | 9.4 | 7.9 |
| 11th | 26.4 | 25.0 | 24.0 | 23.5 | 23.3 | 20.2 | 18.6 | 10.3 | 10.1 | 9.5 | 9.4 | 9.5 | 7.8 | 7.8 |
| 12th | 26.0 | 27.2 | 25.4 | 23.8 | 24.9 | 23.0 | 19.2 | 9.9 | 11.3 | 11.4 | 9.8 | 9.6 | 9.0 | 7.7 |
| Middle School | 21.5 | 18.8 | 19.1 | 18.3 | 15.3 | 13.7 | 12.0 | 10.9 | 8.9 | 9.0 | 8.5 | 6.9 | 6.2 | 5.6 |
| High School | 25.4 | 24.7 | 23.1 | 23.1 | 21.5 | 19.7 | 17.7 | 10.3 | 10.2 | 9.6 | 10.0 | 9.1 | 8.5 | 7.7 |
| Total | 23.7 | 22.1 | 21.3 | 21.0 | 18.8 | 17.1 | 15.3 | 10.6 | 9.7 | 9.4 | 9.3 | 8.2 | 7.5 | 6.8 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. Also, in 2016, the artificial stimulant “flakka” was added to the high school questionnaire. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2004 to 2016

| | Alcohol Only | | | | | | | | | | | | | |
|--------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 29.0 | 29.4 | 27.7 | 24.8 | 22.1 | 19.5 | 18.1 | 20.5 | 21.6 | 19.4 | 17.5 | 14.7 | 11.7 | 11.1 |
| Male | 27.3 | 26.9 | 25.6 | 22.2 | 19.9 | 17.8 | 17.0 | 19.4 | 18.7 | 17.3 | 15.6 | 12.7 | 10.1 | 9.1 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 26.2 | 25.7 | 24.8 | 23.1 | 18.8 | 14.6 | 13.7 | 14.5 | 13.4 | 13.7 | 13.0 | 10.3 | 7.8 | 7.3 |
| Hispanic/Latino | 32.8 | 31.8 | 30.9 | 26.4 | 23.1 | 21.5 | 20.3 | 22.5 | 22.6 | 21.1 | 18.7 | 15.1 | 12.9 | 10.8 |
| White, non-Hispanic | 27.6 | 27.7 | 26.1 | 22.5 | 21.2 | 19.4 | 18.3 | 21.9 | 22.3 | 19.9 | 17.6 | 14.9 | 12.2 | 11.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 14.9 | 12.4 | 12.4 | 9.0 | 9.5 | 8.0 | 7.3 | 7.6 | 4.8 | 4.8 | 4.3 | 4.4 | 2.8 | 1.8 |
| 12 | 21.0 | 18.4 | 17.4 | 14.9 | 13.2 | 11.6 | 10.2 | 8.1 | 8.0 | 7.4 | 6.9 | 5.0 | 4.3 | 3.7 |
| 13 | 25.1 | 24.6 | 21.0 | 20.2 | 17.2 | 15.7 | 14.1 | 14.0 | 13.4 | 11.8 | 10.8 | 9.3 | 7.3 | 6.1 |
| 14 | 29.7 | 28.5 | 26.4 | 24.7 | 23.6 | 19.4 | 17.8 | 19.0 | 18.5 | 16.4 | 14.9 | 12.0 | 10.2 | 8.4 |
| 15 | 32.2 | 32.0 | 30.6 | 26.9 | 24.5 | 20.8 | 19.6 | 22.5 | 22.9 | 20.6 | 18.9 | 16.3 | 11.7 | 10.9 |
| 16 | 30.4 | 32.2 | 32.2 | 26.6 | 25.5 | 22.5 | 20.5 | 24.3 | 25.4 | 23.5 | 20.2 | 17.8 | 15.0 | 12.0 |
| 17 | 31.4 | 32.7 | 31.0 | 27.5 | 24.5 | 23.0 | 22.9 | 27.8 | 27.7 | 26.6 | 22.8 | 20.7 | 16.4 | 17.2 |
| 18 | 31.5 | 30.3 | 31.4 | 26.6 | 23.4 | 23.9 | 21.7 | 33.7 | 32.3 | 27.7 | 26.0 | 21.6 | 17.9 | 18.0 |
| Grade | | | | | | | | | | | | | | |
| 6th | 18.3 | 15.8 | 15.1 | 13.5 | 10.7 | 9.9 | 8.4 | 7.6 | 7.4 | 6.9 | 6.3 | 4.5 | 3.5 | 2.9 |
| 7th | 23.4 | 22.8 | 21.1 | 18.2 | 16.6 | 13.3 | 12.6 | 12.8 | 11.4 | 11.2 | 10.5 | 7.9 | 5.8 | 4.6 |
| 8th | 28.5 | 28.5 | 24.2 | 24.5 | 20.8 | 18.7 | 16.3 | 18.0 | 18.2 | 15.0 | 14.0 | 11.4 | 9.4 | 8.2 |
| 9th | 32.9 | 31.3 | 30.4 | 26.2 | 24.4 | 20.7 | 19.1 | 22.4 | 22.0 | 20.0 | 18.0 | 15.0 | 11.4 | 9.5 |
| 10th | 30.7 | 32.8 | 32.3 | 27.0 | 25.2 | 21.1 | 20.3 | 23.8 | 25.3 | 23.5 | 20.5 | 17.0 | 13.5 | 11.6 |
| 11th | 31.8 | 33.4 | 31.4 | 27.7 | 25.1 | 23.1 | 21.4 | 27.2 | 26.7 | 25.6 | 22.0 | 18.8 | 15.2 | 15.0 |
| 12th | 32.7 | 31.4 | 32.8 | 27.2 | 24.1 | 24.2 | 23.4 | 32.1 | 31.8 | 28.2 | 25.5 | 22.2 | 18.5 | 18.3 |
| Middle School | 23.5 | 22.6 | 20.1 | 18.7 | 16.0 | 14.0 | 12.5 | 12.9 | 12.5 | 11.0 | 10.3 | 7.9 | 6.3 | 5.2 |
| High School | 32.1 | 32.2 | 31.7 | 27.0 | 24.7 | 22.2 | 21.0 | 25.7 | 25.9 | 24.0 | 21.3 | 18.1 | 14.5 | 13.4 |
| Total | 28.2 | 28.1 | 26.6 | 23.4 | 21.0 | 18.6 | 17.5 | 20.0 | 20.2 | 18.4 | 16.5 | 13.7 | 10.9 | 10.0 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. Also, in 2016, the artificial stimulant “flakka” was added to the high school questionnaire. As a result of these changes, please exercise caution when comparing results from different years.

Table 30. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2004 to 2016

| | Alcohol Or Any Illicit Drug | | | | | | | | | | | | | |
|--------------------------|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 62.9 | 61.7 | 58.8 | 57.4 | 53.6 | 50.1 | 46.8 | 37.7 | 36.9 | 34.8 | 34.4 | 30.7 | 27.9 | 25.8 |
| Male | 60.9 | 58.5 | 56.0 | 55.3 | 51.4 | 47.0 | 43.1 | 36.5 | 35.1 | 33.3 | 33.7 | 30.2 | 26.1 | 22.9 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 51.7 | 49.3 | 49.0 | 51.1 | 46.1 | 42.3 | 39.4 | 26.9 | 24.5 | 25.8 | 27.9 | 24.6 | 21.6 | 19.4 |
| Hispanic/Latino | 64.2 | 60.6 | 59.5 | 58.4 | 53.3 | 51.1 | 46.8 | 38.1 | 35.6 | 35.3 | 35.3 | 31.0 | 28.1 | 24.7 |
| White, non-Hispanic | 66.5 | 64.6 | 61.0 | 58.4 | 54.9 | 50.6 | 46.7 | 42.2 | 41.5 | 38.3 | 37.4 | 32.7 | 29.5 | 26.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 31.3 | 25.9 | 24.9 | 22.5 | 21.4 | 17.4 | 14.9 | 15.5 | 10.8 | 10.7 | 9.9 | 9.6 | 7.3 | 5.1 |
| 12 | 39.7 | 35.5 | 33.6 | 31.8 | 27.2 | 24.3 | 21.7 | 17.4 | 15.6 | 14.8 | 15.0 | 11.6 | 9.9 | 9.0 |
| 13 | 50.3 | 46.7 | 43.5 | 42.5 | 38.0 | 35.1 | 30.8 | 27.1 | 24.1 | 22.6 | 21.6 | 19.0 | 16.1 | 13.9 |
| 14 | 60.7 | 56.4 | 54.6 | 54.4 | 50.4 | 45.9 | 41.1 | 34.8 | 32.3 | 30.5 | 30.8 | 25.9 | 24.3 | 20.2 |
| 15 | 68.9 | 66.4 | 63.0 | 62.4 | 59.8 | 54.8 | 49.5 | 41.9 | 39.9 | 37.7 | 38.5 | 36.3 | 31.1 | 27.4 |
| 16 | 74.0 | 73.0 | 69.8 | 68.2 | 66.7 | 62.7 | 57.4 | 46.4 | 46.1 | 43.2 | 43.0 | 40.3 | 36.1 | 31.3 |
| 17 | 75.7 | 75.9 | 73.1 | 72.1 | 72.1 | 69.0 | 65.8 | 49.9 | 49.8 | 48.1 | 47.2 | 46.8 | 42.7 | 40.2 |
| 18 | 78.5 | 77.6 | 75.4 | 72.2 | 72.6 | 68.8 | 66.3 | 56.1 | 55.6 | 51.6 | 51.0 | 48.1 | 44.0 | 41.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | 36.5 | 32.5 | 31.2 | 29.5 | 23.9 | 21.7 | 18.2 | 17.0 | 15.1 | 14.9 | 14.3 | 10.7 | 8.9 | 7.3 |
| 7th | 49.1 | 45.2 | 42.8 | 41.3 | 35.8 | 30.4 | 27.4 | 26.7 | 22.5 | 22.0 | 21.7 | 17.1 | 14.0 | 11.9 |
| 8th | 59.9 | 56.2 | 53.5 | 53.5 | 46.3 | 43.0 | 37.6 | 33.8 | 32.2 | 29.7 | 29.4 | 24.5 | 21.6 | 18.3 |
| 9th | 67.9 | 63.8 | 61.0 | 60.9 | 57.1 | 51.7 | 46.2 | 40.6 | 38.6 | 35.8 | 37.6 | 33.0 | 28.6 | 24.3 |
| 10th | 71.7 | 71.6 | 68.7 | 67.7 | 63.4 | 59.5 | 54.5 | 44.5 | 44.3 | 42.1 | 42.8 | 38.1 | 34.8 | 30.2 |
| 11th | 76.3 | 75.4 | 72.4 | 70.3 | 70.4 | 65.5 | 62.4 | 49.0 | 47.6 | 46.3 | 44.9 | 43.9 | 38.6 | 36.8 |
| 12th | 78.1 | 77.9 | 75.9 | 72.8 | 73.4 | 71.0 | 67.4 | 54.5 | 55.0 | 51.5 | 50.6 | 48.6 | 45.1 | 41.7 |
| Middle School | 48.6 | 45.0 | 42.5 | 41.5 | 35.3 | 31.7 | 27.8 | 25.9 | 23.5 | 22.2 | 21.8 | 17.4 | 14.8 | 12.5 |
| High School | 72.6 | 71.4 | 69.0 | 67.5 | 65.6 | 61.4 | 57.2 | 46.0 | 45.4 | 43.3 | 43.6 | 40.4 | 36.3 | 32.9 |
| Total | 61.8 | 60.1 | 57.4 | 56.3 | 52.5 | 48.5 | 44.8 | 37.1 | 36.0 | 34.1 | 34.1 | 30.5 | 27.0 | 24.3 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. Also, in 2016, the artificial stimulant “flakka” was added to the high school questionnaire. As a result of these changes, please exercise caution when comparing results from different years.

Table 31. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2004 to 2016

| | Any Illicit Drug, but No Alcohol | | | | | | | | | | | | | |
|--------------------------|----------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 4.4 | 3.8 | 4.1 | 4.5 | 5.0 | 5.9 | 6.0 | 5.1 | 4.0 | 4.5 | 5.4 | 5.7 | 6.5 | 6.4 |
| Male | 5.0 | 4.6 | 4.8 | 5.3 | 5.8 | 6.3 | 6.5 | 5.1 | 4.6 | 4.7 | 5.8 | 6.7 | 6.9 | 6.3 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 6.8 | 6.0 | 6.5 | 6.4 | 7.7 | 8.3 | 9.0 | 6.4 | 5.5 | 6.2 | 6.5 | 7.7 | 8.2 | 7.7 |
| Hispanic/Latino | 4.3 | 4.3 | 4.0 | 4.5 | 4.7 | 6.0 | 6.0 | 4.7 | 4.3 | 4.1 | 5.3 | 5.8 | 6.3 | 6.7 |
| White, non-Hispanic | 3.7 | 3.3 | 3.6 | 4.1 | 4.5 | 4.8 | 5.0 | 4.5 | 3.8 | 4.0 | 5.2 | 5.3 | 6.0 | 5.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 7.5 | 5.9 | 6.9 | 7.4 | 6.8 | 6.3 | 5.3 | 5.5 | 3.5 | 4.1 | 4.3 | 4.2 | 3.6 | 2.7 |
| 12 | 6.7 | 6.4 | 7.1 | 6.7 | 6.4 | 6.3 | 6.4 | 5.5 | 4.2 | 4.9 | 4.9 | 4.6 | 3.8 | 4.0 |
| 13 | 6.5 | 5.5 | 5.9 | 6.3 | 6.6 | 7.3 | 6.6 | 6.0 | 5.1 | 5.2 | 5.1 | 5.1 | 5.1 | 4.8 |
| 14 | 4.8 | 4.2 | 5.1 | 5.2 | 5.8 | 7.1 | 7.0 | 5.3 | 4.8 | 4.5 | 5.9 | 6.0 | 6.1 | 5.9 |
| 15 | 4.3 | 3.8 | 4.1 | 4.5 | 5.3 | 6.3 | 6.4 | 5.2 | 4.1 | 5.2 | 6.5 | 7.5 | 8.6 | 7.8 |
| 16 | 3.4 | 3.6 | 2.9 | 4.0 | 4.5 | 4.9 | 6.2 | 4.5 | 4.6 | 4.1 | 5.9 | 7.1 | 8.1 | 8.0 |
| 17 | 2.6 | 3.1 | 2.6 | 3.9 | 4.0 | 5.3 | 5.8 | 4.1 | 4.0 | 4.1 | 5.8 | 7.0 | 8.8 | 8.1 |
| 18 | 2.9 | 2.1 | 2.4 | 2.4 | 4.1 | 4.5 | 5.2 | 3.3 | 2.8 | 3.9 | 4.8 | 6.6 | 8.1 | 7.6 |
| Grade | | | | | | | | | | | | | | |
| 6th | 7.6 | 6.6 | 7.2 | 7.0 | 6.5 | 6.7 | 6.2 | 6.0 | 4.2 | 5.0 | 5.2 | 4.3 | 3.9 | 3.5 |
| 7th | 6.2 | 6.0 | 5.9 | 6.3 | 6.6 | 6.6 | 6.3 | 6.3 | 5.2 | 5.3 | 5.1 | 5.4 | 4.7 | 4.5 |
| 8th | 5.1 | 4.2 | 5.7 | 5.7 | 6.4 | 7.3 | 7.0 | 5.3 | 4.7 | 5.2 | 5.6 | 6.2 | 5.9 | 5.5 |
| 9th | 4.4 | 3.8 | 4.1 | 4.6 | 5.4 | 6.4 | 6.5 | 5.1 | 4.5 | 4.5 | 6.8 | 6.7 | 7.5 | 7.4 |
| 10th | 3.3 | 3.5 | 3.0 | 4.2 | 5.0 | 5.7 | 6.9 | 4.3 | 3.9 | 4.4 | 5.9 | 7.0 | 8.7 | 8.1 |
| 11th | 2.6 | 3.0 | 2.5 | 3.5 | 4.1 | 5.3 | 6.1 | 3.8 | 3.8 | 4.2 | 5.5 | 7.5 | 8.6 | 8.0 |
| 12th | 2.6 | 2.2 | 2.1 | 2.8 | 3.5 | 4.4 | 4.8 | 3.9 | 3.3 | 3.5 | 5.0 | 6.2 | 7.8 | 7.7 |
| Middle School | 6.3 | 5.5 | 6.3 | 6.3 | 6.5 | 6.9 | 6.5 | 5.9 | 4.8 | 5.1 | 5.3 | 5.3 | 4.8 | 4.5 |
| High School | 3.4 | 3.2 | 3.0 | 3.8 | 4.6 | 5.5 | 6.1 | 4.4 | 4.0 | 4.2 | 5.9 | 6.8 | 8.1 | 7.8 |
| Total | 4.7 | 4.2 | 4.4 | 4.9 | 5.4 | 6.1 | 6.3 | 5.0 | 4.3 | 4.6 | 5.6 | 6.2 | 6.7 | 6.4 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. Also, in 2016, the artificial stimulant “flakka” was added to the high school questionnaire. As a result of these changes, please exercise caution when comparing results from different years.

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2004 to 2016

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|---------------------|------------|------------|------------|------------|------------|------------|---------------|------------|------------|------------|------------|------------|------------|
| | Carrying a Handgun | | | | | | | Selling Drugs | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.5 | 2.1 | 2.1 | 1.9 | 1.8 | 2.7 | 2.6 | 3.7 | 3.5 | 3.2 | 3.8 | 2.8 | 3.1 | 3.0 |
| Male | 6.8 | 8.2 | 8.0 | 7.8 | 6.9 | 7.8 | 8.3 | 8.0 | 8.1 | 7.8 | 8.7 | 7.1 | 6.6 | 5.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 4.4 | 6.0 | 6.2 | 6.1 | 4.3 | 4.8 | 4.7 | 5.2 | 5.7 | 5.2 | 5.5 | 4.3 | 4.3 | 3.4 |
| Hispanic/Latino | 3.9 | 5.2 | 4.4 | 4.7 | 3.5 | 4.0 | 4.7 | 4.6 | 4.8 | 4.5 | 6.1 | 4.7 | 4.6 | 4.2 |
| White, non-Hispanic | 3.7 | 4.7 | 4.7 | 4.5 | 4.7 | 5.9 | 6.1 | 6.5 | 6.3 | 6.4 | 6.9 | 5.6 | 5.4 | 4.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 1.9 | 2.4 | 1.9 | 2.6 | 2.5 | 2.7 | 3.5 | 0.6 | 0.4 | 0.2 | 0.2 | 0.2 | 0.5 | 0.2 |
| 12 | 2.3 | 3.1 | 2.4 | 3.2 | 3.1 | 4.3 | 4.3 | 0.8 | 0.9 | 0.7 | 1.1 | 0.9 | 0.9 | 0.9 |
| 13 | 3.5 | 4.5 | 4.0 | 3.9 | 4.3 | 5.5 | 5.1 | 2.0 | 2.5 | 2.1 | 2.7 | 2.2 | 2.0 | 1.6 |
| 14 | 4.2 | 4.9 | 5.2 | 5.5 | 5.0 | 5.6 | 6.0 | 4.8 | 4.7 | 4.6 | 5.6 | 4.2 | 4.0 | 3.4 |
| 15 | 4.2 | 5.6 | 6.1 | 5.1 | 4.5 | 6.3 | 6.2 | 7.8 | 6.5 | 6.8 | 8.0 | 6.1 | 6.5 | 5.8 |
| 16 | 4.7 | 6.5 | 5.8 | 5.8 | 4.6 | 4.9 | 5.8 | 9.2 | 9.1 | 8.2 | 9.4 | 7.6 | 7.7 | 6.2 |
| 17 | 4.9 | 5.4 | 5.5 | 4.7 | 4.9 | 5.4 | 5.7 | 8.4 | 8.8 | 8.6 | 9.1 | 8.7 | 7.8 | 6.2 |
| 18 | 3.5 | 6.4 | 6.6 | 6.2 | 4.7 | 6.2 | 5.8 | 7.5 | 8.8 | 8.8 | 9.0 | 7.3 | 8.1 | 7.0 |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.4 | 3.8 | 2.7 | 3.4 | 3.0 | 3.9 | 4.2 | 0.9 | 1.2 | 0.8 | 1.3 | 0.6 | 0.8 | 0.6 |
| 7th | 4.0 | 4.4 | 4.5 | 4.8 | 4.0 | 5.3 | 4.8 | 2.4 | 2.8 | 2.6 | 3.0 | 2.0 | 1.8 | 1.3 |
| 8th | 4.4 | 5.3 | 5.6 | 5.5 | 5.9 | 6.1 | 6.1 | 5.0 | 4.6 | 4.6 | 5.4 | 4.2 | 3.8 | 2.9 |
| 9th | 4.1 | 5.8 | 6.0 | 5.1 | 4.5 | 5.4 | 6.4 | 7.2 | 6.4 | 6.7 | 7.7 | 5.8 | 5.6 | 5.4 |
| 10th | 4.6 | 5.7 | 5.3 | 5.0 | 4.2 | 6.0 | 6.0 | 8.7 | 7.8 | 7.4 | 9.4 | 6.7 | 7.3 | 6.4 |
| 11th | 4.2 | 5.0 | 5.1 | 5.0 | 4.5 | 5.2 | 5.8 | 7.9 | 8.7 | 8.4 | 8.8 | 7.7 | 7.7 | 6.1 |
| 12th | 3.8 | 5.9 | 5.8 | 5.1 | 4.6 | 5.0 | 4.9 | 7.6 | 8.7 | 8.2 | 8.3 | 8.4 | 7.3 | 6.4 |
| Middle School | 3.6 | 4.6 | 4.3 | 4.6 | 4.3 | 5.1 | 5.0 | 2.8 | 2.9 | 2.7 | 3.3 | 2.2 | 2.1 | 1.6 |
| High School | 4.2 | 5.6 | 5.6 | 5.1 | 4.5 | 5.4 | 5.8 | 7.8 | 7.8 | 7.6 | 8.5 | 7.1 | 6.9 | 6.0 |
| Total | 3.9 | 5.2 | 5.0 | 4.9 | 4.4 | 5.3 | 5.5 | 5.6 | 5.8 | 5.5 | 6.3 | 5.0 | 4.9 | 4.2 |

Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2004 to 2016

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|-------------------------------|------------|------------|------------|------------|------------|------------|----------------|------------|------------|------------|------------|------------|------------|
| | Attempting to Steal a Vehicle | | | | | | | Being Arrested | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 2.0 | 2.1 | 1.7 | 1.4 | 1.2 | 0.9 | 0.8 | 4.0 | 4.0 | 3.3 | 3.4 | 2.4 | 2.1 | 1.8 |
| Male | 4.3 | 3.9 | 3.3 | 3.1 | 2.3 | 1.8 | 1.7 | 7.9 | 7.0 | 6.4 | 6.2 | 4.2 | 3.5 | 3.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 3.8 | 3.5 | 3.1 | 2.9 | 2.2 | 2.1 | 2.0 | 6.9 | 7.1 | 7.1 | 6.9 | 4.7 | 4.1 | 3.7 |
| Hispanic/Latino | 3.4 | 3.1 | 2.4 | 2.6 | 1.6 | 1.1 | 1.3 | 5.6 | 4.6 | 4.0 | 4.8 | 3.1 | 2.8 | 2.3 |
| White, non-Hispanic | 2.6 | 2.7 | 2.2 | 1.6 | 1.4 | 1.1 | 0.9 | 5.2 | 5.2 | 4.4 | 3.9 | 2.8 | 2.3 | 1.8 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.8 | 1.0 | 0.4 | 0.6 | 0.5 | 0.3 | 0.2 | 1.3 | 0.8 | 0.5 | 0.6 | 0.5 | 0.6 | 0.5 |
| 12 | 1.6 | 1.2 | 1.3 | 1.1 | 1.0 | 0.6 | 0.7 | 2.6 | 1.9 | 1.6 | 1.7 | 1.2 | 0.9 | 1.1 |
| 13 | 2.6 | 2.6 | 1.9 | 1.9 | 1.4 | 1.1 | 1.2 | 4.3 | 4.1 | 3.5 | 3.8 | 2.5 | 2.0 | 2.0 |
| 14 | 3.8 | 3.1 | 3.4 | 2.8 | 1.6 | 1.5 | 1.4 | 6.3 | 5.9 | 5.8 | 5.4 | 3.8 | 2.9 | 2.7 |
| 15 | 3.9 | 3.9 | 2.9 | 2.8 | 2.3 | 1.8 | 1.7 | 7.9 | 6.8 | 6.4 | 5.7 | 4.3 | 4.1 | 3.3 |
| 16 | 3.8 | 4.1 | 3.3 | 2.4 | 2.2 | 1.9 | 1.6 | 8.3 | 7.6 | 6.6 | 6.0 | 4.5 | 3.6 | 3.1 |
| 17 | 3.5 | 2.9 | 2.3 | 2.2 | 2.4 | 1.4 | 1.3 | 5.8 | 5.8 | 5.5 | 5.8 | 4.2 | 3.4 | 2.5 |
| 18 | 1.6 | 2.9 | 2.1 | 2.3 | 1.3 | 1.7 | 1.6 | 4.4 | 6.6 | 5.2 | 5.2 | 3.5 | 3.6 | 2.8 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.9 | 1.6 | 1.5 | 1.4 | 0.9 | 0.7 | 0.6 | 3.3 | 2.7 | 2.3 | 2.4 | 1.2 | 1.2 | 1.1 |
| 7th | 2.6 | 2.7 | 2.5 | 2.1 | 1.4 | 0.9 | 1.1 | 4.9 | 4.5 | 4.5 | 4.5 | 2.6 | 1.8 | 1.7 |
| 8th | 3.8 | 3.3 | 3.2 | 2.6 | 2.0 | 1.7 | 1.3 | 6.3 | 6.2 | 5.2 | 5.4 | 3.8 | 3.4 | 2.9 |
| 9th | 4.2 | 3.8 | 3.2 | 2.9 | 2.1 | 1.4 | 1.6 | 7.6 | 6.6 | 6.7 | 5.2 | 4.4 | 3.2 | 3.1 |
| 10th | 3.4 | 3.7 | 2.6 | 2.5 | 1.9 | 1.9 | 1.8 | 7.3 | 6.5 | 5.5 | 5.6 | 3.9 | 3.9 | 3.3 |
| 11th | 2.9 | 2.7 | 2.2 | 2.1 | 2.2 | 1.5 | 1.3 | 5.8 | 5.7 | 5.4 | 5.3 | 4.1 | 3.0 | 2.7 |
| 12th | 2.2 | 2.9 | 2.2 | 1.9 | 1.8 | 1.3 | 1.1 | 3.9 | 5.9 | 4.6 | 5.0 | 3.4 | 3.1 | 2.0 |
| Middle School | 2.8 | 2.6 | 2.4 | 2.1 | 1.4 | 1.1 | 1.0 | 4.9 | 4.5 | 4.0 | 4.1 | 2.5 | 2.2 | 1.9 |
| High School | 3.3 | 3.3 | 2.6 | 2.4 | 2.0 | 1.5 | 1.5 | 6.5 | 6.2 | 5.6 | 5.3 | 4.0 | 3.3 | 2.8 |
| Total | 3.1 | 3.0 | 2.5 | 2.2 | 1.8 | 1.4 | 1.3 | 5.8 | 5.5 | 4.9 | 4.8 | 3.4 | 2.8 | 2.4 |

Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2004 to 2016

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|----------------------------|------------|------------|------------|------------|------------|------------|-------------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Taking A Handgun To School | | | | | | | Getting Suspended | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 0.3 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 11.7 | 12.0 | 11.5 | 10.7 | 8.6 | 7.4 | 7.0 |
| Male | 1.6 | 1.7 | 1.5 | 1.6 | 1.1 | 1.0 | 0.9 | 19.6 | 20.0 | 18.9 | 18.7 | 15.2 | 12.9 | 12.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.5 | 1.8 | 1.7 | 1.8 | 1.0 | 1.3 | 1.0 | 24.6 | 26.3 | 26.1 | 25.2 | 20.6 | 18.6 | 16.4 |
| Hispanic/Latino | 1.0 | 1.1 | 0.8 | 1.1 | 0.6 | 0.7 | 0.7 | 15.0 | 16.6 | 14.4 | 14.1 | 11.2 | 10.3 | 9.5 |
| White, non-Hispanic | 0.6 | 0.8 | 0.7 | 0.6 | 0.6 | 0.5 | 0.3 | 12.1 | 12.3 | 11.1 | 11.0 | 8.7 | 7.2 | 6.7 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.6 | 0.7 | 0.2 | 0.2 | 0.2 | 0.4 | 0.1 | 8.0 | 7.7 | 8.6 | 8.2 | 8.0 | 5.5 | 5.5 |
| 12 | 0.5 | 0.4 | 0.5 | 0.6 | 0.3 | 0.3 | 0.2 | 11.9 | 12.0 | 10.9 | 11.1 | 9.8 | 8.1 | 7.8 |
| 13 | 0.9 | 1.0 | 0.6 | 0.6 | 0.6 | 0.5 | 0.6 | 17.1 | 17.4 | 16.0 | 15.6 | 13.6 | 11.8 | 11.5 |
| 14 | 0.8 | 1.1 | 1.1 | 1.0 | 0.9 | 0.8 | 0.6 | 17.7 | 19.0 | 18.4 | 18.4 | 14.4 | 12.2 | 12.3 |
| 15 | 1.2 | 1.0 | 1.3 | 1.0 | 0.8 | 0.9 | 0.6 | 17.8 | 18.0 | 17.8 | 16.1 | 13.0 | 12.2 | 11.5 |
| 16 | 0.9 | 1.5 | 1.1 | 1.1 | 0.9 | 0.9 | 1.0 | 16.7 | 17.2 | 16.8 | 15.4 | 11.4 | 10.9 | 9.8 |
| 17 | 1.3 | 1.4 | 1.1 | 1.4 | 0.9 | 0.8 | 0.5 | 13.0 | 14.2 | 13.5 | 13.4 | 11.3 | 8.8 | 8.0 |
| 18 | 0.4 | 1.4 | 1.0 | 1.3 | 0.8 | 1.0 | 0.9 | 11.2 | 13.4 | 12.1 | 12.3 | 9.8 | 7.9 | 7.6 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.6 | 0.8 | 0.6 | 0.6 | 0.3 | 0.5 | 0.2 | 13.2 | 13.7 | 12.9 | 12.6 | 10.7 | 8.2 | 8.0 |
| 7th | 0.8 | 1.0 | 1.0 | 0.9 | 0.6 | 0.4 | 0.5 | 18.5 | 18.2 | 16.9 | 17.0 | 14.0 | 12.0 | 11.2 |
| 8th | 1.0 | 1.1 | 1.0 | 1.0 | 1.1 | 0.8 | 0.5 | 18.7 | 19.4 | 18.8 | 18.9 | 14.6 | 12.6 | 12.6 |
| 9th | 1.1 | 1.3 | 1.3 | 1.1 | 0.8 | 0.7 | 0.8 | 16.7 | 18.4 | 17.4 | 16.1 | 14.1 | 11.6 | 12.0 |
| 10th | 1.1 | 1.0 | 0.8 | 1.0 | 0.9 | 1.1 | 0.9 | 15.4 | 15.2 | 15.3 | 13.9 | 10.7 | 10.9 | 9.4 |
| 11th | 1.0 | 1.4 | 1.1 | 1.2 | 0.8 | 0.9 | 0.7 | 13.1 | 13.2 | 13.6 | 12.5 | 10.4 | 9.2 | 8.7 |
| 12th | 0.7 | 1.5 | 1.1 | 1.2 | 0.9 | 0.6 | 0.6 | 9.9 | 12.6 | 10.5 | 11.2 | 8.4 | 6.5 | 6.1 |
| Middle School | 0.8 | 0.9 | 0.8 | 0.8 | 0.7 | 0.6 | 0.4 | 16.9 | 17.3 | 16.2 | 16.2 | 13.1 | 11.0 | 10.6 |
| High School | 1.0 | 1.3 | 1.1 | 1.1 | 0.8 | 0.8 | 0.7 | 14.3 | 15.2 | 14.4 | 13.6 | 11.1 | 9.7 | 9.1 |
| Total | 0.9 | 1.1 | 1.0 | 1.0 | 0.8 | 0.7 | 0.6 | 15.5 | 16.1 | 15.2 | 14.7 | 11.9 | 10.3 | 9.8 |

Table 35. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2004 to 2016

| | Delinquent Behavior | | | | | | |
|--------------------------|---------------------------------------|-------------|-------------|-------------|------------|------------|------------|
| | Attacking Someone With Intent To Harm | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | |
| Female | 10.3 | 10.5 | 9.9 | 8.9 | 6.6 | 6.1 | 5.3 |
| Male | 15.5 | 16.1 | 13.7 | 12.3 | 9.2 | 7.7 | 6.9 |
| Race/Ethnic group | | | | | | | |
| African American | 16.4 | 17.2 | 17.4 | 16.6 | 12.0 | 11.2 | 10.1 |
| Hispanic/Latino | 12.0 | 12.0 | 10.0 | 9.4 | 6.6 | 6.3 | 5.2 |
| White, non-Hispanic | 10.8 | 11.3 | 9.7 | 8.2 | 6.0 | 4.9 | 4.4 |
| Age | | | | | | | |
| 11 | 6.6 | 7.4 | 6.2 | 6.0 | 4.3 | 4.3 | 4.2 |
| 12 | 9.9 | 10.2 | 8.8 | 8.8 | 6.8 | 5.5 | 4.6 |
| 13 | 13.7 | 13.3 | 11.3 | 10.4 | 8.2 | 7.3 | 6.7 |
| 14 | 14.1 | 14.4 | 13.2 | 12.1 | 9.0 | 7.5 | 7.3 |
| 15 | 14.6 | 14.8 | 14.2 | 11.7 | 9.5 | 8.5 | 7.6 |
| 16 | 13.7 | 14.8 | 13.2 | 10.9 | 8.6 | 7.6 | 6.6 |
| 17 | 12.3 | 12.3 | 11.0 | 10.6 | 6.5 | 6.7 | 5.6 |
| 18 | 8.4 | 12.3 | 10.4 | 9.8 | 7.4 | 4.7 | 4.2 |
| Grade | | | | | | | |
| 6th | 10.0 | 10.2 | 9.3 | 8.9 | 6.1 | 5.5 | 4.5 |
| 7th | 13.7 | 13.9 | 11.6 | 11.4 | 8.3 | 6.6 | 6.1 |
| 8th | 15.0 | 15.3 | 13.3 | 11.9 | 9.5 | 8.1 | 7.8 |
| 9th | 14.3 | 14.3 | 14.6 | 11.6 | 9.4 | 8.3 | 7.8 |
| 10th | 13.6 | 14.0 | 12.5 | 10.7 | 8.0 | 8.4 | 6.5 |
| 11th | 11.0 | 12.4 | 11.2 | 10.0 | 7.1 | 6.1 | 5.7 |
| 12th | 8.9 | 11.5 | 9.4 | 9.1 | 6.5 | 4.6 | 4.1 |
| Middle School | 13.0 | 13.3 | 11.4 | 10.8 | 8.0 | 6.7 | 6.2 |
| High School | 12.4 | 13.2 | 12.1 | 10.5 | 7.8 | 7.0 | 6.1 |
| Total | 12.7 | 13.3 | 11.8 | 10.6 | 7.9 | 6.9 | 6.1 |

Table 36. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2004 to 2016

| | Early ATOD Use | | | | | | | | | | | | | |
|--------------------------|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | More Than A Sip Of Alcohol | | | | | | | Drinking At Least Once A Month | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 34.2 | 32.9 | 31.0 | 25.3 | 23.9 | 20.5 | 18.3 | 7.1 | 6.4 | 5.5 | 5.3 | 4.6 | 3.9 | 3.7 |
| Male | 40.3 | 36.8 | 33.9 | 29.0 | 26.8 | 23.2 | 20.2 | 7.2 | 6.7 | 6.4 | 6.4 | 5.4 | 3.9 | 3.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 32.6 | 31.3 | 28.8 | 24.1 | 23.3 | 19.4 | 17.5 | 6.3 | 5.2 | 4.9 | 5.1 | 4.5 | 3.6 | 3.9 |
| Hispanic/Latino | 39.2 | 37.6 | 32.9 | 29.1 | 26.2 | 22.0 | 19.1 | 7.6 | 7.0 | 5.9 | 7.2 | 5.3 | 4.1 | 3.1 |
| White, non-Hispanic | 36.7 | 34.3 | 32.0 | 26.2 | 24.2 | 22.3 | 19.5 | 6.6 | 6.5 | 5.9 | 5.3 | 4.8 | 3.9 | 3.3 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 50.3 | 46.7 | 44.9 | 37.8 | 35.1 | 30.3 | 27.4 | 10.2 | 9.9 | 9.8 | 9.0 | 7.0 | 5.2 | 4.8 |
| 15 | 42.2 | 40.1 | 37.6 | 32.1 | 29.3 | 25.4 | 21.5 | 9.0 | 7.3 | 7.0 | 6.5 | 5.9 | 4.1 | 3.8 |
| 16 | 35.2 | 34.5 | 31.5 | 27.2 | 24.4 | 20.9 | 19.0 | 6.8 | 6.8 | 5.9 | 6.0 | 4.8 | 4.0 | 3.8 |
| 17 | 32.6 | 30.1 | 28.3 | 23.6 | 21.8 | 18.8 | 17.4 | 5.6 | 5.6 | 4.8 | 5.2 | 4.0 | 3.5 | 2.9 |
| 18 | 26.3 | 26.9 | 25.7 | 20.6 | 19.0 | 16.0 | 13.8 | 3.7 | 4.6 | 4.0 | 4.0 | 4.2 | 3.0 | 2.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 44.8 | 42.8 | 39.4 | 33.8 | 32.8 | 27.5 | 24.3 | 9.9 | 8.8 | 8.5 | 7.8 | 7.1 | 4.9 | 4.5 |
| 10th | 36.6 | 35.0 | 32.7 | 28.0 | 25.1 | 22.7 | 18.3 | 6.9 | 6.7 | 5.7 | 6.4 | 4.9 | 4.2 | 3.3 |
| 11th | 32.2 | 30.4 | 29.1 | 24.2 | 22.6 | 18.9 | 18.1 | 5.7 | 5.3 | 4.5 | 4.7 | 4.0 | 3.0 | 3.1 |
| 12th | 28.2 | 28.2 | 26.0 | 20.9 | 19.5 | 17.2 | 16.0 | 4.0 | 4.8 | 4.4 | 4.0 | 3.9 | 3.3 | 3.1 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 36.8 | 35.0 | 32.3 | 27.1 | 25.4 | 21.8 | 19.4 | 7.1 | 6.7 | 5.9 | 5.8 | 5.0 | 3.9 | 3.5 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 37. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2004 to 2016

| | Early ATOD Use | | | | | | | | | | | | | |
|--------------------------|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Cigarettes | | | | | | | Marijuana | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 28.0 | 23.7 | 19.6 | 15.9 | 13.7 | 10.7 | 8.6 | 11.2 | 10.4 | 8.8 | 8.5 | 9.5 | 9.1 | 9.0 |
| Male | 29.6 | 24.1 | 20.3 | 18.3 | 15.3 | 13.1 | 9.8 | 16.1 | 14.4 | 12.4 | 13.9 | 13.8 | 13.6 | 12.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 21.2 | 18.1 | 14.5 | 12.9 | 10.1 | 7.4 | 6.5 | 10.5 | 9.0 | 8.1 | 10.1 | 10.3 | 10.2 | 10.0 |
| Hispanic/Latino | 28.1 | 23.0 | 18.2 | 16.7 | 13.4 | 10.5 | 8.0 | 11.5 | 11.1 | 8.1 | 10.8 | 10.8 | 10.8 | 10.3 |
| White, non-Hispanic | 31.3 | 26.3 | 22.3 | 18.7 | 16.2 | 14.1 | 10.6 | 15.0 | 13.7 | 12.3 | 11.9 | 12.0 | 11.8 | 10.6 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 27.3 | 23.5 | 20.5 | 16.3 | 14.6 | 12.6 | 9.5 | 11.9 | 12.2 | 10.9 | 12.7 | 12.1 | 12.8 | 11.3 |
| 15 | 29.2 | 24.1 | 20.5 | 18.0 | 14.5 | 12.1 | 9.3 | 14.2 | 12.2 | 11.2 | 12.2 | 12.5 | 12.1 | 11.1 |
| 16 | 30.3 | 25.0 | 19.7 | 17.5 | 13.6 | 11.1 | 9.3 | 14.6 | 13.1 | 10.7 | 11.7 | 11.3 | 11.0 | 11.2 |
| 17 | 28.2 | 22.3 | 20.4 | 16.8 | 15.3 | 12.5 | 9.5 | 12.6 | 11.9 | 10.0 | 10.3 | 11.4 | 11.3 | 10.2 |
| 18 | 25.5 | 23.7 | 18.4 | 15.2 | 14.3 | 11.3 | 8.4 | 11.7 | 12.6 | 10.4 | 9.6 | 10.7 | 9.5 | 8.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 30.4 | 25.7 | 21.3 | 18.9 | 15.7 | 13.2 | 9.9 | 14.7 | 13.5 | 11.7 | 13.7 | 13.4 | 12.6 | 11.9 |
| 10th | 29.5 | 24.3 | 19.8 | 17.6 | 13.5 | 11.6 | 9.2 | 14.7 | 12.7 | 10.9 | 11.7 | 11.7 | 12.0 | 11.0 |
| 11th | 27.7 | 21.8 | 20.1 | 16.4 | 14.2 | 11.0 | 9.6 | 12.1 | 11.0 | 9.9 | 9.8 | 11.0 | 10.3 | 10.2 |
| 12th | 26.0 | 23.3 | 18.2 | 15.0 | 14.4 | 11.8 | 8.3 | 11.3 | 12.3 | 9.7 | 9.4 | 10.3 | 10.2 | 9.0 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 28.7 | 23.9 | 19.9 | 17.1 | 14.5 | 11.9 | 9.3 | 13.5 | 12.5 | 10.6 | 11.3 | 11.7 | 11.4 | 10.6 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2004 to 2016

| | Perceive Great Risk Of Harm If: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------|
| | Drink One Or More Alcoholic Drinks Nearly Every Day | | | | | | | Smoke A Pack Or More Of Cigarettes Per Day | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 42.0 | 44.5 | 46.2 | 46.9 | 46.0 | 45.4 | 46.4 | 67.2 | 68.7 | 70.6 | 69.2 | 69.7 | 69.5 | 68.4 |
| Male | 34.0 | 35.8 | 37.6 | 38.4 | 37.4 | 39.7 | 39.3 | 62.7 | 63.7 | 64.7 | 64.0 | 67.0 | 68.9 | 68.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 43.0 | 44.5 | 45.6 | 44.7 | 43.0 | 43.9 | 44.0 | 62.9 | 62.6 | 64.7 | 63.4 | 62.5 | 64.6 | 64.1 |
| Hispanic/Latino | 40.2 | 43.2 | 44.7 | 43.6 | 43.7 | 44.9 | 44.7 | 63.2 | 64.8 | 65.1 | 63.5 | 66.4 | 67.6 | 65.7 |
| White, non-Hispanic | 34.0 | 36.5 | 37.6 | 39.8 | 38.5 | 39.6 | 40.3 | 66.5 | 67.4 | 69.7 | 69.1 | 70.8 | 71.5 | 71.2 |
| Age | | | | | | | | | | | | | | |
| 11 | 45.2 | 48.6 | 50.1 | 54.1 | 50.1 | 53.8 | 51.2 | 68.6 | 71.9 | 73.5 | 72.9 | 70.9 | 74.0 | 71.6 |
| 12 | 41.7 | 45.1 | 46.4 | 45.9 | 47.8 | 47.2 | 47.4 | 64.9 | 67.6 | 70.2 | 68.5 | 69.1 | 69.1 | 69.0 |
| 13 | 38.5 | 40.4 | 43.0 | 42.4 | 44.8 | 44.8 | 44.7 | 63.0 | 64.3 | 66.7 | 66.3 | 68.5 | 67.1 | 67.6 |
| 14 | 35.6 | 37.6 | 40.0 | 41.6 | 39.9 | 41.2 | 43.7 | 63.9 | 64.4 | 67.2 | 66.5 | 66.7 | 68.5 | 68.4 |
| 15 | 36.3 | 37.6 | 40.5 | 42.0 | 38.3 | 40.7 | 41.2 | 65.1 | 65.1 | 65.9 | 66.6 | 67.8 | 69.4 | 67.0 |
| 16 | 38.6 | 40.3 | 40.6 | 41.8 | 39.1 | 39.7 | 40.1 | 65.1 | 66.6 | 67.5 | 66.5 | 69.2 | 69.7 | 68.8 |
| 17 | 37.6 | 39.8 | 41.2 | 41.1 | 39.1 | 39.2 | 38.7 | 67.4 | 67.4 | 68.7 | 66.1 | 68.4 | 70.2 | 69.0 |
| 18 | 38.8 | 38.1 | 39.5 | 40.9 | 37.5 | 39.9 | 40.4 | 65.4 | 66.2 | 66.2 | 63.7 | 67.3 | 70.0 | 69.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 41.4 | 44.4 | 46.0 | 46.2 | 47.4 | 48.6 | 48.1 | 63.5 | 66.4 | 68.2 | 67.1 | 66.9 | 68.6 | 67.8 |
| 7th | 39.3 | 41.2 | 42.6 | 43.1 | 44.7 | 45.2 | 44.7 | 62.7 | 64.1 | 65.6 | 65.6 | 68.3 | 66.8 | 66.7 |
| 8th | 35.4 | 36.4 | 41.0 | 40.5 | 43.6 | 43.3 | 44.1 | 63.6 | 63.1 | 67.4 | 67.0 | 67.8 | 68.6 | 69.0 |
| 9th | 36.5 | 38.3 | 39.8 | 42.3 | 36.7 | 40.7 | 42.3 | 65.2 | 66.2 | 66.5 | 65.9 | 66.4 | 69.2 | 67.0 |
| 10th | 38.3 | 40.1 | 40.7 | 42.1 | 40.5 | 39.8 | 41.0 | 65.9 | 66.9 | 68.0 | 67.3 | 69.7 | 69.9 | 68.5 |
| 11th | 37.5 | 41.2 | 42.6 | 42.0 | 38.4 | 40.0 | 39.4 | 67.0 | 68.0 | 69.2 | 67.5 | 69.5 | 70.2 | 69.3 |
| 12th | 40.3 | 39.2 | 40.4 | 41.7 | 39.8 | 39.5 | 39.9 | 68.3 | 67.7 | 68.6 | 65.1 | 69.6 | 70.5 | 70.6 |
| Middle School | 38.7 | 40.6 | 43.2 | 43.2 | 45.2 | 45.7 | 45.7 | 63.2 | 64.5 | 67.0 | 66.6 | 67.6 | 68.0 | 67.9 |
| High School | 37.9 | 39.6 | 40.8 | 42.1 | 38.8 | 40.0 | 40.7 | 66.3 | 67.1 | 68.0 | 66.5 | 68.7 | 70.0 | 68.8 |
| Total | 38.2 | 40.0 | 41.9 | 42.6 | 41.6 | 42.5 | 42.8 | 64.9 | 66.0 | 67.6 | 66.5 | 68.3 | 69.1 | 68.4 |

Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2004 to 2016

| | Smoke Marijuana Once or Twice a Week | | | | | | | Try Marijuana Once Or Twice | | | | | | |
|--------------------------|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 64.0 | 64.6 | 63.8 | 59.0 | 55.4 | 39.2 | 37.5 | 33.8 | 34.4 | 34.3 | 30.8 | 29.1 | 25.5 | 24.8 |
| Male | 57.4 | 56.5 | 56.0 | 49.4 | 46.5 | 36.3 | 35.2 | 30.4 | 30.9 | 30.8 | 27.2 | 26.0 | 25.3 | 25.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 55.3 | 54.7 | 55.0 | 50.9 | 46.3 | 32.5 | 31.4 | 33.3 | 32.9 | 33.6 | 30.2 | 27.1 | 24.7 | 23.8 |
| Hispanic/Latino | 64.1 | 62.5 | 62.3 | 55.8 | 51.8 | 38.5 | 36.2 | 36.7 | 37.0 | 35.7 | 31.4 | 29.8 | 28.1 | 26.7 |
| White, non-Hispanic | 60.5 | 60.5 | 59.6 | 53.4 | 51.7 | 38.7 | 38.6 | 28.0 | 29.2 | 29.0 | 25.9 | 25.4 | 23.6 | 24.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 79.6 | 79.9 | 81.9 | 80.3 | 75.7 | 70.0 | 65.1 | 52.6 | 52.3 | 51.8 | 51.5 | 46.5 | 51.7 | 47.7 |
| 12 | 76.7 | 78.1 | 77.7 | 73.8 | 72.1 | 60.9 | 58.8 | 47.5 | 48.3 | 48.7 | 44.6 | 43.0 | 43.0 | 41.0 |
| 13 | 70.9 | 70.8 | 72.1 | 66.7 | 65.2 | 50.9 | 48.4 | 41.1 | 42.9 | 42.5 | 37.8 | 36.5 | 33.7 | 33.5 |
| 14 | 63.2 | 63.4 | 64.4 | 57.9 | 53.6 | 37.5 | 38.3 | 33.5 | 33.6 | 34.3 | 30.5 | 28.2 | 24.1 | 25.3 |
| 15 | 56.5 | 55.9 | 55.7 | 50.3 | 43.5 | 30.1 | 29.0 | 25.8 | 27.3 | 27.5 | 24.3 | 21.5 | 18.4 | 19.6 |
| 16 | 51.5 | 52.0 | 49.1 | 44.0 | 38.3 | 24.6 | 24.3 | 24.2 | 24.6 | 23.4 | 20.0 | 19.0 | 15.8 | 16.4 |
| 17 | 49.5 | 48.4 | 46.9 | 39.5 | 33.7 | 20.2 | 19.5 | 22.4 | 23.5 | 22.7 | 19.8 | 17.0 | 13.6 | 12.9 |
| 18 | 47.6 | 48.0 | 44.2 | 38.7 | 35.1 | 21.0 | 21.4 | 22.7 | 22.1 | 22.1 | 19.5 | 16.7 | 14.8 | 13.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | 74.3 | 74.7 | 75.5 | 72.7 | 70.6 | 62.8 | 61.0 | 47.2 | 48.5 | 47.9 | 46.2 | 43.7 | 46.3 | 44.6 |
| 7th | 71.6 | 71.8 | 71.9 | 67.5 | 67.0 | 53.9 | 51.5 | 43.0 | 43.5 | 44.5 | 39.0 | 38.4 | 36.5 | 35.6 |
| 8th | 64.9 | 64.3 | 66.1 | 60.1 | 59.3 | 44.5 | 42.8 | 35.3 | 35.6 | 35.1 | 32.1 | 33.0 | 28.7 | 28.4 |
| 9th | 57.8 | 58.7 | 58.4 | 51.2 | 46.0 | 31.4 | 32.4 | 26.8 | 29.1 | 28.5 | 24.6 | 22.2 | 19.9 | 21.7 |
| 10th | 53.3 | 52.9 | 50.3 | 45.3 | 42.0 | 26.6 | 26.1 | 24.7 | 24.0 | 23.9 | 20.7 | 20.8 | 16.3 | 17.5 |
| 11th | 50.8 | 50.5 | 48.0 | 40.6 | 35.5 | 22.9 | 21.1 | 23.1 | 24.7 | 23.5 | 19.4 | 17.9 | 15.3 | 14.2 |
| 12th | 48.8 | 48.3 | 45.5 | 39.2 | 33.5 | 19.3 | 20.0 | 21.8 | 22.3 | 22.2 | 19.6 | 15.9 | 13.1 | 13.0 |
| Middle School | 70.2 | 70.1 | 71.2 | 66.7 | 65.6 | 53.8 | 51.7 | 41.8 | 42.3 | 42.6 | 39.1 | 38.4 | 37.1 | 36.1 |
| High School | 53.4 | 53.2 | 51.0 | 44.5 | 39.6 | 25.4 | 25.2 | 24.5 | 25.4 | 24.7 | 21.2 | 19.4 | 16.3 | 16.8 |
| Total | 60.9 | 60.4 | 59.8 | 54.1 | 50.9 | 37.7 | 36.3 | 32.2 | 32.6 | 32.5 | 28.9 | 27.6 | 25.3 | 24.9 |

Note: In 2014, the description of marijuana use was changed from “regularly” to “once or twice a week.” As a result, care should be exercised when comparing 2014 data to previous years.

Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor's orders or having five or more alcoholic drinks once or twice a week—2012 to 2016

| | Perceive Great Risk Of Harm If: | | | | | | | | | | | | | |
|--------------------------|--|-----------|-----------|-----------|-----------|-------------|-------------|--|-----------|-----------|-----------|-----------|-------------|-------------|
| | Take a Prescription Drug without a Doctor's Orders | | | | | | | Five or More Alcoholic Drinks Once or Twice a Week | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | 71.9 | 72.3 | 70.0 | | | | | | 57.7 | 58.4 |
| Male | | | | | 65.5 | 70.3 | 67.3 | | | | | | 51.7 | 51.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | 67.4 | 66.0 | 63.3 | | | | | | 55.4 | 55.4 |
| Hispanic/Latino | | | | | 67.3 | 69.3 | 67.2 | | | | | | 54.1 | 53.5 |
| White, non-Hispanic | | | | | 69.7 | 74.2 | 71.5 | | | | | | 53.6 | 54.1 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | -- | 76.0 | 72.8 | | | | | | 66.8 | 63.4 |
| 12 | | | | | -- | 72.6 | 69.0 | | | | | | 60.8 | 60.0 |
| 13 | | | | | -- | 70.7 | 69.0 | | | | | | 57.6 | 57.7 |
| 14 | | | | | 70.3 | 71.4 | 69.0 | | | | | | 55.3 | 55.8 |
| 15 | | | | | 69.5 | 71.1 | 67.9 | | | | | | 52.9 | 52.5 |
| 16 | | | | | 68.2 | 70.2 | 67.7 | | | | | | 51.9 | 52.5 |
| 17 | | | | | 68.4 | 70.6 | 68.0 | | | | | | 49.5 | 50.4 |
| 18 | | | | | 66.6 | 69.8 | 68.1 | | | | | | 46.9 | 49.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | -- | 71.9 | 68.9 | | | | | | 61.1 | 59.6 |
| 7th | | | | | -- | 70.4 | 68.3 | | | | | | 57.6 | 57.8 |
| 8th | | | | | -- | 72.7 | 70.0 | | | | | | 57.5 | 56.6 |
| 9th | | | | | 67.7 | 71.2 | 68.2 | | | | | | 53.5 | 53.9 |
| 10th | | | | | 69.8 | 70.5 | 67.8 | | | | | | 52.8 | 52.4 |
| 11th | | | | | 68.2 | 71.2 | 68.2 | | | | | | 51.0 | 51.6 |
| 12th | | | | | 68.6 | 70.0 | 68.3 | | | | | | 47.7 | 51.0 |
| Middle School | | | | | -- | 71.7 | 69.1 | | | | | | 58.8 | 58.1 |
| High School | | | | | 68.6 | 70.8 | 68.2 | | | | | | 51.4 | 52.3 |
| Total | | | | | -- | 71.2 | 68.5 | | | | | | 54.6 | 54.7 |

Table 41. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2004 to 2016

| | Think It Would Be Wrong For Someone Their Age To: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Drink Alcohol Regularly | | | | | | | Smoke Cigarettes | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 63.0 | 64.0 | 65.7 | 67.1 | 70.5 | 72.7 | 74.1 | 77.7 | 79.3 | 80.7 | 82.1 | 86.1 | 88.7 | 91.1 |
| Male | 62.7 | 63.3 | 65.4 | 66.4 | 70.3 | 73.8 | 75.2 | 78.1 | 78.2 | 80.3 | 80.9 | 85.1 | 88.5 | 91.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 71.4 | 72.9 | 72.3 | 71.7 | 75.8 | 77.9 | 78.8 | 87.3 | 87.3 | 88.1 | 87.6 | 91.0 | 92.6 | 93.7 |
| Hispanic/Latino | 62.9 | 65.4 | 65.9 | 66.6 | 70.8 | 72.6 | 74.8 | 79.0 | 81.7 | 83.0 | 83.5 | 87.9 | 89.8 | 91.4 |
| White, non-Hispanic | 57.9 | 58.0 | 61.0 | 63.4 | 67.5 | 70.1 | 72.2 | 72.6 | 73.6 | 75.0 | 76.8 | 82.0 | 85.7 | 89.5 |
| Age | | | | | | | | | | | | | | |
| 11 | 91.8 | 93.2 | 93.6 | 93.8 | 94.1 | 96.3 | 96.4 | 96.2 | 97.4 | 97.1 | 97.3 | 97.7 | 98.3 | 98.4 |
| 12 | 86.1 | 87.8 | 89.5 | 89.4 | 92.1 | 92.8 | 92.9 | 92.2 | 93.7 | 95.5 | 94.6 | 96.1 | 96.7 | 97.1 |
| 13 | 76.9 | 78.3 | 80.5 | 80.4 | 84.4 | 87.1 | 87.2 | 87.3 | 88.3 | 90.3 | 89.3 | 93.2 | 94.1 | 95.1 |
| 14 | 65.3 | 67.5 | 70.0 | 71.0 | 74.8 | 78.1 | 79.8 | 81.1 | 82.8 | 85.4 | 85.6 | 89.1 | 91.8 | 92.9 |
| 15 | 56.5 | 57.0 | 61.3 | 62.3 | 64.8 | 69.2 | 71.8 | 75.7 | 77.7 | 80.3 | 81.0 | 85.1 | 88.6 | 91.1 |
| 16 | 49.8 | 51.6 | 53.9 | 55.3 | 58.6 | 61.6 | 65.5 | 70.7 | 72.8 | 74.7 | 77.4 | 81.8 | 85.7 | 89.3 |
| 17 | 45.0 | 48.2 | 48.0 | 50.7 | 51.3 | 54.7 | 56.8 | 66.2 | 67.0 | 69.2 | 72.3 | 74.6 | 80.3 | 86.0 |
| 18 | 42.8 | 43.3 | 44.6 | 49.7 | 49.2 | 50.1 | 53.6 | 56.5 | 56.3 | 58.0 | 62.2 | 67.2 | 72.4 | 78.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 87.7 | 89.0 | 89.4 | 90.6 | 93.2 | 94.3 | 94.5 | 93.2 | 94.1 | 94.8 | 94.8 | 96.8 | 97.0 | 97.7 |
| 7th | 77.8 | 79.3 | 81.2 | 80.3 | 86.8 | 88.9 | 89.3 | 87.0 | 88.6 | 90.8 | 89.1 | 94.0 | 94.7 | 95.7 |
| 8th | 67.3 | 68.8 | 72.7 | 73.4 | 78.0 | 81.3 | 82.7 | 81.7 | 83.2 | 85.9 | 86.3 | 89.9 | 92.2 | 93.3 |
| 9th | 57.6 | 58.4 | 62.2 | 62.9 | 66.5 | 72.1 | 74.4 | 76.2 | 77.9 | 80.7 | 82.0 | 85.9 | 89.7 | 91.1 |
| 10th | 51.6 | 52.8 | 55.5 | 55.9 | 61.5 | 63.9 | 68.2 | 72.7 | 74.4 | 76.4 | 77.7 | 83.2 | 87.0 | 90.3 |
| 11th | 45.9 | 50.2 | 49.9 | 52.4 | 54.2 | 58.5 | 60.2 | 67.1 | 69.7 | 70.8 | 73.2 | 77.9 | 82.8 | 87.2 |
| 12th | 43.1 | 43.2 | 43.6 | 49.1 | 49.2 | 49.8 | 53.3 | 60.1 | 58.9 | 60.5 | 65.1 | 69.2 | 74.4 | 81.5 |
| Middle School | 77.6 | 78.8 | 81.2 | 81.4 | 86.1 | 88.2 | 88.8 | 87.3 | 88.5 | 90.5 | 90.1 | 93.6 | 94.7 | 95.6 |
| High School | 50.8 | 52.0 | 53.5 | 55.5 | 58.3 | 61.7 | 64.5 | 70.2 | 71.3 | 72.9 | 75.0 | 79.5 | 83.9 | 87.7 |
| Total | 62.8 | 63.6 | 65.4 | 66.7 | 70.4 | 73.2 | 74.7 | 77.9 | 78.8 | 80.5 | 81.5 | 85.6 | 88.6 | 91.0 |

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2004 to 2016

| | Think It Would Be Wrong For Someone Their Age To: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Smoke Marijuana | | | | | | | Use Other Illicit Drugs | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 82.0 | 82.3 | 82.2 | 79.4 | 78.9 | 75.2 | 74.4 | 95.6 | 95.7 | 95.6 | 95.4 | 96.0 | 95.2 | 95.8 |
| Male | 78.5 | 78.5 | 78.4 | 74.2 | 74.3 | 72.8 | 73.3 | 94.3 | 94.4 | 94.2 | 93.4 | 94.4 | 94.5 | 94.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 82.1 | 82.4 | 82.1 | 78.4 | 77.1 | 74.0 | 73.7 | 96.6 | 96.4 | 96.5 | 95.9 | 96.1 | 96.1 | 96.1 |
| Hispanic/Latino | 84.5 | 84.3 | 84.1 | 79.5 | 79.8 | 75.6 | 75.8 | 95.3 | 95.6 | 95.2 | 93.9 | 94.9 | 94.4 | 94.5 |
| White, non-Hispanic | 76.7 | 77.3 | 76.8 | 73.9 | 74.6 | 72.4 | 73.1 | 94.2 | 94.3 | 94.3 | 94.1 | 95.0 | 94.5 | 95.1 |
| Age | | | | | | | | | | | | | | |
| 11 | 98.6 | 98.9 | 98.6 | 98.4 | 98.0 | 98.2 | 98.0 | 99.0 | 99.4 | 99.0 | 99.3 | 98.9 | 99.4 | 99.3 |
| 12 | 95.8 | 96.4 | 97.3 | 95.2 | 95.6 | 94.8 | 94.8 | 97.9 | 98.6 | 98.5 | 97.6 | 98.3 | 98.5 | 98.3 |
| 13 | 90.4 | 91.1 | 91.6 | 88.4 | 89.3 | 88.4 | 88.4 | 96.3 | 96.7 | 96.9 | 96.2 | 96.9 | 97.0 | 97.2 |
| 14 | 83.4 | 84.0 | 84.1 | 80.4 | 80.4 | 78.0 | 78.2 | 95.2 | 95.5 | 95.1 | 94.7 | 95.7 | 95.6 | 96.0 |
| 15 | 75.7 | 76.2 | 77.1 | 72.2 | 71.3 | 68.9 | 68.7 | 94.7 | 94.0 | 94.0 | 93.5 | 94.4 | 94.4 | 94.7 |
| 16 | 70.5 | 72.0 | 71.5 | 67.5 | 65.7 | 60.9 | 62.4 | 93.1 | 93.8 | 93.5 | 92.8 | 93.3 | 93.0 | 93.2 |
| 17 | 68.3 | 69.5 | 67.9 | 64.4 | 60.4 | 55.4 | 55.3 | 93.0 | 93.0 | 92.8 | 92.4 | 93.0 | 91.2 | 92.8 |
| 18 | 66.2 | 66.3 | 64.9 | 62.9 | 58.2 | 53.4 | 54.2 | 92.6 | 92.8 | 92.8 | 92.5 | 92.3 | 90.4 | 92.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 96.2 | 96.0 | 96.7 | 95.6 | 96.8 | 96.4 | 96.3 | 97.9 | 98.3 | 98.2 | 97.9 | 98.6 | 98.8 | 98.7 |
| 7th | 90.2 | 91.3 | 91.9 | 88.6 | 90.9 | 90.2 | 90.8 | 96.4 | 96.8 | 96.9 | 96.0 | 97.2 | 97.1 | 97.7 |
| 8th | 84.2 | 84.6 | 84.7 | 81.2 | 83.2 | 81.5 | 82.1 | 95.5 | 95.1 | 95.2 | 94.8 | 95.6 | 96.1 | 95.9 |
| 9th | 76.6 | 77.7 | 78.0 | 73.4 | 73.4 | 72.2 | 71.6 | 94.6 | 94.5 | 94.0 | 93.6 | 95.1 | 95.1 | 95.2 |
| 10th | 72.1 | 73.3 | 72.9 | 67.8 | 68.3 | 63.9 | 64.5 | 93.3 | 93.7 | 93.8 | 93.2 | 93.4 | 93.1 | 94.0 |
| 11th | 69.5 | 71.2 | 69.2 | 65.5 | 62.4 | 58.4 | 58.1 | 93.6 | 93.8 | 93.0 | 92.6 | 93.7 | 92.3 | 92.4 |
| 12th | 67.4 | 66.3 | 65.6 | 63.4 | 58.4 | 52.0 | 53.6 | 92.7 | 92.6 | 92.7 | 92.4 | 92.1 | 90.4 | 92.5 |
| Middle School | 90.2 | 90.5 | 91.1 | 88.5 | 90.3 | 89.4 | 89.7 | 96.6 | 96.7 | 96.8 | 96.2 | 97.1 | 97.4 | 97.5 |
| High School | 72.1 | 72.8 | 71.9 | 67.8 | 66.1 | 62.2 | 62.3 | 93.7 | 93.8 | 93.5 | 93.0 | 93.6 | 92.9 | 93.6 |
| Total | 80.3 | 80.4 | 80.2 | 76.8 | 76.6 | 74.0 | 73.8 | 95.0 | 95.0 | 94.9 | 94.4 | 95.2 | 94.8 | 95.2 |

Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke synthetic marijuana, 2016

| | Think It Would Be Wrong For Someone Their Age To: | | | | | | |
|--------------------------|---|-----------|-----------|-----------|-----------|-----------|-------------|
| | Smoke Synthetic Marijuana | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | |
| Female | | | | | | | 90.1 |
| Male | | | | | | | 90.9 |
| Race/Ethnic group | | | | | | | |
| African American | | | | | | | 90.3 |
| Hispanic/Latino | | | | | | | 90.0 |
| White, non-Hispanic | | | | | | | 90.9 |
| Age | | | | | | | |
| 11 | | | | | | | 97.0 |
| 12 | | | | | | | 94.6 |
| 13 | | | | | | | 92.4 |
| 14 | | | | | | | 89.8 |
| 15 | | | | | | | 89.3 |
| 16 | | | | | | | 88.3 |
| 17 | | | | | | | 88.1 |
| 18 | | | | | | | 88.2 |
| Grade | | | | | | | |
| 6th | | | | | | | 95.7 |
| 7th | | | | | | | 93.2 |
| 8th | | | | | | | 90.5 |
| 9th | | | | | | | 89.0 |
| 10th | | | | | | | 89.3 |
| 11th | | | | | | | 87.5 |
| 12th | | | | | | | 88.5 |
| Middle School | | | | | | | 93.1 |
| High School | | | | | | | 88.6 |
| Total | | | | | | | 90.5 |

Table 44. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco, drink alcohol regularly, smoke marijuana, or use prescription drugs not prescribed to you, 2016

| | Friends Feel It Would Be Wrong For You To: | | | |
|--------------------------|--|-------------------------|-----------------|--|
| | Smoke Tobacco | Drink Alcohol Regularly | Smoke Marijuana | Use Prescription Drugs Not Prescribed to You |
| | % | % | % | % |
| Sex | | | | |
| Female | 91.1 | 85.6 | 72.6 | 93.4 |
| Male | 89.5 | 82.9 | 71.3 | 92.2 |
| Race/Ethnic group | | | | |
| African American | 93.1 | 86.5 | 72.3 | 93.3 |
| Hispanic/Latino | 91.5 | 84.4 | 74.0 | 91.9 |
| White, non-Hispanic | 88.3 | 82.8 | 71.2 | 93.1 |
| Age | | | | |
| 11 | 98.0 | 96.9 | 97.7 | 98.0 |
| 12 | 96.4 | 94.5 | 94.2 | 96.7 |
| 13 | 94.0 | 89.9 | 86.3 | 95.4 |
| 14 | 91.8 | 85.6 | 75.8 | 93.7 |
| 15 | 90.3 | 81.5 | 66.5 | 91.6 |
| 16 | 87.6 | 79.0 | 59.0 | 89.4 |
| 17 | 85.2 | 76.6 | 53.4 | 90.0 |
| 18 | 80.4 | 74.8 | 52.9 | 90.4 |
| Grade | | | | |
| 6th | 97.1 | 95.4 | 96.1 | 97.4 |
| 7th | 94.7 | 91.4 | 89.3 | 95.9 |
| 8th | 92.5 | 87.1 | 80.3 | 94.0 |
| 9th | 90.7 | 83.0 | 68.7 | 92.4 |
| 10th | 88.3 | 80.0 | 61.7 | 90.7 |
| 11th | 86.0 | 78.1 | 55.8 | 89.6 |
| 12th | 82.2 | 74.1 | 51.9 | 89.3 |
| Middle School | 94.8 | 91.3 | 88.6 | 95.7 |
| High School | 87.0 | 79.0 | 59.9 | 90.6 |
| Total | 90.3 | 84.2 | 72.0 | 92.7 |

Note: These questions were modified in the 2014. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

Table 45. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2016

Think It Would Be Wrong For Their Parents To:

| | Drink Alcohol Regularly | Smoke Cigarettes | Smoke Marijuana | Use Prescription Drugs Not Prescribed to Them |
|--------------------------|--------------------------------|-------------------------|------------------------|--|
| | % | % | % | % |
| Sex | | | | |
| Female | 81.4 | 89.3 | 92.0 | 96.9 |
| Male | 78.6 | 89.7 | 91.8 | 97.1 |
| Race/Ethnic group | | | | |
| African American | 85.8 | 92.2 | 90.9 | 96.4 |
| Hispanic/Latino | 84.9 | 92.8 | 93.1 | 97.5 |
| White, non-Hispanic | 74.4 | 86.7 | 91.9 | 97.2 |
| Age | | | | |
| 11 | 85.4 | 91.9 | 97.3 | 97.8 |
| 12 | 81.8 | 90.3 | 95.9 | 97.6 |
| 13 | 78.4 | 89.4 | 90.9 | 96.8 |
| 14 | 75.9 | 87.6 | 85.3 | 96.2 |
| 15 | -- | -- | -- | -- |
| 16 | -- | -- | -- | -- |
| 17 | -- | -- | -- | -- |
| 18 | -- | -- | -- | -- |
| Grade | | | | |
| 6th | 84.5 | 91.3 | 96.5 | 97.6 |
| 7th | 79.5 | 89.0 | 92.8 | 97.2 |
| 8th | 76.1 | 88.2 | 86.5 | 96.1 |
| 9th | -- | -- | -- | -- |
| 10th | -- | -- | -- | -- |
| 11th | -- | -- | -- | -- |
| 12th | -- | -- | -- | -- |
| Middle School | 79.9 | 89.5 | 91.8 | 97.0 |
| High School | -- | -- | -- | -- |
| Total | -- | -- | -- | -- |

Table 46. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2016

| | School Sports | Organized Sports Outside of School | School Band | School Club(s) | Community Club(s) |
|--------------------------|----------------------|---|--------------------|-----------------------|--------------------------|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 34.5 | 28.2 | 12.3 | 35.4 | 14.6 |
| Male | 42.5 | 32.9 | 11.1 | 20.4 | 8.2 |
| Race/Ethnic group | | | | | |
| African American | 47.7 | 28.7 | 10.3 | 22.6 | 11.1 |
| Hispanic/Latino | 35.2 | 27.1 | 10.2 | 24.5 | 9.5 |
| White, non-Hispanic | 36.0 | 33.2 | 12.8 | 30.9 | 12.1 |
| Age | | | | | |
| 11 | 32.8 | 44.8 | 19.3 | 23.6 | 9.1 |
| 12 | 33.4 | 45.2 | 18.4 | 23.1 | 9.1 |
| 13 | 37.5 | 40.2 | 16.2 | 21.9 | 9.5 |
| 14 | 39.3 | 33.8 | 12.9 | 23.2 | 9.7 |
| 15 | 42.4 | 27.0 | 9.0 | 25.9 | 10.9 |
| 16 | 41.2 | 22.3 | 7.9 | 32.3 | 12.5 |
| 17 | 40.6 | 18.7 | 7.2 | 37.0 | 14.7 |
| 18 | 35.6 | 17.6 | 6.3 | 36.3 | 15.7 |
| Grade | | | | | |
| 6th | 34.9 | 45.0 | 18.4 | 22.1 | 8.9 |
| 7th | 35.6 | 41.5 | 16.6 | 21.4 | 8.9 |
| 8th | 37.4 | 38.4 | 15.1 | 22.6 | 10.2 |
| 9th | 42.9 | 27.2 | 9.1 | 23.6 | 9.6 |
| 10th | 41.5 | 23.9 | 8.9 | 29.6 | 11.6 |
| 11th | 40.3 | 20.2 | 6.8 | 35.1 | 14.2 |
| 12th | 36.2 | 17.6 | 7.3 | 40.0 | 16.4 |
| Middle School | 36.0 | 41.6 | 16.7 | 22.1 | 9.3 |
| High School | 40.4 | 22.4 | 8.1 | 31.8 | 12.8 |
| Total | 38.5 | 30.5 | 11.7 | 27.6 | 11.3 |

Table 47. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2016

| | Skipped School Because of Bullying | Was Kicked or Shoved in Past 30 Days | Was Taunted or Teased in Past 30 Days | Victim of Cyber Bullying in Past 30 Days | Physically Bullied Others in Past 30 Days | Verbally Bullied Others in Past 30 Days | Cyber Bullied Others in Past 30 Days |
|--------------------------|---|---|--|---|--|--|---|
| | % | % | % | % | % | % | % |
| Sex | | | | | | | |
| Female | 11.5 | 12.0 | 30.1 | 10.2 | 5.0 | 11.0 | 4.0 |
| Male | 4.4 | 13.8 | 25.6 | 5.2 | 7.0 | 13.0 | 3.7 |
| Race/Ethnic group | | | | | | | |
| African American | 4.8 | 12.3 | 24.8 | 6.2 | 9.1 | 16.0 | 4.7 |
| Hispanic/Latino | 6.4 | 10.2 | 23.2 | 6.5 | 5.4 | 11.5 | 3.8 |
| White, non-Hispanic | 9.8 | 13.7 | 30.1 | 8.8 | 4.4 | 9.7 | 3.2 |
| Age | | | | | | | |
| 11 | 6.8 | 23.3 | 38.3 | 7.2 | 6.6 | 12.3 | 3.0 |
| 12 | 7.4 | 21.4 | 37.8 | 7.2 | 7.4 | 14.1 | 3.0 |
| 13 | 7.3 | 18.6 | 33.7 | 7.7 | 7.6 | 14.7 | 3.9 |
| 14 | 8.3 | 14.7 | 30.5 | 8.6 | 6.7 | 13.8 | 4.3 |
| 15 | 8.8 | 10.0 | 26.5 | 8.4 | 5.6 | 11.3 | 4.4 |
| 16 | 7.5 | 8.1 | 22.0 | 7.5 | 4.8 | 10.7 | 3.9 |
| 17 | 8.6 | 6.0 | 19.7 | 7.6 | 5.2 | 10.0 | 3.9 |
| 18 | 7.3 | 5.9 | 18.1 | 6.1 | 3.9 | 8.0 | 3.4 |
| Grade | | | | | | | |
| 6th | 7.5 | 22.5 | 38.7 | 7.6 | 7.5 | 14.2 | 3.5 |
| 7th | 7.4 | 20.1 | 35.2 | 7.4 | 8.1 | 14.3 | 3.3 |
| 8th | 7.9 | 16.3 | 31.9 | 8.4 | 7.2 | 14.4 | 4.0 |
| 9th | 8.4 | 10.9 | 27.3 | 8.1 | 5.5 | 12.0 | 4.3 |
| 10th | 8.7 | 8.9 | 23.6 | 8.5 | 5.2 | 11.0 | 4.6 |
| 11th | 7.3 | 6.7 | 20.3 | 7.2 | 4.8 | 9.8 | 3.9 |
| 12th | 8.2 | 5.4 | 18.0 | 6.5 | 4.2 | 8.5 | 3.5 |
| Middle School | 7.6 | 19.6 | 35.3 | 7.8 | 7.6 | 14.3 | 3.6 |
| High School | 8.2 | 8.1 | 22.5 | 7.6 | 4.9 | 10.4 | 4.1 |
| Total | 7.9 | 13.0 | 27.9 | 7.7 | 6.1 | 12.0 | 3.9 |

Table 48. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2016

| | Bought in a Store | Bought in a Restaurant, Bar or Club | Bought at a Public Event | Someone Bought it for Me | Someone Gave it to Me | Took it from a Store | Took it from a Family Member | Some Other Way |
|--------------------------|-------------------|-------------------------------------|--------------------------|--------------------------|-----------------------|----------------------|------------------------------|----------------|
| | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | |
| Female | 5.0 | 1.2 | 0.7 | 13.3 | 50.6 | 0.2 | 14.2 | 14.7 |
| Male | 12.4 | 2.1 | 0.8 | 16.3 | 37.8 | 0.4 | 8.7 | 21.5 |
| Race/Ethnic group | | | | | | | | |
| African American | 6.3 | 2.1 | 1.7 | 8.5 | 46.2 | 0.3 | 13.7 | 21.2 |
| Hispanic/Latino | 9.2 | 2.5 | 1.5 | 9.4 | 46.2 | 0.3 | 11.4 | 19.5 |
| White, non-Hispanic | 8.5 | 1.2 | 0.4 | 18.2 | 43.3 | 0.4 | 11.0 | 17.0 |
| Age | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 2.2 | 1.4 | 0.1 | 6.5 | 41.8 | 0.2 | 23.3 | 24.5 |
| 15 | 3.9 | 1.4 | 0.6 | 9.6 | 48.3 | 0.5 | 19.4 | 16.3 |
| 16 | 7.3 | 0.8 | 0.8 | 13.8 | 46.9 | 0.5 | 12.0 | 17.9 |
| 17 | 9.3 | 2.0 | 0.5 | 18.0 | 46.2 | 0.1 | 8.4 | 15.6 |
| 18 | 14.0 | 2.5 | 1.2 | 19.0 | 38.1 | 0.2 | 5.2 | 19.8 |
| Grade | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 3.4 | 1.6 | 0.3 | 8.8 | 44.1 | 0.6 | 21.1 | 20.2 |
| 10th | 6.2 | 1.1 | 0.6 | 11.8 | 47.6 | 0.3 | 14.8 | 17.7 |
| 11th | 9.4 | 1.3 | 1.1 | 14.9 | 45.6 | 0.5 | 9.3 | 17.9 |
| 12th | 11.4 | 2.3 | 0.8 | 19.6 | 43.0 | 0.0 | 6.4 | 16.5 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 8.3 | 1.6 | 0.7 | 14.7 | 44.8 | 0.3 | 11.7 | 17.8 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 49. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2016

| | My Home | Another Person's Home | Car or Other Vehicle | Restaurant, Bar or Club | Public Place | Public Event | School Property | Some Other Place |
|--------------------------|---------|-----------------------|----------------------|-------------------------|--------------|--------------|-----------------|------------------|
| | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | |
| Female | 39.2 | 41.0 | 1.6 | 2.9 | 3.9 | 1.8 | 0.7 | 9.0 |
| Male | 35.9 | 38.9 | 1.9 | 2.5 | 3.7 | 1.5 | 2.0 | 13.7 |
| Race/Ethnic group | | | | | | | | |
| African American | 45.3 | 29.0 | 2.8 | 1.4 | 3.2 | 1.1 | 4.0 | 13.3 |
| Hispanic/Latino | 37.9 | 33.7 | 2.0 | 5.0 | 5.6 | 2.8 | 0.4 | 12.6 |
| White, non-Hispanic | 35.5 | 45.6 | 1.2 | 2.1 | 3.2 | 1.2 | 0.8 | 10.4 |
| Age | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 48.7 | 31.9 | 1.5 | 1.1 | 2.9 | 0.4 | 1.9 | 11.6 |
| 15 | 40.3 | 40.3 | 2.0 | 1.4 | 2.7 | 2.0 | 1.2 | 10.1 |
| 16 | 40.3 | 37.5 | 1.7 | 2.2 | 4.2 | 1.7 | 2.0 | 10.3 |
| 17 | 32.8 | 43.6 | 1.6 | 3.2 | 5.4 | 1.5 | 0.9 | 11.1 |
| 18 | 36.0 | 40.6 | 2.1 | 4.5 | 2.6 | 1.3 | 0.3 | 12.6 |
| Grade | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 44.1 | 33.9 | 2.1 | 1.5 | 2.8 | 1.6 | 2.0 | 12.1 |
| 10th | 40.7 | 39.7 | 1.3 | 1.5 | 4.2 | 1.7 | 1.7 | 9.3 |
| 11th | 35.0 | 40.8 | 1.8 | 2.5 | 4.0 | 2.0 | 1.0 | 12.9 |
| 12th | 34.3 | 43.1 | 1.7 | 4.6 | 4.2 | 1.3 | 0.8 | 10.1 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 37.7 | 40.0 | 1.7 | 2.7 | 3.9 | 1.6 | 1.3 | 11.1 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 50. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2016

| | 1 | 2 | 3 | 4 | 5 or More |
|--------------------------|------|------|------|------|-----------|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 31.6 | 24.8 | 17.9 | 9.0 | 16.7 |
| Male | 27.4 | 19.8 | 16.3 | 8.3 | 28.2 |
| Race/Ethnic group | | | | | |
| African American | 42.3 | 32.0 | 12.5 | 4.8 | 8.4 |
| Hispanic/Latino | 30.2 | 21.4 | 17.2 | 8.0 | 23.1 |
| White, non-Hispanic | 26.6 | 19.9 | 18.0 | 9.9 | 25.6 |
| Age | | | | | |
| 11 | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- |
| 14 | 42.7 | 24.3 | 13.6 | 6.0 | 13.4 |
| 15 | 36.3 | 21.7 | 14.6 | 8.7 | 18.7 |
| 16 | 30.0 | 23.8 | 16.9 | 8.5 | 20.8 |
| 17 | 27.4 | 21.8 | 18.2 | 8.4 | 24.3 |
| 18 | 21.2 | 22.2 | 20.9 | 10.4 | 25.4 |
| Grade | | | | | |
| 6th | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- |
| 9th | 40.0 | 22.4 | 14.0 | 7.4 | 16.2 |
| 10th | 31.2 | 23.5 | 15.7 | 7.9 | 21.8 |
| 11th | 28.3 | 21.7 | 18.4 | 9.3 | 22.3 |
| 12th | 23.9 | 22.5 | 19.0 | 9.4 | 25.3 |
| Middle School | -- | -- | -- | -- | -- |
| High School | 29.6 | 22.5 | 17.3 | 8.6 | 22.0 |
| Total | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 51. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, 2012 to 2016

| | Drinking Alcohol | | | | | | | Using Marijuana | | | | | | |
|--|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Riding in a Vehicle Driven by Someone Who Had Been: | | | | | | | | | | | | | | |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | 22.8 | 20.1 | 17.5 | | | | | 25.5 | 24.4 | 23.7 |
| Male | | | | | 19.9 | 16.2 | 15.3 | | | | | 25.3 | 22.7 | 21.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | 18.3 | 14.8 | 14.7 | | | | | 27.0 | 27.1 | 26.2 |
| Hispanic/Latino | | | | | 22.0 | 19.0 | 17.2 | | | | | 23.5 | 20.6 | 19.9 |
| White, non-Hispanic | | | | | 22.2 | 19.4 | 16.7 | | | | | 25.0 | 23.3 | 21.6 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 12 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 13 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 14 | | | | | 18.7 | 16.8 | 15.6 | | | | | 13.0 | 14.8 | 14.3 |
| 15 | | | | | 20.9 | 17.8 | 17.1 | | | | | 21.5 | 19.1 | 18.9 |
| 16 | | | | | 20.6 | 17.2 | 15.2 | | | | | 26.0 | 23.6 | 22.6 |
| 17 | | | | | 22.1 | 19.3 | 16.7 | | | | | 30.5 | 28.7 | 27.2 |
| 18 | | | | | 23.7 | 18.9 | 17.0 | | | | | 31.6 | 28.9 | 27.9 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 7th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 8th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 9th | | | | | 21.3 | 18.2 | 17.2 | | | | | 19.9 | 17.5 | 16.9 |
| 10th | | | | | 20.0 | 18.0 | 15.6 | | | | | 22.5 | 22.7 | 21.9 |
| 11th | | | | | 21.3 | 17.8 | 16.3 | | | | | 29.5 | 26.1 | 24.6 |
| 12th | | | | | 23.1 | 18.6 | 16.3 | | | | | 31.0 | 29.3 | 28.1 |
| Middle School | | | | | -- | -- | -- | | | | | -- | -- | -- |
| High School | | | | | 21.4 | 18.1 | 16.4 | | | | | 25.4 | 23.5 | 22.7 |
| Total | | | | | -- | -- | -- | | | | | -- | -- | -- |

Note: Questions about ATOD use and driving were added to the high school questionnaire in 2012.

Table 52. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana, 2012 to 2016

| | Driving a Vehicle After: | | | | | | | | | | | | | |
|--------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Drinking Alcohol | | | | | | | Using Marijuana | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | 7.4 | 6.2 | 5.0 | | | | | 8.8 | 9.6 | 9.1 |
| Male | | | | | 8.8 | 6.8 | 5.8 | | | | | 13.4 | 12.2 | 11.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | 6.4 | 4.8 | 5.0 | | | | | 11.1 | 10.0 | 10.3 |
| Hispanic/Latino | | | | | 8.0 | 6.7 | 5.5 | | | | | 9.4 | 10.2 | 9.5 |
| White, non-Hispanic | | | | | 8.8 | 7.4 | 5.6 | | | | | 11.8 | 11.4 | 10.4 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 12 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 13 | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 14 | | | | | 3.1 | 2.6 | 1.9 | | | | | 3.0 | 4.5 | 4.3 |
| 15 | | | | | 5.1 | 4.2 | 3.4 | | | | | 6.5 | 7.1 | 6.0 |
| 16 | | | | | 8.1 | 6.1 | 5.0 | | | | | 11.8 | 10.1 | 9.7 |
| 17 | | | | | 10.4 | 8.6 | 7.1 | | | | | 15.0 | 15.1 | 13.9 |
| 18 | | | | | 12.8 | 10.5 | 8.9 | | | | | 17.0 | 16.5 | 16.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 7th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 8th | | | | | -- | -- | -- | | | | | -- | -- | -- |
| 9th | | | | | 5.2 | 3.8 | 3.1 | | | | | 6.2 | 6.5 | 5.8 |
| 10th | | | | | 6.0 | 5.8 | 4.5 | | | | | 8.8 | 9.6 | 8.5 |
| 11th | | | | | 9.8 | 7.3 | 5.9 | | | | | 14.3 | 12.5 | 11.8 |
| 12th | | | | | 12.4 | 10.2 | 8.5 | | | | | 16.5 | 16.1 | 15.7 |
| Middle School | | | | | -- | -- | -- | | | | | -- | -- | -- |
| High School | | | | | 8.1 | 6.6 | 5.4 | | | | | 11.2 | 10.9 | 10.3 |
| Total | | | | | -- | -- | -- | | | | | -- | -- | -- |

Note: Questions about ATOD use and driving were added to the high school questionnaire in 2012.

Table 53. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2016

| | Drinking Alcohol | Smoking Marijuana | Using Another Drug |
|--------------------------|------------------|-------------------|--------------------|
| | % | % | % |
| Sex | | | |
| Female | 5.5 | 8.1 | 2.9 |
| Male | 4.7 | 8.7 | 2.9 |
| Race/Ethnic group | | | |
| African American | 4.3 | 7.5 | 2.2 |
| Hispanic/Latino | 5.7 | 8.6 | 3.2 |
| White, non-Hispanic | 5.1 | 8.5 | 2.9 |
| Age | | | |
| 11 | 0.8 | 0.4 | 0.4 |
| 12 | 1.8 | 1.2 | 0.9 |
| 13 | 3.9 | 3.5 | 1.7 |
| 14 | 5.1 | 7.1 | 2.2 |
| 15 | 6.5 | 10.3 | 3.9 |
| 16 | 7.3 | 13.1 | 4.4 |
| 17 | 6.5 | 13.6 | 4.0 |
| 18 | 6.3 | 15.3 | 4.4 |
| Grade | | | |
| 6th | 1.2 | 0.9 | 0.7 |
| 7th | 3.4 | 3.1 | 1.3 |
| 8th | 5.0 | 5.6 | 2.3 |
| 9th | 5.9 | 9.3 | 3.2 |
| 10th | 6.9 | 11.6 | 4.3 |
| 11th | 6.5 | 14.1 | 4.2 |
| 12th | 6.4 | 14.0 | 4.0 |
| Middle School | 3.3 | 3.2 | 1.4 |
| High School | 6.5 | 12.2 | 3.9 |
| Total | 5.1 | 8.5 | 2.9 |

Table 54. Percentage of surveyed Florida youth who reported gang membership—2004 to 2016

| | Gang Membership | | | | | | | | | | | | | |
|--------------------------|-----------------------------------|------------|------------|------------|------------|------------|------------|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Have you ever belonged to a gang? | | | | | | | Did that gang have name? | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | 4.9 | 5.5 | 4.5 | 3.6 | 2.8 | 2.5 | 2.3 | 29.3 | 27.8 | 29.1 | 23.3 | 17.8 | 16.2 | 13.1 |
| Male | 9.5 | 10.4 | 9.5 | 7.6 | 5.7 | 4.8 | 4.5 | 36.9 | 37.0 | 39.1 | 33.3 | 25.4 | 23.3 | 19.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 8.5 | 9.9 | 10.1 | 9.4 | 6.6 | 5.9 | 5.1 | 29.9 | 31.5 | 36.2 | 35.8 | 27.7 | 25.9 | 20.8 |
| Hispanic/Latino | 9.4 | 10.2 | 8.1 | 6.5 | 4.4 | 3.5 | 3.7 | 42.7 | 40.7 | 39.6 | 31.3 | 21.3 | 16.5 | 15.0 |
| White, non-Hispanic | 4.6 | 5.3 | 4.4 | 3.1 | 2.7 | 2.4 | 2.2 | 28.0 | 26.4 | 26.9 | 20.2 | 16.3 | 15.1 | 13.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 5.0 | 3.6 | 3.4 | 2.3 | 2.2 | 2.0 | 1.6 | 33.8 | 23.4 | 44.2 | 25.0 | 19.8 | 15.4 | 14.2 |
| 12 | 5.8 | 6.7 | 4.6 | 4.0 | 2.8 | 2.6 | 2.5 | 29.4 | 34.2 | 36.3 | 31.8 | 21.8 | 24.9 | 19.8 |
| 13 | 8.0 | 8.8 | 7.8 | 5.3 | 4.4 | 3.8 | 3.7 | 38.0 | 38.9 | 46.0 | 35.7 | 33.4 | 28.3 | 25.0 |
| 14 | 7.9 | 8.7 | 8.9 | 7.2 | 4.8 | 4.0 | 3.7 | 38.6 | 37.6 | 46.4 | 42.3 | 26.7 | 21.9 | 22.3 |
| 15 | 7.8 | 9.1 | 7.8 | 6.1 | 4.4 | 4.7 | 3.8 | 38.3 | 35.4 | 36.5 | 31.2 | 20.4 | 23.9 | 18.3 |
| 16 | 7.6 | 8.4 | 7.5 | 6.0 | 4.2 | 3.6 | 3.8 | 35.4 | 34.5 | 31.0 | 26.8 | 19.1 | 17.8 | 15.1 |
| 17 | 6.0 | 6.4 | 6.0 | 5.6 | 4.7 | 3.6 | 3.3 | 27.4 | 26.2 | 25.4 | 22.9 | 18.8 | 14.9 | 10.7 |
| 18 | 3.8 | 6.8 | 5.8 | 4.7 | 4.9 | 3.6 | 3.7 | 16.6 | 21.0 | 23.4 | 17.2 | 19.0 | 13.3 | 13.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 7.0 | 7.3 | 6.0 | 4.7 | 3.3 | 2.9 | 2.6 | 31.3 | 34.3 | 43.6 | 34.2 | 24.6 | 27.1 | 19.7 |
| 7th | 8.2 | 9.3 | 7.8 | 6.4 | 4.3 | 3.4 | 3.5 | 39.6 | 38.9 | 45.2 | 41.7 | 30.6 | 23.2 | 24.1 |
| 8th | 8.4 | 9.1 | 8.6 | 6.6 | 5.4 | 4.5 | 3.8 | 40.3 | 39.4 | 48.7 | 41.8 | 35.4 | 29.4 | 25.4 |
| 9th | 7.2 | 8.7 | 8.6 | 6.4 | 4.1 | 4.0 | 3.7 | 36.8 | 35.3 | 37.2 | 31.0 | 18.7 | 19.2 | 18.2 |
| 10th | 6.8 | 7.9 | 6.6 | 5.4 | 4.3 | 4.1 | 3.9 | 34.7 | 32.8 | 30.3 | 25.4 | 20.2 | 20.0 | 14.8 |
| 11th | 5.6 | 6.0 | 6.0 | 5.1 | 4.3 | 3.4 | 3.7 | 26.2 | 25.9 | 25.6 | 23.1 | 17.6 | 15.7 | 13.2 |
| 12th | 4.9 | 6.7 | 4.8 | 4.2 | 4.2 | 3.0 | 2.6 | 20.8 | 23.5 | 20.4 | 15.3 | 16.9 | 12.1 | 10.6 |
| Middle School | 7.9 | 8.6 | 7.5 | 5.9 | 4.3 | 3.6 | 3.3 | 37.4 | 37.8 | 46.0 | 39.7 | 30.6 | 26.6 | 23.4 |
| High School | 6.3 | 7.5 | 6.6 | 5.3 | 4.2 | 3.7 | 3.5 | 30.7 | 30.1 | 28.9 | 23.7 | 18.4 | 16.8 | 14.1 |
| Total | 7.0 | 8.0 | 7.0 | 5.6 | 4.3 | 3.7 | 3.4 | 33.6 | 33.2 | 35.0 | 29.1 | 22.4 | 20.0 | 16.9 |

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang.

Table 55. Percentage of surveyed Florida high school youth who reported current gang membership—2012 to 2016

| | Gang Membership | | | | | | |
|--------------------------|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Are you a gang member now? | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | |
| Female | | | | | 1.4 | 1.5 | 1.1 |
| Male | | | | | 2.8 | 2.6 | 2.8 |
| Race/Ethnic group | | | | | | | |
| African American | | | | | 3.4 | 3.1 | 3.4 |
| Hispanic/Latino | | | | | 1.7 | 1.7 | 1.6 |
| White, non-Hispanic | | | | | 1.6 | 1.6 | 1.3 |
| Age | | | | | | | |
| 11 | | | | | -- | -- | -- |
| 12 | | | | | -- | -- | -- |
| 13 | | | | | -- | -- | -- |
| 14 | | | | | 1.1 | 1.7 | 1.5 |
| 15 | | | | | 1.8 | 2.3 | 1.9 |
| 16 | | | | | 2.3 | 2.3 | 2.2 |
| 17 | | | | | 2.3 | 2.0 | 2.0 |
| 18 | | | | | 2.2 | 1.5 | 1.7 |
| Grade | | | | | | | |
| 6th | | | | | -- | -- | -- |
| 7th | | | | | -- | -- | -- |
| 8th | | | | | -- | -- | -- |
| 9th | | | | | 2.0 | 2.3 | 1.8 |
| 10th | | | | | 2.2 | 2.3 | 2.5 |
| 11th | | | | | 2.3 | 2.1 | 2.1 |
| 12th | | | | | 2.0 | 1.5 | 1.5 |
| Middle School | | | | | -- | -- | -- |
| High School | | | | | 2.1 | 2.1 | 2.0 |
| Total | | | | | -- | -- | -- |

Table 56. Reasons for joining a gang, among Florida high school youth who have belonged to a gang, 2016

| | Fun and Excitement | Protection | Friend or Relative in Gang | Forced to Join | To Get Respect | Money | To Fit in Better | Other Reasons |
|--------------------------|--------------------|------------|----------------------------|----------------|----------------|-------|------------------|---------------|
| | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | |
| Female | 4.3 | 2.6 | 2.9 | 1.1 | 2.0 | 2.5 | 1.1 | 4.5 |
| Male | 5.5 | 5.4 | 4.9 | 1.2 | 4.7 | 4.8 | 1.4 | 7.0 |
| Race/Ethnic group | | | | | | | | |
| African American | 6.1 | 5.2 | 5.9 | 1.3 | 3.7 | 4.7 | 1.7 | 7.7 |
| Hispanic/Latino | 4.8 | 4.9 | 4.4 | 1.1 | 4.1 | 3.6 | 1.4 | 6.8 |
| White, non-Hispanic | 3.9 | 2.6 | 2.3 | 1.0 | 2.7 | 2.9 | 0.7 | 4.2 |
| Age | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 3.9 | 4.8 | 4.4 | 1.2 | 4.1 | 3.3 | 1.3 | 6.6 |
| 15 | 5.4 | 4.8 | 3.8 | 0.9 | 3.4 | 4.2 | 1.1 | 6.2 |
| 16 | 5.2 | 5.0 | 3.8 | 1.1 | 4.1 | 4.1 | 1.5 | 6.4 |
| 17 | 4.4 | 3.5 | 4.8 | 1.5 | 3.1 | 3.9 | 1.2 | 4.1 |
| 18 | 5.3 | 2.2 | 3.3 | 1.3 | 2.3 | 2.8 | 0.9 | 6.9 |
| Grade | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 5.3 | 5.3 | 4.7 | 0.9 | 4.4 | 4.6 | 1.3 | 7.9 |
| 10th | 4.8 | 5.2 | 4.0 | 1.1 | 3.8 | 4.0 | 1.3 | 6.0 |
| 11th | 5.4 | 3.8 | 3.9 | 1.4 | 2.6 | 3.9 | 1.1 | 4.8 |
| 12th | 4.4 | 2.3 | 3.8 | 1.3 | 3.1 | 2.7 | 1.2 | 4.7 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 5.0 | 4.2 | 4.1 | 1.1 | 3.5 | 3.8 | 1.2 | 5.9 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- |

Table 57. Percentage of surveyed Florida youth with family members who have been or are now in jail or friends who have been in trouble because of alcohol or other drugs, 2016

| | Jail and ATOD Trouble | | | | | | | | | | | | | |
|--------------------------|------------------------|-----------|-----------|-----------|-----------|-----------|-------------|-------------------------------------|-----------|-----------|-----------|-----------|-----------|-------------|
| | Family Members in Jail | | | | | | | Friends in Trouble Because of ATODs | | | | | | |
| | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % | 2004 % | 2006 % | 2008 % | 2010 % | 2012 % | 2014 % | 2016 % |
| Sex | | | | | | | | | | | | | | |
| Female | | | | | | | 47.8 | | | | | | | 38.4 |
| Male | | | | | | | 41.2 | | | | | | | 35.8 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | | | | | | | 61.1 | | | | | | | 35.0 |
| Hispanic/Latino | | | | | | | 41.4 | | | | | | | 38.8 |
| White, non-Hispanic | | | | | | | 37.9 | | | | | | | 37.3 |
| Age | | | | | | | | | | | | | | |
| 11 | | | | | | | 35.3 | | | | | | | 9.4 |
| 12 | | | | | | | 40.4 | | | | | | | 16.4 |
| 13 | | | | | | | 46.9 | | | | | | | 27.7 |
| 14 | | | | | | | 48.3 | | | | | | | 38.7 |
| 15 | | | | | | | 47.5 | | | | | | | 43.9 |
| 16 | | | | | | | 45.4 | | | | | | | 47.4 |
| 17 | | | | | | | 43.1 | | | | | | | 50.0 |
| 18 | | | | | | | 41.7 | | | | | | | 47.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | | | | | | | 39.1 | | | | | | | 12.5 |
| 7th | | | | | | | 45.0 | | | | | | | 24.1 |
| 8th | | | | | | | 48.8 | | | | | | | 34.3 |
| 9th | | | | | | | 48.2 | | | | | | | 43.0 |
| 10th | | | | | | | 45.6 | | | | | | | 46.6 |
| 11th | | | | | | | 43.8 | | | | | | | 48.6 |
| 12th | | | | | | | 40.1 | | | | | | | 48.1 |
| Middle School | | | | | | | 44.4 | | | | | | | 23.9 |
| High School | | | | | | | 44.6 | | | | | | | 46.5 |
| Total | | | | | | | 44.5 | | | | | | | 37.1 |

Table 58. Percentage of Florida youth with elevated protective factor scale scores, 2016

| | Middle School | High School | Overall |
|--|---------------|-------------|---------|
| Community Domain | | | |
| Community Rewards for Prosocial Involvement | 46 | 69 | 59 |
| Family Domain | | | |
| Family Opportunities for Prosocial Involvement | 60 | 59 | 60 |
| Family Rewards for Prosocial Involvement | 56 | 56 | 56 |
| School Domain | | | |
| School Opportunities for Prosocial Involvement | 53 | 63 | 59 |
| School Rewards for Prosocial Involvement | 49 | 59 | 55 |
| Peer and Individual Domain | | | |
| Religiosity | 49 | 57 | 53 |
| Protective Factor Average | | | |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 59. Percentage of Florida youth with elevated risk factor scale scores, 2016

| | Middle School | High School | Overall |
|--|---------------|-------------|---------|
| Community Domain | | | |
| Community Disorganization | 42 | 44 | 43 |
| Transitions and Mobility | 59 | 61 | 60 |
| Laws and Norms Favorable to Drug Use | 37 | 31 | 34 |
| Perceived Availability of Drugs | 37 | 27 | 31 |
| Perceived Availability of Handguns | 24 | 36 | 31 |
| Family Domain | | | |
| Poor Family Management | 40 | 38 | 39 |
| Family Conflict | 38 | 33 | 35 |
| School Domain | | | |
| Poor Academic Performance | 42 | 44 | 43 |
| Lack of Commitment to School | 53 | 54 | 54 |
| Peer and Individual Domain | | | |
| Favorable Attitudes toward Antisocial Behavior | 39 | 35 | 37 |
| Favorable Attitudes toward ATOD Use | 32 | 36 | 34 |
| Early Initiation of Drug Use | 23 | 22 | 22 |
| Risk Factor Average | | | |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 60. Percentage of youth from the national normative sample with elevated protective factor scale scores

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Community Domain | | | |
| Community Rewards for Prosocial Involvement | 56 | 63 | 60 |
| Family Domain | | | |
| Family Opportunities for Prosocial Involvement | 59 | 54 | 56 |
| Family Rewards for Prosocial Involvement | 54 | 55 | 55 |
| School Domain | | | |
| School Opportunities for Prosocial Involvement | 57 | 60 | 59 |
| School Rewards for Prosocial Involvement | 53 | 58 | 55 |
| Peer and Individual Domain | | | |
| Religiosity | 56 | 62 | 59 |
| Protective Factor Average | 56 | 59 | 57 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 61. Percentage of youth from the national normative sample with elevated risk factor scale scores

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Community Domain | | | |
| Community Disorganization | 47 | 47 | 47 |
| Transitions and Mobility | 47 | 46 | 47 |
| Laws and Norms Favorable to Drug Use | 42 | 42 | 42 |
| Perceived Availability of Drugs | 45 | 45 | 45 |
| Perceived Availability of Handguns | 25 | 42 | 34 |
| Family Domain | | | |
| Poor Family Management | 44 | 45 | 45 |
| Family Conflict | 42 | 37 | 39 |
| School Domain | | | |
| Poor Academic Performance | 45 | 48 | 47 |
| Lack of Commitment to School | 47 | 46 | 46 |
| Peer and Individual Domain | | | |
| Favorable Attitudes toward Antisocial Behavior | 40 | 46 | 43 |
| Favorable Attitudes toward ATOD Use | 39 | 45 | 42 |
| Early Initiation of Drug Use | 41 | 46 | 43 |
| Risk Factor Average | 40 | 45 | 43 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 62. Percentage of Florida middle school youth with elevated protective factor scale scores—2004 to 2016

| | 2004 | 2006 | 2008 | 2010 | 2012 | 2014 | 2016 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Community Rewards for Prosocial Involvement | 51 | 50 | 51 | 51 | 52 | 48 | 46 |
| Family Domain | | | | | | | |
| Family Opportunities for Prosocial Involvement | 55 | 54 | 53 | 56 | 59 | 60 | 60 |
| Family Rewards for Prosocial Involvement | 51 | 49 | 49 | 50 | 55 | 55 | 56 |
| School Domain | | | | | | | |
| School Opportunities for Prosocial Involvement | 44 | 44 | 45 | 47 | 50 | 51 | 53 |
| School Rewards for Prosocial Involvement | 41 | 42 | 43 | 45 | 52 | 50 | 49 |
| Peer and Individual Domain | | | | | | | |
| Religiosity | 55 | 53 | 52 | 51 | 50 | 47 | 49 |
| Risk Factor Average | 50 | 49 | 49 | 50 | 53 | 52 | 52 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 63. Percentage of Florida high school youth with elevated protective factor scale scores—2004 to 2016

| | 2004 | 2006 | 2008 | 2010 | 2012 | 2014 | 2016 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Community Rewards for Prosocial Involvement | 61 | 62 | 61 | 61 | 61 | 61 | 69 |
| Family Domain | | | | | | | |
| Family Opportunities for Prosocial Involvement | 53 | 52 | 53 | 55 | 56 | 58 | 59 |
| Family Rewards for Prosocial Involvement | 54 | 52 | 54 | 53 | 54 | 56 | 56 |
| School Domain | | | | | | | |
| School Opportunities for Prosocial Involvement | 57 | 58 | 59 | 60 | 61 | 62 | 63 |
| School Rewards for Prosocial Involvement | 54 | 55 | 56 | 59 | 61 | 60 | 59 |
| Peer and Individual Domain | | | | | | | |
| Religiosity | 62 | 61 | 61 | 60 | 59 | 57 | 57 |
| Risk Factor Average | 57 | 57 | 57 | 58 | 59 | 59 | 61 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 64. Percentage of Florida middle school youth with elevated risk factor scale scores—2004 to 2016

| | 2004 | 2006 | 2008 | 2010 | 2012 | 2014 | 2016 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Community Disorganization | 47 | 47 | 48 | 51 | 47 | 44 | 42 |
| Transitions and Mobility | 63 | 62 | 61 | 61 | 59 | 58 | 59 |
| Laws and Norms Favorable to Drug Use | 45 | 44 | 44 | 44 | 38 | 36 | 37 |
| Perceived Availability of Drugs | 48 | 46 | 49 | 48 | 40 | 40 | 37 |
| Perceived Availability of Handguns | 25 | 26 | 27 | 25 | 23 | 24 | 24 |
| Family Domain | | | | | | | |
| Poor Family Management | 52 | 52 | 49 | 48 | 43 | 40 | 40 |
| Family Conflict | 44 | 44 | 43 | 42 | 38 | 38 | 38 |
| School Domain | | | | | | | |
| Poor Academic Performance | 47 | 47 | 45 | 43 | 41 | 42 | 42 |
| Lack of Commitment to School | 55 | 55 | 55 | 54 | 48 | 52 | 53 |
| Peer and Individual Domain | | | | | | | |
| Favorable Attitudes toward Antisocial Behavior | 52 | 52 | 48 | 47 | 41 | 38 | 39 |
| Favorable Attitudes toward ATOD Use | 47 | 45 | 40 | 41 | 34 | 32 | 32 |
| Early Initiation of Drug Use | 47 | 43 | 37 | 35 | 29 | 25 | 23 |
| Risk Factor Average | 45 | 45 | 43 | 43 | 39 | 39 | 39 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 65. Percentage of Florida high school youth with elevated risk factor scale scores—2004 to 2016

| | 2004 | 2006 | 2008 | 2010 | 2012 | 2014 | 2016 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Community Disorganization | 46 | 46 | 49 | 50 | 48 | 46 | 44 |
| Transitions and Mobility | 67 | 65 | 64 | 63 | 62 | 62 | 61 |
| Laws and Norms Favorable to Drug Use | 37 | 36 | 35 | 38 | 35 | 33 | 31 |
| Perceived Availability of Drugs | 43 | 42 | 40 | 37 | 32 | 31 | 27 |
| Perceived Availability of Handguns | 41 | 43 | 41 | 38 | 34 | 37 | 36 |
| Family Domain | | | | | | | |
| Poor Family Management | 50 | 51 | 49 | 46 | 41 | 38 | 38 |
| Family Conflict | 37 | 37 | 37 | 37 | 35 | 33 | 33 |
| School Domain | | | | | | | |
| Poor Academic Performance | 47 | 46 | 44 | 46 | 44 | 43 | 44 |
| Lack of Commitment to School | 49 | 49 | 47 | 51 | 46 | 52 | 54 |
| Peer and Individual Domain | | | | | | | |
| Favorable Attitudes toward Antisocial Behavior | 47 | 48 | 47 | 41 | 38 | 36 | 35 |
| Favorable Attitudes toward ATOD Use | 43 | 42 | 40 | 40 | 39 | 38 | 36 |
| Early Initiation of Drug Use | 42 | 39 | 35 | 33 | 30 | 26 | 22 |
| Risk Factor Average | 45 | 45 | 43 | 44 | 41 | 40 | 38 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.