

2014 Florida Youth Substance Abuse Survey ATOD Prevalence Tables

Table 1. Major demographic characteristics of surveyed Florida youth, 2014

	Unweighted			Weighted	
	%	N		%	N
Sex					
Female	50.6	33,366		48.1	31,702
Male	47.6	31,377		50.1	33,056
Race/Ethnic group					
American Indian	2.0	1,334		1.0	669
Asian	2.1	1,356		1.7	1,146
African American	14.7	9,713		19.0	12,512
Hispanic/Latino	16.0	10,514		19.5	12,827
Native Hawaiian/Pacific Islander	0.3	227		0.3	196
Other/Multiple	16.4	10,781		13.7	9,038
White, non-Hispanic	47.6	31,356		44.0	29,014
Age					
10	0.1	66		0.1	82
11	6.7	4,444		5.9	3,909
12	15.6	10,292		13.0	8,589
13	17.9	11,827		14.4	9,491
14	16.4	10,782		14.8	9,764
15	14.0	9,199		15.2	10,011
16	12.2	8,050		14.3	9,431
17	10.6	6,988		13.6	8,940
18	5.4	3,537		7.3	4,837
19 or older	0.8	506		1.0	633
Grade					
6th	17.5	11,546		14.6	9,610
7th	18.4	12,154		14.6	9,611
8th	17.4	11,481		14.3	9,427
9th	14.3	9,454		15.6	10,281
10th	12.3	8,108		14.6	9,595
11th	11.0	7,281		13.9	9,190
12th	8.9	5,893		12.4	8,203
Middle School	53.2	35,063		43.3	28,547
High School	46.5	30,649		56.4	37,164
Total	100.0	65,917		100.0	65,917

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases.

Table 2. Demographic characteristics of historical samples—2004 to 2014

	2004		2006		2008		2010		2012		2014	
	N	%	N	%	N	%	N	%	N	%	N	%
Sex												
Female	31,076	51.5	27,252	47.6	43,913	48.0	35,119	48.2	34,179	48.2	31,702	48.1
Male	27,126	45.0	28,304	49.4	45,413	49.6	36,540	50.2	35,544	50.2	33,056	50.1
Race/Ethnic group												
African American	11,358	18.8	9,572	16.7	16,647	18.2	12,829	17.7	12,176	17.2	12,512	19.0
Hispanic/Latino	12,820	21.2	11,336	19.8	20,767	22.7	16,990	23.5	16,088	22.7	12,827	19.5
White, non-Hispanic	25,443	42.2	26,239	45.8	37,000	40.4	29,034	40.1	27,787	39.2	29,014	44.0
Age												
11	2,367	3.9	1,951	3.4	3,294	3.6	2,655	3.6	4,037	5.7	3,909	17.5
12	7,778	12.9	6,872	12.0	10,971	12.0	8,828	12.1	9,151	12.9	8,589	5.9
13	9,144	15.2	8,377	14.6	13,299	14.5	10,495	14.4	10,289	14.5	9,491	13.0
14	9,586	15.9	8,781	15.3	14,098	15.4	10,640	14.6	10,537	14.9	9,764	14.4
15	10,397	17.2	9,914	17.3	14,339	15.7	11,346	15.6	10,727	15.1	10,011	14.8
16	8,675	14.4	8,861	15.5	13,913	15.2	11,220	15.4	10,384	14.7	9,431	15.2
17	7,468	12.4	7,453	13.0	12,824	14.0	10,069	13.8	9,533	13.5	8,940	14.3
18	4,214	7.0	4,270	7.5	7,552	8.3	6,339	8.7	5,217	7.4	4,837	13.6
Grade												
6th	8,939	14.8	7,818	13.7	13,265	14.5	10,458	14.4	10,330	14.6	9,610	14.6
7th	9,082	15.0	8,435	14.7	13,552	14.8	10,655	14.6	10,332	14.6	9,611	14.6
8th	8,885	14.7	8,377	14.6	12,869	14.1	10,428	14.3	10,134	14.3	9,427	14.3
9th	11,137	18.5	9,884	17.3	14,738	16.1	11,566	15.9	11,051	15.6	10,281	15.6
10th	8,391	13.9	8,545	14.9	13,593	14.9	10,486	14.4	10,314	14.6	9,595	14.6
11th	7,197	11.9	7,491	13.1	12,297	13.4	10,131	13.9	9,879	13.9	9,190	13.9
12th	6,283	10.4	6,343	11.1	11,157	12.2	9,072	12.5	8,819	12.4	8,203	12.4
Middle School	26,906	44.6	24,630	43.0	39,686	43.4	31,541	43.3	30,796	43.5	28,547	43.3
High School	33,008	54.7	32,263	56.3	51,785	56.6	41,256	56.7	40,063	56.5	37,164	56.4
Total	60,345	100.0	57,274	100.0	91,471	100.0	72,797	100.0	70,859	100.0	65,917	100.0

Note: Demographic results represent samples after sample weights have been applied.

Table 3. Lifetime prevalence of ATOD use, 2014

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	15.1	24.0	35.9	45.4	54.0	60.2	66.9
Cigarettes	5.7	9.5	14.2	18.3	22.0	24.7	30.8
Marijuana or Hashish	3.0	7.6	14.6	23.6	31.9	37.5	42.8
Synthetic Marijuana	--	--	--	6.6	8.4	8.9	12.2
Inhalants	7.1	9.3	9.6	5.9	5.3	4.4	3.7
Club Drugs	0.4	0.9	2.0	2.7	4.0	4.9	6.7
LSD, PCP or Mushrooms	0.4	1.2	2.4	3.5	5.0	5.8	7.2
Methamphetamine	0.7	1.0	1.0	1.1	0.9	1.0	1.3
Cocaine or Crack Cocaine	0.5	1.1	1.2	1.5	1.9	3.0	4.1
Heroin	0.4	0.5	0.9	0.6	0.5	0.7	0.8
Depressants	0.8	1.8	3.0	4.3	6.2	6.9	7.8
Prescription Pain Relievers	1.8	3.4	3.6	6.2	7.5	7.4	8.3
Prescription Amphetamines	0.6	1.0	1.4	3.1	4.5	5.4	7.7
Steroids (without a doctor's order)	0.4	0.5	0.7	0.5	0.7	0.9	1.0
Over-the-Counter Drugs	2.5	3.2	4.5	5.3	6.8	6.2	6.6

Table 4. Past-30-day prevalence of ATOD use, 2014

	Grade Level						
	6th %	7th %	8th %	9th %	10th %	11th %	12th %
Alcohol	5.0	9.5	15.9	21.3	26.3	30.3	37.5
Binge Drinking	1.9	3.8	6.0	9.3	12.7	14.9	19.2
Cigarettes	1.0	2.1	2.9	5.2	6.2	7.2	10.8
Marijuana or Hashish	1.1	3.7	7.8	13.5	17.6	20.4	24.1
Synthetic Marijuana	--	--	--	1.3	1.6	1.4	1.3
Inhalants	2.8	3.3	3.1	1.7	1.7	0.9	0.7
Club Drugs	0.2	0.3	0.5	0.8	1.1	1.1	1.2
LSD, PCP or Mushrooms	0.2	0.4	1.1	1.1	1.6	1.4	1.5
Methamphetamine	0.3	0.5	0.5	0.5	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.1	0.5	0.6	0.5	0.5	0.8	1.1
Heroin	0.2	0.2	0.4	0.2	0.2	0.3	0.3
Depressants	0.3	0.8	1.2	1.8	2.1	2.1	2.5
Prescription Pain Relievers	0.8	1.6	1.8	2.7	3.1	2.1	2.4
Prescription Amphetamines	0.4	0.5	0.6	1.1	1.4	1.7	2.5
Steroids (without a doctor's order)	0.2	0.2	0.3	0.2	0.4	0.3	0.4
Over-the-Counter Drugs	1.2	1.5	2.2	2.5	2.9	2.1	2.1

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2004 to 2014

	Alcohol Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	58.7	58.1	54.9	53.0	48.8	44.3	32.9	33.1	30.6	29.4	25.3	21.7
Male	56.3	54.3	51.5	50.2	45.8	40.9	31.7	30.9	29.0	28.3	23.8	19.4
Race/Ethnic group												
African American	45.3	43.7	42.8	45.0	38.7	34.3	20.8	19.3	20.1	21.7	17.4	13.8
Hispanic/Latino	60.2	56.8	55.7	54.0	48.8	45.3	33.6	31.8	31.5	30.3	25.5	22.0
White, non-Hispanic	63.0	61.5	57.6	54.4	50.5	46.0	37.9	37.9	34.5	32.4	27.6	23.7
Age												
11	24.1	20.0	18.3	15.2	14.6	11.2	10.1	7.2	6.8	5.7	5.6	3.8
12	33.2	29.4	26.6	25.2	21.0	18.1	12.1	11.6	10.2	10.3	7.2	6.1
13	44.1	41.5	37.9	36.4	31.6	28.0	21.4	19.2	17.6	16.8	14.0	11.2
14	56.4	52.5	49.7	49.2	44.8	39.0	29.7	27.9	26.2	25.3	20.3	18.3
15	65.0	62.9	59.3	58.0	54.8	48.6	37.0	36.1	32.8	32.3	29.1	22.7
16	70.9	69.8	67.3	64.4	62.4	58.0	42.2	41.9	39.4	37.4	33.4	28.3
17	73.5	73.1	70.7	68.5	68.4	63.9	46.0	46.1	44.2	41.9	40.2	34.1
18	75.9	75.8	73.2	70.2	68.9	64.4	53.2	53.3	47.9	46.6	42.0	36.2
Grade												
6th	29.3	26.3	24.2	22.6	17.4	15.1	11.2	11.0	10.3	9.4	6.5	5.0
7th	43.1	39.4	37.0	35.1	29.3	24.0	20.7	17.5	17.0	16.8	12.0	9.5
8th	55.1	52.3	47.9	48.0	40.2	35.9	28.8	27.7	24.7	24.1	18.5	15.9
9th	63.9	60.3	57.3	56.4	51.8	45.4	35.8	34.4	31.6	31.1	26.7	21.3
10th	68.8	68.4	66.0	63.7	58.6	54.0	40.5	40.7	38.1	37.1	31.4	26.3
11th	73.9	72.6	70.0	67.1	66.6	60.2	45.4	44.0	42.5	39.7	36.8	30.3
12th	75.8	76.0	73.9	70.3	70.1	66.9	51.0	52.2	48.2	46.0	42.7	37.5
Middle School	42.6	39.7	36.3	35.3	28.9	25.0	20.3	19.0	17.3	16.8	12.3	10.1
High School	69.6	68.4	66.2	63.9	61.3	56.0	42.0	41.8	39.5	38.0	33.9	28.4
Total	57.5	56.1	53.2	51.5	47.3	42.6	32.3	32.0	29.8	28.8	24.6	20.5

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2014

	2014 Alcohol						
	Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex							
Female	78.3	13.3	4.7	2.0	1.0	0.3	0.3
Male	80.6	10.8	4.4	2.1	1.2	0.4	0.6
Race/Ethnic group							
African American	86.2	8.9	2.9	0.9	0.4	0.3	0.4
Hispanic/Latino	78.0	13.3	4.5	2.3	1.1	0.4	0.5
White, non-Hispanic	76.3	13.5	5.5	2.6	1.4	0.4	0.4
Age							
11	96.2	2.8	0.6	0.1	0.2	0.1	0.0
12	93.9	4.6	0.8	0.2	0.2	0.1	0.2
13	88.8	7.8	1.7	0.8	0.4	0.2	0.3
14	81.7	12.1	3.3	1.5	0.8	0.3	0.4
15	77.3	13.7	5.0	2.0	1.1	0.5	0.5
16	71.7	16.4	6.4	2.8	1.8	0.5	0.4
17	65.9	18.2	8.7	3.7	2.0	0.6	0.8
18	63.8	17.7	9.4	5.5	2.3	0.6	0.7
Grade							
6th	95.0	3.6	0.8	0.1	0.3	0.1	0.1
7th	90.5	6.4	1.4	0.7	0.3	0.2	0.4
8th	84.1	10.7	2.7	1.3	0.7	0.1	0.4
9th	78.7	13.5	4.1	1.8	1.2	0.4	0.3
10th	73.7	15.2	6.3	2.4	1.2	0.6	0.5
11th	69.7	16.7	7.1	3.4	1.7	0.6	0.8
12th	62.5	19.1	9.9	4.9	2.4	0.5	0.6
Middle School	89.9	6.9	1.6	0.7	0.4	0.2	0.3
High School	71.6	16.0	6.7	3.0	1.6	0.5	0.6
Total	79.5	12.0	4.5	2.0	1.1	0.4	0.4

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2004 to 2014

	High-Risk Alcohol Use											
	Binge Drinking						Blacking Out					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	14.9	15.8	14.0	13.0	10.6	9.5						19.8
Male	17.2	17.6	15.6	15.2	11.9	9.4						18.1
Race/Ethnic group												
African American	9.0	8.6	8.1	9.7	7.1	6.0						10.3
Hispanic/Latino	17.1	16.5	15.2	15.1	12.3	11.3						18.6
White, non-Hispanic	19.4	20.5	18.3	16.6	12.8	10.7						22.4
Age												
11	2.6	2.3	1.8	1.7	1.5	1.1						--
12	4.4	4.2	2.8	3.7	2.2	1.9						--
13	8.1	7.8	6.0	6.5	4.9	4.4						--
14	12.8	12.7	10.5	10.8	8.3	6.7						10.0
15	18.3	17.6	16.0	14.2	13.5	10.2						14.2
16	22.5	23.8	21.6	18.7	16.0	14.4						20.0
17	25.5	27.0	24.3	22.6	19.9	16.7						24.5
18	31.3	33.3	29.8	28.4	22.1	19.0						23.1
Grade												
6th	4.6	4.6	3.4	3.8	2.1	1.9						--
7th	8.5	7.4	6.2	6.9	4.6	3.8						--
8th	12.5	12.8	9.1	10.0	7.4	6.0						--
9th	17.3	17.0	16.0	14.0	11.9	9.3						12.7
10th	21.6	22.3	20.3	18.0	14.8	12.7						17.9
11th	24.6	24.3	22.5	21.0	17.8	14.9						21.0
12th	27.9	32.0	29.3	27.1	22.1	19.2						25.4
Middle School	8.5	8.4	6.2	6.9	4.7	3.9						--
High School	22.0	23.0	21.5	19.6	16.4	13.7						18.9
Total	16.0	16.8	14.8	14.1	11.3	9.5						--

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. The blacking out question was added in 2014.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2004 to 2014

	Cigarette Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	34.9	31.7	27.4	25.4	21.1	17.2	11.9	10.9	8.8	8.1	6.0	4.4
Male	33.0	29.4	26.4	26.5	21.5	18.0	10.9	10.4	9.4	9.5	7.1	5.3
Race/Ethnic group												
African American	22.8	19.9	17.4	17.6	13.6	10.3	3.9	3.7	3.4	3.8	2.9	2.0
Hispanic/Latino	34.6	30.1	26.5	25.8	20.3	17.2	10.0	8.3	7.0	7.1	5.2	3.6
White, non-Hispanic	39.2	35.3	32.0	30.7	25.3	21.2	15.7	14.3	12.9	12.5	9.1	6.9
Age												
11	8.7	6.7	5.8	4.8	4.4	3.7	1.8	1.2	0.8	0.8	0.9	0.4
12	15.6	12.5	10.1	10.3	7.2	6.5	3.8	2.8	2.0	2.5	1.1	1.1
13	24.5	21.5	17.4	16.5	12.9	10.6	6.4	5.5	4.5	4.1	2.7	2.2
14	32.9	27.1	24.8	23.1	18.3	15.2	9.7	8.5	7.4	6.7	4.4	3.6
15	38.1	33.9	30.5	28.7	24.4	19.3	13.3	11.5	10.0	9.4	7.2	5.1
16	44.1	39.0	34.5	32.7	28.0	22.9	16.5	14.2	12.7	11.6	8.7	6.5
17	47.3	42.7	38.2	36.9	33.9	28.9	17.6	16.8	14.1	13.7	12.8	9.0
18	48.6	47.4	41.4	41.3	36.5	30.2	18.7	21.2	17.6	17.9	14.6	11.1
Grade												
6th	14.5	12.4	10.7	10.4	6.7	5.7	3.5	3.0	2.2	2.4	1.3	1.0
7th	24.6	20.9	18.0	16.8	11.7	9.5	7.0	5.7	4.7	4.5	2.4	2.1
8th	32.5	27.5	23.7	22.6	17.1	14.2	10.1	9.0	7.1	6.6	4.3	2.9
9th	37.0	31.9	29.0	27.9	22.8	18.3	12.3	10.7	9.7	9.3	6.6	5.2
10th	41.2	37.2	33.1	31.8	26.2	22.0	15.3	13.1	11.8	10.8	7.8	6.2
11th	47.1	39.8	36.8	34.1	30.2	24.7	16.8	14.7	14.0	12.9	11.0	7.2
12th	47.2	47.1	40.3	39.7	36.5	30.8	17.7	20.1	15.7	16.3	13.9	10.8
Middle School	23.9	20.5	17.4	16.6	11.8	9.8	6.9	6.0	4.7	4.5	2.7	2.0
High School	42.2	38.1	34.4	33.0	28.5	23.6	15.0	14.1	12.6	12.1	9.6	7.1
Total	34.0	30.6	27.0	25.9	21.3	17.6	11.4	10.6	9.1	8.8	6.6	4.9

Table 9. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2004 to 2014

	Marijuana or Hashish Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	22.6	21.5	20.0	22.0	21.9	22.1	10.7	10.1	9.8	11.4	10.6	11.7
Male	24.6	23.6	22.1	25.5	24.5	23.0	12.4	12.6	12.3	14.6	14.1	13.1
Race/Ethnic group												
African American	17.2	16.7	15.1	19.5	19.3	20.9	7.8	8.0	7.1	10.4	10.1	10.7
Hispanic/Latino	20.3	19.2	18.7	22.2	21.5	22.0	9.4	8.9	9.6	11.7	11.3	11.4
White, non-Hispanic	28.8	27.2	25.8	27.9	26.0	24.3	14.5	14.2	14.0	15.5	13.8	13.7
Age												
11	1.8	1.5	1.3	1.2	1.1	1.4	1.0	0.9	0.5	0.7	0.4	0.5
12	4.1	3.5	2.6	4.5	3.4	4.2	1.9	1.5	1.0	2.2	1.4	2.0
13	9.8	8.7	7.6	9.5	9.0	8.7	4.5	4.3	4.0	4.8	4.3	3.8
14	19.1	16.7	15.4	18.5	17.2	17.1	9.3	8.7	8.1	10.3	8.7	9.8
15	27.9	25.7	24.1	26.7	28.0	27.1	14.6	13.5	13.3	15.1	15.3	15.5
16	36.8	33.6	31.5	35.0	35.0	35.0	18.0	17.0	16.9	19.1	19.0	18.1
17	39.3	37.6	36.7	39.4	41.9	41.1	18.4	18.6	18.5	21.0	22.8	23.5
18	41.8	42.4	39.1	41.0	43.8	41.4	19.6	20.3	20.4	22.9	23.3	23.6
Grade												
6th	3.6	3.9	2.9	3.8	2.8	3.0	1.8	1.9	1.3	2.0	1.1	1.1
7th	10.3	8.8	7.6	9.7	7.5	7.6	5.2	4.5	4.0	5.0	3.8	3.7
8th	18.5	16.0	15.2	17.9	14.8	14.6	8.9	8.7	7.9	9.9	7.7	7.8
9th	26.2	23.8	22.0	25.9	24.4	23.6	13.6	12.5	12.3	15.0	13.2	13.5
10th	33.7	31.1	29.8	33.7	31.7	31.9	16.8	15.6	15.9	18.5	17.1	17.6
11th	38.8	35.3	35.6	36.9	39.2	37.5	17.7	17.6	18.0	19.8	21.6	20.4
12th	40.6	42.0	38.0	40.7	44.6	42.8	19.2	19.9	19.7	21.8	23.2	24.1
Middle School	10.9	9.8	8.5	10.5	8.3	8.4	5.3	5.2	4.4	5.7	4.2	4.2
High School	33.6	32.0	30.8	33.8	34.4	33.4	16.4	16.0	16.2	18.6	18.5	18.6
Total	23.5	22.5	21.1	23.8	23.2	22.6	11.5	11.4	11.1	13.0	12.4	12.4

Table 10. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2014

	2014 Marijuana or Hashish Number of Occasions in Past 30 Days						
	0 %	1-2 %	3-5 %	6-9 %	10-19 %	20-39 %	40+ %
Sex							
Female	88.3	4.9	1.9	1.6	1.5	0.9	0.9
Male	86.9	4.1	2.1	1.5	1.5	1.5	2.4
Race/Ethnic group							
African American	89.3	4.1	1.8	1.4	1.1	0.9	1.4
Hispanic/Latino	88.6	4.7	2.1	1.2	1.2	0.9	1.2
White, non-Hispanic	86.3	4.7	2.1	1.7	1.7	1.5	2.0
Age							
11	99.5	0.2	0.2	0.0	0.0	0.0	0.0
12	98.0	1.3	0.2	0.2	0.1	0.1	0.1
13	96.2	1.7	0.8	0.6	0.3	0.2	0.3
14	90.2	3.9	1.8	1.5	1.1	0.8	0.8
15	84.5	6.2	2.5	1.7	2.1	1.3	1.7
16	81.9	6.1	3.2	2.2	2.5	1.8	2.3
17	76.5	7.9	3.4	2.8	2.8	2.5	4.1
18	76.4	8.2	3.5	2.8	2.1	2.6	4.3
Grade							
6th	98.9	0.5	0.2	0.1	0.0	0.1	0.1
7th	96.3	1.9	0.6	0.5	0.3	0.1	0.3
8th	92.2	2.8	1.7	1.2	0.9	0.6	0.6
9th	86.5	5.5	2.0	1.7	1.7	1.2	1.4
10th	82.4	6.5	2.9	2.1	2.1	1.7	2.3
11th	79.6	6.8	3.4	2.2	2.9	1.9	3.2
12th	75.9	8.2	3.4	3.0	2.5	2.8	4.2
Middle School	95.8	1.7	0.8	0.6	0.4	0.3	0.3
High School	81.4	6.7	2.9	2.2	2.3	1.8	2.7
Total	87.6	4.6	2.0	1.5	1.5	1.2	1.7

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 11. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2014

	Synthetic Marijuana Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female					10.9	7.7					3.3	1.2
Male					15.2	10.0					5.3	1.6
Race/Ethnic group												
African American					5.7	4.7					2.2	0.9
Hispanic/Latino					9.1	7.7					3.8	2.0
White, non-Hispanic					17.5	11.0					5.3	1.4
Age												
11					--	--					--	--
12					--	--					--	--
13					--	--					--	--
14					7.5	5.6					2.7	1.0
15					9.9	6.7					4.0	1.5
16					13.5	8.8					4.3	1.5
17					15.6	11.2					5.1	1.5
18					16.9	11.2					4.5	1.2
Grade												
6th					--	--					--	--
7th					--	--					--	--
8th					--	--					--	--
9th					9.7	6.6					4.1	1.3
10th					11.8	8.4					3.9	1.6
11th					14.6	8.9					4.9	1.4
12th					16.7	12.2					4.4	1.3
Middle School					--	--					--	--
High School					13.0	8.8					4.3	1.4
Total					--	--					--	--

Note: Questions addressing synthetic marijuana use were added in 2012.

Table 12. Usual source for synthetic marijuana, among Florida high school youth who have smoked synthetic marijuana, 2014

	Convenience Store or Gas Station	Tobacco Store or Head Shop	Bought On-Line	Bought from an Individual	Someone Gave It to Me
	%	%	%	%	%
Sex					
Female	33.6	3.4	2.8	17.9	42.3
Male	45.8	6.3	4.8	14.8	28.3
Race/Ethnic group					
African American	48.3	3.3	4.2	16.4	27.7
Hispanic/Latino	41.8	4.1	3.3	14.2	36.5
White, non- Hispanic	36.5	6.0	4.3	16.1	37.1
Age					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	40.6	3.5	2.8	16.3	36.8
15	36.4	3.3	3.5	19.3	37.5
16	36.2	4.2	5.2	17.4	37.0
17	43.6	6.7	4.0	14.9	30.8
18	47.8	5.3	2.9	12.4	31.6
Grade					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	35.3	3.9	3.9	18.2	38.7
10th	38.1	4.1	4.4	17.1	36.4
11th	42.0	5.9	4.1	16.9	31.1
12th	50.6	6.8	3.3	10.9	28.4
Middle School	--	--	--	--	--
High School	40.9	5.0	3.9	16.1	34.0
Total	--	--	--	--	--

Table 13. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2004 to 2014

	Inhalant Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	13.4	13.4	12.9	11.0	8.9	7.2	4.6	4.4	4.1	3.6	3.0	2.3
Male	12.2	10.9	10.0	8.9	6.8	5.8	3.7	3.4	2.8	2.8	2.0	1.9
Race/Ethnic group												
African American	7.8	7.2	8.8	7.6	6.0	5.8	2.7	2.9	3.6	3.1	2.4	2.3
Hispanic/Latino	12.2	11.3	11.4	11.0	8.0	6.9	4.3	3.6	3.4	3.8	2.6	2.3
White, non-Hispanic	14.8	13.9	12.0	9.8	7.9	6.2	4.5	4.2	3.1	2.6	2.1	1.7
Age												
11	12.8	10.5	9.7	10.3	7.9	6.3	5.2	4.5	4.4	4.8	2.9	2.9
12	13.9	13.2	11.9	11.4	9.0	7.8	6.5	5.2	4.9	4.6	3.9	2.7
13	16.4	14.6	13.7	13.0	10.8	9.5	7.0	6.0	5.2	5.2	4.0	3.3
14	15.8	14.1	13.8	13.2	9.5	8.5	5.3	5.1	4.8	4.3	3.4	2.5
15	12.2	12.2	11.4	9.9	7.8	5.8	3.5	3.4	2.8	2.8	1.8	2.0
16	10.8	11.8	10.4	7.9	6.1	4.8	2.6	2.9	2.4	2.1	1.5	1.4
17	9.5	10.1	9.4	6.8	5.5	4.3	1.6	2.4	1.8	1.5	1.3	1.0
18	8.7	7.6	8.4	6.7	5.4	3.5	1.5	1.4	1.6	1.2	1.1	0.5
Grade												
6th	13.0	12.2	11.5	10.8	8.3	7.1	6.0	5.1	5.2	5.0	3.6	2.8
7th	16.7	14.8	12.9	13.7	10.6	9.3	7.5	6.2	5.2	5.1	4.1	3.3
8th	17.2	14.3	15.1	13.1	10.7	9.6	6.2	5.3	5.2	4.3	3.7	3.1
9th	12.1	12.6	11.4	10.1	8.1	5.9	3.3	3.8	2.9	3.0	2.3	1.7
10th	11.6	11.6	10.6	8.4	6.1	5.3	2.4	2.8	2.4	2.4	1.5	1.7
11th	9.0	10.2	9.4	6.9	5.6	4.4	1.7	2.3	1.5	1.3	1.2	0.9
12th	8.6	8.8	8.6	6.1	5.4	3.7	1.5	1.7	1.9	1.2	1.2	0.7
Middle School	15.7	13.8	13.2	12.5	9.9	8.6	6.6	5.5	5.2	4.8	3.8	3.1
High School	10.6	11.0	10.1	8.0	6.4	4.9	2.4	2.8	2.2	2.0	1.6	1.3
Total	12.9	12.2	11.4	10.0	7.9	6.5	4.2	3.9	3.5	3.2	2.5	2.1

Table 14. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2008 to 2014

	Club Drug Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female			1.4	3.5	3.2	2.8			0.5	1.1	0.9	0.7
Male			1.8	3.9	3.5	3.2			0.7	1.4	1.2	0.8
Race/Ethnic group												
African American			1.1	1.8	1.3	1.4			0.5	0.8	0.4	0.4
Hispanic/Latino			2.0	4.0	3.6	3.1			0.8	1.4	1.2	0.8
White, non-Hispanic			1.6	4.4	3.8	3.5			0.5	1.3	1.1	0.8
Age												
11			0.2	0.3	0.3	0.1			0.1	0.1	0.1	0.1
12			0.6	0.7	0.5	0.5			0.3	0.3	0.3	0.2
13			1.3	1.7	1.0	1.0			0.4	0.6	0.3	0.4
14			2.6	2.8	2.3	2.4			1.0	0.9	0.7	0.7
15			--	4.1	3.3	3.3			--	1.5	1.1	1.0
16			--	5.8	5.1	4.1			--	2.0	1.6	1.1
17			--	5.3	6.7	5.4			--	1.7	1.9	0.9
18			--	7.0	7.6	6.9			--	2.0	2.3	1.3
Grade												
6th			0.6	0.8	0.6	0.4			0.3	0.3	0.2	0.2
7th			1.5	1.8	0.9	0.9			0.6	0.7	0.4	0.3
8th			2.7	2.6	1.9	2.0			0.9	0.9	0.7	0.5
9th			--	4.2	3.1	2.7			--	1.5	0.9	0.8
10th			--	5.1	4.2	4.0			--	1.7	1.4	1.1
11th			--	5.7	5.7	4.9			--	1.9	1.7	1.1
12th			--	6.2	7.8	6.7			--	1.8	2.2	1.2
Middle School			1.6	1.7	1.1	1.1			0.6	0.6	0.4	0.3
High School			--	5.2	5.1	4.5			--	1.7	1.5	1.0
Total			--	3.7	3.4	3.0			--	1.3	1.1	0.7

Note: Prior to 2008, individual survey questions were used to ask about the use of Ecstasy, Rohypnol, GHB, and ketamine. These multiple items were replaced with a combined “club drugs” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the Ecstasy, Rohypnol, GHB, and ketamine questions.

Table 15. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2008 to 2014

	LSD, PCP or Hallucinogenic Mushroom Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female			1.1	3.2	2.8	2.8			0.3	0.9	0.7	0.8
Male			1.9	4.7	4.3	4.3			0.8	1.3	1.2	1.2
Race/Ethnic group												
African American			0.8	1.3	1.0	1.1			0.4	0.6	0.4	0.5
Hispanic/Latino			1.2	3.4	2.9	3.1			0.4	1.1	1.0	0.9
White, non-Hispanic			1.9	5.3	4.5	4.7			0.6	1.4	1.1	1.3
Age												
11			0.2	0.4	0.5	0.3			0.0	0.0	0.2	0.1
12			0.5	1.0	0.7	0.5			0.2	0.4	0.3	0.3
13			1.6	1.8	1.1	1.4			0.5	0.8	0.4	0.5
14			2.3	3.1	2.6	2.6			0.9	1.0	0.8	1.0
15			--	4.1	3.9	4.3			--	1.3	1.1	1.2
16			--	5.5	4.8	5.1			--	1.4	1.3	1.5
17			--	6.1	6.7	6.6			--	1.3	1.4	1.5
18			--	6.8	7.4	6.9			--	1.9	1.6	1.6
Grade												
6th			0.6	0.8	0.5	0.4			0.2	0.4	0.2	0.2
7th			1.3	1.9	1.1	1.2			0.5	0.8	0.4	0.4
8th			2.6	3.0	2.5	2.4			1.0	0.9	0.9	1.1
9th			--	4.3	3.7	3.5			--	1.4	1.1	1.1
10th			--	5.1	4.1	5.0			--	1.5	1.1	1.6
11th			--	5.9	5.6	5.8			--	1.2	1.4	1.4
12th			--	6.8	7.6	7.2			--	1.8	1.6	1.5
Middle School			1.5	1.9	1.4	1.3			0.6	0.7	0.5	0.6
High School			--	5.4	5.1	5.3			--	1.4	1.3	1.4
Total			--	3.9	3.5	3.6			--	1.1	1.0	1.0

Note: Prior to 2008, individual survey questions were used to ask about the use of LSD or PCP, and the use of hallucinogenic mushrooms. These multiple items were replaced with the combined "LSD, PCP or hallucinogenic mushroom" item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYAS for results from the LSD or PCP question and the hallucinogenic mushrooms question.

Table 16. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2008 to 2014

	Cocaine or Crack Cocaine Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female			1.7	2.7	1.9	1.6			0.5	0.8	0.5	0.5
Male			1.9	3.1	2.6	2.1			0.7	0.9	0.8	0.7
Race/Ethnic group												
African American			1.1	1.2	0.8	0.6			0.6	0.7	0.3	0.3
Hispanic/Latino			2.6	3.7	2.6	2.3			0.8	1.2	0.6	0.7
White, non-Hispanic			1.7	3.2	2.5	2.1			0.5	0.7	0.7	0.6
Age												
11			0.3	0.7	0.5	0.2			0.0	0.3	0.1	0.0
12			1.0	1.0	0.8	0.7			0.3	0.4	0.3	0.3
13			2.0	1.7	1.1	1.2			0.6	0.7	0.2	0.5
14			2.5	2.3	1.8	1.2			0.8	0.8	0.6	0.6
15			--	2.4	2.3	1.5			--	0.7	0.7	0.5
16			--	4.0	3.1	2.3			--	1.1	0.9	0.8
17			--	4.5	3.5	3.7			--	1.1	0.9	0.8
18			--	5.4	4.7	3.9			--	1.1	1.4	1.1
Grade												
6th			1.0	1.1	0.8	0.5			0.3	0.5	0.2	0.1
7th			1.8	1.8	1.0	1.1			0.6	0.8	0.3	0.5
8th			2.7	2.4	1.7	1.2			0.9	0.8	0.5	0.6
9th			--	2.6	2.4	1.5			--	0.8	0.7	0.5
10th			--	3.3	2.5	1.9			--	0.9	0.7	0.5
11th			--	4.5	3.4	3.0			--	1.1	1.0	0.8
12th			--	4.9	4.4	4.1			--	1.0	1.3	1.1
Middle School			1.8	1.8	1.1	0.9			0.6	0.7	0.4	0.4
High School			--	3.8	3.1	2.5			--	0.9	0.9	0.7
Total			--	2.9	2.3	1.9			--	0.8	0.7	0.6

Note: Prior to 2008, individual survey questions were used to ask about the use of cocaine and crack cocaine. These multiple items were replaced with a combined “cocaine or crack cocaine” item on the middle school questionnaire in 2009, and on the high school questionnaire in 2010. Please refer to the tables from the 2009 FYSAS for results from the cocaine question and the crack cocaine question.

Table 17. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2004 to 2014

	Methamphetamine Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	2.7	2.0	1.3	1.2	0.9	0.8	0.9	0.6	0.4	0.4	0.4	0.4
Male	2.4	2.1	1.4	1.3	1.1	1.2	0.9	0.7	0.6	0.6	0.5	0.6
Race/Ethnic group												
African American	1.5	0.8	0.9	1.0	0.8	0.9	0.9	0.4	0.6	0.6	0.5	0.5
Hispanic/Latino	2.5	1.9	1.6	1.5	1.1	1.2	1.0	0.7	0.6	0.7	0.5	0.4
White, non-Hispanic	2.7	2.5	1.4	1.2	1.0	0.9	0.7	0.7	0.4	0.4	0.4	0.4
Age												
11	0.7	0.9	0.5	0.6	0.6	0.2	0.2	0.5	0.4	0.2	0.4	0.1
12	1.6	1.0	0.8	0.9	0.9	0.8	0.8	0.5	0.5	0.5	0.5	0.4
13	2.3	2.2	1.2	1.3	0.9	1.0	1.1	0.9	0.5	0.7	0.3	0.5
14	2.8	2.1	1.6	1.4	1.2	0.9	1.0	0.9	0.7	0.4	0.6	0.5
15	2.9	2.0	1.3	1.4	0.9	1.2	0.9	0.5	0.4	0.5	0.4	0.6
16	2.7	2.6	1.6	1.3	1.4	1.0	0.7	0.5	0.6	0.4	0.7	0.5
17	3.2	2.3	1.6	1.1	0.9	1.3	0.8	0.6	0.5	0.5	0.3	0.5
18	2.7	2.1	1.7	1.5	1.1	1.0	0.7	0.5	0.6	0.8	0.5	0.4
Grade												
6th	1.2	1.3	0.8	1.0	1.0	0.7	0.7	0.7	0.5	0.5	0.5	0.3
7th	2.8	2.1	1.2	1.4	0.9	1.0	1.5	1.0	0.6	0.7	0.4	0.5
8th	3.0	2.5	1.4	1.5	1.1	1.0	0.9	0.9	0.6	0.5	0.5	0.5
9th	2.7	2.2	1.7	1.4	1.0	1.1	0.8	0.6	0.5	0.5	0.4	0.5
10th	3.0	2.2	1.6	1.3	1.0	0.9	0.8	0.5	0.4	0.4	0.5	0.4
11th	2.7	1.8	1.3	0.9	1.2	1.0	0.6	0.3	0.5	0.4	0.7	0.5
12th	2.5	2.4	1.4	1.4	1.1	1.3	0.6	0.7	0.5	0.7	0.3	0.5
Middle School	2.4	2.0	1.2	1.3	1.0	0.9	1.0	0.9	0.6	0.6	0.5	0.4
High School	2.7	2.1	1.5	1.3	1.1	1.1	0.7	0.5	0.5	0.5	0.5	0.5
Total	2.6	2.1	1.4	1.3	1.0	1.0	0.9	0.7	0.5	0.5	0.5	0.5

Table 18. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2004 to 2014

	Depressant Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	8.1	7.4	6.5	6.5	5.2	5.1	3.2	2.8	2.4	2.3	1.6	1.8
Male	6.0	5.7	5.4	5.2	4.1	3.6	2.2	2.1	2.0	1.7	1.5	1.2
Race/Ethnic group												
African American	1.1	0.9	1.4	1.6	1.1	1.7	0.4	0.4	0.6	0.8	0.4	0.8
Hispanic/Latino	5.3	4.4	4.0	5.0	4.3	4.2	1.8	1.5	1.1	1.6	1.5	1.4
White, non-Hispanic	10.8	9.6	9.3	8.2	6.2	5.4	4.2	3.6	3.4	2.8	2.1	1.8
Age												
11	0.4	0.9	0.6	0.8	0.6	0.4	0.2	0.3	0.2	0.1	0.2	0.1
12	1.4	1.2	1.3	1.6	1.0	1.0	0.6	0.3	0.4	0.6	0.6	0.4
13	2.7	2.7	2.2	2.6	1.8	2.4	1.0	1.3	0.9	1.1	0.6	1.0
14	5.0	4.9	4.2	4.6	3.2	3.5	2.0	1.7	1.8	1.8	1.2	1.3
15	8.9	6.9	6.8	5.9	4.8	5.1	3.6	3.0	2.3	2.2	1.9	2.2
16	10.8	9.7	8.4	8.6	7.0	6.6	4.5	3.7	3.2	3.1	2.4	1.7
17	12.5	11.2	10.6	9.2	9.0	7.2	4.4	4.0	3.4	2.7	2.6	2.7
18	13.4	11.8	11.3	10.4	8.6	7.3	4.4	4.3	4.0	3.0	2.4	1.9
Grade												
6th	1.1	1.1	1.2	1.1	0.9	0.8	0.5	0.3	0.4	0.5	0.5	0.3
7th	2.9	2.6	2.0	2.9	1.4	1.8	1.0	1.2	0.8	1.1	0.6	0.8
8th	5.0	4.9	4.1	4.3	3.0	3.0	2.1	2.1	1.8	1.6	1.2	1.2
9th	8.0	6.7	6.3	6.0	4.5	4.3	3.3	2.7	2.3	2.4	1.5	1.8
10th	10.4	9.0	8.2	7.9	5.8	6.2	4.4	3.4	3.0	2.8	2.2	2.1
11th	12.2	10.1	10.1	9.7	7.9	6.9	4.2	3.5	3.1	3.0	2.4	2.1
12th	12.7	12.0	11.0	9.5	9.6	7.8	4.3	4.3	3.1	2.8	2.5	2.5
Middle School	3.0	2.9	2.4	2.8	1.8	1.9	1.2	1.2	1.0	1.1	0.8	0.8
High School	10.4	9.1	8.7	8.2	6.8	6.2	3.9	3.4	3.0	2.7	2.1	2.1
Total	7.1	6.5	6.0	5.8	4.6	4.3	2.8	2.5	2.1	2.0	1.6	1.5

Table 19. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2004 to 2014

	Heroin Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	1.0	1.1	0.8	1.0	0.5	0.4	0.3	0.3	0.2	0.3	0.2	0.2
Male	1.1	1.0	1.1	1.1	0.8	0.8	0.4	0.5	0.5	0.4	0.4	0.3
Race/Ethnic group												
African American	0.5	0.5	0.3	0.7	0.5	0.6	0.3	0.3	0.3	0.3	0.3	0.2
Hispanic/Latino	1.3	1.0	1.0	1.1	0.5	0.6	0.4	0.4	0.3	0.4	0.3	0.3
White, non-Hispanic	1.0	1.2	1.2	1.1	0.8	0.6	0.3	0.4	0.3	0.3	0.3	0.2
Age												
11	0.5	0.3	0.2	0.5	0.3	0.1	0.3	0.2	0.1	0.1	0.1	0.1
12	0.6	0.4	0.5	0.6	0.3	0.5	0.2	0.2	0.2	0.2	0.1	0.3
13	1.2	1.1	1.0	1.0	0.6	0.7	0.3	0.3	0.5	0.4	0.2	0.3
14	1.4	1.1	1.0	1.0	0.8	0.6	0.5	0.3	0.4	0.3	0.3	0.3
15	1.0	1.1	1.1	0.9	0.6	0.5	0.3	0.5	0.3	0.3	0.3	0.2
16	1.1	1.5	1.1	1.4	1.0	0.7	0.3	0.6	0.4	0.5	0.4	0.4
17	1.1	1.2	1.0	1.0	0.8	0.9	0.3	0.3	0.2	0.3	0.4	0.4
18	0.6	1.0	0.9	1.4	0.8	0.5	0.3	0.4	0.3	0.4	0.4	0.1
Grade												
6th	0.5	0.5	0.5	0.6	0.3	0.4	0.2	0.2	0.3	0.2	0.1	0.2
7th	1.4	1.0	0.9	1.0	0.5	0.5	0.4	0.3	0.4	0.5	0.2	0.2
8th	1.4	1.3	1.1	1.1	0.8	0.9	0.4	0.5	0.4	0.3	0.3	0.4
9th	1.0	1.2	1.3	1.0	0.7	0.6	0.4	0.6	0.5	0.3	0.3	0.2
10th	1.1	1.2	1.0	1.1	0.9	0.5	0.4	0.5	0.2	0.4	0.4	0.2
11th	0.8	1.1	0.7	1.2	0.9	0.7	0.1	0.3	0.3	0.4	0.5	0.3
12th	0.9	1.1	0.9	1.2	0.8	0.8	0.3	0.4	0.2	0.4	0.3	0.3
Middle School	1.1	0.9	0.8	0.9	0.5	0.6	0.4	0.3	0.4	0.3	0.2	0.3
High School	1.0	1.2	1.0	1.1	0.8	0.7	0.3	0.4	0.3	0.4	0.4	0.3
Total	1.0	1.1	0.9	1.0	0.7	0.6	0.3	0.4	0.3	0.4	0.3	0.3

Table 20. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2004 to 2014

	Prescription Pain Reliever Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	9.4	9.1	8.3	8.0	7.0	5.9	3.6	3.5	3.2	3.1	2.6	2.4
Male	7.5	7.4	7.6	6.9	5.9	5.1	3.0	2.9	3.2	2.7	2.0	1.8
Race/Ethnic group												
African American	3.0	2.5	3.4	3.4	3.7	3.4	1.4	1.2	1.9	2.0	1.8	1.7
Hispanic/Latino	5.8	5.3	5.3	5.8	5.8	5.2	2.4	2.1	2.3	2.3	2.5	2.1
White, non-Hispanic	12.3	11.7	11.4	10.0	7.9	6.3	4.5	4.3	4.2	3.6	2.3	2.1
Age												
11	2.3	1.6	1.9	2.5	2.2	1.6	1.0	0.4	0.6	0.8	1.3	0.5
12	3.4	2.8	3.0	2.7	2.7	2.0	1.5	1.1	1.7	1.4	1.2	1.0
13	5.1	4.7	4.9	4.1	4.0	3.6	2.0	2.0	2.1	2.0	1.7	1.7
14	6.3	6.8	6.9	6.2	5.0	4.9	2.8	3.0	3.2	3.0	2.0	2.4
15	9.8	8.9	8.9	7.7	6.8	6.6	4.2	3.4	3.6	3.3	2.8	2.6
16	12.3	11.3	10.3	10.7	8.8	7.2	4.8	4.5	4.0	3.8	2.9	2.7
17	12.7	12.5	12.0	11.0	10.7	8.4	4.8	4.6	3.9	3.5	2.9	2.6
18	14.0	14.0	12.7	11.1	10.0	7.4	3.8	4.6	5.0	3.5	2.8	2.1
Grade												
6th	3.2	2.8	2.8	2.8	2.5	1.8	1.5	1.2	1.5	1.5	1.4	0.8
7th	4.9	4.5	4.7	4.0	3.7	3.4	1.9	2.0	2.2	2.1	1.6	1.6
8th	7.2	6.8	7.3	6.2	4.7	3.6	3.2	3.1	3.1	2.9	2.0	1.8
9th	8.5	8.2	8.2	7.4	6.4	6.2	3.8	3.2	3.7	3.1	2.5	2.7
10th	11.5	10.9	10.0	10.4	7.7	7.5	4.3	4.3	3.6	3.9	2.8	3.1
11th	12.8	11.9	11.7	10.8	9.9	7.4	4.8	4.2	3.9	3.3	2.9	2.1
12th	13.4	13.3	12.1	10.6	10.5	8.3	4.2	4.4	4.5	3.4	2.9	2.4
Middle School	5.1	4.8	4.9	4.4	3.6	3.0	2.2	2.1	2.3	2.2	1.7	1.4
High School	11.1	10.8	10.4	9.7	8.5	7.3	4.2	4.0	3.9	3.4	2.8	2.6
Total	8.5	8.3	8.0	7.4	6.4	5.5	3.3	3.2	3.2	2.9	2.3	2.1

Note: The results from 2004 represent the combination of two different survey items covering the use of OxyContin® and “Other Prescription Pain Relievers.” Starting in 2006, these were combined into a single survey item.

Table 21. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2008 to 2014

	Over-the-Counter Drug Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female			5.9	6.9	5.9	5.1			2.6	2.8	2.5	2.3
Male			3.9	6.2	5.2	4.8			1.8	2.3	2.0	1.8
Race/Ethnic group												
African American			4.7	5.5	4.6	4.8			2.7	2.7	2.5	2.4
Hispanic/Latino			4.8	6.3	5.7	4.4			2.1	2.5	2.4	2.0
White, non-Hispanic			4.8	7.2	5.7	5.0			2.2	2.4	2.0	1.8
Age												
11			2.1	1.9	2.7	1.9			0.8	0.4	1.0	1.2
12			2.8	3.4	2.5	2.6			1.5	1.7	1.2	1.1
13			5.0	4.5	4.1	3.4			2.1	2.1	1.6	1.6
14			7.0	6.4	5.0	4.9			3.1	3.1	2.4	2.4
15			--	8.1	6.0	6.1			--	3.4	2.7	3.0
16			--	8.1	7.3	5.9			--	2.7	3.0	2.1
17			--	7.8	7.6	6.4			--	2.4	2.3	2.1
18			--	8.8	8.4	7.2			--	2.8	2.7	2.6
Grade												
6th			3.2	3.1	2.8	2.5			1.6	1.3	1.1	1.2
7th			4.4	4.8	3.9	3.2			1.9	2.2	1.8	1.5
8th			7.2	6.3	4.6	4.5			3.3	2.9	2.2	2.2
9th			--	7.4	5.9	5.3			--	3.5	2.8	2.5
10th			--	8.5	6.6	6.8			--	3.0	2.5	2.9
11th			--	7.9	7.8	6.2			--	2.5	3.0	2.1
12th			--	8.2	7.5	6.6			--	2.4	2.2	2.1
Middle School			4.9	4.8	3.7	3.4			2.2	2.2	1.7	1.6
High School			--	8.0	6.9	6.1			--	2.9	2.6	2.4
Total			--	6.6	5.5	5.0			--	2.6	2.2	2.1

Note: Questions addressing over-the-counter drug use were added in 2008.

Table 22. Percentage of surveyed Florida youth who used steroids without a doctor's order in lifetime and past 30 days—2004 to 2014

	Steroid Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	1.0	0.6	0.6	0.4	0.5	0.3	0.4	0.3	0.2	0.1	0.2	0.1
Male	1.8	1.5	1.4	1.2	1.2	1.0	0.7	0.8	0.7	0.6	0.6	0.4
Race/Ethnic group												
African American	0.9	0.6	0.8	0.8	0.7	0.6	0.5	0.4	0.4	0.4	0.3	0.2
Hispanic/Latino	1.5	0.8	0.8	0.7	0.7	0.5	0.7	0.5	0.3	0.3	0.4	0.2
White, non-Hispanic	1.4	1.3	1.2	0.9	0.9	0.7	0.5	0.5	0.5	0.4	0.4	0.3
Age												
11	0.6	0.9	0.2	0.5	0.6	0.3	0.3	0.5	0.1	0.1	0.1	0.1
12	1.2	0.7	0.7	0.6	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.2
13	1.6	1.3	0.8	0.6	0.6	0.5	0.5	0.6	0.3	0.2	0.2	0.2
14	1.1	0.7	0.9	0.9	0.8	0.5	0.6	0.3	0.3	0.3	0.3	0.2
15	1.3	1.0	1.1	0.9	0.7	0.7	0.5	0.4	0.5	0.6	0.4	0.3
16	1.2	1.5	1.1	0.6	1.0	0.7	0.5	0.8	0.5	0.2	0.5	0.3
17	1.7	1.0	1.3	0.9	0.9	0.9	0.5	0.7	0.5	0.3	0.4	0.4
18	1.6	1.1	1.4	1.2	1.6	1.1	0.9	0.6	0.8	0.6	1.0	0.4
Grade												
6th	1.2	0.9	0.8	0.5	0.6	0.4	0.3	0.4	0.4	0.1	0.3	0.2
7th	1.6	1.2	0.7	0.7	0.6	0.5	0.8	0.5	0.2	0.3	0.2	0.2
8th	1.3	1.1	0.9	0.9	0.8	0.7	0.6	0.5	0.4	0.4	0.4	0.3
9th	1.1	0.9	1.1	0.8	0.8	0.5	0.3	0.4	0.5	0.5	0.4	0.2
10th	1.3	1.3	1.1	0.7	0.9	0.7	0.5	0.7	0.4	0.3	0.4	0.4
11th	1.5	0.9	1.3	0.7	0.8	0.9	0.5	0.6	0.6	0.3	0.4	0.3
12th	1.5	1.3	1.3	1.0	1.3	1.0	0.7	0.6	0.7	0.5	0.8	0.4
Middle School	1.4	1.1	0.8	0.7	0.7	0.5	0.6	0.5	0.3	0.3	0.3	0.2
High School	1.3	1.1	1.2	0.8	0.9	0.8	0.5	0.6	0.5	0.4	0.5	0.3
Total	1.3	1.1	1.0	0.8	0.8	0.7	0.5	0.5	0.4	0.3	0.4	0.3

Table 23. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2004 to 2014

	Prescription Amphetamine Use											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	4.1	4.7	3.8	3.9	3.4	3.5	1.3	1.5	1.0	1.1	1.0	1.1
Male	3.7	4.0	3.5	3.3	3.1	3.2	1.3	1.3	1.3	1.1	1.0	1.1
Race/Ethnic group												
African American	0.9	1.4	1.1	1.3	1.1	1.3	0.4	0.5	0.6	0.6	0.5	0.6
Hispanic/Latino	2.2	1.9	2.1	2.6	2.3	2.8	0.7	0.7	0.6	0.9	0.7	1.2
White, non-Hispanic	6.0	6.5	5.8	5.3	4.5	4.3	1.8	2.1	1.7	1.4	1.4	1.3
Age												
11	0.5	0.4	0.5	0.5	0.6	0.4	0.2	0.1	0.2	0.2	0.2	0.2
12	1.2	1.1	0.9	1.0	0.8	0.7	0.4	0.6	0.4	0.4	0.4	0.4
13	2.2	2.2	1.6	1.5	1.2	1.1	0.8	0.9	0.6	0.5	0.4	0.6
14	3.3	3.4	2.6	2.5	1.9	2.1	1.5	1.2	1.1	1.0	0.8	0.9
15	4.3	4.7	4.1	3.3	2.9	3.6	1.4	1.7	1.3	1.2	1.1	1.3
16	6.2	6.8	4.7	5.4	4.8	4.7	2.1	2.1	1.5	1.4	1.5	1.5
17	6.1	6.9	6.3	6.1	6.7	6.9	1.6	2.1	1.5	1.6	1.8	2.1
18	6.0	6.6	7.5	7.2	7.1	6.6	1.3	1.5	2.2	1.6	1.7	2.1
Grade												
6th	1.1	1.2	1.0	0.9	0.7	0.6	0.5	0.6	0.5	0.4	0.3	0.4
7th	2.0	1.9	1.4	1.4	1.2	1.0	0.8	0.8	0.5	0.5	0.5	0.5
8th	3.3	3.5	2.4	2.4	1.5	1.4	1.4	1.5	0.8	0.9	0.5	0.6
9th	4.3	4.5	4.0	3.4	2.4	3.1	1.5	1.4	1.5	1.1	1.0	1.1
10th	5.8	6.4	4.6	4.9	4.2	4.5	1.8	2.0	1.2	1.4	1.4	1.4
11th	5.6	6.5	5.9	6.0	5.4	5.4	1.6	1.9	1.6	1.6	1.6	1.7
12th	6.2	6.8	7.0	6.8	7.8	7.7	1.4	1.7	1.9	1.4	1.9	2.5
Middle School	2.2	2.2	1.6	1.6	1.1	1.0	0.9	1.0	0.6	0.6	0.4	0.5
High School	5.3	5.9	5.3	5.2	4.8	5.1	1.6	1.7	1.6	1.4	1.5	1.7
Total	3.9	4.4	3.7	3.6	3.2	3.3	1.3	1.4	1.2	1.1	1.0	1.2

Table 24. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2004 to 2014

	Any Illicit Drug											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	34.1	32.5	31.3	32.7	31.6	30.7	17.5	15.6	15.7	17.3	16.3	16.4
Male	33.9	32.0	30.6	33.2	31.8	29.4	17.6	16.9	16.6	18.6	18.0	16.3
Race/Ethnic group												
African American	25.9	24.1	24.4	28.4	27.5	27.9	12.6	11.6	12.6	15.4	14.9	14.4
Hispanic/Latino	31.6	29.2	28.7	32.1	30.4	29.7	15.9	13.6	14.5	16.8	16.3	15.7
White, non-Hispanic	39.1	37.0	35.1	35.9	33.8	31.3	20.6	19.5	18.7	20.0	18.0	17.5
Age												
11	16.7	13.5	12.7	13.8	12.0	9.6	8.3	6.1	6.1	5.8	5.3	4.7
12	18.9	17.3	16.3	17.0	14.1	12.9	9.6	7.7	7.6	8.2	6.7	5.7
13	25.6	22.3	22.6	22.4	21.0	19.5	13.5	11.0	11.1	11.0	9.8	8.9
14	31.4	28.1	28.4	29.8	27.0	26.6	16.1	14.4	14.5	16.3	14.2	14.3
15	36.9	34.7	32.9	35.6	35.5	34.0	19.7	17.6	17.6	20.0	20.4	19.8
16	43.7	41.2	37.9	41.8	41.4	40.4	22.4	21.2	20.3	23.2	23.1	21.6
17	44.5	43.4	42.3	44.9	47.8	46.1	22.5	22.4	21.9	24.7	26.8	26.6
18	47.2	47.7	44.2	45.7	49.4	45.0	22.8	24.1	24.6	25.9	27.1	26.6
Grade												
6th	18.5	16.9	16.3	16.0	13.2	12.0	9.7	7.9	8.2	8.2	6.3	5.4
7th	26.0	22.6	21.7	23.2	19.3	17.3	14.4	11.4	11.0	11.2	9.3	8.3
8th	31.7	27.8	29.5	29.2	25.7	24.4	16.2	14.5	15.0	15.6	13.2	12.3
9th	35.2	32.9	31.0	34.8	32.8	31.1	18.5	17.1	16.3	20.1	18.4	17.6
10th	41.2	39.1	36.7	40.9	38.3	38.4	21.0	19.5	19.3	22.7	21.4	21.8
11th	44.6	42.2	41.2	42.7	45.5	42.4	22.1	21.3	21.2	23.2	25.7	23.5
12th	45.6	46.9	43.2	45.7	49.4	47.0	22.6	23.8	23.7	25.6	26.9	27.0
Middle School	25.4	22.6	22.5	22.8	19.4	17.9	13.5	11.4	11.4	11.7	9.6	8.7
High School	40.8	39.4	37.5	40.7	41.0	39.3	20.7	20.0	19.8	22.7	22.9	22.3
Total	33.9	32.2	31.0	33.0	31.7	30.0	17.5	16.3	16.2	18.0	17.2	16.4

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 25. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2004 to 2014

	Any Illicit Drug Other Than Marijuana											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	24.7	23.0	22.4	22.0	19.7	17.9	11.1	9.9	9.6	9.8	8.6	7.9
Male	22.5	21.2	20.3	20.0	17.8	16.4	9.9	9.4	9.1	8.8	7.7	7.0
Race/Ethnic group												
African American	13.3	11.7	14.1	15.3	13.5	12.8	6.6	5.4	7.3	7.6	6.7	6.2
Hispanic/Latino	23.0	20.2	19.4	21.1	18.9	16.9	10.1	8.3	8.4	9.3	8.5	7.5
White, non-Hispanic	28.1	26.5	25.1	23.0	20.2	18.5	12.3	11.5	10.5	9.9	8.0	7.6
Age												
11	16.0	13.1	12.4	13.2	11.6	8.7	7.8	5.8	5.7	5.6	5.2	4.3
12	17.6	16.2	15.3	15.2	12.5	11.2	8.9	7.1	7.2	7.1	5.9	4.6
13	22.2	18.9	19.7	18.1	16.3	15.2	11.4	8.9	8.8	8.5	6.9	6.7
14	23.5	21.3	21.8	21.7	17.8	16.9	10.9	9.8	9.9	10.1	8.2	7.9
15	24.8	23.0	21.9	22.1	19.0	17.9	10.7	9.6	9.4	9.7	8.8	8.6
16	27.2	26.0	22.9	23.7	22.0	19.0	11.7	10.8	9.3	10.6	9.6	8.4
17	26.5	25.8	24.8	23.9	24.3	22.9	10.3	10.9	10.0	9.7	9.3	9.1
18	26.7	27.3	26.1	24.0	24.5	21.8	9.7	11.7	12.0	10.1	10.0	8.1
Grade												
6th	17.2	15.4	15.2	14.4	12.1	10.5	9.0	7.1	7.6	7.3	5.8	4.8
7th	22.6	19.4	18.8	19.4	15.4	14.0	12.1	9.4	8.8	8.8	6.7	6.1
8th	24.7	21.3	23.2	21.1	18.3	16.7	11.5	9.9	10.5	9.4	8.3	7.6
9th	23.7	22.7	21.0	21.9	18.8	16.8	10.3	9.6	9.0	10.2	8.6	7.8
10th	26.3	24.8	22.6	23.4	19.5	19.5	10.8	10.3	9.0	10.4	8.8	9.4
11th	26.4	25.0	24.0	23.5	23.3	20.2	10.3	10.1	9.5	9.4	9.5	7.8
12th	26.0	27.2	25.4	23.8	24.9	23.0	9.9	11.3	11.4	9.8	9.6	9.0
Middle School	21.5	18.8	19.1	18.3	15.3	13.7	10.9	8.9	9.0	8.5	6.9	6.2
High School	25.4	24.7	23.1	23.1	21.5	19.7	10.3	10.2	9.6	10.0	9.1	8.5
Total	23.7	22.1	21.3	21.0	18.8	17.1	10.6	9.7	9.4	9.3	8.2	7.5

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. Also, in 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. As a result of these changes, please exercise caution when comparing results from different years.

Table 26. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2004 to 2014

	Alcohol Only											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	29.0	29.4	27.7	24.8	22.1	19.5	20.5	21.6	19.4	17.5	14.7	11.7
Male	27.3	26.9	25.6	22.2	19.9	17.8	19.4	18.7	17.3	15.6	12.7	10.1
Race/Ethnic group												
African American	26.2	25.7	24.8	23.1	18.8	14.6	14.5	13.4	13.7	13.0	10.3	7.8
Hispanic/Latino	32.8	31.8	30.9	26.4	23.1	21.5	22.5	22.6	21.1	18.7	15.1	12.9
White, non-Hispanic	27.6	27.7	26.1	22.5	21.2	19.4	21.9	22.3	19.9	17.6	14.9	12.2
Age												
11	14.9	12.4	12.4	9.0	9.5	8.0	7.6	4.8	4.8	4.3	4.4	2.8
12	21.0	18.4	17.4	14.9	13.2	11.6	8.1	8.0	7.4	6.9	5.0	4.3
13	25.1	24.6	21.0	20.2	17.2	15.7	14.0	13.4	11.8	10.8	9.3	7.3
14	29.7	28.5	26.4	24.7	23.6	19.4	19.0	18.5	16.4	14.9	12.0	10.2
15	32.2	32.0	30.6	26.9	24.5	20.8	22.5	22.9	20.6	18.9	16.3	11.7
16	30.4	32.2	32.2	26.6	25.5	22.5	24.3	25.4	23.5	20.2	17.8	15.0
17	31.4	32.7	31.0	27.5	24.5	23.0	27.8	27.7	26.6	22.8	20.7	16.4
18	31.5	30.3	31.4	26.6	23.4	23.9	33.7	32.3	27.7	26.0	21.6	17.9
Grade												
6th	18.3	15.8	15.1	13.5	10.7	9.9	7.6	7.4	6.9	6.3	4.5	3.5
7th	23.4	22.8	21.1	18.2	16.6	13.3	12.8	11.4	11.2	10.5	7.9	5.8
8th	28.5	28.5	24.2	24.5	20.8	18.7	18.0	18.2	15.0	14.0	11.4	9.4
9th	32.9	31.3	30.4	26.2	24.4	20.7	22.4	22.0	20.0	18.0	15.0	11.4
10th	30.7	32.8	32.3	27.0	25.2	21.1	23.8	25.3	23.5	20.5	17.0	13.5
11th	31.8	33.4	31.4	27.7	25.1	23.1	27.2	26.7	25.6	22.0	18.8	15.2
12th	32.7	31.4	32.8	27.2	24.1	24.2	32.1	31.8	28.2	25.5	22.2	18.5
Middle School	23.5	22.6	20.1	18.7	16.0	14.0	12.9	12.5	11.0	10.3	7.9	6.3
High School	32.1	32.2	31.7	27.0	24.7	22.2	25.7	25.9	24.0	21.3	18.1	14.5
Total	28.2	28.1	26.6	23.4	21.0	18.6	20.0	20.2	18.4	16.5	13.7	10.9

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 27. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2004 to 2014

	Alcohol Or Any Illicit Drug											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	62.9	61.7	58.8	57.4	53.6	50.1	37.7	36.9	34.8	34.4	30.7	27.9
Male	60.9	58.5	56.0	55.3	51.4	47.0	36.5	35.1	33.3	33.7	30.2	26.1
Race/Ethnic group												
African American	51.7	49.3	49.0	51.1	46.1	42.3	26.9	24.5	25.8	27.9	24.6	21.6
Hispanic/Latino	64.2	60.6	59.5	58.4	53.3	51.1	38.1	35.6	35.3	35.3	31.0	28.1
White, non-Hispanic	66.5	64.6	61.0	58.4	54.9	50.6	42.2	41.5	38.3	37.4	32.7	29.5
Age												
11	31.3	25.9	24.9	22.5	21.4	17.4	15.5	10.8	10.7	9.9	9.6	7.3
12	39.7	35.5	33.6	31.8	27.2	24.3	17.4	15.6	14.8	15.0	11.6	9.9
13	50.3	46.7	43.5	42.5	38.0	35.1	27.1	24.1	22.6	21.6	19.0	16.1
14	60.7	56.4	54.6	54.4	50.4	45.9	34.8	32.3	30.5	30.8	25.9	24.3
15	68.9	66.4	63.0	62.4	59.8	54.8	41.9	39.9	37.7	38.5	36.3	31.1
16	74.0	73.0	69.8	68.2	66.7	62.7	46.4	46.1	43.2	43.0	40.3	36.1
17	75.7	75.9	73.1	72.1	72.1	69.0	49.9	49.8	48.1	47.2	46.8	42.7
18	78.5	77.6	75.4	72.2	72.6	68.8	56.1	55.6	51.6	51.0	48.1	44.0
Grade												
6th	36.5	32.5	31.2	29.5	23.9	21.7	17.0	15.1	14.9	14.3	10.7	8.9
7th	49.1	45.2	42.8	41.3	35.8	30.4	26.7	22.5	22.0	21.7	17.1	14.0
8th	59.9	56.2	53.5	53.5	46.3	43.0	33.8	32.2	29.7	29.4	24.5	21.6
9th	67.9	63.8	61.0	60.9	57.1	51.7	40.6	38.6	35.8	37.6	33.0	28.6
10th	71.7	71.6	68.7	67.7	63.4	59.5	44.5	44.3	42.1	42.8	38.1	34.8
11th	76.3	75.4	72.4	70.3	70.4	65.5	49.0	47.6	46.3	44.9	43.9	38.6
12th	78.1	77.9	75.9	72.8	73.4	71.0	54.5	55.0	51.5	50.6	48.6	45.1
Middle School	48.6	45.0	42.5	41.5	35.3	31.7	25.9	23.5	22.2	21.8	17.4	14.8
High School	72.6	71.4	69.0	67.5	65.6	61.4	46.0	45.4	43.3	43.6	40.4	36.3
Total	61.8	60.1	57.4	56.3	52.5	48.5	37.1	36.0	34.1	34.1	30.5	27.0

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2004 to 2014

	Any Illicit Drug, but No Alcohol											
	Lifetime						Past 30 Days					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	4.4	3.8	4.1	4.5	5.0	5.9	5.1	4.0	4.5	5.4	5.7	6.5
Male	5.0	4.6	4.8	5.3	5.8	6.3	5.1	4.6	4.7	5.8	6.7	6.9
Race/Ethnic group												
African American	6.8	6.0	6.5	6.4	7.7	8.3	6.4	5.5	6.2	6.5	7.7	8.2
Hispanic/Latino	4.3	4.3	4.0	4.5	4.7	6.0	4.7	4.3	4.1	5.3	5.8	6.3
White, non-Hispanic	3.7	3.3	3.6	4.1	4.5	4.8	4.5	3.8	4.0	5.2	5.3	6.0
Age												
11	7.5	5.9	6.9	7.4	6.8	6.3	5.5	3.5	4.1	4.3	4.2	3.6
12	6.7	6.4	7.1	6.7	6.4	6.3	5.5	4.2	4.9	4.9	4.6	3.8
13	6.5	5.5	5.9	6.3	6.6	7.3	6.0	5.1	5.2	5.1	5.1	5.1
14	4.8	4.2	5.1	5.2	5.8	7.1	5.3	4.8	4.5	5.9	6.0	6.1
15	4.3	3.8	4.1	4.5	5.3	6.3	5.2	4.1	5.2	6.5	7.5	8.6
16	3.4	3.6	2.9	4.0	4.5	4.9	4.5	4.6	4.1	5.9	7.1	8.1
17	2.6	3.1	2.6	3.9	4.0	5.3	4.1	4.0	4.1	5.8	7.0	8.8
18	2.9	2.1	2.4	2.4	4.1	4.5	3.3	2.8	3.9	4.8	6.6	8.1
Grade												
6th	7.6	6.6	7.2	7.0	6.5	6.7	6.0	4.2	5.0	5.2	4.3	3.9
7th	6.2	6.0	5.9	6.3	6.6	6.6	6.3	5.2	5.3	5.1	5.4	4.7
8th	5.1	4.2	5.7	5.7	6.4	7.3	5.3	4.7	5.2	5.6	6.2	5.9
9th	4.4	3.8	4.1	4.6	5.4	6.4	5.1	4.5	4.5	6.8	6.7	7.5
10th	3.3	3.5	3.0	4.2	5.0	5.7	4.3	3.9	4.4	5.9	7.0	8.7
11th	2.6	3.0	2.5	3.5	4.1	5.3	3.8	3.8	4.2	5.5	7.5	8.6
12th	2.6	2.2	2.1	2.8	3.5	4.4	3.9	3.3	3.5	5.0	6.2	7.8
Middle School	6.3	5.5	6.3	6.3	6.5	6.9	5.9	4.8	5.1	5.3	5.3	4.8
High School	3.4	3.2	3.0	3.8	4.6	5.5	4.4	4.0	4.2	5.9	6.8	8.1
Total	4.7	4.2	4.4	4.9	5.4	6.1	5.0	4.3	4.6	5.6	6.2	6.7

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. Also, in 2011, the high school questionnaire began to measure the use of synthetic marijuana. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2004 to 2014

	Delinquent Behavior											
	Carrying a Handgun						Selling Drugs					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	1.5	2.1	2.1	1.9	1.8	2.7	3.7	3.5	3.2	3.8	2.8	3.1
Male	6.8	8.2	8.0	7.8	6.9	7.8	8.0	8.1	7.8	8.7	7.1	6.6
Race/Ethnic group												
African American	4.4	6.0	6.2	6.1	4.3	4.8	5.2	5.7	5.2	5.5	4.3	4.3
Hispanic/Latino	3.9	5.2	4.4	4.7	3.5	4.0	4.6	4.8	4.5	6.1	4.7	4.6
White, non-Hispanic	3.7	4.7	4.7	4.5	4.7	5.9	6.5	6.3	6.4	6.9	5.6	5.4
Age												
11	1.9	2.4	1.9	2.6	2.5	2.7	0.6	0.4	0.2	0.2	0.2	0.5
12	2.3	3.1	2.4	3.2	3.1	4.3	0.8	0.9	0.7	1.1	0.9	0.9
13	3.5	4.5	4.0	3.9	4.3	5.5	2.0	2.5	2.1	2.7	2.2	2.0
14	4.2	4.9	5.2	5.5	5.0	5.6	4.8	4.7	4.6	5.6	4.2	4.0
15	4.2	5.6	6.1	5.1	4.5	6.3	7.8	6.5	6.8	8.0	6.1	6.5
16	4.7	6.5	5.8	5.8	4.6	4.9	9.2	9.1	8.2	9.4	7.6	7.7
17	4.9	5.4	5.5	4.7	4.9	5.4	8.4	8.8	8.6	9.1	8.7	7.8
18	3.5	6.4	6.6	6.2	4.7	6.2	7.5	8.8	8.8	9.0	7.3	8.1
Grade												
6th	2.4	3.8	2.7	3.4	3.0	3.9	0.9	1.2	0.8	1.3	0.6	0.8
7th	4.0	4.4	4.5	4.8	4.0	5.3	2.4	2.8	2.6	3.0	2.0	1.8
8th	4.4	5.3	5.6	5.5	5.9	6.1	5.0	4.6	4.6	5.4	4.2	3.8
9th	4.1	5.8	6.0	5.1	4.5	5.4	7.2	6.4	6.7	7.7	5.8	5.6
10th	4.6	5.7	5.3	5.0	4.2	6.0	8.7	7.8	7.4	9.4	6.7	7.3
11th	4.2	5.0	5.1	5.0	4.5	5.2	7.9	8.7	8.4	8.8	7.7	7.7
12th	3.8	5.9	5.8	5.1	4.6	5.0	7.6	8.7	8.2	8.3	8.4	7.3
Middle School	3.6	4.6	4.3	4.6	4.3	5.1	2.8	2.9	2.7	3.3	2.2	2.1
High School	4.2	5.6	5.6	5.1	4.5	5.4	7.8	7.8	7.6	8.5	7.1	6.9
Total	3.9	5.2	5.0	4.9	4.4	5.3	5.6	5.8	5.5	6.3	5.0	4.9

Table 30. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2004 to 2014

	Delinquent Behavior											
	Attempting to Steal a Vehicle						Being Arrested					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	2.0	2.1	1.7	1.4	1.2	0.9	4.0	4.0	3.3	3.4	2.4	2.1
Male	4.3	3.9	3.3	3.1	2.3	1.8	7.9	7.0	6.4	6.2	4.2	3.5
Race/Ethnic group												
African American	3.8	3.5	3.1	2.9	2.2	2.1	6.9	7.1	7.1	6.9	4.7	4.1
Hispanic/Latino	3.4	3.1	2.4	2.6	1.6	1.1	5.6	4.6	4.0	4.8	3.1	2.8
White, non-Hispanic	2.6	2.7	2.2	1.6	1.4	1.1	5.2	5.2	4.4	3.9	2.8	2.3
Age												
11	0.8	1.0	0.4	0.6	0.5	0.3	1.3	0.8	0.5	0.6	0.5	0.6
12	1.6	1.2	1.3	1.1	1.0	0.6	2.6	1.9	1.6	1.7	1.2	0.9
13	2.6	2.6	1.9	1.9	1.4	1.1	4.3	4.1	3.5	3.8	2.5	2.0
14	3.8	3.1	3.4	2.8	1.6	1.5	6.3	5.9	5.8	5.4	3.8	2.9
15	3.9	3.9	2.9	2.8	2.3	1.8	7.9	6.8	6.4	5.7	4.3	4.1
16	3.8	4.1	3.3	2.4	2.2	1.9	8.3	7.6	6.6	6.0	4.5	3.6
17	3.5	2.9	2.3	2.2	2.4	1.4	5.8	5.8	5.5	5.8	4.2	3.4
18	1.6	2.9	2.1	2.3	1.3	1.7	4.4	6.6	5.2	5.2	3.5	3.6
Grade												
6th	1.9	1.6	1.5	1.4	0.9	0.7	3.3	2.7	2.3	2.4	1.2	1.2
7th	2.6	2.7	2.5	2.1	1.4	0.9	4.9	4.5	4.5	4.5	2.6	1.8
8th	3.8	3.3	3.2	2.6	2.0	1.7	6.3	6.2	5.2	5.4	3.8	3.4
9th	4.2	3.8	3.2	2.9	2.1	1.4	7.6	6.6	6.7	5.2	4.4	3.2
10th	3.4	3.7	2.6	2.5	1.9	1.9	7.3	6.5	5.5	5.6	3.9	3.9
11th	2.9	2.7	2.2	2.1	2.2	1.5	5.8	5.7	5.4	5.3	4.1	3.0
12th	2.2	2.9	2.2	1.9	1.8	1.3	3.9	5.9	4.6	5.0	3.4	3.1
Middle School	2.8	2.6	2.4	2.1	1.4	1.1	4.9	4.5	4.0	4.1	2.5	2.2
High School	3.3	3.3	2.6	2.4	2.0	1.5	6.5	6.2	5.6	5.3	4.0	3.3
Total	3.1	3.0	2.5	2.2	1.8	1.4	5.8	5.5	4.9	4.8	3.4	2.8

Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2004 to 2014

	Delinquent Behavior											
	Taking A Handgun To School						Getting Suspended					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	0.3	0.6	0.4	0.4	0.4	0.4	11.7	12.0	11.5	10.7	8.6	7.4
Male	1.6	1.7	1.5	1.6	1.1	1.0	19.6	20.0	18.9	18.7	15.2	12.9
Race/Ethnic group												
African American	1.5	1.8	1.7	1.8	1.0	1.3	24.6	26.3	26.1	25.2	20.6	18.6
Hispanic/Latino	1.0	1.1	0.8	1.1	0.6	0.7	15.0	16.6	14.4	14.1	11.2	10.3
White, non-Hispanic	0.6	0.8	0.7	0.6	0.6	0.5	12.1	12.3	11.1	11.0	8.7	7.2
Age												
11	0.6	0.7	0.2	0.2	0.2	0.4	8.0	7.7	8.6	8.2	8.0	5.5
12	0.5	0.4	0.5	0.6	0.3	0.3	11.9	12.0	10.9	11.1	9.8	8.1
13	0.9	1.0	0.6	0.6	0.6	0.5	17.1	17.4	16.0	15.6	13.6	11.8
14	0.8	1.1	1.1	1.0	0.9	0.8	17.7	19.0	18.4	18.4	14.4	12.2
15	1.2	1.0	1.3	1.0	0.8	0.9	17.8	18.0	17.8	16.1	13.0	12.2
16	0.9	1.5	1.1	1.1	0.9	0.9	16.7	17.2	16.8	15.4	11.4	10.9
17	1.3	1.4	1.1	1.4	0.9	0.8	13.0	14.2	13.5	13.4	11.3	8.8
18	0.4	1.4	1.0	1.3	0.8	1.0	11.2	13.4	12.1	12.3	9.8	7.9
Grade												
6th	0.6	0.8	0.6	0.6	0.3	0.5	13.2	13.7	12.9	12.6	10.7	8.2
7th	0.8	1.0	1.0	0.9	0.6	0.4	18.5	18.2	16.9	17.0	14.0	12.0
8th	1.0	1.1	1.0	1.0	1.1	0.8	18.7	19.4	18.8	18.9	14.6	12.6
9th	1.1	1.3	1.3	1.1	0.8	0.7	16.7	18.4	17.4	16.1	14.1	11.6
10th	1.1	1.0	0.8	1.0	0.9	1.1	15.4	15.2	15.3	13.9	10.7	10.9
11th	1.0	1.4	1.1	1.2	0.8	0.9	13.1	13.2	13.6	12.5	10.4	9.2
12th	0.7	1.5	1.1	1.2	0.9	0.6	9.9	12.6	10.5	11.2	8.4	6.5
Middle School	0.8	0.9	0.8	0.8	0.7	0.6	16.9	17.3	16.2	16.2	13.1	11.0
High School	1.0	1.3	1.1	1.1	0.8	0.8	14.3	15.2	14.4	13.6	11.1	9.7
Total	0.9	1.1	1.0	1.0	0.8	0.7	15.5	16.1	15.2	14.7	11.9	10.3

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2004 to 2014

	Delinquent Behavior					
	Attacking Someone With Intent To Harm					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex						
Female	10.3	10.5	9.9	8.9	6.6	6.1
Male	15.5	16.1	13.7	12.3	9.2	7.7
Race/Ethnic group						
African American	16.4	17.2	17.4	16.6	12.0	11.2
Hispanic/Latino	12.0	12.0	10.0	9.4	6.6	6.3
White, non-Hispanic	10.8	11.3	9.7	8.2	6.0	4.9
Age						
11	6.6	7.4	6.2	6.0	4.3	4.3
12	9.9	10.2	8.8	8.8	6.8	5.5
13	13.7	13.3	11.3	10.4	8.2	7.3
14	14.1	14.4	13.2	12.1	9.0	7.5
15	14.6	14.8	14.2	11.7	9.5	8.5
16	13.7	14.8	13.2	10.9	8.6	7.6
17	12.3	12.3	11.0	10.6	6.5	6.7
18	8.4	12.3	10.4	9.8	7.4	4.7
Grade						
6th	10.0	10.2	9.3	8.9	6.1	5.5
7th	13.7	13.9	11.6	11.4	8.3	6.6
8th	15.0	15.3	13.3	11.9	9.5	8.1
9th	14.3	14.3	14.6	11.6	9.4	8.3
10th	13.6	14.0	12.5	10.7	8.0	8.4
11th	11.0	12.4	11.2	10.0	7.1	6.1
12th	8.9	11.5	9.4	9.1	6.5	4.6
Middle School	13.0	13.3	11.4	10.8	8.0	6.7
High School	12.4	13.2	12.1	10.5	7.8	7.0
Total	12.7	13.3	11.8	10.6	7.9	6.9

Table 33. Percentage of surveyed Florida youth who reported gambling and arguing about gambling in past 12 months—2004 to 2014

	Gambling						Arguing about Gambling					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	46.6	44.7	44.7	42.1	38.0	36.4	11.9	11.6	11.5	9.8	8.7	9.3
Male	67.7	67.3	65.6	62.2	59.0	57.4	20.2	20.4	19.7	17.5	14.9	14.4
Race/Ethnic group												
African American	59.7	59.0	58.7	54.3	51.9	50.2	21.2	21.9	21.2	18.7	16.3	15.7
Hispanic/Latino	53.6	52.6	51.4	50.6	45.5	44.6	14.4	15.7	14.3	13.2	10.8	11.4
White, non-Hispanic	56.6	56.6	55.2	51.8	48.0	46.5	13.5	14.0	13.5	11.4	10.1	10.2
Age												
11	48.4	47.1	49.1	46.2	44.5	39.0	15.7	15.2	14.8	12.7	11.4	9.3
12	52.7	52.5	53.1	52.1	49.3	46.3	17.1	16.3	14.9	14.5	13.2	12.3
13	57.5	58.0	58.5	57.1	53.9	50.3	18.4	17.2	18.1	16.6	14.6	13.9
14	60.7	59.0	59.7	56.0	53.8	52.3	17.8	18.9	18.3	15.9	14.2	14.0
15	58.8	59.0	57.2	55.1	50.3	49.5	15.5	16.9	17.1	13.2	12.1	13.1
16	56.6	57.3	54.6	51.3	47.3	46.6	13.6	15.9	14.6	12.9	9.6	11.2
17	52.7	52.7	50.8	47.3	42.7	42.4	13.0	13.2	12.6	11.6	9.0	9.5
18	53.4	54.2	52.6	47.0	41.8	42.7	11.9	12.0	12.7	10.5	8.6	9.3
Grade												
6th	52.1	51.7	53.0	50.4	46.8	43.6	17.9	17.1	16.3	15.3	12.9	11.4
7th	57.1	57.1	57.4	56.8	53.6	49.8	18.3	17.8	17.7	16.9	15.2	14.9
8th	60.4	59.5	60.6	57.1	54.6	52.2	17.2	18.2	18.1	15.5	13.9	13.0
9th	59.7	59.8	57.6	55.3	51.8	50.9	16.1	16.9	17.6	13.7	12.9	14.0
10th	56.5	56.6	55.2	52.0	47.1	47.0	14.3	16.0	14.3	12.4	10.4	11.2
11th	52.3	53.4	51.2	47.7	44.8	43.7	12.8	13.1	13.2	11.9	9.1	10.6
12th	53.7	52.4	50.8	45.7	40.7	40.8	11.3	12.5	11.5	9.8	7.8	8.0
Middle School	56.6	56.2	57.0	54.8	51.7	48.5	17.8	17.7	17.4	15.9	14.0	13.1
High School	56.1	56.0	54.0	50.5	46.4	45.9	14.0	14.9	14.4	12.1	10.2	11.1
Total	56.3	56.1	55.3	52.4	48.7	47.0	15.7	16.1	15.7	13.7	11.8	12.0

Table 34. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2004 to 2014

	Early ATOD Use											
	More Than A Sip Of Alcohol						Drinking At Least Once A Month					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	34.2	32.9	31.0	25.3	23.9	20.5	7.1	6.4	5.5	5.3	4.6	3.9
Male	40.3	36.8	33.9	29.0	26.8	23.2	7.2	6.7	6.4	6.4	5.4	3.9
Race/Ethnic group												
African American	32.6	31.3	28.8	24.1	23.3	19.4	6.3	5.2	4.9	5.1	4.5	3.6
Hispanic/Latino	39.2	37.6	32.9	29.1	26.2	22.0	7.6	7.0	5.9	7.2	5.3	4.1
White, non-Hispanic	36.7	34.3	32.0	26.2	24.2	22.3	6.6	6.5	5.9	5.3	4.8	3.9
Age												
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	50.3	46.7	44.9	37.8	35.1	30.3	10.2	9.9	9.8	9.0	7.0	5.2
15	42.2	40.1	37.6	32.1	29.3	25.4	9.0	7.3	7.0	6.5	5.9	4.1
16	35.2	34.5	31.5	27.2	24.4	20.9	6.8	6.8	5.9	6.0	4.8	4.0
17	32.6	30.1	28.3	23.6	21.8	18.8	5.6	5.6	4.8	5.2	4.0	3.5
18	26.3	26.9	25.7	20.6	19.0	16.0	3.7	4.6	4.0	4.0	4.2	3.0
Grade												
6th	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--
9th	44.8	42.8	39.4	33.8	32.8	27.5	9.9	8.8	8.5	7.8	7.1	4.9
10th	36.6	35.0	32.7	28.0	25.1	22.7	6.9	6.7	5.7	6.4	4.9	4.2
11th	32.2	30.4	29.1	24.2	22.6	18.9	5.7	5.3	4.5	4.7	4.0	3.0
12th	28.2	28.2	26.0	20.9	19.5	17.2	4.0	4.8	4.4	4.0	3.9	3.3
Middle School	--	--	--	--	--	--	--	--	--	--	--	--
High School	36.8	35.0	32.3	27.1	25.4	21.8	7.1	6.7	5.9	5.8	5.0	3.9
Total	--	--	--	--	--	--	--	--	--	--	--	--

Table 35. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2004 to 2014

	Early ATOD Use											
	Cigarettes						Marijuana					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	28.0	23.7	19.6	15.9	13.7	10.7	11.2	10.4	8.8	8.5	9.5	9.1
Male	29.6	24.1	20.3	18.3	15.3	13.1	16.1	14.4	12.4	13.9	13.8	13.6
Race/Ethnic group												
African American	21.2	18.1	14.5	12.9	10.1	7.4	10.5	9.0	8.1	10.1	10.3	10.2
Hispanic/Latino	28.1	23.0	18.2	16.7	13.4	10.5	11.5	11.1	8.1	10.8	10.8	10.8
White, non-Hispanic	31.3	26.3	22.3	18.7	16.2	14.1	15.0	13.7	12.3	11.9	12.0	11.8
Age												
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	27.3	23.5	20.5	16.3	14.6	12.6	11.9	12.2	10.9	12.7	12.1	12.8
15	29.2	24.1	20.5	18.0	14.5	12.1	14.2	12.2	11.2	12.2	12.5	12.1
16	30.3	25.0	19.7	17.5	13.6	11.1	14.6	13.1	10.7	11.7	11.3	11.0
17	28.2	22.3	20.4	16.8	15.3	12.5	12.6	11.9	10.0	10.3	11.4	11.3
18	25.5	23.7	18.4	15.2	14.3	11.3	11.7	12.6	10.4	9.6	10.7	9.5
Grade												
6th	--	--	--	--	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--	--	--	--	--
9th	30.4	25.7	21.3	18.9	15.7	13.2	14.7	13.5	11.7	13.7	13.4	12.6
10th	29.5	24.3	19.8	17.6	13.5	11.6	14.7	12.7	10.9	11.7	11.7	12.0
11th	27.7	21.8	20.1	16.4	14.2	11.0	12.1	11.0	9.9	9.8	11.0	10.3
12th	26.0	23.3	18.2	15.0	14.4	11.8	11.3	12.3	9.7	9.4	10.3	10.2
Middle School	--	--	--	--	--	--	--	--	--	--	--	--
High School	28.7	23.9	19.9	17.1	14.5	11.9	13.5	12.5	10.6	11.3	11.7	11.4
Total	--	--	--	--	--	--	--	--	--	--	--	--

Table 36. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2004 to 2014

		Perceive Great Risk Of Harm If:											
		Drink One Or More Alcoholic Drinks Nearly Every Day					Smoke A Pack Or More Of Cigarettes Per Day						
		2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex													
Female		42.0	44.5	46.2	46.9	46.0	45.4	67.2	68.7	70.6	69.2	69.7	69.5
Male		34.0	35.8	37.6	38.4	37.4	39.7	62.7	63.7	64.7	64.0	67.0	68.9
Race/Ethnic group													
African American		43.0	44.5	45.6	44.7	43.0	43.9	62.9	62.6	64.7	63.4	62.5	64.6
Hispanic/Latino		40.2	43.2	44.7	43.6	43.7	44.9	63.2	64.8	65.1	63.5	66.4	67.6
White, non-Hispanic		34.0	36.5	37.6	39.8	38.5	39.6	66.5	67.4	69.7	69.1	70.8	71.5
Age													
11		45.2	48.6	50.1	54.1	50.1	53.8	68.6	71.9	73.5	72.9	70.9	74.0
12		41.7	45.1	46.4	45.9	47.8	47.2	64.9	67.6	70.2	68.5	69.1	69.1
13		38.5	40.4	43.0	42.4	44.8	44.8	63.0	64.3	66.7	66.3	68.5	67.1
14		35.6	37.6	40.0	41.6	39.9	41.2	63.9	64.4	67.2	66.5	66.7	68.5
15		36.3	37.6	40.5	42.0	38.3	40.7	65.1	65.1	65.9	66.6	67.8	69.4
16		38.6	40.3	40.6	41.8	39.1	39.7	65.1	66.6	67.5	66.5	69.2	69.7
17		37.6	39.8	41.2	41.1	39.1	39.2	67.4	67.4	68.7	66.1	68.4	70.2
18		38.8	38.1	39.5	40.9	37.5	39.9	65.4	66.2	66.2	63.7	67.3	70.0
Grade													
6th		41.4	44.4	46.0	46.2	47.4	48.6	63.5	66.4	68.2	67.1	66.9	68.6
7th		39.3	41.2	42.6	43.1	44.7	45.2	62.7	64.1	65.6	65.6	68.3	66.8
8th		35.4	36.4	41.0	40.5	43.6	43.3	63.6	63.1	67.4	67.0	67.8	68.6
9th		36.5	38.3	39.8	42.3	36.7	40.7	65.2	66.2	66.5	65.9	66.4	69.2
10th		38.3	40.1	40.7	42.1	40.5	39.8	65.9	66.9	68.0	67.3	69.7	69.9
11th		37.5	41.2	42.6	42.0	38.4	40.0	67.0	68.0	69.2	67.5	69.5	70.2
12th		40.3	39.2	40.4	41.7	39.8	39.5	68.3	67.7	68.6	65.1	69.6	70.5
Middle School		38.7	40.6	43.2	43.2	45.2	45.7	63.2	64.5	67.0	66.6	67.6	68.0
High School		37.9	39.6	40.8	42.1	38.8	40.0	66.3	67.1	68.0	66.5	68.7	70.0
Total		38.2	40.0	41.9	42.6	41.6	42.5	64.9	66.0	67.6	66.5	68.3	69.1

Table 37. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2004 to 2014

	Perceive Great Risk Of Harm If:											
	Smoke Marijuana Once or Twice a Week						Try Marijuana Once Or Twice					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	64.0	64.6	63.8	59.0	55.4	39.2	33.8	34.4	34.3	30.8	29.1	25.5
Male	57.4	56.5	56.0	49.4	46.5	36.3	30.4	30.9	30.8	27.2	26.0	25.3
Race/Ethnic group												
African American	55.3	54.7	55.0	50.9	46.3	32.5	33.3	32.9	33.6	30.2	27.1	24.7
Hispanic/Latino	64.1	62.5	62.3	55.8	51.8	38.5	36.7	37.0	35.7	31.4	29.8	28.1
White, non-Hispanic	60.5	60.5	59.6	53.4	51.7	38.7	28.0	29.2	29.0	25.9	25.4	23.6
Age												
11	79.6	79.9	81.9	80.3	75.7	70.0	52.6	52.3	51.8	51.5	46.5	51.7
12	76.7	78.1	77.7	73.8	72.1	60.9	47.5	48.3	48.7	44.6	43.0	43.0
13	70.9	70.8	72.1	66.7	65.2	50.9	41.1	42.9	42.5	37.8	36.5	33.7
14	63.2	63.4	64.4	57.9	53.6	37.5	33.5	33.6	34.3	30.5	28.2	24.1
15	56.5	55.9	55.7	50.3	43.5	30.1	25.8	27.3	27.5	24.3	21.5	18.4
16	51.5	52.0	49.1	44.0	38.3	24.6	24.2	24.6	23.4	20.0	19.0	15.8
17	49.5	48.4	46.9	39.5	33.7	20.2	22.4	23.5	22.7	19.8	17.0	13.6
18	47.6	48.0	44.2	38.7	35.1	21.0	22.7	22.1	22.1	19.5	16.7	14.8
Grade												
6th	74.3	74.7	75.5	72.7	70.6	62.8	47.2	48.5	47.9	46.2	43.7	46.3
7th	71.6	71.8	71.9	67.5	67.0	53.9	43.0	43.5	44.5	39.0	38.4	36.5
8th	64.9	64.3	66.1	60.1	59.3	44.5	35.3	35.6	35.1	32.1	33.0	28.7
9th	57.8	58.7	58.4	51.2	46.0	31.4	26.8	29.1	28.5	24.6	22.2	19.9
10th	53.3	52.9	50.3	45.3	42.0	26.6	24.7	24.0	23.9	20.7	20.8	16.3
11th	50.8	50.5	48.0	40.6	35.5	22.9	23.1	24.7	23.5	19.4	17.9	15.3
12th	48.8	48.3	45.5	39.2	33.5	19.3	21.8	22.3	22.2	19.6	15.9	13.1
Middle School	70.2	70.1	71.2	66.7	65.6	53.8	41.8	42.3	42.6	39.1	38.4	37.1
High School	53.4	53.2	51.0	44.5	39.6	25.4	24.5	25.4	24.7	21.2	19.4	16.3
Total	60.9	60.4	59.8	54.1	50.9	37.7	32.2	32.6	32.5	28.9	27.6	25.3

Note: In 2014, the description of marijuana use was changed from “regularly” to “once or twice a week.” As a result, care should be exercised when comparing 2014 data to previous years.

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor's orders or having five or more alcoholic drinks once or twice a week, 2012 and 2014

	Perceive Great Risk Of Harm If:											
	Take a Prescription Drug without a Doctor's Orders						Five or More Alcoholic Drinks Once or Twice a Week					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female					71.9	72.3						57.7
Male					65.5	70.3						51.7
Race/Ethnic group												
African American					67.4	66.0						55.4
Hispanic/Latino					67.3	69.3						54.1
White, non-Hispanic					69.7	74.2						53.6
Age												
11					--	76.0						66.8
12					--	72.6						60.8
13					--	70.7						57.6
14					70.3	71.4						55.3
15					69.5	71.1						52.9
16					68.2	70.2						51.9
17					68.4	70.6						49.5
18					66.6	69.8						46.9
Grade												
6th					--	71.9						61.1
7th					--	70.4						57.6
8th					--	72.7						57.5
9th					67.7	71.2						53.5
10th					69.8	70.5						52.8
11th					68.2	71.2						51.0
12th					68.6	70.0						47.7
Middle School					--	71.7						58.8
High School					68.6	70.8						51.4
Total					--	71.2						54.6

Note: The prescription drug question was added in 2012 and the five or more drinks question was added in 2014.

Table 39. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2004 to 2014

	Think It Would Be Wrong For Someone Their Age To:											
	Drink Alcohol Regularly						Smoke Cigarettes					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	63.0	64.0	65.7	67.1	70.5	72.7	77.7	79.3	80.7	82.1	86.1	88.7
Male	62.7	63.3	65.4	66.4	70.3	73.8	78.1	78.2	80.3	80.9	85.1	88.5
Race/Ethnic group												
African American	71.4	72.9	72.3	71.7	75.8	77.9	87.3	87.3	88.1	87.6	91.0	92.6
Hispanic/Latino	62.9	65.4	65.9	66.6	70.8	72.6	79.0	81.7	83.0	83.5	87.9	89.8
White, non-Hispanic	57.9	58.0	61.0	63.4	67.5	70.1	72.6	73.6	75.0	76.8	82.0	85.7
Age												
11	91.8	93.2	93.6	93.8	94.1	96.3	96.2	97.4	97.1	97.3	97.7	98.3
12	86.1	87.8	89.5	89.4	92.1	92.8	92.2	93.7	95.5	94.6	96.1	96.7
13	76.9	78.3	80.5	80.4	84.4	87.1	87.3	88.3	90.3	89.3	93.2	94.1
14	65.3	67.5	70.0	71.0	74.8	78.1	81.1	82.8	85.4	85.6	89.1	91.8
15	56.5	57.0	61.3	62.3	64.8	69.2	75.7	77.7	80.3	81.0	85.1	88.6
16	49.8	51.6	53.9	55.3	58.6	61.6	70.7	72.8	74.7	77.4	81.8	85.7
17	45.0	48.2	48.0	50.7	51.3	54.7	66.2	67.0	69.2	72.3	74.6	80.3
18	42.8	43.3	44.6	49.7	49.2	50.1	56.5	56.3	58.0	62.2	67.2	72.4
Grade												
6th	87.7	89.0	89.4	90.6	93.2	94.3	93.2	94.1	94.8	94.8	96.8	97.0
7th	77.8	79.3	81.2	80.3	86.8	88.9	87.0	88.6	90.8	89.1	94.0	94.7
8th	67.3	68.8	72.7	73.4	78.0	81.3	81.7	83.2	85.9	86.3	89.9	92.2
9th	57.6	58.4	62.2	62.9	66.5	72.1	76.2	77.9	80.7	82.0	85.9	89.7
10th	51.6	52.8	55.5	55.9	61.5	63.9	72.7	74.4	76.4	77.7	83.2	87.0
11th	45.9	50.2	49.9	52.4	54.2	58.5	67.1	69.7	70.8	73.2	77.9	82.8
12th	43.1	43.2	43.6	49.1	49.2	49.8	60.1	58.9	60.5	65.1	69.2	74.4
Middle School	77.6	78.8	81.2	81.4	86.1	88.2	87.3	88.5	90.5	90.1	93.6	94.7
High School	50.8	52.0	53.5	55.5	58.3	61.7	70.2	71.3	72.9	75.0	79.5	83.9
Total	62.8	63.6	65.4	66.7	70.4	73.2	77.9	78.8	80.5	81.5	85.6	88.6

Table 40. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2004 to 2014

	Think It Would Be Wrong For Someone Their Age To:											
	Smoke Marijuana						Use Other Illicit Drugs					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	82.0	82.3	82.2	79.4	78.9	75.2	95.6	95.7	95.6	95.4	96.0	95.2
Male	78.5	78.5	78.4	74.2	74.3	72.8	94.3	94.4	94.2	93.4	94.4	94.5
Race/Ethnic group												
African American	82.1	82.4	82.1	78.4	77.1	74.0	96.6	96.4	96.5	95.9	96.1	96.1
Hispanic/Latino	84.5	84.3	84.1	79.5	79.8	75.6	95.3	95.6	95.2	93.9	94.9	94.4
White, non-Hispanic	76.7	77.3	76.8	73.9	74.6	72.4	94.2	94.3	94.3	94.1	95.0	94.5
Age												
11	98.6	98.9	98.6	98.4	98.0	98.2	99.0	99.4	99.0	99.3	98.9	99.4
12	95.8	96.4	97.3	95.2	95.6	94.8	97.9	98.6	98.5	97.6	98.3	98.5
13	90.4	91.1	91.6	88.4	89.3	88.4	96.3	96.7	96.9	96.2	96.9	97.0
14	83.4	84.0	84.1	80.4	80.4	78.0	95.2	95.5	95.1	94.7	95.7	95.6
15	75.7	76.2	77.1	72.2	71.3	68.9	94.7	94.0	94.0	93.5	94.4	94.4
16	70.5	72.0	71.5	67.5	65.7	60.9	93.1	93.8	93.5	92.8	93.3	93.0
17	68.3	69.5	67.9	64.4	60.4	55.4	93.0	93.0	92.8	92.4	93.0	91.2
18	66.2	66.3	64.9	62.9	58.2	53.4	92.6	92.8	92.8	92.5	92.3	90.4
Grade												
6th	96.2	96.0	96.7	95.6	96.8	96.4	97.9	98.3	98.2	97.9	98.6	98.8
7th	90.2	91.3	91.9	88.6	90.9	90.2	96.4	96.8	96.9	96.0	97.2	97.1
8th	84.2	84.6	84.7	81.2	83.2	81.5	95.5	95.1	95.2	94.8	95.6	96.1
9th	76.6	77.7	78.0	73.4	73.4	72.2	94.6	94.5	94.0	93.6	95.1	95.1
10th	72.1	73.3	72.9	67.8	68.3	63.9	93.3	93.7	93.8	93.2	93.4	93.1
11th	69.5	71.2	69.2	65.5	62.4	58.4	93.6	93.8	93.0	92.6	93.7	92.3
12th	67.4	66.3	65.6	63.4	58.4	52.0	92.7	92.6	92.7	92.4	92.1	90.4
Middle School	90.2	90.5	91.1	88.5	90.3	89.4	96.6	96.7	96.8	96.2	97.1	97.4
High School	72.1	72.8	71.9	67.8	66.1	62.2	93.7	93.8	93.5	93.0	93.6	92.9
Total	80.3	80.4	80.2	76.8	76.6	74.0	95.0	95.0	94.9	94.4	95.2	94.8

Table 41. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco, drink alcohol regularly, smoke marijuana, or use prescription drugs not prescribed to you, 2014

	Friends Feel It Would Be Wrong For You To:			
	Smoke Tobacco	Drink Alcohol Regularly	Smoke Marijuana	Use Prescription Drugs Not Prescribed to You
	%	%	%	%
Sex				
Female	89.4	84.0	72.8	93.8
Male	86.7	81.0	70.2	92.6
Race/Ethnic group				
African American	92.8	85.9	71.6	94.0
Hispanic/Latino	89.4	81.9	72.1	92.6
White, non-Hispanic	85.0	80.7	70.6	93.1
Age				
11	98.1	96.6	97.8	98.5
12	95.7	93.8	93.8	97.2
13	94.4	89.9	87.5	96.1
14	89.8	83.1	73.3	93.3
15	87.7	79.1	65.2	92.0
16	84.5	76.6	58.0	91.1
17	79.7	73.6	52.9	89.8
18	75.2	71.7	51.6	88.5
Grade				
6th	96.7	94.8	95.7	97.6
7th	93.8	90.6	89.0	96.1
8th	91.8	85.3	78.8	94.4
9th	87.6	80.4	67.4	92.2
10th	86.3	77.2	61.1	92.0
11th	81.9	75.0	54.9	90.1
12th	76.0	72.5	50.6	89.0
Middle School	94.2	90.3	87.9	96.1
High School	83.3	76.5	59.0	90.9
Total	88.0	82.5	71.5	93.1

Note: These questions were modified in the 2014 questionnaire. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between 2014 data and previous survey results is not possible.

Table 42. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2014

	Think It Would Be Wrong For Their Parents To:			
	Drink Alcohol Regularly	Smoke Cigarettes	Smoke Marijuana	Use Prescription Drugs Not Prescribed to Them
	%	%	%	%
Sex				
Female	80.7	87.9	92.3	96.6
Male	77.8	88.1	91.8	96.8
Race/Ethnic group				
African American	85.4	91.3	90.9	95.7
Hispanic/Latino	84.3	91.4	93.8	97.0
White, non-Hispanic	73.7	84.8	91.8	96.9
Age				
11	86.3	92.0	98.0	98.0
12	81.6	89.4	95.2	97.4
13	78.0	87.0	91.7	96.5
14	73.6	85.4	86.0	95.6
15	--	--	--	--
16	--	--	--	--
17	--	--	--	--
18	--	--	--	--
Grade				
6th	84.4	90.8	96.7	97.7
7th	79.1	87.4	92.6	96.4
8th	74.4	85.8	86.9	96.0
9th	--	--	--	--
10th	--	--	--	--
11th	--	--	--	--
12th	--	--	--	--
Middle School	79.2	88.0	92.0	96.7
High School	--	--	--	--
Total	--	--	--	--

Note: These questions were added to the 2014 middle school questionnaire.

Table 43. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2014

	School Sports	Organized Sports Outside of School	School Band	School Club(s)	Community Club(s)
	%	%	%	%	%
Sex					
Female	34.3	31.0	11.0	35.1	15.1
Male	41.7	37.6	10.3	19.4	9.0
Race/Ethnic group					
African American	46.9	31.4	8.8	21.0	11.4
Hispanic/Latino	35.3	30.3	8.4	24.6	10.6
White, non-Hispanic	36.0	37.1	11.7	29.8	12.2
Age					
11	33.0	46.5	16.6	24.4	9.7
12	33.5	46.6	15.9	22.3	9.7
13	34.7	44.5	15.2	21.6	9.7
14	39.8	39.7	11.5	21.8	10.1
15	42.3	31.6	7.7	25.7	11.7
16	41.5	25.3	7.4	31.9	13.9
17	38.1	22.5	6.3	36.2	15.5
18	37.7	19.9	6.4	35.7	15.9
Grade					
6th	34.9	47.3	15.7	21.3	9.3
7th	34.1	43.7	16.1	20.9	9.0
8th	36.5	43.6	12.8	21.4	10.2
9th	42.6	33.2	8.7	23.4	11.4
10th	41.9	26.4	7.1	30.1	13.0
11th	39.1	24.3	6.7	35.3	14.9
12th	36.9	19.9	6.6	38.6	16.5
Middle School	35.1	44.8	14.9	21.2	9.5
High School	40.3	26.3	7.3	31.4	13.8
Total	38.1	34.4	10.6	27.0	11.9

Table 44. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2014

	Bullying Caused to Worry	Skipped School Because of Bullying	Was Kicked or Shoved in Past 30 Days	Was Taunted or Teased in Past 30 Days	Victim of Cyber Bullying in Past 30 Days	Physically Bullied Others in Past 30 Days	Verbally Bullied Others in Past 30 Days	Cyber Bullied Others in Past 30 Days
	%	%	%	%	%	%	%	%
Sex								
Female	44.1	8.7	10.7	30.8	10.6	4.6	11.2	4.0
Male	24.2	3.3	13.3	25.4	4.3	7.2	12.7	3.2
Race/Ethnic group								
African American	27.1	2.8	10.5	24.8	5.2	9.0	15.9	4.6
Hispanic/Latino	33.6	4.3	9.5	23.5	5.6	5.2	10.6	3.1
White, non- Hispanic	35.1	7.7	12.5	30.0	8.9	4.4	10.1	3.3
Age								
11	53.1	3.6	20.3	37.7	5.2	5.3	13.1	1.3
12	45.6	5.1	20.5	39.0	6.5	7.2	14.0	2.6
13	39.4	5.7	17.4	35.3	7.7	8.1	13.9	3.4
14	35.7	6.9	12.8	30.5	8.4	6.8	13.5	3.7
15	31.4	7.1	9.8	26.6	8.3	5.7	12.4	4.0
16	27.1	6.0	7.0	21.4	7.7	4.5	10.1	3.9
17	23.7	6.0	6.2	20.6	7.2	5.2	9.2	4.5
18	21.5	5.0	4.0	14.4	6.2	3.4	7.7	3.5
Grade								
6th	48.2	4.6	20.7	39.1	6.5	7.2	14.6	2.7
7th	41.1	5.7	19.1	36.4	7.2	8.2	14.5	2.8
8th	37.5	6.7	14.4	32.6	8.2	7.1	13.5	3.9
9th	33.0	6.7	10.4	27.4	8.2	5.8	12.5	4.0
10th	28.8	6.6	8.0	23.6	7.8	5.1	10.7	4.2
11th	25.0	5.7	5.8	20.5	7.6	4.3	9.5	3.9
12th	21.9	5.5	5.0	15.4	6.3	3.8	7.6	3.6
Middle School	42.3	5.6	18.1	36.1	7.3	7.5	14.2	3.1
High School	27.5	6.2	7.5	22.1	7.5	4.8	10.2	3.9
Total	33.9	5.9	12.1	28.1	7.4	6.0	12.0	3.6

Table 45. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2014

	Bought in a Store	Bought in a Restaurant, Bar or Club	Bought at a Public Event	Someone Bought it for Me	Someone Gave it to Me	Took it from a Store	Took it from a Family Member	Some Other Way
	%	%	%	%	%	%	%	%
Sex								
Female	4.9	2.2	0.7	16.3	48.6	0.2	11.5	15.6
Male	11.7	1.2	1.0	19.1	36.3	0.5	10.5	19.7
Race/Ethnic group								
African American	7.4	3.8	0.7	12.3	43.7	0.1	13.2	18.6
Hispanic/Latino	9.9	2.5	1.5	11.0	42.4	0.4	9.7	22.6
White, non-Hispanic	7.6	1.0	0.4	21.9	42.0	0.3	11.5	15.3
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	1.3	0.7	0.4	9.5	48.4	0.3	20.8	18.7
15	3.4	1.1	1.0	14.2	46.4	0.3	18.9	14.6
16	6.3	1.2	0.8	17.1	45.8	0.5	11.7	16.6
17	10.6	1.7	1.0	19.8	40.1	0.3	7.1	19.5
18	13.6	3.5	0.0	21.9	38.8	0.2	4.1	18.0
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	3.1	1.1	0.7	11.5	45.4	0.2	20.0	18.0
10th	5.1	1.4	1.2	16.0	45.8	0.5	14.8	15.2
11th	9.1	1.4	0.8	19.6	42.6	0.3	8.6	17.7
12th	12.9	2.8	0.7	21.1	39.4	0.2	4.1	18.8
Middle School	--	--	--	--	--	--	--	--
High School	8.1	1.7	0.8	17.5	43.0	0.3	11.0	17.5
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 46. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2014

	My Home	Another Person's Home	Car or Other Vehicle	Restaurant, Bar or Club	Public Place	Public Event	School Property	Some Other Place
	%	%	%	%	%	%	%	%
Sex								
Female	33.4	46.4	1.6	3.4	4.1	1.7	0.9	8.6
Male	31.5	46.2	1.6	1.9	3.6	1.3	1.6	12.3
Race/Ethnic group								
African American	39.5	34.6	3.7	3.6	2.4	2.3	2.0	12.0
Hispanic/Latino	31.0	46.6	2.1	3.7	3.7	1.6	0.9	10.5
White, non-Hispanic	30.9	49.5	0.8	1.8	4.3	1.5	0.9	10.2
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	41.5	39.1	1.0	1.2	3.7	0.5	1.5	11.6
15	35.4	42.1	2.0	2.1	4.2	1.5	1.1	11.7
16	31.2	49.4	1.0	2.6	3.5	1.5	1.2	9.6
17	30.6	48.5	2.2	1.3	3.7	2.0	1.3	10.4
18	30.3	47.6	1.0	6.0	4.6	1.1	1.2	8.1
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	38.9	38.0	1.9	1.6	4.0	1.6	1.3	12.8
10th	33.5	46.1	1.6	2.3	4.0	1.3	1.5	9.8
11th	30.1	49.0	1.7	2.3	2.6	1.7	1.3	11.2
12th	29.4	49.8	1.2	4.1	5.0	1.6	1.0	7.9
Middle School	--	--	--	--	--	--	--	--
High School	32.5	46.3	1.6	2.7	3.9	1.6	1.2	10.3
Total	--	--	--	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 47. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2014

	1	2	3	4	5 or More
	%	%	%	%	%
Sex					
Female	29.4	23.9	17.1	11.4	18.2
Male	22.0	20.7	16.3	9.9	31.1
Race/Ethnic group					
African American	38.2	31.1	13.1	5.6	11.9
Hispanic/Latino	25.4	21.0	16.8	12.1	24.7
White, non-Hispanic	23.6	20.9	17.2	11.1	27.1
Age					
11	--	--	--	--	--
12	--	--	--	--	--
13	--	--	--	--	--
14	37.2	26.2	15.3	7.5	13.8
15	31.6	22.4	16.2	8.8	21.0
16	27.9	22.5	15.5	10.1	24.0
17	21.8	21.5	17.5	11.7	27.5
18	20.9	22.5	18.4	13.1	25.1
Grade					
6th	--	--	--	--	--
7th	--	--	--	--	--
8th	--	--	--	--	--
9th	34.5	23.5	15.6	8.5	17.8
10th	29.6	21.7	16.0	8.9	23.8
11th	23.3	23.7	16.9	10.6	25.6
12th	19.9	21.2	17.8	13.6	27.6
Middle School	--	--	--	--	--
High School	26.1	22.5	16.6	10.6	24.2
Total	--	--	--	--	--

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 48. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, 2012 and 2014

	Riding in a Vehicle Driven by Someone Who Had Been:											
	Drinking Alcohol						Using Marijuana					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female					22.8	20.1					25.5	24.4
Male					19.9	16.2					25.3	22.7
Race/Ethnic group												
African American					18.3	14.8					27.0	27.1
Hispanic/Latino					22.0	19.0					23.5	20.6
White, non-Hispanic					22.2	19.4					25.0	23.3
Age												
11					--	--					--	--
12					--	--					--	--
13					--	--					--	--
14					18.7	16.8					13.0	14.8
15					20.9	17.8					21.5	19.1
16					20.6	17.2					26.0	23.6
17					22.1	19.3					30.5	28.7
18					23.7	18.9					31.6	28.9
Grade												
6th					--	--					--	--
7th					--	--					--	--
8th					--	--					--	--
9th					21.3	18.2					19.9	17.5
10th					20.0	18.0					22.5	22.7
11th					21.3	17.8					29.5	26.1
12th					23.1	18.6					31.0	29.3
Middle School					--	--					--	--
High School					21.4	18.1					25.4	23.5
Total					--	--					--	--

Note: Questions about ATOD use and driving were added to the high school questionnaire in 2012.

Table 49. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana, 2012 and 2014

	Driving a Vehicle After:											
	Drinking Alcohol						Using Marijuana					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female					7.4	6.2					8.8	9.6
Male					8.8	6.8					13.4	12.2
Race/Ethnic group												
African American					6.4	4.8					11.1	10.0
Hispanic/Latino					8.0	6.7					9.4	10.2
White, non-Hispanic					8.8	7.4					11.8	11.4
Age												
11					--	--					--	--
12					--	--					--	--
13					--	--					--	--
14					3.1	2.6					3.0	4.5
15					5.1	4.2					6.5	7.1
16					8.1	6.1					11.8	10.1
17					10.4	8.6					15.0	15.1
18					12.8	10.5					17.0	16.5
Grade												
6th					--	--					--	--
7th					--	--					--	--
8th					--	--					--	--
9th					5.2	3.8					6.2	6.5
10th					6.0	5.8					8.8	9.6
11th					9.8	7.3					14.3	12.5
12th					12.4	10.2					16.5	16.1
Middle School					--	--					--	--
High School					8.1	6.6					11.2	10.9
Total					--	--					--	--

Note: Questions about ATOD use and driving were added to the high school questionnaire in 2012.

Table 50. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014

	Drinking Alcohol	Smoking Marijuana	Using Another Drug
	%	%	%
Sex			
Female	6.0	8.7	3.1
Male	5.4	10.5	3.1
Race/Ethnic group			
African American	5.2	9.1	2.3
Hispanic/Latino	6.1	9.7	3.7
White, non-Hispanic	5.7	9.9	3.2
Age			
11	1.7	0.9	0.8
12	1.6	1.8	1.1
13	4.1	3.9	2.0
14	5.9	8.0	2.8
15	7.8	12.3	4.3
16	7.7	13.9	4.4
17	7.5	16.5	4.3
18	7.3	16.2	3.7
Grade			
6th	1.7	1.4	1.0
7th	3.5	3.6	1.9
8th	5.7	7.3	2.5
9th	7.1	10.8	3.5
10th	7.9	13.5	4.7
11th	7.1	14.9	4.5
12th	7.1	16.3	3.7
Middle School	3.6	4.1	1.8
High School	7.3	13.7	4.1
Total	5.7	9.6	3.1

Table 51. Percentage of surveyed Florida youth who reported gang membership—2004 to 2014

	Gang Membership											
	Have you ever belonged to a gang?						Did that gang have name?					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex												
Female	4.9	5.5	4.5	3.6	2.8	2.5	29.3	27.8	29.1	23.3	17.8	16.2
Male	9.5	10.4	9.5	7.6	5.7	4.8	36.9	37.0	39.1	33.3	25.4	23.3
Race/Ethnic group												
African American	8.5	9.9	10.1	9.4	6.6	5.9	29.9	31.5	36.2	35.8	27.7	25.9
Hispanic/Latino	9.4	10.2	8.1	6.5	4.4	3.5	42.7	40.7	39.6	31.3	21.3	16.5
White, non-Hispanic	4.6	5.3	4.4	3.1	2.7	2.4	28.0	26.4	26.9	20.2	16.3	15.1
Age												
11	5.0	3.6	3.4	2.3	2.2	2.0	33.8	23.4	44.2	25.0	19.8	15.4
12	5.8	6.7	4.6	4.0	2.8	2.6	29.4	34.2	36.3	31.8	21.8	24.9
13	8.0	8.8	7.8	5.3	4.4	3.8	38.0	38.9	46.0	35.7	33.4	28.3
14	7.9	8.7	8.9	7.2	4.8	4.0	38.6	37.6	46.4	42.3	26.7	21.9
15	7.8	9.1	7.8	6.1	4.4	4.7	38.3	35.4	36.5	31.2	20.4	23.9
16	7.6	8.4	7.5	6.0	4.2	3.6	35.4	34.5	31.0	26.8	19.1	17.8
17	6.0	6.4	6.0	5.6	4.7	3.6	27.4	26.2	25.4	22.9	18.8	14.9
18	3.8	6.8	5.8	4.7	4.9	3.6	16.6	21.0	23.4	17.2	19.0	13.3
Grade												
6th	7.0	7.3	6.0	4.7	3.3	2.9	31.3	34.3	43.6	34.2	24.6	27.1
7th	8.2	9.3	7.8	6.4	4.3	3.4	39.6	38.9	45.2	41.7	30.6	23.2
8th	8.4	9.1	8.6	6.6	5.4	4.5	40.3	39.4	48.7	41.8	35.4	29.4
9th	7.2	8.7	8.6	6.4	4.1	4.0	36.8	35.3	37.2	31.0	18.7	19.2
10th	6.8	7.9	6.6	5.4	4.3	4.1	34.7	32.8	30.3	25.4	20.2	20.0
11th	5.6	6.0	6.0	5.1	4.3	3.4	26.2	25.9	25.6	23.1	17.6	15.7
12th	4.9	6.7	4.8	4.2	4.2	3.0	20.8	23.5	20.4	15.3	16.9	12.1
Middle School	7.9	8.6	7.5	5.9	4.3	3.6	37.4	37.8	46.0	39.7	30.6	26.6
High School	6.3	7.5	6.6	5.3	4.2	3.7	30.7	30.1	28.9	23.7	18.4	16.8
Total	7.0	8.0	7.0	5.6	4.3	3.7	33.6	33.2	35.0	29.1	22.4	20.0

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang.

Table 52. Percentage of surveyed Florida high school youth who reported current gang membership—2012 to 2014

	Gang Membership					
	Are you a gang member now?					
	2004 %	2006 %	2008 %	2010 %	2012 %	2014 %
Sex						
Female					1.4	1.5
Male					2.8	2.6
Race/Ethnic group						
African American					3.4	3.1
Hispanic/Latino					1.7	1.7
White, non-Hispanic					1.6	1.6
Age						
11					--	--
12					--	--
13					--	--
14					1.1	1.7
15					1.8	2.3
16					2.3	2.3
17					2.3	2.0
18					2.2	1.5
Grade						
6th					--	--
7th					--	--
8th					--	--
9th					2.0	2.3
10th					2.2	2.3
11th					2.3	2.1
12th					2.0	1.5
Middle School					--	--
High School					2.1	2.1
Total					--	--

Note: This question added to the high school questionnaire in 2012.

Table 53. Reasons for joining a gang, among Florida high school youth who have belonged to a gang, 2014

	Fun and Excitement	Protection	Friend or Relative in Gang	Forced to Join	To Get Respect	Money	To Fit in Better	Other Reasons
	%	%	%	%	%	%	%	%
Sex								
Female	5.3	3.7	3.8	1.9	2.6	2.4	1.0	4.9
Male	6.9	5.2	5.1	1.4	5.6	6.2	1.7	7.9
Race/Ethnic group								
African American	7.8	6.0	6.0	1.5	4.5	4.8	1.2	7.0
Hispanic/Latino	4.3	4.9	4.8	1.4	4.5	4.4	1.1	7.8
White, non- Hispanic	5.0	3.2	3.0	1.7	3.4	3.4	1.4	4.3
Age								
11	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--
14	6.5	3.8	3.1	1.7	4.1	5.6	0.6	5.0
15	7.0	6.7	6.2	1.8	5.6	4.1	2.6	8.3
16	5.6	4.3	3.6	1.5	3.3	4.0	1.8	5.9
17	6.3	3.9	4.1	1.7	4.6	5.0	0.6	7.2
18	5.4	2.7	4.7	1.2	3.0	4.8	0.4	5.3
Grade								
6th	--	--	--	--	--	--	--	--
7th	--	--	--	--	--	--	--	--
8th	--	--	--	--	--	--	--	--
9th	5.9	4.5	4.4	1.6	4.6	4.0	1.2	6.8
10th	7.9	6.4	5.3	1.8	5.2	5.3	2.7	7.3
11th	6.6	4.4	4.9	1.6	3.5	5.2	1.0	7.9
12th	4.0	2.5	3.4	1.4	4.1	3.8	0.4	4.1
Middle School	--	--	--	--	--	--	--	--
High School	6.2	4.5	4.5	1.6	4.3	4.6	1.4	6.6
Total	--	--	--	--	--	--	--	--

Table 54. Percentage of Florida youth with elevated protective factor scale scores, 2014

	Middle School	High School	Overall
Community Domain			
Community Rewards for Prosocial Involvement	48	61	56
Family Domain			
Family Opportunities for Prosocial Involvement	60	58	59
Family Rewards for Prosocial Involvement	55	56	56
School Domain			
School Opportunities for Prosocial Involvement	51	62	58
School Rewards for Prosocial Involvement	50	60	56
Peer and Individual Domain			
Religiosity	47	57	53
Protective Factor Average	52	59	56

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 55. Percentage of Florida youth with elevated risk factor scale scores, 2014

	Middle School	High School	Overall
Community Domain			
Community Disorganization	44	46	45
Transitions and Mobility	58	62	60
Laws and Norms Favorable to Drug Use	36	33	35
Perceived Availability of Drugs	40	31	34
Perceived Availability of Handguns	24	37	32
Family Domain			
Poor Family Management	40	38	39
Family Conflict	38	33	35
School Domain			
Poor Academic Performance	42	43	43
Lack of Commitment to School	52	52	52
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	38	36	37
Favorable Attitudes toward ATOD Use	32	38	36
Early Initiation of Drug Use	25	26	25
Risk Factor Average	39	40	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 56. Percentage of youth from the national normative sample with elevated protective factor scale scores

	Middle School	High School	Overall
Community Domain			
Community Rewards for Prosocial Involvement	56	63	60
Family Domain			
Family Opportunities for Prosocial Involvement	59	54	56
Family Rewards for Prosocial Involvement	54	55	55
School Domain			
School Opportunities for Prosocial Involvement	57	60	59
School Rewards for Prosocial Involvement	53	58	55
Peer and Individual Domain			
Religiosity	56	62	59
Protective Factor Average	56	59	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 57. Percentage of youth from the national normative sample with elevated risk factor scale scores

	Middle School	High School	Overall
Community Domain			
Community Disorganization	47	47	47
Transitions and Mobility	47	46	47
Laws and Norms Favorable to Drug Use	42	42	42
Perceived Availability of Drugs	45	45	45
Perceived Availability of Handguns	25	42	34
Family Domain			
Poor Family Management	44	45	45
Family Conflict	42	37	39
School Domain			
Poor Academic Performance	45	48	47
Lack of Commitment to School	47	46	46
Peer and Individual Domain			
Favorable Attitudes toward Antisocial Behavior	40	46	43
Favorable Attitudes toward ATOD Use	39	45	42
Early Initiation of Drug Use	41	46	43
Risk Factor Average	40	45	43

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 58. Percentage of Florida middle school youth with elevated protective factor scale scores—2004 to 2014

	2004	2006	2008	2010	2012	2014
Community Domain						
Community Rewards for Prosocial Involvement	51	50	51	51	52	48
Family Domain						
Family Opportunities for Prosocial Involvement	55	54	53	56	59	60
Family Rewards for Prosocial Involvement	51	49	49	50	55	55
School Domain						
School Opportunities for Prosocial Involvement	44	44	45	47	50	51
School Rewards for Prosocial Involvement	41	42	43	45	52	50
Peer and Individual Domain						
Religiosity	55	53	52	51	50	47
Protective Factor Average	50	49	49	50	53	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 59. Percentage of Florida high school youth with elevated protective factor scale scores—2004 to 2014

	2004	2006	2008	2010	2012	2014
Community Domain						
Community Rewards for Prosocial Involvement	61	62	61	61	61	61
Family Domain						
Family Opportunities for Prosocial Involvement	53	52	53	55	56	58
Family Rewards for Prosocial Involvement	54	52	54	53	54	56
School Domain						
School Opportunities for Prosocial Involvement	57	58	59	60	61	62
School Rewards for Prosocial Involvement	54	55	56	59	61	60
Peer and Individual Domain						
Religiosity	62	61	61	60	59	57
Protective Factor Average	57	57	57	58	59	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 60. Percentage of Florida middle school youth with elevated risk factor scale scores—2004 to 2014

	2004	2006	2008	2010	2012	2014
Community Domain						
Community Disorganization	47	47	48	51	47	44
Transitions and Mobility	63	62	61	61	59	58
Laws and Norms Favorable to Drug Use	45	44	44	44	38	36
Perceived Availability of Drugs	48	46	49	48	40	40
Perceived Availability of Handguns	25	26	27	25	23	24
Family Domain						
Poor Family Management	52	52	49	48	43	40
Family Conflict	44	44	43	42	38	38
School Domain						
Poor Academic Performance	47	47	45	43	41	42
Lack of Commitment to School	55	55	55	54	48	52
Peer and Individual Domain						
Favorable Attitudes toward Antisocial Behavior	52	52	48	47	41	38
Favorable Attitudes toward ATOD Use	47	45	40	41	34	32
Early Initiation of Drug Use	47	43	37	35	29	25
Risk Factor Average	45	45	43	43	39	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 61. Percentage of Florida high school youth with elevated risk factor scale scores—2004 to 2014

	2004	2006	2008	2010	2012	2014
Community Domain						
Community Disorganization	46	46	49	50	48	46
Transitions and Mobility	67	65	64	63	62	62
Laws and Norms Favorable to Drug Use	37	36	35	38	35	33
Perceived Availability of Drugs	43	42	40	37	32	31
Perceived Availability of Handguns	41	43	41	38	34	37
Family Domain						
Poor Family Management	50	51	49	46	41	38
Family Conflict	37	37	37	37	35	33
School Domain						
Poor Academic Performance	47	46	44	46	44	43
Lack of Commitment to School	49	49	47	51	46	52
Peer and Individual Domain						
Favorable Attitudes toward Antisocial Behavior	47	48	47	41	38	36
Favorable Attitudes toward ATOD Use	43	42	40	40	39	38
Early Initiation of Drug Use	42	39	35	33	30	26
Risk Factor Average	45	45	43	44	41	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.