Child Development and Signs of Loss, Abuse, or Neglect

This chart can help you to identify developmental delays. Look for the age group nearest to your child's age and decide if the child is able to accomplish the healthy child development tasks in that age range. If a child cannot, look over the indicators of loss, abuse, and neglect. Observe the child for those signs. You must consult with a physician or other professional about the child's development if you have any concerns/questions. This chart is not a rigid timetable. Each child is different - some may perform tasks earlier or later than this chart indicates. Note any significant delays in development.

SIGNS OF HEALTHY CHILD DEVELOPMENT	SIGNS OF LOSS, ABUSE, OR NEGLECT

SIGNS OF LOSS, ABUSE, OR NEGLECT
 Rocks constantly in corner, playpen or crib Does not smile when familiar people approach Bumps head on pillow while trying to get to sleep Always bumps into things Squints to see things, holds objects close to the eyes or doesn't try to reach for objects Rocks back and forth for long periods of time, waving fingers in front of eyes Sleeps for a very long time At six months of age, is still cross-eyed, rolls the eyes around or does not follow things with both eyes
 Does not turn toward sounds Has earaches and shows this by crying or putting hand near the ear (there may be a runny fluid coming from the ear) Cannot focus on caretaker's eyes or face Often has a high temperature Has skin rashes often At six months does not hold head steady when supported At nine months of age, cannot: balance head sit alone when placed in a sitting position pick up small objects vocalize with expression

SIGNS OF HEALTHY CHILD SIGNS OF LOSS, ABUSE, OR DEVELOPMENT **NEGLECT 9-12 MONTHS** At 9-months of age, cannot Posture and movement balance head Takes steps when you hold his hands sit alone when placed in a sitting Turns around while sitting position Use of fingers and hands pick up small objects Throws toys or objects vocalize with expression Gives you objects (lets go) easily At one year of age, never points to anything Speech/language or responds to people or toys. Has at least one meaning-word other than "mama" or "dada" Shakes his head for "no" **Social Skills** Helps you dress him by holding up his feet when you put on his socks or by lifting his arms when you put on his top Comes when called **Awareness** Interested in looking at pictures Recognizes familiar faces **12-18 MONTHS** Has trouble controlling arms and legs **Posture and Movement** Falls often, walks poorly or can't walk at all Climbs stairs with help by 22 months of age Walks alone Holds one hand at side and never uses it Use of fingers and hands for picking up or holding toys Turns book pages 2-3 at a time Fills a spoon and feeds himself Has stiff arms, legs or neck Speech/language Drools all the time Has at least 6 real words besides baby May sleep often during the day talk Points at what he wants Shows signs of seizures - often faints, wets **Social Skills** and soils pants even though toilet trained, Copies you in routine tasks (sweeping, lies on the floor with arms and legs stiff, then jerks arms and legs around with back Shows likes and dislikes arched, then sleeps dreamily **Awareness** Has many skin rashes, lumps or sores Uses his tip-toes to touch objects out of reach Points to body parts on a doll when asked "show me" eyes, nose, mouth, etc.

SIGNS OF HEALTHY CHILD DEVELOPMENT	SIGNS OF LOSS, ABUSE, OR NEGLECT
18-24 MONTHS Posture and movement Runs without falling Walks up and down a step alone Use of fingers and hands Turns book pages one at a time Child pulls up and down his pants or takes off his shoes Speech/language Talks in short (two-or three-word) sentences Uses "me", "you", or "mine" when referring to himself or you Social skills Makes simple requests such as asking for juice or to play certain games. Plays in the company of other children Awareness Counts to three Follows simple two-part instructions ("bring me your")	 Refuses to eat for three or more days Coughs constantly Has continual diarrhea Is unusually pale and skin is cold Suddenly becomes dizzy, vomits, sleeps, wets or has a headache Squints or holds objects close to see them Rolls eyes around, is cross-eyed or doesn't use both eyes to follow objects Doesn't point to, wave back to or imitate others Doesn't look at colorful, eye-catching objects Often waves fingers in front of eyes Does not react to sudden loud sounds
2 TO 2 AND A HALF YEARS Posture and movement Jumps with both feet off the floor Throws a ball Use of fingers and hands Moves and places small objects, such as unbuttoning buttons Marks with a pencil or crayon Speech/Language Uses plural or past tense Uses "I," or "me" when talking about himself Social skills Gives his name or nickname if asked Drinks from a cup without help Awareness Stacks items on top of each other Names five familiar objects	 Complains of itching or burning eyes or of seeing double Frequently complains of headaches or dizziness Has many earaches or has a runny fluid coming from the ear Has little voice control Bumps head on pillow in bed to go to sleep Does not walk or talk by three years of age Has trouble understanding or remembering simple directions Does not respond to simple questions or directions

SIGNS OF HEALTHY CHILD DEVELOPMENT	SIGNS OF LOSS, ABUSE, OR NEGLECT
 2 - 2 AND A HALF TO 3 YEARS Posture and movement Hops on one foot for two or more hops Stands on one foot for about two seconds Use of fingers and hands Puts on and takes off his shoes if the shoes do not have shoelaces Takes off his clothes if he is wearing a simple outfit (one without buttons or zippers) Speech/Language Tells little stories about something he has done or somewhere he has been Tells you that he or she is a boy or a girl Social skills Likes to give orders Plays well with one other child Awareness Points to the girl in a picture of boy and girl Asks questions frequently 	 Has trouble doing many skills which require eye-hand coordination, such as scribbling on paper with a crayon Does not seem to enjoy being held or touched Does not know body parts Often hurts own self by hitting or biting Rocks back and forth for long periods of time Does the same movement over and over, such as waving arms and legs Says the same thing over and over, or only repeats words after hearing them from another person
 3-4 YEARS Posture and movement Attempts to hop or skip Kicks a ball Use of hands and fingers Picks up small objects easily Throws large ball without losing balance Speech/Language Says a song or poem from memory Names three colors Social skills Tells tales or shows off Beginning to learn to take turns during games Awareness Recognizes differences in size, shape and color Beginning to understand the difference between yesterday, today and tomorrow 	 At three or four years of age, does not play with other children and prefers to be alone in the corner or in bed At three or four years of age, cannot throw or kick a ball. At three or four years of age, cannot run, jump or balance on one foot

SIGNS OF HEALTHY CHILD SIGNS OF LOSS, ABUSE, OR DEVELOPMENT **NEGLECT** 4-5 YEARS Cannot hop on one foot for several hops Posture and movement Cannot draw a picture of a person with the Hops on one foot for four to six hops head, body, arms and legs Favors his hands over his arms when Does not ask questions catching a small ball Cannot match and/or name basic colors Use of fingers and hands Draws a picture of a person with a head, body, arms and legs Uses blunt-nosed scissors Speech/Language Enjoys jokes, silly or funny books and silly language Asks why, when and how questions Social skills Has an imaginary playmate or friend Loves to whisper and has secrets **Awareness** Matches and names four of these colors: red, orange, yellow, green, blue or purple Picks out the biggest and the longest of three objects

SIGNS OF HEALTHY CHILD DEVELOPMENT	SIGNS OF LOSS, ABUSE, OR NEGLECT
	School-aged children who show any of the same warning signs as infants, toddlers, preschoolers, or kindergartners may need special attention. Other signs of possible problems for school-aged children are:
5-6 YEARS	Is overweight or underweight
 Posture and movement Alternates feet when skipping Bends and touches toes without bending 	 Has consistent bad breath and a severe sore throat
knees Use of fingers and hands	 Has an injury that leads to dizziness, vomiting, headache or sleepiness
Copies a circle or a squareFavors one hand over the other (right-	Is not able to see objects or books clearly
 Favors one hand over the other (right-handed or left-handed) Speech/Language 	 Complains of frequent headaches or dizziness
Recites or sings rhymes, jingles or	Has frequent sties or other eye irritations
 television commercials Interested in learning new words and constantly asking what words mean 	Complains of eyes that burn, itch, swell or water
Social skills	Squints and rubs eyes often
 Shows an interest in making friends with other children 	Is easily distracted
 Does activities (other than watch TV) by himself for up to 30 minutes Awareness Developing a sense of time (days, months, minutes, bedtime, etc.) Understands the use of "space" words such as back, front, over, under, in, on, up, etc. 	 Asks for words to be repeated or stays near you and frequently watches your lips when you speak
	 Speaks very little and uses only a few words
	Has frequent earaches

SIGNS OF HEALTHY CHILD SIGNS OF LOSS, ABUSE, OR **NEGLECT** DEVELOPMENT 6-7 YEARS Leans toward a sound or requires voices or music to be louder than normal Posture and movement Does not come when called or does not Descends stairs, alternating feet follow directions Moves rhythmically to music Appears confused or frustrated when asked Use of fingers and hands to try something new Draws a recognizable picture of a house By age six, cannot dress self with windows, door(s) and a roof By age six, cannot identify shapes or colors Holds his pencil or crayon in an adult By age six, cannot follow simple rules or fashion (between thumb and first finger) directions Speech/Language By age seven, cannot print own name Explains the rules of a simple game such By age seven, cannot count from one to as tag or kickball 100 Gives his full name and age Needs to have new ideas repeated often Social skills and in many different ways Follows through on promises and does Fights often with other children things for others Is unusually shy or withdrawn Demonstrates a sense of humor Fears new experiences and people **Awareness** Is unable to handle changes Beginning to understand words that Is often depressed and unhappy indicate quantity and size, such as halfwhole big-little more-less and shortest-Is unable to receive or show affection tallest Refuses to eat for a long period of time Matches 10 colors Lies, cheats, or steals frequently Is constantly negative about self, school, day care or home