

2024 Florida Youth Substance Abuse Survey Statewide Tables

Table 1. Major demographic characteristics of surveyed Florida youth, 2024

| | Unweighted | | Weighted | |
|--|---------------|--------------|---------------|--------------|
| | N | % | N | % |
| Sex | | | | |
| Female | 22,382 | 50.0 | 21,747 | 48.6 |
| Male | 22,053 | 49.3 | 22,711 | 50.7 |
| Race/Ethnic group | | | | |
| American Indian | 984 | 2.2 | 426 | 1.0 |
| Asian | 1,007 | 2.3 | 653 | 1.5 |
| African American | 6,849 | 15.3 | 9,493 | 21.2 |
| Hispanic/Latino | 8,940 | 20.0 | 10,394 | 23.2 |
| Native Hawaiian/Pacific Islander | 88 | 0.2 | 41 | 0.1 |
| Other/Multiple | 9,689 | 21.6 | 7,299 | 16.3 |
| White, non-Hispanic | 16,823 | 37.6 | 16,109 | 36.0 |
| Parent/Guardian in the Military | | | | |
| No | 37,952 | 84.8 | 38,723 | 86.5 |
| Yes | 6,432 | 14.4 | 5,679 | 12.7 |
| Age | | | | |
| 11 | 2,888 | 6.5 | 2,499 | 5.6 |
| 12 | 6,827 | 15.3 | 5,938 | 13.3 |
| 13 | 7,609 | 17.0 | 6,288 | 14.0 |
| 14 | 7,373 | 16.5 | 6,501 | 14.5 |
| 15 | 6,742 | 15.1 | 6,784 | 15.2 |
| 16 | 6,100 | 13.6 | 6,743 | 15.1 |
| 17 | 4,718 | 10.5 | 6,358 | 14.2 |
| 18 | 2,138 | 4.8 | 3,252 | 7.3 |
| Grade | | | | |
| 6th | 7,349 | 16.4 | 6,126 | 13.7 |
| 7th | 7,685 | 17.2 | 6,468 | 14.5 |
| 8th | 7,705 | 17.2 | 6,341 | 14.2 |
| 9th | 6,742 | 15.1 | 6,696 | 15.0 |
| 10th | 6,360 | 14.2 | 6,738 | 15.1 |
| 11th | 5,100 | 11.4 | 6,266 | 14.0 |
| 12th | 3,814 | 8.5 | 6,121 | 13.7 |
| Middle School | 22,739 | 50.8 | 18,934 | 42.3 |
| High School | 22,016 | 49.2 | 25,821 | 57.7 |
| Total | 44,755 | 100.0 | 44,755 | 100.0 |

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases.

Table 2. Demographic characteristics of historical samples—2012 to 2024

| | 2012 | | 2014 | | 2016 | | 2018 | | 2020 | | 2022 | | 2024 | |
|--------------------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Sex | | | | | | | | | | | | | | |
| Female | 34,179 | 48.2 | 31,702 | 48.1 | 31,515 | 47.9 | 26,340 | 48.2 | 25,191 | 48.4 | 22,957 | 48.3 | 21,747 | 48.6 |
| Male | 35,544 | 50.2 | 33,056 | 50.1 | 32,905 | 50.0 | 27,468 | 50.3 | 26,328 | 50.5 | 23,857 | 50.1 | 22,711 | 50.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 12,176 | 17.2 | 12,512 | 19.0 | 14,666 | 22.3 | 12,088 | 22.1 | 11,284 | 21.7 | 10,187 | 21.4 | 9,493 | 21.2 |
| Hispanic/Latino | 16,088 | 22.7 | 12,827 | 19.5 | 13,174 | 20.0 | 11,242 | 20.6 | 11,091 | 21.3 | 10,291 | 21.6 | 10,394 | 23.2 |
| White, non-Hispanic | 27,787 | 39.2 | 29,014 | 44.0 | 28,309 | 43.0 | 22,618 | 41.4 | 20,904 | 40.1 | 18,419 | 38.7 | 16,109 | 36.0 |
| Age | | | | | | | | | | | | | | |
| 11 | 4,037 | 5.7 | 3,909 | 17.5 | 3,856 | 5.9 | 3,339 | 6.1 | 3,151 | 6.0 | 2,576 | 5.4 | 2,499 | 5.6 |
| 12 | 9,151 | 12.9 | 8,589 | 5.9 | 8,338 | 12.7 | 7,363 | 13.5 | 7,124 | 13.7 | 6,243 | 13.1 | 5,938 | 13.3 |
| 13 | 10,289 | 14.5 | 9,491 | 13.0 | 9,230 | 14.0 | 7,738 | 14.2 | 7,698 | 14.8 | 6,872 | 14.4 | 6,288 | 14.0 |
| 14 | 10,537 | 14.9 | 9,764 | 14.4 | 9,454 | 14.4 | 7,864 | 14.4 | 7,616 | 14.6 | 7,136 | 15.0 | 6,501 | 14.5 |
| 15 | 10,727 | 15.1 | 10,011 | 14.8 | 10,070 | 15.3 | 7,982 | 14.6 | 7,582 | 14.6 | 7,278 | 15.3 | 6,784 | 15.2 |
| 16 | 10,384 | 14.7 | 9,431 | 15.2 | 9,684 | 14.7 | 7,926 | 14.5 | 7,502 | 14.4 | 6,918 | 14.5 | 6,743 | 15.1 |
| 17 | 9,533 | 13.5 | 8,940 | 14.3 | 9,348 | 14.2 | 7,725 | 14.1 | 7,073 | 13.6 | 6,616 | 13.9 | 6,358 | 14.2 |
| 18 | 5,217 | 7.4 | 4,837 | 13.6 | 4,799 | 7.3 | 3,990 | 7.3 | 3,807 | 7.3 | 3,403 | 7.2 | 3,252 | 7.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 10,330 | 14.6 | 9,610 | 14.6 | 9,301 | 14.1 | 8,050 | 14.7 | 7,718 | 14.8 | 6,626 | 13.9 | 6,126 | 13.7 |
| 7th | 10,332 | 14.6 | 9,611 | 14.6 | 9,215 | 14.0 | 7,706 | 14.1 | 7,555 | 14.5 | 6,817 | 14.3 | 6,468 | 14.5 |
| 8th | 10,134 | 14.3 | 9,427 | 14.3 | 9,326 | 14.2 | 7,715 | 14.1 | 7,632 | 14.6 | 7,021 | 14.8 | 6,341 | 14.2 |
| 9th | 11,051 | 15.6 | 10,281 | 15.6 | 10,140 | 15.4 | 8,024 | 14.7 | 7,668 | 14.7 | 7,193 | 15.1 | 6,696 | 15.0 |
| 10th | 10,314 | 14.6 | 9,595 | 14.6 | 9,834 | 15.0 | 7,925 | 14.5 | 7,481 | 14.4 | 7,025 | 14.8 | 6,738 | 15.1 |
| 11th | 9,879 | 13.9 | 9,190 | 13.9 | 9,254 | 14.1 | 7,775 | 14.2 | 7,117 | 13.7 | 6,557 | 13.8 | 6,266 | 14.0 |
| 12th | 8,819 | 12.4 | 8,203 | 12.4 | 8,705 | 13.2 | 7,417 | 13.6 | 6,923 | 13.3 | 6,333 | 13.3 | 6,121 | 13.7 |
| Middle School | 30,796 | 43.5 | 28,547 | 43.3 | 27,678 | 42.1 | 23,470 | 43.0 | 22,904 | 44.0 | 20,463 | 43.0 | 18,934 | 42.3 |
| High School | 40,063 | 56.5 | 37,164 | 56.4 | 37,765 | 57.4 | 31,141 | 57.0 | 29,189 | 56.0 | 27,109 | 57.0 | 25,821 | 57.7 |
| Total | 70,859 | 100.0 | 65,917 | 100.0 | 65,776 | 100.0 | 54,611 | 100.0 | 52,093 | 100.0 | 47,572 | 100.0 | 44,755 | 100.0 |

Note: Demographic results represent samples after sample weights have been applied.

Table 3. Lifetime prevalence of ATOD use, 2024

| | Grade Level | | | | | | |
|--------------------------------|-------------|-------|-------|-------|--------|--------|--------|
| | 6th % | 7th % | 8th % | 9th % | 10th % | 11th % | 12th % |
| Alcohol | 14.2 | 19.1 | 24.5 | 23.6 | 30.3 | 36.7 | 40.4 |
| Cigarettes | 3.0 | 4.3 | 5.7 | 5.7 | 7.6 | 8.8 | 8.9 |
| Vaping Nicotine | 6.6 | 11.2 | 14.5 | 15.7 | 19.7 | 22.1 | 23.6 |
| Vaping Marijuana | 3.0 | 5.4 | 8.1 | 10.4 | 15.6 | 18.9 | 20.9 |
| Marijuana or Hashish | 2.9 | 5.3 | 9.2 | 11.5 | 16.6 | 22.0 | 24.9 |
| Synthetic Marijuana | -- | -- | -- | 1.7 | 1.9 | 2.0 | 2.3 |
| Inhalants | 7.0 | 7.6 | 6.1 | 4.3 | 4.1 | 3.1 | 2.2 |
| Club Drugs | 0.2 | 0.3 | 0.5 | 0.5 | 0.8 | 0.9 | 0.9 |
| LSD, PCP or Mushrooms | 0.6 | 1.0 | 1.5 | 1.8 | 2.5 | 3.8 | 3.9 |
| Methamphetamine | 0.7 | 0.6 | 0.7 | 0.4 | 0.7 | 0.3 | 0.6 |
| Cocaine or Crack Cocaine | 0.3 | 0.5 | 0.6 | 0.4 | 0.5 | 0.7 | 0.8 |
| Heroin | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.6 | 0.1 |
| Depressants | 0.8 | 1.3 | 1.5 | 1.3 | 1.5 | 1.8 | 1.9 |
| Prescription Pain Relievers | 1.2 | 1.7 | 1.8 | 1.7 | 1.7 | 2.1 | 1.6 |
| Prescription Amphetamines | 0.9 | 1.4 | 2.0 | 1.9 | 2.0 | 1.8 | 2.4 |
| Over-the-Counter Drugs | 1.2 | 1.8 | 2.2 | 1.7 | 2.3 | 2.5 | 1.5 |
| Needle to Inject Illegal Drugs | -- | -- | -- | 0.7 | 0.5 | 0.6 | 0.4 |

Table 4. Past-30-day prevalence of ATOD use, 2024

| | Grade Level | | | | | | |
|-----------------------------|-------------|----------|----------|----------|-----------|-----------|-----------|
| | 6th % | 7th % | 8th % | 9th % | 10th % | 11th % | 12th % |
| Alcohol | 3.9 | 6.2 | 8.2 | 8.3 | 11.8 | 14.6 | 18.2 |
| Binge Drinking | 1.6 | 2.4 | 3.3 | 4.1 | 5.0 | 7.1 | 7.9 |
| Cigarettes | 0.4 | 0.6 | 1.0 | 1.1 | 1.3 | 1.7 | 1.5 |
| Vaping Nicotine | 2.2 | 3.7 | 5.1 | 6.6 | 8.6 | 9.2 | 10.8 |
| Vaping Marijuana | 1.1 | 1.9 | 3.5 | 5.0 | 8.1 | 8.6 | 9.7 |
| Marijuana or Hashish | 1.0 | 1.9 | 4.4 | 5.8 | 8.2 | 10.4 | 12.5 |
| Synthetic Marijuana | -- | -- | -- | 0.9 | 0.7 | 0.6 | 0.7 |
| Inhalants | 2.8 | 2.6 | 2.0 | 1.3 | 1.1 | 0.7 | 0.6 |
| Club Drugs | 0.1 | 0.2 | 0.2 | 0.1 | 0.4 | 0.1 | 0.1 |
| LSD, PCP or Mushrooms | 0.2 | 0.4 | 0.5 | 0.4 | 0.8 | 0.9 | 0.6 |
| Methamphetamine | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.2 | 0.1 |
| Cocaine or Crack Cocaine | 0.0 | 0.1 | 0.2 | 0.1 | 0.3 | 0.2 | 0.3 |
| Heroin | 0.1 | 0.0 | 0.2 | 0.1 | 0.1 | 0.2 | 0.0 |
| Depressants | 0.3 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.2 |
| Prescription Pain Relievers | 0.5 | 0.7 | 0.9 | 0.5 | 0.7 | 0.4 | 0.4 |
| Prescription Amphetamines | 0.2 | 0.6 | 0.7 | 0.7 | 0.5 | 0.5 | 0.4 |
| Over-the-Counter Drugs | 0.5 | 0.7 | 1.0 | 0.9 | 0.8 | 0.7 | 0.3 |

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks.

Table 5. Percentage of surveyed Florida youth who used alcohol in lifetime and past 30 days—2012 to 2024

| | Alcohol Use | | | | | | | | | | | | | |
|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 48.8 | 44.3 | 41.3 | 38.9 | 38.3 | 34.5 | 30.5 | 25.3 | 21.7 | 19.9 | 16.8 | 15.9 | 13.3 | 11.8 |
| Male | 45.8 | 40.9 | 37.1 | 34.1 | 32.5 | 27.5 | 23.5 | 23.8 | 19.4 | 17.0 | 13.8 | 13.7 | 10.3 | 8.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 38.7 | 34.3 | 31.0 | 28.2 | 26.4 | 22.9 | 19.0 | 17.4 | 13.8 | 12.4 | 9.5 | 9.1 | 7.4 | 6.5 |
| Hispanic/Latino | 48.8 | 45.3 | 41.5 | 38.3 | 35.3 | 31.0 | 25.7 | 25.5 | 22.0 | 18.6 | 15.3 | 14.0 | 10.7 | 8.9 |
| White, non-Hispanic | 50.5 | 46.0 | 42.1 | 39.8 | 39.6 | 35.1 | 31.4 | 27.6 | 23.7 | 21.4 | 18.4 | 18.0 | 14.7 | 12.8 |
| Age | | | | | | | | | | | | | | |
| 11 | 14.6 | 11.2 | 10.0 | 10.9 | 12.9 | 13.2 | 13.1 | 5.6 | 3.8 | 2.5 | 2.8 | 4.4 | 3.9 | 2.8 |
| 12 | 21.0 | 18.1 | 15.7 | 15.3 | 18.4 | 16.9 | 15.7 | 7.2 | 6.1 | 5.3 | 4.5 | 6.0 | 4.9 | 4.8 |
| 13 | 31.6 | 28.0 | 24.8 | 23.9 | 26.1 | 22.9 | 21.8 | 14.0 | 11.2 | 9.4 | 8.3 | 9.2 | 7.6 | 6.9 |
| 14 | 44.8 | 39.0 | 34.6 | 33.9 | 33.0 | 29.0 | 24.1 | 20.3 | 18.3 | 14.7 | 13.2 | 12.3 | 9.7 | 8.2 |
| 15 | 54.8 | 48.6 | 43.4 | 39.0 | 38.4 | 32.7 | 27.1 | 29.1 | 22.7 | 19.9 | 15.8 | 15.8 | 11.7 | 10.3 |
| 16 | 62.4 | 58.0 | 51.4 | 49.9 | 45.3 | 38.6 | 32.7 | 33.4 | 28.3 | 23.6 | 21.4 | 19.4 | 15.4 | 13.1 |
| 17 | 68.4 | 63.9 | 60.3 | 55.5 | 51.2 | 43.9 | 37.8 | 40.2 | 34.1 | 32.4 | 25.6 | 24.0 | 18.6 | 15.6 |
| 18 | 68.9 | 64.4 | 61.3 | 55.5 | 52.8 | 47.4 | 41.1 | 42.0 | 36.2 | 34.5 | 28.5 | 27.3 | 22.2 | 18.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | 17.4 | 15.1 | 12.5 | 12.6 | 15.3 | 14.3 | 14.2 | 6.5 | 5.0 | 4.0 | 3.8 | 5.1 | 4.4 | 3.9 |
| 7th | 29.3 | 24.0 | 21.6 | 20.5 | 22.9 | 20.7 | 19.1 | 12.0 | 9.5 | 7.7 | 6.3 | 8.1 | 6.4 | 6.2 |
| 8th | 40.2 | 35.9 | 31.2 | 29.5 | 30.7 | 27.5 | 24.5 | 18.5 | 15.9 | 13.2 | 11.9 | 11.3 | 9.2 | 8.2 |
| 9th | 51.8 | 45.4 | 39.9 | 37.7 | 35.0 | 29.8 | 23.6 | 26.7 | 21.3 | 17.2 | 13.9 | 13.0 | 10.6 | 8.3 |
| 10th | 58.6 | 54.0 | 47.9 | 45.2 | 42.3 | 36.2 | 30.3 | 31.4 | 26.3 | 22.3 | 19.5 | 18.2 | 13.1 | 11.8 |
| 11th | 66.6 | 60.2 | 56.7 | 52.7 | 48.5 | 41.7 | 36.7 | 36.8 | 30.3 | 29.2 | 23.4 | 21.8 | 18.1 | 14.6 |
| 12th | 70.1 | 66.9 | 62.8 | 57.3 | 55.1 | 47.7 | 40.4 | 42.7 | 37.5 | 34.4 | 28.3 | 27.5 | 21.3 | 18.2 |
| Middle School | 28.9 | 25.0 | 21.8 | 20.8 | 23.0 | 21.0 | 19.3 | 12.3 | 10.1 | 8.3 | 7.3 | 8.2 | 6.7 | 6.2 |
| High School | 61.3 | 56.0 | 51.4 | 48.0 | 44.9 | 38.5 | 32.5 | 33.9 | 28.4 | 25.5 | 21.2 | 19.9 | 15.5 | 13.1 |
| Total | 47.3 | 42.6 | 39.1 | 36.5 | 35.3 | 31.0 | 26.9 | 24.6 | 20.5 | 18.3 | 15.3 | 14.8 | 11.8 | 10.2 |

Table 6. Percentage of surveyed Florida youth who used alcohol, and number of occasions in past 30 days, 2024

| | Alcohol | | | | | | |
|--------------------------|-------------------------------------|------------|------------|------------|------------|------------|------------|
| | Number of Occasions in Past 30 Days | | | | | | |
| | 0 % | 1-2 % | 3-5 % | 6-9 % | 10-19 % | 20-39 % | 40+ % |
| Sex | | | | | | | |
| Female | 88.2 | 8.3 | 2.2 | 0.7 | 0.4 | 0.1 | 0.1 |
| Male | 91.4 | 5.4 | 1.7 | 0.7 | 0.4 | 0.1 | 0.3 |
| Race/Ethnic group | | | | | | | |
| African American | 93.5 | 4.3 | 1.3 | 0.5 | 0.2 | 0.1 | 0.1 |
| Hispanic/Latino | 91.1 | 6.0 | 1.6 | 0.8 | 0.3 | 0.0 | 0.2 |
| White, non-Hispanic | 87.2 | 8.6 | 2.4 | 0.9 | 0.5 | 0.1 | 0.3 |
| Age | | | | | | | |
| 11 | 97.2 | 2.2 | 0.4 | 0.1 | 0.1 | 0.0 | 0.0 |
| 12 | 95.2 | 3.6 | 0.6 | 0.2 | 0.2 | 0.0 | 0.1 |
| 13 | 93.1 | 4.8 | 1.0 | 0.5 | 0.2 | 0.1 | 0.2 |
| 14 | 91.8 | 5.8 | 1.5 | 0.4 | 0.3 | 0.1 | 0.1 |
| 15 | 89.7 | 6.9 | 2.1 | 0.7 | 0.3 | 0.1 | 0.2 |
| 16 | 86.9 | 8.7 | 2.7 | 0.8 | 0.5 | 0.2 | 0.2 |
| 17 | 84.4 | 10.3 | 3.3 | 1.5 | 0.3 | 0.1 | 0.1 |
| 18 | 81.3 | 11.6 | 3.6 | 1.9 | 1.2 | 0.1 | 0.3 |
| Grade | | | | | | | |
| 6th | 96.1 | 2.8 | 0.6 | 0.1 | 0.3 | 0.0 | 0.1 |
| 7th | 93.8 | 4.7 | 0.7 | 0.5 | 0.1 | 0.1 | 0.1 |
| 8th | 91.8 | 5.5 | 1.6 | 0.4 | 0.3 | 0.1 | 0.2 |
| 9th | 91.7 | 5.6 | 1.8 | 0.5 | 0.3 | 0.0 | 0.1 |
| 10th | 88.2 | 7.8 | 2.4 | 0.7 | 0.4 | 0.2 | 0.3 |
| 11th | 85.4 | 9.6 | 2.8 | 1.3 | 0.5 | 0.1 | 0.2 |
| 12th | 81.8 | 11.9 | 3.6 | 1.6 | 0.7 | 0.1 | 0.3 |
| Middle School | 93.8 | 4.4 | 1.0 | 0.4 | 0.2 | 0.1 | 0.2 |
| High School | 86.9 | 8.6 | 2.6 | 1.0 | 0.5 | 0.1 | 0.2 |
| Total | 89.8 | 6.8 | 1.9 | 0.7 | 0.4 | 0.1 | 0.2 |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 7. Percentage of surveyed Florida youth who reported binge drinking and blacking out after drinking alcohol—2012 to 2024

| | High-Risk Alcohol Use | | | | | | | | | | | | | |
|--------------------------|-----------------------|------------|------------|------------|------------|------------|------------|--------------|--------|--------|--------|--------|--------|--------|
| | Binge Drinking | | | | | | | Blacking Out | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 10.6 | 9.5 | 7.9 | 6.7 | 6.8 | 6.1 | 4.8 | | 19.8 | 16.5 | 15.0 | 14.2 | 12.7 | 10.3 |
| Male | 11.9 | 9.4 | 7.7 | 6.9 | 6.4 | 5.1 | 4.1 | | 18.1 | 15.4 | 13.5 | 13.3 | 9.5 | 8.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 7.1 | 6.0 | 4.9 | 3.9 | 4.5 | 3.9 | 3.2 | | 10.3 | 8.4 | 7.7 | 8.1 | 7.2 | 5.2 |
| Hispanic/Latino | 12.3 | 11.3 | 8.6 | 7.6 | 7.0 | 5.8 | 4.3 | | 18.6 | 15.3 | 12.4 | 11.7 | 8.2 | 6.6 |
| White, non-Hispanic | 12.8 | 10.7 | 8.8 | 7.9 | 7.5 | 6.4 | 5.2 | | 22.4 | 20.0 | 18.9 | 18.0 | 14.7 | 12.9 |
| Age | | | | | | | | | | | | | | |
| 11 | 1.5 | 1.1 | 0.6 | 1.2 | 1.6 | 2.1 | 1.4 | | -- | -- | -- | -- | -- | -- |
| 12 | 2.2 | 1.9 | 1.8 | 1.9 | 2.2 | 1.7 | 1.6 | | -- | -- | -- | -- | -- | -- |
| 13 | 4.9 | 4.4 | 3.7 | 3.2 | 3.9 | 3.5 | 2.7 | | -- | -- | -- | -- | -- | -- |
| 14 | 8.3 | 6.7 | 5.5 | 5.1 | 5.1 | 4.0 | 3.2 | | 10.0 | 7.3 | 7.0 | 7.7 | 5.4 | 5.1 |
| 15 | 13.5 | 10.2 | 7.8 | 6.4 | 7.0 | 5.4 | 4.7 | | 14.2 | 11.5 | 9.9 | 10.5 | 8.2 | 6.6 |
| 16 | 16.0 | 14.4 | 9.6 | 10.0 | 9.0 | 7.1 | 6.0 | | 20.0 | 15.5 | 14.4 | 13.1 | 10.3 | 9.3 |
| 17 | 19.9 | 16.7 | 15.4 | 12.1 | 10.6 | 9.2 | 7.1 | | 24.5 | 21.2 | 17.7 | 16.7 | 15.0 | 11.6 |
| 18 | 22.1 | 19.0 | 15.7 | 13.7 | 14.6 | 11.9 | 8.4 | | 23.1 | 22.3 | 21.0 | 20.7 | 15.8 | 12.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.1 | 1.9 | 1.6 | 1.8 | 2.1 | 2.3 | 1.6 | | -- | -- | -- | -- | -- | -- |
| 7th | 4.6 | 3.8 | 3.2 | 2.8 | 3.2 | 2.7 | 2.4 | | -- | -- | -- | -- | -- | -- |
| 8th | 7.4 | 6.0 | 4.9 | 4.6 | 4.9 | 4.0 | 3.3 | | -- | -- | -- | -- | -- | -- |
| 9th | 11.9 | 9.3 | 6.9 | 5.6 | 5.8 | 4.9 | 4.1 | | 12.7 | 9.5 | 8.6 | 8.5 | 6.3 | 5.5 |
| 10th | 14.8 | 12.7 | 9.0 | 8.9 | 8.4 | 5.9 | 5.0 | | 17.9 | 14.0 | 12.3 | 12.4 | 9.3 | 7.9 |
| 11th | 17.8 | 14.9 | 12.7 | 10.4 | 9.9 | 8.6 | 7.1 | | 21.0 | 18.9 | 15.8 | 15.0 | 13.3 | 11.3 |
| 12th | 22.1 | 19.2 | 15.8 | 13.6 | 13.2 | 11.1 | 7.9 | | 25.4 | 22.3 | 20.7 | 19.8 | 16.0 | 12.2 |
| Middle School | 4.7 | 3.9 | 3.2 | 3.1 | 3.4 | 3.0 | 2.4 | | -- | -- | -- | -- | -- | -- |
| High School | 16.4 | 13.7 | 10.9 | 9.6 | 9.2 | 7.5 | 5.9 | | 18.9 | 15.9 | 14.2 | 13.8 | 11.0 | 9.1 |
| Total | 11.3 | 9.5 | 7.7 | 6.8 | 6.7 | 5.6 | 4.4 | | -- | -- | -- | -- | -- | -- |

Note: Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went.

Table 8. Percentage of surveyed Florida youth who used cigarettes in lifetime and past 30 days—2012 to 2024

| | Cigarette Use | | | | | | | | | | | | | |
|--------------------------|---------------|-------------|-------------|-------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 21.1 | 17.2 | 14.0 | 11.1 | 8.5 | 7.2 | 6.4 | 6.0 | 4.4 | 3.3 | 2.6 | 1.4 | 1.0 | 0.9 |
| Male | 21.5 | 18.0 | 14.1 | 11.4 | 9.6 | 7.0 | 6.2 | 7.1 | 5.3 | 3.5 | 2.4 | 2.1 | 1.3 | 1.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 13.6 | 10.3 | 8.9 | 6.5 | 5.8 | 4.0 | 3.1 | 2.9 | 2.0 | 1.5 | 1.2 | 1.2 | 0.7 | 0.8 |
| Hispanic/Latino | 20.3 | 17.2 | 13.4 | 11.4 | 7.7 | 6.0 | 5.7 | 5.2 | 3.6 | 2.6 | 2.0 | 1.3 | 0.8 | 0.9 |
| White, non-Hispanic | 25.3 | 21.2 | 16.7 | 13.6 | 11.3 | 9.2 | 8.3 | 9.1 | 6.9 | 4.7 | 3.3 | 2.3 | 1.5 | 1.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 4.4 | 3.7 | 2.4 | 3.2 | 2.9 | 2.6 | 2.0 | 0.9 | 0.4 | 0.3 | 0.8 | 0.5 | 0.3 | 0.2 |
| 12 | 7.2 | 6.5 | 5.1 | 4.6 | 4.8 | 3.8 | 3.6 | 1.1 | 1.1 | 0.8 | 0.7 | 0.8 | 0.5 | 0.5 |
| 13 | 12.9 | 10.6 | 9.1 | 7.4 | 6.8 | 5.7 | 4.5 | 2.7 | 2.2 | 1.7 | 1.4 | 1.3 | 1.0 | 0.7 |
| 14 | 18.3 | 15.2 | 12.4 | 9.5 | 8.1 | 6.3 | 5.5 | 4.4 | 3.6 | 2.2 | 1.6 | 1.4 | 1.0 | 0.9 |
| 15 | 24.4 | 19.3 | 14.9 | 11.4 | 9.3 | 7.0 | 7.2 | 7.2 | 5.1 | 3.5 | 2.5 | 1.7 | 1.2 | 1.6 |
| 16 | 28.0 | 22.9 | 18.5 | 15.1 | 11.4 | 8.3 | 8.1 | 8.7 | 6.5 | 4.3 | 3.4 | 2.4 | 1.2 | 1.2 |
| 17 | 33.9 | 28.9 | 22.4 | 17.5 | 12.6 | 9.7 | 8.3 | 12.8 | 9.0 | 6.2 | 4.0 | 2.9 | 1.7 | 1.4 |
| 18 | 36.5 | 30.2 | 23.6 | 19.2 | 15.9 | 13.1 | 9.5 | 14.6 | 11.1 | 7.4 | 5.4 | 3.6 | 2.1 | 1.8 |
| Grade | | | | | | | | | | | | | | |
| 6th | 6.7 | 5.7 | 4.3 | 4.4 | 4.5 | 3.8 | 3.0 | 1.3 | 1.0 | 0.8 | 0.7 | 0.8 | 0.5 | 0.4 |
| 7th | 11.7 | 9.5 | 8.3 | 6.5 | 6.3 | 5.0 | 4.3 | 2.4 | 2.1 | 1.5 | 1.2 | 1.1 | 0.8 | 0.6 |
| 8th | 17.1 | 14.2 | 11.3 | 9.2 | 7.4 | 6.3 | 5.7 | 4.3 | 2.9 | 2.0 | 1.6 | 1.4 | 1.1 | 1.0 |
| 9th | 22.8 | 18.3 | 13.8 | 9.8 | 8.8 | 6.8 | 5.7 | 6.6 | 5.2 | 2.9 | 1.9 | 1.5 | 1.0 | 1.1 |
| 10th | 26.2 | 22.0 | 17.2 | 14.4 | 10.1 | 7.0 | 7.6 | 7.8 | 6.2 | 4.6 | 3.5 | 1.9 | 1.3 | 1.3 |
| 11th | 30.2 | 24.7 | 21.4 | 15.5 | 11.5 | 9.0 | 8.8 | 11.0 | 7.2 | 5.0 | 3.6 | 2.8 | 1.4 | 1.7 |
| 12th | 36.5 | 30.8 | 22.4 | 19.5 | 15.4 | 12.1 | 8.9 | 13.9 | 10.8 | 7.1 | 5.0 | 3.3 | 2.0 | 1.5 |
| Middle School | 11.8 | 9.8 | 8.0 | 6.7 | 6.1 | 5.0 | 4.4 | 2.7 | 2.0 | 1.4 | 1.2 | 1.1 | 0.8 | 0.7 |
| High School | 28.5 | 23.6 | 18.5 | 14.7 | 11.3 | 8.6 | 7.7 | 9.6 | 7.1 | 4.8 | 3.5 | 2.4 | 1.4 | 1.4 |
| Total | 21.3 | 17.6 | 14.1 | 11.3 | 9.0 | 7.1 | 6.3 | 6.6 | 4.9 | 3.4 | 2.5 | 1.8 | 1.2 | 1.1 |

Table 9. Percentage of surveyed Florida youth who vaped nicotine (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2024

| | Vaped Nicotine | | | | | | | | | | | | | |
|--------------------------|----------------|-------------|-------------|-------------|-------------|-------------|--|--------------|-------------|-------------|------------|------------|------------|--|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | |
| Sex | | | | | | | | | | | | | | |
| Female | 25.2 | 24.9 | 26.1 | 23.8 | 20.1 | 20.2 | | 12.9 | 12.3 | 13.9 | 11.9 | 9.9 | 8.4 | |
| Male | 21.9 | 20.8 | 19.3 | 16.7 | 12.9 | 12.4 | | 12.1 | 10.4 | 8.7 | 7.5 | 5.7 | 4.9 | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 11.8 | 12.0 | 13.5 | 13.7 | 10.8 | 11.5 | | 4.4 | 4.8 | 5.6 | 5.7 | 4.9 | 4.3 | |
| Hispanic/Latino | 21.6 | 21.3 | 22.1 | 19.6 | 18.2 | 15.7 | | 11.2 | 9.9 | 9.0 | 9.4 | 8.0 | 5.6 | |
| White, non-Hispanic | 30.5 | 28.8 | 27.0 | 23.5 | 18.2 | 18.9 | | 18.0 | 15.2 | 14.6 | 11.8 | 9.3 | 8.5 | |
| Age | | | | | | | | | | | | | | |
| 11 | 6.0 | 4.6 | 5.8 | 6.4 | 6.9 | 5.7 | | 2.0 | 1.8 | 1.6 | 2.1 | 2.0 | 1.7 | |
| 12 | 9.8 | 9.6 | 10.9 | 10.1 | 10.1 | 8.3 | | 4.0 | 3.8 | 4.4 | 3.5 | 3.7 | 2.7 | |
| 13 | 16.8 | 16.3 | 17.7 | 14.3 | 13.1 | 11.9 | | 7.4 | 7.1 | 7.8 | 6.5 | 5.9 | 4.0 | |
| 14 | 21.4 | 22.1 | 24.2 | 18.5 | 16.1 | 15.4 | | 10.1 | 10.1 | 11.1 | 8.7 | 6.1 | 5.6 | |
| 15 | 30.0 | 26.2 | 25.0 | 22.2 | 17.5 | 18.1 | | 15.5 | 13.5 | 12.7 | 10.7 | 7.8 | 7.9 | |
| 16 | 32.0 | 31.8 | 29.2 | 25.9 | 20.0 | 20.3 | | 17.6 | 16.3 | 15.7 | 12.5 | 11.9 | 8.6 | |
| 17 | 31.6 | 32.4 | 29.8 | 29.8 | 20.7 | 22.9 | | 19.2 | 17.1 | 15.8 | 15.2 | 10.1 | 10.2 | |
| 18 | 32.7 | 33.9 | 30.3 | 29.6 | 23.8 | 23.8 | | 21.3 | 19.2 | 15.7 | 15.9 | 12.0 | 10.8 | |
| Grade | | | | | | | | | | | | | | |
| 6th | 7.8 | 7.4 | 8.2 | 8.8 | 9.3 | 6.6 | | 2.7 | 2.8 | 3.0 | 3.1 | 3.0 | 2.2 | |
| 7th | 13.9 | 13.0 | 15.0 | 12.4 | 11.6 | 11.2 | | 6.1 | 5.8 | 5.9 | 5.3 | 5.9 | 3.7 | |
| 8th | 19.4 | 19.8 | 22.1 | 17.6 | 17.5 | 14.5 | | 8.9 | 8.7 | 10.1 | 7.9 | 7.2 | 5.1 | |
| 9th | 26.3 | 24.1 | 22.7 | 19.5 | 17.9 | 15.7 | | 13.2 | 12.1 | 11.4 | 9.9 | 8.2 | 6.6 | |
| 10th | 30.6 | 29.3 | 27.8 | 23.3 | 18.7 | 19.7 | | 16.9 | 15.1 | 14.4 | 11.0 | 9.8 | 8.6 | |
| 11th | 33.5 | 32.0 | 30.7 | 28.6 | 18.7 | 22.1 | | 18.3 | 16.8 | 16.2 | 13.8 | 10.0 | 9.2 | |
| 12th | 33.2 | 35.1 | 31.9 | 31.5 | 23.6 | 23.6 | | 21.6 | 19.0 | 17.5 | 16.8 | 11.1 | 10.8 | |
| Middle School | 13.7 | 13.5 | 15.1 | 13.1 | 12.8 | 10.9 | | 5.9 | 5.8 | 6.4 | 5.5 | 5.4 | 3.7 | |
| High School | 30.8 | 30.0 | 28.1 | 25.5 | 19.6 | 20.1 | | 17.4 | 15.6 | 14.8 | 12.7 | 9.7 | 8.7 | |
| Total | 23.5 | 22.8 | 22.5 | 20.2 | 16.6 | 16.2 | | 12.5 | 11.4 | 11.2 | 9.7 | 7.8 | 6.6 | |

Table 10. Percentage of surveyed Florida youth who vaped marijuana (e-cigarettes, vape pens, JUUL), in lifetime and past 30 days—2019 to 2024

| | Vaped Marijuana | | | | | | | | | | | | | |
|--------------------------|-----------------|-------------|-------------|-------------|-------------|-------------|--|--------------|------------|------------|------------|------------|------------|--|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | |
| Sex | | | | | | | | | | | | | | |
| Female | 16.1 | 16.6 | 16.8 | 15.1 | 14.0 | 14.4 | | 8.1 | 7.3 | 7.4 | 7.7 | 7.0 | 6.3 | |
| Male | 14.6 | 14.5 | 13.1 | 11.4 | 9.5 | 9.2 | | 8.4 | 7.3 | 6.1 | 5.9 | 5.0 | 4.7 | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 9.5 | 10.1 | 9.0 | 9.8 | 8.9 | 9.6 | | 4.2 | 4.2 | 3.7 | 4.8 | 4.9 | 4.8 | |
| Hispanic/Latino | 15.3 | 15.0 | 15.2 | 12.4 | 11.1 | 10.3 | | 8.1 | 6.8 | 6.4 | 6.4 | 5.2 | 4.1 | |
| White, non-Hispanic | 18.1 | 18.2 | 17.2 | 15.2 | 13.2 | 13.5 | | 10.5 | 8.5 | 8.0 | 7.9 | 6.8 | 6.5 | |
| Age | | | | | | | | | | | | | | |
| 11 | 1.5 | 1.8 | 2.6 | 2.0 | 1.8 | 2.4 | | 1.1 | 0.8 | 0.9 | 0.7 | 0.6 | 0.7 | |
| 12 | 3.9 | 4.1 | 3.4 | 4.0 | 3.7 | 3.7 | | 1.7 | 1.8 | 1.6 | 1.6 | 1.6 | 1.3 | |
| 13 | 8.1 | 8.4 | 7.6 | 6.8 | 7.4 | 6.3 | | 3.4 | 3.6 | 2.8 | 3.4 | 3.5 | 2.4 | |
| 14 | 12.0 | 12.0 | 12.3 | 9.6 | 9.1 | 8.9 | | 5.9 | 5.8 | 5.5 | 4.9 | 4.3 | 3.9 | |
| 15 | 19.5 | 17.3 | 15.6 | 14.3 | 12.2 | 13.4 | | 10.2 | 8.5 | 6.8 | 7.0 | 7.2 | 6.5 | |
| 16 | 22.4 | 24.2 | 22.8 | 17.9 | 16.4 | 16.4 | | 13.3 | 11.3 | 10.1 | 9.4 | 8.1 | 8.7 | |
| 17 | 25.5 | 25.8 | 24.6 | 24.2 | 17.5 | 19.9 | | 14.2 | 12.2 | 12.3 | 13.2 | 8.7 | 8.8 | |
| 18 | 25.1 | 28.7 | 28.2 | 24.7 | 22.8 | 20.5 | | 14.6 | 13.8 | 12.3 | 13.0 | 12.2 | 10.1 | |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.3 | 3.1 | 2.9 | 3.5 | 3.4 | 3.0 | | 1.4 | 1.2 | 1.4 | 1.6 | 0.9 | 1.1 | |
| 7th | 6.7 | 6.7 | 5.6 | 5.5 | 6.2 | 5.4 | | 2.5 | 3.1 | 2.0 | 2.5 | 3.4 | 1.9 | |
| 8th | 10.7 | 10.6 | 10.9 | 9.1 | 9.4 | 8.1 | | 5.1 | 4.8 | 4.2 | 4.5 | 4.7 | 3.5 | |
| 9th | 16.1 | 13.8 | 12.6 | 11.3 | 11.7 | 10.4 | | 8.2 | 6.8 | 6.0 | 5.7 | 6.4 | 5.0 | |
| 10th | 20.6 | 21.5 | 20.4 | 16.2 | 15.3 | 15.6 | | 11.6 | 10.3 | 9.8 | 8.5 | 8.2 | 8.1 | |
| 11th | 25.5 | 25.8 | 23.9 | 21.2 | 15.6 | 18.9 | | 14.2 | 12.1 | 11.1 | 11.0 | 7.2 | 8.6 | |
| 12th | 26.1 | 28.4 | 29.0 | 26.2 | 22.7 | 20.9 | | 15.4 | 13.6 | 12.9 | 14.1 | 12.2 | 9.7 | |
| Middle School | 6.6 | 6.8 | 6.5 | 6.1 | 6.3 | 5.5 | | 3.0 | 3.0 | 2.5 | 2.9 | 3.0 | 2.2 | |
| High School | 22.0 | 22.2 | 21.3 | 18.4 | 16.0 | 16.3 | | 12.3 | 10.6 | 9.9 | 9.7 | 8.4 | 7.8 | |
| Total | 15.3 | 15.5 | 14.9 | 13.2 | 11.8 | 11.7 | | 8.3 | 7.3 | 6.7 | 6.8 | 6.0 | 5.5 | |

Table 11. Percentage of surveyed Florida youth who used an electronic vaporizer, such as an e-cigarette, in lifetime and past 30 days—2016 and 2018

| | Electronic Vaporizer Use | | | | | | | | | | | |
|--------------------------|--------------------------|-------------|-------------|--|--------------|--|--|------------|-------------|--|--|--|
| | Lifetime | | | | Past 30 Days | | | | | | | |
| | | 2016 % | 2018 % | | | | | 2016 % | 2018 % | | | |
| Sex | | | | | | | | | | | | |
| Female | | 24.4 | 26.5 | | | | | 8.4 | 13.5 | | | |
| Male | | 27.1 | 27.6 | | | | | 10.6 | 14.0 | | | |
| Race/Ethnic group | | | | | | | | | | | | |
| African American | | 17.9 | 17.0 | | | | | 5.5 | 5.9 | | | |
| Hispanic/Latino | | 26.7 | 27.5 | | | | | 9.6 | 12.8 | | | |
| White, non-Hispanic | | 29.2 | 32.1 | | | | | 11.8 | 18.3 | | | |
| Age | | | | | | | | | | | | |
| 11 | | 4.9 | 7.0 | | | | | 1.4 | 2.2 | | | |
| 12 | | 8.8 | 10.3 | | | | | 2.9 | 3.5 | | | |
| 13 | | 17.5 | 16.8 | | | | | 6.3 | 7.5 | | | |
| 14 | | 24.4 | 26.6 | | | | | 8.8 | 13.5 | | | |
| 15 | | 31.5 | 31.5 | | | | | 11.7 | 16.7 | | | |
| 16 | | 35.1 | 38.6 | | | | | 13.2 | 19.8 | | | |
| 17 | | 37.0 | 39.2 | | | | | 13.8 | 20.6 | | | |
| 18 | | 36.9 | 38.9 | | | | | 14.9 | 22.2 | | | |
| Grade | | | | | | | | | | | | |
| 6th | | 6.9 | 8.7 | | | | | 2.5 | 3.0 | | | |
| 7th | | 14.1 | 14.1 | | | | | 5.1 | 6.0 | | | |
| 8th | | 22.8 | 22.6 | | | | | 7.8 | 10.2 | | | |
| 9th | | 28.8 | 29.9 | | | | | 10.7 | 16.1 | | | |
| 10th | | 33.7 | 36.0 | | | | | 13.4 | 18.7 | | | |
| 11th | | 36.8 | 38.4 | | | | | 12.6 | 19.8 | | | |
| 12th | | 36.9 | 40.2 | | | | | 14.5 | 22.6 | | | |
| Middle School | | 14.6 | 15.1 | | | | | 5.1 | 6.4 | | | |
| High School | | 33.9 | 36.0 | | | | | 12.8 | 19.2 | | | |
| Total | | 25.8 | 27.1 | | | | | 9.6 | 13.7 | | | |

Note: These items were replaced by questions distinguishing between nicotine vaping and marijuana vaping.

Table 12. Percentage of surveyed Florida youth who used marijuana or hashish in lifetime and past 30 days—2012 to 2024

| | Marijuana or Hashish Use | | | | | | | | | | | | | |
|--------------------------|--------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 21.9 | 22.1 | 21.4 | 21.0 | 21.0 | 18.1 | 15.3 | 10.6 | 11.7 | 10.9 | 11.0 | 10.6 | 9.1 | 7.1 |
| Male | 24.5 | 23.0 | 21.3 | 19.4 | 19.2 | 14.0 | 11.2 | 14.1 | 13.1 | 11.5 | 10.7 | 10.7 | 7.4 | 5.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 19.3 | 20.9 | 19.4 | 17.9 | 18.6 | 14.4 | 12.4 | 10.1 | 10.7 | 9.1 | 9.4 | 9.7 | 7.3 | 6.4 |
| Hispanic/Latino | 21.5 | 22.0 | 20.5 | 19.4 | 18.1 | 13.6 | 10.6 | 11.3 | 11.4 | 10.7 | 9.6 | 9.2 | 6.9 | 4.2 |
| White, non-Hispanic | 26.0 | 24.3 | 22.6 | 21.8 | 21.7 | 18.0 | 15.1 | 13.8 | 13.7 | 12.3 | 12.1 | 11.6 | 9.4 | 7.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 1.1 | 1.4 | 0.9 | 1.8 | 1.9 | 1.7 | 2.3 | 0.4 | 0.5 | 0.3 | 0.8 | 1.0 | 0.5 | 0.9 |
| 12 | 3.4 | 4.2 | 2.9 | 3.5 | 4.7 | 3.5 | 3.5 | 1.4 | 2.0 | 1.1 | 1.4 | 2.0 | 1.2 | 1.2 |
| 13 | 9.0 | 8.7 | 8.0 | 9.4 | 9.8 | 7.4 | 6.3 | 4.3 | 3.8 | 3.8 | 4.4 | 4.3 | 3.6 | 2.6 |
| 14 | 17.2 | 17.1 | 15.8 | 15.7 | 15.9 | 12.1 | 10.1 | 8.7 | 9.8 | 7.9 | 8.1 | 8.0 | 6.2 | 4.6 |
| 15 | 28.0 | 27.1 | 24.1 | 22.4 | 22.0 | 16.8 | 14.3 | 15.3 | 15.5 | 13.3 | 12.3 | 11.9 | 9.0 | 7.1 |
| 16 | 35.0 | 35.0 | 32.5 | 31.4 | 31.3 | 22.2 | 19.1 | 19.0 | 18.1 | 16.9 | 17.2 | 16.6 | 11.0 | 9.3 |
| 17 | 41.9 | 41.1 | 39.2 | 35.8 | 34.6 | 29.6 | 23.4 | 22.8 | 23.5 | 20.9 | 19.2 | 19.3 | 15.9 | 11.0 |
| 18 | 43.8 | 41.4 | 41.7 | 38.1 | 38.4 | 32.0 | 24.7 | 23.3 | 23.6 | 22.3 | 22.8 | 21.9 | 17.8 | 13.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.8 | 3.0 | 2.1 | 3.0 | 3.4 | 3.1 | 2.9 | 1.1 | 1.1 | 0.8 | 1.3 | 1.4 | 1.0 | 1.0 |
| 7th | 7.5 | 7.6 | 6.5 | 6.8 | 7.5 | 5.5 | 5.3 | 3.8 | 3.7 | 3.0 | 3.1 | 3.3 | 2.5 | 1.9 |
| 8th | 14.8 | 14.6 | 12.5 | 13.1 | 13.7 | 10.8 | 9.2 | 7.7 | 7.8 | 5.9 | 6.7 | 6.6 | 5.4 | 4.4 |
| 9th | 24.4 | 23.6 | 21.1 | 18.8 | 18.8 | 14.0 | 11.5 | 13.2 | 13.5 | 11.6 | 9.7 | 9.8 | 7.4 | 5.8 |
| 10th | 31.7 | 31.9 | 29.0 | 27.9 | 27.0 | 19.3 | 16.6 | 17.1 | 17.6 | 15.8 | 15.9 | 14.6 | 10.3 | 8.2 |
| 11th | 39.2 | 37.5 | 37.3 | 33.9 | 34.3 | 26.6 | 22.0 | 21.6 | 20.4 | 19.6 | 18.2 | 19.7 | 13.6 | 10.4 |
| 12th | 44.6 | 42.8 | 40.7 | 38.9 | 37.7 | 33.1 | 24.9 | 23.2 | 24.1 | 21.5 | 21.6 | 20.2 | 18.1 | 12.5 |
| Middle School | 8.3 | 8.4 | 7.0 | 7.6 | 8.2 | 6.6 | 5.9 | 4.2 | 4.2 | 3.2 | 3.7 | 3.8 | 3.0 | 2.4 |
| High School | 34.4 | 33.4 | 31.7 | 29.7 | 29.2 | 22.9 | 18.6 | 18.5 | 18.6 | 17.0 | 16.3 | 15.9 | 12.2 | 9.1 |
| Total | 23.2 | 22.6 | 21.3 | 20.2 | 20.1 | 16.0 | 13.2 | 12.4 | 12.4 | 11.2 | 10.9 | 10.7 | 8.3 | 6.3 |

Table 13. Percentage of surveyed Florida youth who used marijuana or hashish, and number of occasions in past 30 days, 2024

| | Marijuana or Hashish | | | | | | |
|--------------------------|--|------------|------------|------------|--------------|--------------|------------|
| | <i>Number of Occasions in Past 30 Days</i> | | | | | | |
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| | % | % | % | % | % | % | % |
| Sex | | | | | | | |
| Female | 92.9 | 2.9 | 1.1 | 0.8 | 0.9 | 0.6 | 0.8 |
| Male | 94.4 | 2.0 | 0.8 | 0.6 | 0.7 | 0.5 | 1.0 |
| Race/Ethnic group | | | | | | | |
| African American | 93.6 | 2.3 | 1.2 | 0.7 | 0.8 | 0.5 | 0.8 |
| Hispanic/Latino | 95.8 | 1.6 | 0.6 | 0.6 | 0.5 | 0.4 | 0.5 |
| White, non-Hispanic | 92.6 | 2.8 | 1.1 | 0.6 | 1.0 | 0.8 | 1.1 |
| Age | | | | | | | |
| 11 | 99.1 | 0.6 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 |
| 12 | 98.8 | 0.6 | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 |
| 13 | 97.4 | 1.1 | 0.4 | 0.3 | 0.4 | 0.2 | 0.2 |
| 14 | 95.4 | 1.7 | 1.2 | 0.4 | 0.5 | 0.4 | 0.4 |
| 15 | 92.9 | 3.1 | 0.9 | 0.7 | 0.8 | 0.7 | 0.9 |
| 16 | 90.7 | 3.5 | 1.3 | 0.9 | 1.4 | 0.9 | 1.3 |
| 17 | 89.0 | 3.8 | 1.7 | 1.4 | 1.3 | 1.3 | 1.5 |
| 18 | 86.8 | 4.3 | 1.8 | 1.7 | 1.8 | 0.9 | 2.7 |
| Grade | | | | | | | |
| 6th | 99.0 | 0.5 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 |
| 7th | 98.1 | 0.9 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 |
| 8th | 95.6 | 1.6 | 0.9 | 0.4 | 0.7 | 0.3 | 0.5 |
| 9th | 94.2 | 2.5 | 1.0 | 0.5 | 0.6 | 0.5 | 0.6 |
| 10th | 91.8 | 3.1 | 1.1 | 0.9 | 1.1 | 0.8 | 1.2 |
| 11th | 89.6 | 4.0 | 1.7 | 1.0 | 1.4 | 1.1 | 1.3 |
| 12th | 87.5 | 4.2 | 1.7 | 1.8 | 1.5 | 1.2 | 2.3 |
| Middle School | 97.6 | 1.0 | 0.5 | 0.2 | 0.3 | 0.2 | 0.2 |
| High School | 90.9 | 3.4 | 1.3 | 1.0 | 1.1 | 0.9 | 1.3 |
| Total | 93.7 | 2.4 | 1.0 | 0.7 | 0.8 | 0.6 | 0.9 |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 14. Percentage of surveyed Florida high school youth who used synthetic marijuana in lifetime and past 30 days—2012 to 2024

| | Synthetic Marijuana Use | | | | | | | | | | | | | |
|--------------------------|-------------------------|--------|--------|--------|--------|--------|--------|--------------|--------|--------|--------|--------|--------|--------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 10.9 | 7.7 | 4.8 | 3.7 | 2.9 | 2.8 | 2.4 | 3.3 | 1.2 | 0.9 | 1.1 | 0.8 | 1.0 | 0.8 |
| Male | 15.2 | 10.0 | 5.0 | 3.3 | 2.9 | 2.2 | 1.5 | 5.3 | 1.6 | 1.2 | 1.1 | 1.0 | 0.7 | 0.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 5.7 | 4.7 | 3.1 | 2.0 | 1.5 | 1.3 | 0.7 | 2.2 | 0.9 | 1.2 | 0.8 | 0.6 | 0.8 | 0.6 |
| Hispanic/Latino | 9.1 | 7.7 | 4.8 | 3.7 | 2.7 | 2.3 | 1.9 | 3.8 | 2.0 | 1.2 | 1.2 | 0.7 | 0.9 | 0.6 |
| White, non-Hispanic | 17.5 | 11.0 | 5.6 | 4.1 | 3.5 | 3.2 | 2.3 | 5.3 | 1.4 | 0.8 | 1.1 | 1.0 | 0.8 | 0.8 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 7.5 | 5.6 | 2.8 | 2.7 | 2.1 | 1.4 | 1.8 | 2.7 | 1.0 | 0.5 | 0.9 | 0.3 | 0.5 | 0.8 |
| 15 | 9.9 | 6.7 | 3.6 | 3.4 | 2.3 | 1.9 | 1.9 | 4.0 | 1.5 | 1.0 | 1.2 | 0.7 | 0.7 | 0.7 |
| 16 | 13.5 | 8.8 | 4.8 | 3.6 | 3.0 | 2.6 | 1.8 | 4.3 | 1.5 | 1.1 | 1.3 | 1.1 | 1.0 | 0.6 |
| 17 | 15.6 | 11.2 | 6.0 | 3.5 | 3.1 | 3.0 | 2.0 | 5.1 | 1.5 | 1.2 | 0.9 | 1.0 | 0.9 | 0.8 |
| 18 | 16.9 | 11.2 | 6.2 | 4.2 | 4.0 | 3.5 | 2.3 | 4.5 | 1.2 | 0.7 | 1.1 | 1.0 | 1.1 | 0.6 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 9.7 | 6.6 | 3.7 | 3.2 | 2.2 | 1.5 | 1.7 | 4.1 | 1.3 | 1.1 | 1.2 | 0.6 | 0.6 | 0.9 |
| 10th | 11.8 | 8.4 | 4.7 | 3.5 | 2.7 | 2.4 | 1.9 | 3.9 | 1.6 | 1.1 | 1.2 | 0.9 | 0.9 | 0.7 |
| 11th | 14.6 | 8.9 | 5.5 | 3.3 | 3.2 | 3.1 | 2.0 | 4.9 | 1.4 | 1.2 | 0.9 | 1.1 | 1.0 | 0.6 |
| 12th | 16.7 | 12.2 | 5.9 | 4.2 | 3.5 | 3.1 | 2.3 | 4.4 | 1.3 | 0.7 | 1.1 | 0.9 | 0.9 | 0.7 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 13.0 | 8.8 | 4.9 | 3.5 | 2.9 | 2.5 | 1.9 | 4.3 | 1.4 | 1.0 | 1.1 | 0.9 | 0.8 | 0.7 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 15. Percentage of surveyed Florida youth who used inhalants in lifetime and past 30 days—2012 to 2024

| | Inhalant Use | | | | | | | | | | | | | |
|--------------------------|--------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 8.9 | 7.2 | 6.1 | 6.7 | 7.7 | 6.6 | 5.5 | 3.0 | 2.3 | 1.9 | 2.1 | 2.4 | 1.9 | 1.9 |
| Male | 6.8 | 5.8 | 4.7 | 4.9 | 5.2 | 4.6 | 4.3 | 2.0 | 1.9 | 1.4 | 1.6 | 1.4 | 1.2 | 1.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 6.0 | 5.8 | 5.3 | 5.4 | 5.1 | 4.8 | 4.0 | 2.4 | 2.3 | 1.8 | 2.3 | 1.9 | 1.8 | 1.6 |
| Hispanic/Latino | 8.0 | 6.9 | 5.5 | 5.3 | 6.1 | 4.8 | 3.8 | 2.6 | 2.3 | 1.7 | 1.6 | 1.7 | 1.4 | 1.2 |
| White, non-Hispanic | 7.9 | 6.2 | 5.1 | 5.9 | 6.9 | 6.4 | 5.5 | 2.1 | 1.7 | 1.4 | 1.7 | 1.8 | 1.6 | 1.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 7.9 | 6.3 | 4.8 | 6.0 | 6.5 | 6.5 | 7.4 | 2.9 | 2.9 | 1.4 | 2.5 | 2.5 | 2.2 | 2.9 |
| 12 | 9.0 | 7.8 | 6.0 | 7.3 | 8.3 | 7.2 | 7.2 | 3.9 | 2.7 | 2.2 | 2.8 | 2.7 | 2.2 | 2.7 |
| 13 | 10.8 | 9.5 | 6.7 | 8.5 | 8.9 | 7.1 | 7.0 | 4.0 | 3.3 | 2.4 | 2.9 | 2.9 | 2.3 | 2.4 |
| 14 | 9.5 | 8.5 | 7.1 | 7.7 | 7.6 | 6.2 | 5.1 | 3.4 | 2.5 | 2.1 | 2.2 | 2.4 | 2.0 | 1.7 |
| 15 | 7.8 | 5.8 | 5.8 | 4.9 | 6.0 | 5.7 | 4.7 | 1.8 | 2.0 | 1.7 | 1.3 | 1.6 | 1.3 | 1.3 |
| 16 | 6.1 | 4.8 | 4.5 | 4.3 | 4.8 | 4.4 | 3.6 | 1.5 | 1.4 | 1.1 | 1.2 | 1.1 | 0.8 | 0.9 |
| 17 | 5.5 | 4.3 | 3.8 | 3.6 | 4.2 | 4.4 | 2.7 | 1.3 | 1.0 | 0.7 | 0.9 | 0.9 | 0.9 | 0.8 |
| 18 | 5.4 | 3.5 | 3.3 | 3.4 | 4.6 | 3.4 | 2.2 | 1.1 | 0.5 | 1.0 | 1.0 | 1.3 | 0.9 | 0.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 8.3 | 7.1 | 5.4 | 6.7 | 7.3 | 7.0 | 7.0 | 3.6 | 2.8 | 1.8 | 2.9 | 2.6 | 2.3 | 2.8 |
| 7th | 10.6 | 9.3 | 6.3 | 8.2 | 9.2 | 7.3 | 7.6 | 4.1 | 3.3 | 2.5 | 3.1 | 3.0 | 2.3 | 2.6 |
| 8th | 10.7 | 9.6 | 7.6 | 8.3 | 8.4 | 7.1 | 6.1 | 3.7 | 3.1 | 2.5 | 2.5 | 2.8 | 2.2 | 2.0 |
| 9th | 8.1 | 5.9 | 6.0 | 5.5 | 6.1 | 5.2 | 4.3 | 2.3 | 1.7 | 1.8 | 1.3 | 1.5 | 1.4 | 1.3 |
| 10th | 6.1 | 5.3 | 5.0 | 4.4 | 5.3 | 5.1 | 4.1 | 1.5 | 1.7 | 1.2 | 1.1 | 1.4 | 1.1 | 1.1 |
| 11th | 5.6 | 4.4 | 4.3 | 3.5 | 4.7 | 4.8 | 3.1 | 1.2 | 0.9 | 1.0 | 1.0 | 1.0 | 0.9 | 0.7 |
| 12th | 5.4 | 3.7 | 3.0 | 3.7 | 4.3 | 3.2 | 2.2 | 1.2 | 0.7 | 0.7 | 0.9 | 1.1 | 1.0 | 0.6 |
| Middle School | 9.9 | 8.6 | 6.4 | 7.8 | 8.3 | 7.1 | 6.9 | 3.8 | 3.1 | 2.2 | 2.8 | 2.8 | 2.3 | 2.5 |
| High School | 6.4 | 4.9 | 4.6 | 4.3 | 5.1 | 4.6 | 3.5 | 1.6 | 1.3 | 1.2 | 1.1 | 1.2 | 1.1 | 0.9 |
| Total | 7.9 | 6.5 | 5.4 | 5.8 | 6.5 | 5.7 | 4.9 | 2.5 | 2.1 | 1.6 | 1.8 | 1.9 | 1.6 | 1.6 |

Table 16. Percentage of surveyed Florida youth who used club drugs in lifetime and past 30 days—2012 to 2024

| | Club Drug Use | | | | | | | | | | | | | |
|--------------------------|---------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 3.2 | 2.8 | 1.9 | 1.2 | 1.3 | 1.0 | 0.6 | 0.9 | 0.7 | 0.5 | 0.3 | 0.4 | 0.3 | 0.2 |
| Male | 3.5 | 3.2 | 2.2 | 1.4 | 1.8 | 1.0 | 0.6 | 1.2 | 0.8 | 0.6 | 0.5 | 0.6 | 0.4 | 0.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.3 | 1.4 | 1.2 | 0.9 | 0.7 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.2 |
| Hispanic/Latino | 3.6 | 3.1 | 2.1 | 1.2 | 1.4 | 0.7 | 0.4 | 1.2 | 0.8 | 0.5 | 0.5 | 0.4 | 0.2 | 0.1 |
| White, non-Hispanic | 3.8 | 3.5 | 2.3 | 1.5 | 1.8 | 1.3 | 0.6 | 1.1 | 0.8 | 0.6 | 0.3 | 0.5 | 0.4 | 0.1 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.3 | 0.1 | 0.2 | 0.2 | 0.3 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.1 | 0.0 |
| 12 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 |
| 13 | 1.0 | 1.0 | 0.9 | 0.6 | 1.0 | 0.8 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.5 | 0.4 | 0.2 |
| 14 | 2.3 | 2.4 | 1.3 | 1.0 | 1.0 | 0.7 | 0.4 | 0.7 | 0.7 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 |
| 15 | 3.3 | 3.3 | 2.3 | 1.3 | 1.6 | 0.8 | 0.7 | 1.1 | 1.0 | 0.6 | 0.4 | 0.7 | 0.3 | 0.2 |
| 16 | 5.1 | 4.1 | 2.9 | 1.6 | 2.0 | 1.4 | 0.9 | 1.6 | 1.1 | 0.8 | 0.5 | 0.7 | 0.3 | 0.3 |
| 17 | 6.7 | 5.4 | 3.6 | 2.0 | 2.6 | 1.8 | 0.9 | 1.9 | 0.9 | 0.8 | 0.7 | 0.6 | 0.6 | 0.2 |
| 18 | 7.6 | 6.9 | 4.5 | 3.3 | 3.2 | 2.3 | 0.8 | 2.3 | 1.3 | 0.9 | 0.8 | 0.9 | 0.9 | 0.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.6 | 0.4 | 0.4 | 0.5 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| 7th | 0.9 | 0.9 | 0.7 | 0.5 | 0.7 | 0.5 | 0.3 | 0.4 | 0.3 | 0.4 | 0.2 | 0.4 | 0.3 | 0.2 |
| 8th | 1.9 | 2.0 | 1.1 | 1.1 | 1.1 | 0.8 | 0.5 | 0.7 | 0.5 | 0.3 | 0.3 | 0.5 | 0.3 | 0.2 |
| 9th | 3.1 | 2.7 | 2.0 | 1.0 | 1.2 | 0.8 | 0.5 | 0.9 | 0.8 | 0.5 | 0.4 | 0.5 | 0.2 | 0.1 |
| 10th | 4.2 | 4.0 | 2.7 | 1.5 | 1.7 | 1.0 | 0.8 | 1.4 | 1.1 | 0.7 | 0.3 | 0.7 | 0.4 | 0.4 |
| 11th | 5.7 | 4.9 | 3.4 | 1.8 | 2.3 | 1.7 | 0.9 | 1.7 | 1.1 | 1.1 | 0.6 | 0.6 | 0.4 | 0.1 |
| 12th | 7.8 | 6.7 | 4.2 | 2.8 | 3.3 | 2.2 | 0.9 | 2.2 | 1.2 | 0.8 | 0.8 | 0.8 | 0.6 | 0.1 |
| Middle School | 1.1 | 1.1 | 0.7 | 0.7 | 0.7 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 |
| High School | 5.1 | 4.5 | 3.0 | 1.8 | 2.1 | 1.4 | 0.8 | 1.5 | 1.0 | 0.8 | 0.5 | 0.6 | 0.4 | 0.2 |
| Total | 3.4 | 3.0 | 2.1 | 1.3 | 1.5 | 1.0 | 0.6 | 1.1 | 0.7 | 0.6 | 0.4 | 0.5 | 0.4 | 0.2 |

Note: The survey question asks about the use of "club drugs" such as Ecstasy, Rohypnol, GHB, or ketamine.

Table 17. Percentage of surveyed Florida youth who used LSD, PCP or hallucinogenic mushrooms in lifetime and past 30 days—2012 to 2024

| | LSD, PCP or Hallucinogenic Mushroom Use | | | | | | | | | | | | | |
|--------------------------|---|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 2.8 | 2.8 | 2.7 | 2.3 | 2.5 | 2.6 | 2.3 | 0.7 | 0.8 | 0.7 | 0.7 | 0.7 | 0.6 | 0.5 |
| Male | 4.3 | 4.3 | 3.7 | 3.1 | 3.4 | 2.5 | 2.1 | 1.2 | 1.2 | 1.1 | 0.9 | 1.2 | 0.7 | 0.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.0 | 1.1 | 1.1 | 1.0 | 1.0 | 1.2 | 1.0 | 0.4 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 |
| Hispanic/Latino | 2.9 | 3.1 | 2.8 | 2.3 | 2.1 | 2.0 | 1.8 | 1.0 | 0.9 | 0.8 | 0.8 | 0.7 | 0.5 | 0.4 |
| White, non-Hispanic | 4.5 | 4.7 | 4.2 | 3.6 | 4.1 | 3.6 | 2.7 | 1.1 | 1.3 | 1.1 | 1.0 | 1.2 | 0.9 | 0.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.5 | 0.2 | 0.1 | 0.0 | 0.2 | 0.2 | 0.1 | 0.1 |
| 12 | 0.7 | 0.5 | 0.5 | 0.8 | 0.8 | 0.5 | 0.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 |
| 13 | 1.1 | 1.4 | 1.1 | 0.9 | 1.3 | 1.1 | 1.2 | 0.4 | 0.5 | 0.2 | 0.3 | 0.5 | 0.4 | 0.3 |
| 14 | 2.6 | 2.6 | 2.0 | 1.7 | 1.6 | 1.6 | 1.4 | 0.8 | 1.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 |
| 15 | 3.9 | 4.3 | 3.7 | 2.7 | 3.1 | 2.1 | 2.3 | 1.1 | 1.2 | 1.1 | 0.9 | 1.0 | 0.5 | 0.7 |
| 16 | 4.8 | 5.1 | 5.2 | 4.1 | 4.5 | 3.9 | 3.1 | 1.3 | 1.5 | 1.7 | 1.2 | 1.8 | 0.9 | 0.7 |
| 17 | 6.7 | 6.6 | 5.8 | 4.8 | 5.3 | 5.2 | 3.8 | 1.4 | 1.5 | 1.4 | 1.3 | 1.4 | 1.2 | 0.9 |
| 18 | 7.4 | 6.9 | 6.8 | 6.5 | 6.9 | 6.4 | 3.9 | 1.6 | 1.6 | 1.7 | 1.6 | 2.0 | 1.3 | 0.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.5 | 0.4 | 0.4 | 0.7 | 0.6 | 0.5 | 0.6 | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | 0.3 | 0.2 |
| 7th | 1.1 | 1.2 | 0.8 | 0.7 | 1.0 | 0.7 | 1.0 | 0.4 | 0.4 | 0.2 | 0.3 | 0.4 | 0.3 | 0.4 |
| 8th | 2.5 | 2.4 | 1.8 | 1.6 | 1.7 | 1.6 | 1.5 | 0.9 | 1.1 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 |
| 9th | 3.7 | 3.5 | 2.8 | 2.0 | 2.4 | 1.7 | 1.8 | 1.1 | 1.1 | 0.9 | 0.7 | 0.7 | 0.5 | 0.4 |
| 10th | 4.1 | 5.0 | 4.5 | 3.7 | 3.4 | 3.0 | 2.5 | 1.1 | 1.6 | 1.4 | 1.1 | 1.3 | 0.8 | 0.8 |
| 11th | 5.6 | 5.8 | 5.8 | 4.3 | 5.1 | 4.3 | 3.8 | 1.4 | 1.4 | 1.6 | 1.1 | 1.4 | 1.0 | 0.9 |
| 12th | 7.6 | 7.2 | 6.4 | 6.1 | 6.7 | 6.4 | 3.9 | 1.6 | 1.5 | 1.6 | 1.6 | 2.0 | 1.1 | 0.6 |
| Middle School | 1.4 | 1.3 | 1.0 | 1.0 | 1.1 | 1.0 | 1.0 | 0.5 | 0.6 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 |
| High School | 5.1 | 5.3 | 4.8 | 4.0 | 4.3 | 3.8 | 3.0 | 1.3 | 1.4 | 1.4 | 1.1 | 1.3 | 0.9 | 0.7 |
| Total | 3.5 | 3.6 | 3.2 | 2.7 | 2.9 | 2.6 | 2.2 | 1.0 | 1.0 | 0.9 | 0.8 | 0.9 | 0.6 | 0.5 |

Table 18. Percentage of surveyed Florida youth who used cocaine or crack cocaine in lifetime and past 30 days—2012 to 2024

| | Cocaine or Crack Cocaine Use | | | | | | | | | | | | | |
|--------------------------|------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.9 | 1.6 | 1.6 | 1.3 | 1.3 | 0.9 | 0.5 | 0.5 | 0.5 | 0.6 | 0.4 | 0.4 | 0.2 | 0.1 |
| Male | 2.6 | 2.1 | 1.9 | 1.6 | 1.4 | 0.8 | 0.5 | 0.8 | 0.7 | 0.6 | 0.5 | 0.5 | 0.3 | 0.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.8 | 0.6 | 0.9 | 0.7 | 0.5 | 0.6 | 0.5 | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.2 | 0.3 |
| Hispanic/Latino | 2.6 | 2.3 | 1.8 | 1.7 | 1.5 | 0.7 | 0.4 | 0.6 | 0.7 | 0.7 | 0.4 | 0.4 | 0.3 | 0.2 |
| White, non-Hispanic | 2.5 | 2.1 | 2.1 | 1.7 | 1.5 | 1.1 | 0.6 | 0.7 | 0.6 | 0.7 | 0.4 | 0.4 | 0.3 | 0.2 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.5 | 0.2 | 0.2 | 0.6 | 0.5 | 0.3 | 0.3 | 0.1 | 0.0 | 0.1 | 0.2 | 0.0 | 0.2 | 0.0 |
| 12 | 0.8 | 0.7 | 0.5 | 0.7 | 0.8 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 |
| 13 | 1.1 | 1.2 | 1.0 | 0.9 | 1.0 | 0.6 | 0.6 | 0.2 | 0.5 | 0.3 | 0.3 | 0.4 | 0.1 | 0.2 |
| 14 | 1.8 | 1.2 | 0.9 | 0.9 | 0.8 | 0.7 | 0.5 | 0.6 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.1 |
| 15 | 2.3 | 1.5 | 1.8 | 1.1 | 1.1 | 0.5 | 0.4 | 0.7 | 0.5 | 0.6 | 0.4 | 0.5 | 0.1 | 0.1 |
| 16 | 3.1 | 2.3 | 2.4 | 1.6 | 1.7 | 1.0 | 0.6 | 0.9 | 0.8 | 0.9 | 0.6 | 0.6 | 0.3 | 0.3 |
| 17 | 3.5 | 3.7 | 2.8 | 2.3 | 2.0 | 1.4 | 0.8 | 0.9 | 0.8 | 0.9 | 0.4 | 0.6 | 0.3 | 0.2 |
| 18 | 4.7 | 3.9 | 4.4 | 3.8 | 3.0 | 2.1 | 0.8 | 1.4 | 1.1 | 1.4 | 0.9 | 0.7 | 0.9 | 0.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.8 | 0.5 | 0.5 | 0.7 | 0.7 | 0.6 | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.2 | 0.3 | 0.0 |
| 7th | 1.0 | 1.1 | 0.7 | 0.7 | 0.9 | 0.7 | 0.5 | 0.3 | 0.5 | 0.3 | 0.3 | 0.4 | 0.1 | 0.1 |
| 8th | 1.7 | 1.2 | 1.0 | 1.1 | 0.9 | 0.7 | 0.6 | 0.5 | 0.6 | 0.3 | 0.4 | 0.4 | 0.2 | 0.2 |
| 9th | 2.4 | 1.5 | 1.5 | 0.9 | 0.9 | 0.5 | 0.4 | 0.7 | 0.5 | 0.5 | 0.3 | 0.3 | 0.1 | 0.1 |
| 10th | 2.5 | 1.9 | 2.0 | 1.4 | 1.4 | 0.8 | 0.5 | 0.7 | 0.5 | 0.8 | 0.4 | 0.7 | 0.3 | 0.3 |
| 11th | 3.4 | 3.0 | 2.8 | 1.7 | 1.9 | 1.3 | 0.7 | 1.0 | 0.8 | 0.9 | 0.5 | 0.3 | 0.3 | 0.2 |
| 12th | 4.4 | 4.1 | 3.8 | 3.6 | 2.7 | 1.6 | 0.8 | 1.3 | 1.1 | 1.2 | 0.7 | 0.8 | 0.5 | 0.3 |
| Middle School | 1.1 | 0.9 | 0.8 | 0.8 | 0.9 | 0.7 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 |
| High School | 3.1 | 2.5 | 2.5 | 1.9 | 1.7 | 1.0 | 0.6 | 0.9 | 0.7 | 0.8 | 0.5 | 0.5 | 0.3 | 0.2 |
| Total | 2.3 | 1.9 | 1.8 | 1.4 | 1.3 | 0.9 | 0.5 | 0.7 | 0.6 | 0.6 | 0.4 | 0.4 | 0.3 | 0.2 |

Table 19. Percentage of surveyed Florida youth who used methamphetamine in lifetime and past 30 days—2012 to 2024

| | Methamphetamine Use | | | | | | | | | | | | | |
|--------------------------|---------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 0.9 | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| Male | 1.1 | 1.2 | 0.8 | 0.8 | 0.9 | 0.7 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 | 0.5 | 0.4 | 0.3 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.8 | 0.9 | 0.6 | 1.0 | 0.6 | 0.7 | 0.8 | 0.5 | 0.5 | 0.4 | 0.7 | 0.5 | 0.5 | 0.5 |
| Hispanic/Latino | 1.1 | 1.2 | 0.7 | 0.8 | 0.9 | 0.8 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |
| White, non-Hispanic | 1.0 | 0.9 | 0.7 | 0.5 | 0.7 | 0.7 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.6 | 0.2 | 0.3 | 0.5 | 0.6 | 0.8 | 0.6 | 0.4 | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 |
| 12 | 0.9 | 0.8 | 0.4 | 0.6 | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 |
| 13 | 0.9 | 1.0 | 0.6 | 0.7 | 0.8 | 0.7 | 0.5 | 0.3 | 0.5 | 0.3 | 0.4 | 0.5 | 0.4 | 0.3 |
| 14 | 1.2 | 0.9 | 0.6 | 0.7 | 0.5 | 0.6 | 0.6 | 0.6 | 0.5 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 |
| 15 | 0.9 | 1.2 | 0.8 | 0.6 | 0.9 | 0.6 | 0.8 | 0.4 | 0.6 | 0.4 | 0.3 | 0.6 | 0.3 | 0.4 |
| 16 | 1.4 | 1.0 | 0.9 | 0.7 | 0.8 | 0.6 | 0.4 | 0.7 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 |
| 17 | 0.9 | 1.3 | 0.6 | 0.6 | 1.1 | 0.9 | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 | 0.5 | 0.4 | 0.2 |
| 18 | 1.1 | 1.0 | 1.3 | 1.4 | 0.8 | 0.9 | 0.6 | 0.5 | 0.4 | 0.5 | 0.8 | 0.4 | 0.3 | 0.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 1.0 | 0.7 | 0.4 | 0.7 | 0.7 | 0.7 | 0.7 | 0.5 | 0.3 | 0.2 | 0.4 | 0.4 | 0.3 | 0.4 |
| 7th | 0.9 | 1.0 | 0.5 | 0.6 | 0.8 | 0.4 | 0.6 | 0.4 | 0.5 | 0.3 | 0.4 | 0.4 | 0.2 | 0.4 |
| 8th | 1.1 | 1.0 | 0.7 | 0.7 | 0.6 | 0.8 | 0.7 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 |
| 9th | 1.0 | 1.1 | 0.7 | 0.7 | 0.6 | 0.6 | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.5 | 0.3 | 0.4 |
| 10th | 1.0 | 0.9 | 1.0 | 0.6 | 0.8 | 0.6 | 0.7 | 0.5 | 0.4 | 0.6 | 0.3 | 0.4 | 0.3 | 0.4 |
| 11th | 1.2 | 1.0 | 0.9 | 0.5 | 1.0 | 1.0 | 0.3 | 0.7 | 0.5 | 0.5 | 0.3 | 0.5 | 0.4 | 0.2 |
| 12th | 1.1 | 1.3 | 0.8 | 1.1 | 0.9 | 0.8 | 0.6 | 0.3 | 0.5 | 0.3 | 0.6 | 0.4 | 0.3 | 0.1 |
| Middle School | 1.0 | 0.9 | 0.5 | 0.7 | 0.7 | 0.7 | 0.6 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 |
| High School | 1.1 | 1.1 | 0.8 | 0.7 | 0.8 | 0.7 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |
| Total | 1.0 | 1.0 | 0.7 | 0.7 | 0.8 | 0.7 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |

Table 20. Percentage of surveyed Florida youth who used depressants in lifetime and past 30 days—2012 to 2024

| | Depressant Use | | | | | | | | | | | | | |
|--------------------------|----------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 5.2 | 5.1 | 5.3 | 4.4 | 4.2 | 2.8 | 1.8 | 1.6 | 1.8 | 2.0 | 1.4 | 1.0 | 0.8 | 0.5 |
| Male | 4.1 | 3.6 | 4.1 | 4.3 | 3.2 | 1.9 | 1.1 | 1.5 | 1.2 | 1.5 | 1.2 | 1.0 | 0.6 | 0.3 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.1 | 1.7 | 2.0 | 2.4 | 1.7 | 1.2 | 0.6 | 0.4 | 0.8 | 1.0 | 1.0 | 0.6 | 0.3 | 0.3 |
| Hispanic/Latino | 4.3 | 4.2 | 4.7 | 3.7 | 3.2 | 1.8 | 1.2 | 1.5 | 1.4 | 1.7 | 1.0 | 0.8 | 0.6 | 0.5 |
| White, non-Hispanic | 6.2 | 5.4 | 5.8 | 5.4 | 4.7 | 3.1 | 1.9 | 2.1 | 1.8 | 2.0 | 1.6 | 1.2 | 0.9 | 0.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.6 | 0.4 | 0.6 | 0.9 | 1.0 | 0.5 | 0.7 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 |
| 12 | 1.0 | 1.0 | 1.4 | 1.4 | 1.9 | 1.1 | 1.1 | 0.6 | 0.4 | 0.4 | 0.7 | 0.7 | 0.3 | 0.3 |
| 13 | 1.8 | 2.4 | 2.6 | 2.5 | 2.5 | 1.9 | 1.5 | 0.6 | 1.0 | 1.0 | 1.0 | 0.8 | 0.5 | 0.5 |
| 14 | 3.2 | 3.5 | 3.8 | 4.1 | 3.2 | 2.1 | 1.2 | 1.2 | 1.3 | 1.6 | 1.4 | 1.0 | 0.7 | 0.3 |
| 15 | 4.8 | 5.1 | 5.5 | 4.9 | 3.8 | 2.4 | 1.5 | 1.9 | 2.2 | 2.3 | 1.7 | 1.3 | 0.7 | 0.5 |
| 16 | 7.0 | 6.6 | 6.6 | 6.5 | 5.3 | 3.2 | 1.8 | 2.4 | 1.7 | 2.3 | 1.7 | 1.4 | 0.8 | 0.5 |
| 17 | 9.0 | 7.2 | 7.8 | 6.5 | 5.7 | 3.8 | 1.7 | 2.6 | 2.7 | 2.8 | 1.3 | 1.1 | 1.2 | 0.4 |
| 18 | 8.6 | 7.3 | 8.0 | 7.4 | 5.8 | 3.3 | 2.0 | 2.4 | 1.9 | 2.9 | 2.1 | 1.5 | 0.8 | 0.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.9 | 0.8 | 1.0 | 1.1 | 1.4 | 0.8 | 0.8 | 0.5 | 0.3 | 0.3 | 0.5 | 0.6 | 0.3 | 0.3 |
| 7th | 1.4 | 1.8 | 1.9 | 2.1 | 2.1 | 1.8 | 1.3 | 0.6 | 0.8 | 0.9 | 0.8 | 0.7 | 0.6 | 0.5 |
| 8th | 3.0 | 3.0 | 3.6 | 3.9 | 3.0 | 1.8 | 1.5 | 1.2 | 1.2 | 1.3 | 1.5 | 1.1 | 0.5 | 0.5 |
| 9th | 4.5 | 4.3 | 4.6 | 4.3 | 3.6 | 2.4 | 1.3 | 1.5 | 1.8 | 1.8 | 1.5 | 0.9 | 0.7 | 0.4 |
| 10th | 5.8 | 6.2 | 6.4 | 5.8 | 4.8 | 2.7 | 1.5 | 2.2 | 2.1 | 2.4 | 1.7 | 1.6 | 0.8 | 0.4 |
| 11th | 7.9 | 6.9 | 7.7 | 6.4 | 5.4 | 3.4 | 1.8 | 2.4 | 2.1 | 2.8 | 1.4 | 1.2 | 1.0 | 0.5 |
| 12th | 9.6 | 7.8 | 7.7 | 7.3 | 6.1 | 3.8 | 1.9 | 2.5 | 2.5 | 2.7 | 1.8 | 1.3 | 1.0 | 0.2 |
| Middle School | 1.8 | 1.9 | 2.2 | 2.3 | 2.2 | 1.5 | 1.2 | 0.8 | 0.8 | 0.8 | 0.9 | 0.8 | 0.5 | 0.4 |
| High School | 6.8 | 6.2 | 6.5 | 5.9 | 4.9 | 3.1 | 1.6 | 2.1 | 2.1 | 2.4 | 1.6 | 1.2 | 0.8 | 0.4 |
| Total | 4.6 | 4.3 | 4.7 | 4.4 | 3.7 | 2.4 | 1.5 | 1.6 | 1.5 | 1.8 | 1.3 | 1.0 | 0.7 | 0.4 |

Note: In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 21. Percentage of surveyed Florida youth who used heroin in lifetime and past 30 days—2012 to 2024

| | Heroin Use | | | | | | | | | | | | | |
|--------------------------|------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 |
| Male | 0.8 | 0.8 | 0.4 | 0.4 | 0.6 | 0.3 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 0.5 | 0.6 | 0.4 | 0.4 | 0.5 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.1 |
| Hispanic/Latino | 0.5 | 0.6 | 0.3 | 0.4 | 0.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| White, non-Hispanic | 0.8 | 0.6 | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.1 | 0.0 |
| 12 | 0.3 | 0.5 | 0.3 | 0.4 | 0.5 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 |
| 13 | 0.6 | 0.7 | 0.5 | 0.4 | 0.7 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 |
| 14 | 0.8 | 0.6 | 0.3 | 0.4 | 0.3 | 0.4 | 0.2 | 0.3 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 |
| 15 | 0.6 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.2 | 0.3 | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | 0.0 |
| 16 | 1.0 | 0.7 | 0.5 | 0.2 | 0.6 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 |
| 17 | 0.8 | 0.9 | 0.3 | 0.3 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 | 0.1 | 0.1 | 0.4 | 0.3 | 0.2 |
| 18 | 0.8 | 0.5 | 0.5 | 0.5 | 0.7 | 0.5 | 0.2 | 0.4 | 0.1 | 0.2 | 0.1 | 0.4 | 0.1 | 0.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| 7th | 0.5 | 0.5 | 0.4 | 0.3 | 0.6 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 |
| 8th | 0.8 | 0.9 | 0.4 | 0.5 | 0.5 | 0.5 | 0.3 | 0.3 | 0.4 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 |
| 9th | 0.7 | 0.6 | 0.4 | 0.3 | 0.6 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 |
| 10th | 0.9 | 0.5 | 0.6 | 0.4 | 0.6 | 0.4 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 |
| 11th | 0.9 | 0.7 | 0.3 | 0.2 | 0.5 | 0.5 | 0.6 | 0.5 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 | 0.2 |
| 12th | 0.8 | 0.8 | 0.3 | 0.3 | 0.6 | 0.4 | 0.1 | 0.3 | 0.3 | 0.1 | 0.0 | 0.3 | 0.1 | 0.0 |
| Middle School | 0.5 | 0.6 | 0.4 | 0.4 | 0.5 | 0.4 | 0.2 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 |
| High School | 0.8 | 0.7 | 0.4 | 0.3 | 0.6 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 |
| Total | 0.7 | 0.6 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |

Table 22. Percentage of surveyed Florida youth who used prescription pain relievers in lifetime and past 30 days—2012 to 2024

| | Prescription Pain Reliever Use | | | | | | | | | | | | | |
|--------------------------|--------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 7.0 | 5.9 | 5.3 | 4.4 | 3.7 | 3.3 | 1.9 | 2.6 | 2.4 | 2.2 | 1.5 | 1.3 | 1.3 | 0.6 |
| Male | 5.9 | 5.1 | 4.2 | 3.6 | 2.5 | 2.2 | 1.5 | 2.0 | 1.8 | 1.5 | 0.9 | 0.8 | 0.7 | 0.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 3.7 | 3.4 | 3.7 | 3.1 | 2.1 | 2.0 | 1.0 | 1.8 | 1.7 | 1.8 | 1.2 | 1.0 | 0.8 | 0.6 |
| Hispanic/Latino | 5.8 | 5.2 | 4.6 | 3.8 | 3.0 | 2.5 | 1.6 | 2.5 | 2.1 | 2.0 | 1.4 | 1.1 | 0.9 | 0.6 |
| White, non-Hispanic | 7.9 | 6.3 | 5.2 | 4.5 | 3.3 | 3.1 | 1.9 | 2.3 | 2.1 | 1.7 | 1.2 | 1.1 | 1.0 | 0.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 2.2 | 1.6 | 1.7 | 1.8 | 1.8 | 2.9 | 1.4 | 1.3 | 0.5 | 0.8 | 0.6 | 0.7 | 0.8 | 0.8 |
| 12 | 2.7 | 2.0 | 2.8 | 2.0 | 2.9 | 3.1 | 1.5 | 1.2 | 1.0 | 1.4 | 0.8 | 1.2 | 1.0 | 0.5 |
| 13 | 4.0 | 3.6 | 3.6 | 2.8 | 3.1 | 3.0 | 1.6 | 1.7 | 1.7 | 1.6 | 1.0 | 1.4 | 1.3 | 0.5 |
| 14 | 5.0 | 4.9 | 4.6 | 3.9 | 3.4 | 2.8 | 1.8 | 2.0 | 2.4 | 2.0 | 1.4 | 1.2 | 1.1 | 0.9 |
| 15 | 6.8 | 6.6 | 5.2 | 4.7 | 2.7 | 2.8 | 1.6 | 2.8 | 2.6 | 2.3 | 1.7 | 1.2 | 1.1 | 0.5 |
| 16 | 8.8 | 7.2 | 6.1 | 4.9 | 3.4 | 2.2 | 2.0 | 2.9 | 2.7 | 2.1 | 1.4 | 0.9 | 0.9 | 0.6 |
| 17 | 10.7 | 8.4 | 5.9 | 5.2 | 3.2 | 2.9 | 1.8 | 2.9 | 2.6 | 1.9 | 1.2 | 1.0 | 0.8 | 0.4 |
| 18 | 10.0 | 7.4 | 7.0 | 6.4 | 3.9 | 2.5 | 1.8 | 2.8 | 2.1 | 1.9 | 1.1 | 0.9 | 0.7 | 0.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.5 | 1.8 | 2.4 | 1.8 | 2.2 | 3.0 | 1.2 | 1.4 | 0.8 | 1.1 | 0.7 | 0.9 | 1.0 | 0.5 |
| 7th | 3.7 | 3.4 | 3.2 | 2.6 | 3.2 | 3.3 | 1.7 | 1.6 | 1.6 | 1.7 | 1.0 | 1.4 | 1.2 | 0.7 |
| 8th | 4.7 | 3.6 | 4.2 | 3.6 | 3.3 | 2.8 | 1.8 | 2.0 | 1.8 | 1.9 | 1.3 | 1.3 | 1.2 | 0.9 |
| 9th | 6.4 | 6.2 | 5.1 | 4.2 | 3.0 | 2.7 | 1.7 | 2.5 | 2.7 | 2.3 | 1.6 | 1.3 | 1.0 | 0.5 |
| 10th | 7.7 | 7.5 | 5.6 | 5.0 | 3.0 | 2.6 | 1.7 | 2.8 | 3.1 | 2.0 | 1.7 | 0.9 | 1.0 | 0.7 |
| 11th | 9.9 | 7.4 | 6.3 | 5.1 | 3.5 | 2.3 | 2.1 | 2.9 | 2.1 | 2.0 | 1.2 | 1.0 | 0.7 | 0.4 |
| 12th | 10.5 | 8.3 | 6.4 | 5.8 | 3.4 | 2.7 | 1.6 | 2.9 | 2.4 | 1.8 | 1.0 | 0.8 | 0.7 | 0.4 |
| Middle School | 3.6 | 3.0 | 3.3 | 2.6 | 2.9 | 3.0 | 1.6 | 1.7 | 1.4 | 1.6 | 1.0 | 1.2 | 1.1 | 0.7 |
| High School | 8.5 | 7.3 | 5.8 | 5.0 | 3.2 | 2.6 | 1.8 | 2.8 | 2.6 | 2.0 | 1.4 | 1.0 | 0.9 | 0.5 |
| Total | 6.4 | 5.5 | 4.8 | 4.0 | 3.1 | 2.8 | 1.7 | 2.3 | 2.1 | 1.8 | 1.2 | 1.1 | 1.0 | 0.6 |

Note: In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. As a result of these changes, please exercise caution when comparing to results from earlier years.

Table 23. Percentage of surveyed Florida youth who used over-the-counter drugs in order to get high in lifetime and past 30 days—2012 to 2024

| | Over-The-Counter Drug Use | | | | | | | | | | | | | |
|--------------------------|---------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 5.9 | 5.1 | 4.7 | 4.3 | 3.9 | 3.2 | 2.2 | 2.5 | 2.3 | 2.0 | 1.7 | 1.4 | 1.1 | 0.7 |
| Male | 5.2 | 4.8 | 4.2 | 4.1 | 3.5 | 2.4 | 1.6 | 2.0 | 1.8 | 1.9 | 1.5 | 1.2 | 1.0 | 0.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 4.6 | 4.8 | 3.9 | 4.0 | 2.9 | 2.1 | 1.6 | 2.5 | 2.4 | 1.7 | 2.0 | 1.5 | 1.1 | 0.8 |
| Hispanic/Latino | 5.7 | 4.4 | 4.2 | 3.7 | 3.3 | 2.3 | 1.1 | 2.4 | 2.0 | 1.9 | 1.5 | 1.0 | 0.8 | 0.5 |
| White, non-Hispanic | 5.7 | 5.0 | 4.6 | 4.3 | 3.9 | 3.2 | 2.2 | 2.0 | 1.8 | 2.0 | 1.5 | 1.2 | 1.2 | 0.7 |
| Age | | | | | | | | | | | | | | |
| 11 | 2.7 | 1.9 | 1.9 | 1.6 | 1.8 | 1.7 | 1.0 | 1.0 | 1.2 | 1.0 | 0.6 | 0.9 | 1.0 | 0.4 |
| 12 | 2.5 | 2.6 | 2.7 | 2.4 | 2.2 | 1.7 | 1.4 | 1.2 | 1.1 | 1.3 | 1.1 | 1.0 | 0.8 | 0.6 |
| 13 | 4.1 | 3.4 | 3.3 | 3.5 | 3.3 | 2.8 | 2.0 | 1.6 | 1.6 | 1.8 | 1.5 | 1.7 | 1.2 | 0.7 |
| 14 | 5.0 | 4.9 | 4.6 | 5.0 | 4.0 | 3.2 | 1.6 | 2.4 | 2.4 | 2.4 | 2.2 | 1.6 | 1.3 | 0.8 |
| 15 | 6.0 | 6.1 | 5.1 | 4.6 | 4.8 | 2.7 | 2.2 | 2.7 | 3.0 | 2.3 | 1.6 | 1.5 | 0.9 | 0.9 |
| 16 | 7.3 | 5.9 | 5.6 | 5.2 | 4.1 | 3.2 | 2.6 | 3.0 | 2.1 | 2.1 | 2.1 | 1.2 | 1.0 | 0.9 |
| 17 | 7.6 | 6.4 | 5.6 | 4.8 | 4.1 | 3.3 | 1.9 | 2.3 | 2.1 | 2.0 | 1.8 | 1.0 | 0.9 | 0.5 |
| 18 | 8.4 | 7.2 | 5.5 | 5.4 | 4.8 | 2.8 | 1.7 | 2.7 | 2.6 | 2.1 | 1.2 | 1.1 | 1.1 | 0.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | 2.8 | 2.5 | 2.3 | 2.0 | 2.3 | 2.0 | 1.2 | 1.1 | 1.2 | 1.2 | 1.0 | 1.0 | 1.2 | 0.5 |
| 7th | 3.9 | 3.2 | 3.0 | 3.2 | 2.6 | 2.3 | 1.8 | 1.8 | 1.5 | 1.6 | 1.4 | 1.3 | 0.8 | 0.7 |
| 8th | 4.6 | 4.5 | 4.3 | 4.5 | 4.0 | 3.1 | 2.2 | 2.2 | 2.2 | 2.5 | 1.8 | 1.8 | 1.3 | 1.0 |
| 9th | 5.9 | 5.3 | 4.8 | 4.4 | 4.1 | 2.9 | 1.7 | 2.8 | 2.5 | 2.2 | 1.9 | 1.7 | 1.0 | 0.9 |
| 10th | 6.6 | 6.8 | 5.7 | 5.6 | 4.4 | 3.0 | 2.3 | 2.5 | 2.9 | 2.5 | 2.3 | 1.3 | 1.1 | 0.8 |
| 11th | 7.8 | 6.2 | 5.6 | 4.8 | 4.3 | 3.5 | 2.5 | 3.0 | 2.1 | 1.9 | 1.6 | 1.0 | 1.0 | 0.7 |
| 12th | 7.5 | 6.6 | 5.1 | 4.9 | 4.4 | 2.7 | 1.5 | 2.2 | 2.1 | 1.7 | 1.3 | 1.0 | 0.7 | 0.3 |
| Middle School | 3.7 | 3.4 | 3.2 | 3.2 | 3.0 | 2.5 | 1.7 | 1.7 | 1.6 | 1.8 | 1.4 | 1.4 | 1.1 | 0.7 |
| High School | 6.9 | 6.1 | 5.3 | 4.9 | 4.3 | 3.0 | 2.0 | 2.6 | 2.4 | 2.1 | 1.8 | 1.3 | 1.0 | 0.7 |
| Total | 5.5 | 5.0 | 4.4 | 4.2 | 3.7 | 2.8 | 1.9 | 2.2 | 2.1 | 2.0 | 1.6 | 1.3 | 1.0 | 0.7 |

Table 24. Percentage of surveyed Florida youth who used prescription amphetamines in lifetime and past 30 days—2012 to 2024

| | Prescription Amphetamine Use | | | | | | | | | | | | | |
|--------------------------|------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 3.4 | 3.5 | 3.3 | 2.6 | 3.7 | 3.2 | 2.2 | 1.0 | 1.1 | 1.1 | 0.8 | 1.1 | 1.1 | 0.6 |
| Male | 3.1 | 3.2 | 3.2 | 2.6 | 3.2 | 2.3 | 1.4 | 1.0 | 1.1 | 1.2 | 0.7 | 1.1 | 0.8 | 0.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.1 | 1.3 | 1.2 | 1.2 | 1.9 | 1.8 | 0.9 | 0.5 | 0.6 | 0.6 | 0.5 | 0.9 | 0.7 | 0.4 |
| Hispanic/Latino | 2.3 | 2.8 | 2.5 | 1.9 | 2.5 | 2.0 | 1.5 | 0.7 | 1.2 | 0.9 | 0.6 | 0.8 | 0.7 | 0.4 |
| White, non-Hispanic | 4.5 | 4.3 | 4.3 | 3.6 | 4.3 | 3.5 | 2.4 | 1.4 | 1.3 | 1.5 | 0.9 | 1.3 | 1.1 | 0.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.6 | 0.4 | 0.5 | 0.6 | 1.1 | 1.4 | 0.9 | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 | 0.8 | 0.3 |
| 12 | 0.8 | 0.7 | 1.0 | 0.9 | 1.3 | 1.4 | 1.2 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.3 |
| 13 | 1.2 | 1.1 | 1.4 | 1.6 | 2.7 | 2.0 | 1.5 | 0.4 | 0.6 | 0.6 | 0.5 | 1.0 | 0.7 | 0.6 |
| 14 | 1.9 | 2.1 | 2.2 | 2.1 | 3.3 | 2.9 | 1.9 | 0.8 | 0.9 | 0.8 | 0.8 | 1.5 | 1.1 | 0.7 |
| 15 | 2.9 | 3.6 | 3.2 | 2.5 | 3.8 | 2.6 | 2.1 | 1.1 | 1.3 | 1.3 | 0.8 | 1.3 | 1.1 | 0.6 |
| 16 | 4.8 | 4.7 | 4.9 | 3.6 | 4.4 | 3.3 | 1.9 | 1.5 | 1.5 | 1.8 | 1.0 | 1.3 | 0.9 | 0.4 |
| 17 | 6.7 | 6.9 | 5.6 | 4.3 | 4.9 | 4.5 | 2.5 | 1.8 | 2.1 | 2.1 | 1.1 | 1.0 | 1.2 | 0.6 |
| 18 | 7.1 | 6.6 | 6.9 | 5.6 | 5.7 | 3.8 | 1.8 | 1.7 | 2.1 | 1.8 | 0.8 | 1.6 | 1.3 | 0.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.7 | 0.6 | 0.8 | 0.9 | 1.1 | 1.4 | 0.9 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 0.2 |
| 7th | 1.2 | 1.0 | 1.2 | 1.0 | 2.0 | 1.7 | 1.4 | 0.5 | 0.5 | 0.7 | 0.5 | 0.6 | 0.5 | 0.6 |
| 8th | 1.5 | 1.4 | 1.8 | 1.9 | 3.2 | 2.7 | 2.0 | 0.5 | 0.6 | 0.7 | 0.6 | 1.4 | 1.0 | 0.7 |
| 9th | 2.4 | 3.1 | 2.6 | 2.3 | 3.4 | 2.5 | 1.9 | 1.0 | 1.1 | 0.9 | 0.9 | 1.5 | 1.1 | 0.7 |
| 10th | 4.2 | 4.5 | 4.2 | 3.1 | 4.3 | 3.1 | 2.0 | 1.4 | 1.4 | 1.6 | 0.9 | 1.4 | 1.2 | 0.5 |
| 11th | 5.4 | 5.4 | 5.8 | 3.9 | 5.1 | 3.6 | 1.8 | 1.6 | 1.7 | 2.1 | 1.0 | 1.4 | 0.9 | 0.5 |
| 12th | 7.8 | 7.7 | 6.4 | 5.4 | 5.1 | 4.5 | 2.4 | 1.9 | 2.5 | 1.9 | 1.0 | 1.2 | 1.3 | 0.4 |
| Middle School | 1.1 | 1.0 | 1.3 | 1.2 | 2.1 | 1.9 | 1.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.8 | 0.7 | 0.5 |
| High School | 4.8 | 5.1 | 4.7 | 3.6 | 4.5 | 3.4 | 2.0 | 1.5 | 1.7 | 1.6 | 1.0 | 1.3 | 1.1 | 0.5 |
| Total | 3.2 | 3.3 | 3.2 | 2.6 | 3.4 | 2.8 | 1.8 | 1.0 | 1.2 | 1.2 | 0.8 | 1.1 | 0.9 | 0.5 |

Table 25. Percentage of surveyed Florida high school youth who used a needle to inject an illegal drug in lifetime—2016 to 2024

| | Needle to Inject Illegal Drug | | | | |
|--------------------------|-------------------------------|------|------|------|------|
| | Lifetime | | | | |
| | 2016 | 2018 | 2020 | 2022 | 2024 |
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 0.6 | 0.5 | 0.6 | 0.4 | 0.5 |
| Male | 0.8 | 0.8 | 0.9 | 0.7 | 0.6 |
| Race/Ethnic group | | | | | |
| African American | 0.6 | 0.6 | 0.8 | 0.8 | 0.5 |
| Hispanic/Latino | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 |
| White, non-Hispanic | 0.8 | 0.6 | 0.6 | 0.6 | 0.6 |
| Age | | | | | |
| 11 | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- |
| 14 | 0.4 | 0.7 | 0.6 | 0.3 | 0.8 |
| 15 | 0.7 | 0.5 | 0.8 | 0.6 | 0.7 |
| 16 | 0.9 | 0.5 | 0.8 | 0.6 | 0.5 |
| 17 | 0.7 | 0.7 | 0.7 | 0.5 | 0.6 |
| 18 | 0.7 | 0.7 | 0.8 | 0.6 | 0.2 |
| Grade | | | | | |
| 6th | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- |
| 9th | 0.6 | 0.6 | 0.8 | 0.4 | 0.7 |
| 10th | 1.0 | 0.7 | 0.6 | 0.8 | 0.5 |
| 11th | 0.7 | 0.7 | 0.9 | 0.5 | 0.6 |
| 12th | 0.7 | 0.5 | 0.6 | 0.5 | 0.4 |
| Middle School | -- | -- | -- | -- | -- |
| High School | 0.8 | 0.6 | 0.7 | 0.6 | 0.6 |
| Total | -- | -- | -- | -- | -- |

Table 26. Percentage of surveyed Florida youth who used *any illicit drug* in lifetime and past 30 days—2012 to 2024

| | Any Illicit Drug | | | | | | | | | | | | | |
|--------------------------|------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 31.6 | 30.7 | 29.0 | 28.7 | 31.0 | 27.3 | 23.3 | 16.3 | 16.4 | 15.1 | 15.0 | 15.5 | 14.0 | 11.2 |
| Male | 31.8 | 29.4 | 26.4 | 25.2 | 25.6 | 20.5 | 17.2 | 18.0 | 16.3 | 14.2 | 13.4 | 14.1 | 10.7 | 8.3 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 27.5 | 27.9 | 26.1 | 24.7 | 25.8 | 21.5 | 18.6 | 14.9 | 14.4 | 12.6 | 13.4 | 13.6 | 11.6 | 9.9 |
| Hispanic/Latino | 30.4 | 29.7 | 26.9 | 25.7 | 26.5 | 21.6 | 16.9 | 16.3 | 15.7 | 14.4 | 12.8 | 13.4 | 11.0 | 7.3 |
| White, non-Hispanic | 33.8 | 31.3 | 28.6 | 28.4 | 29.6 | 26.1 | 22.2 | 18.0 | 17.5 | 15.4 | 15.1 | 15.3 | 13.2 | 10.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 12.0 | 9.6 | 8.0 | 9.5 | 10.7 | 11.8 | 11.7 | 5.3 | 4.7 | 3.2 | 4.4 | 4.7 | 5.0 | 5.0 |
| 12 | 14.1 | 12.9 | 11.9 | 12.2 | 15.3 | 14.0 | 13.3 | 6.7 | 5.7 | 5.6 | 5.6 | 6.6 | 5.9 | 5.3 |
| 13 | 21.0 | 19.5 | 17.0 | 18.8 | 20.8 | 17.5 | 15.5 | 9.8 | 8.9 | 8.0 | 8.8 | 9.5 | 8.4 | 6.4 |
| 14 | 27.0 | 26.6 | 23.7 | 24.1 | 26.3 | 21.1 | 17.6 | 14.2 | 14.3 | 12.2 | 12.0 | 13.0 | 10.9 | 8.8 |
| 15 | 35.5 | 34.0 | 30.0 | 29.2 | 29.5 | 24.6 | 21.2 | 20.4 | 19.8 | 16.9 | 15.6 | 16.2 | 12.9 | 10.4 |
| 16 | 41.4 | 40.4 | 37.0 | 36.4 | 37.7 | 28.5 | 24.0 | 23.1 | 21.6 | 19.8 | 20.3 | 20.1 | 14.7 | 12.6 |
| 17 | 47.8 | 46.1 | 43.1 | 39.4 | 39.6 | 35.5 | 28.1 | 26.8 | 26.6 | 23.4 | 21.5 | 22.0 | 19.2 | 13.6 |
| 18 | 49.4 | 45.0 | 44.8 | 41.8 | 43.7 | 36.4 | 29.3 | 27.1 | 26.6 | 24.5 | 24.5 | 25.9 | 20.7 | 15.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 13.2 | 12.0 | 10.2 | 11.0 | 13.1 | 13.6 | 12.2 | 6.3 | 5.4 | 4.6 | 5.4 | 5.7 | 6.2 | 5.1 |
| 7th | 19.3 | 17.3 | 15.1 | 16.5 | 18.3 | 15.8 | 15.2 | 9.3 | 8.3 | 7.4 | 7.6 | 8.4 | 7.0 | 6.2 |
| 8th | 25.7 | 24.4 | 21.6 | 22.0 | 24.6 | 20.6 | 17.8 | 13.2 | 12.3 | 10.5 | 10.6 | 12.2 | 10.2 | 8.3 |
| 9th | 32.8 | 31.1 | 27.3 | 25.9 | 27.5 | 21.6 | 18.1 | 18.4 | 17.6 | 15.2 | 13.3 | 13.9 | 11.4 | 9.0 |
| 10th | 38.3 | 38.4 | 34.5 | 34.3 | 33.6 | 26.7 | 22.7 | 21.4 | 21.8 | 19.1 | 19.3 | 18.5 | 14.3 | 11.5 |
| 11th | 45.5 | 42.4 | 41.3 | 37.3 | 40.0 | 32.6 | 26.5 | 25.7 | 23.5 | 22.4 | 20.4 | 22.9 | 16.6 | 13.4 |
| 12th | 49.4 | 47.0 | 44.0 | 42.3 | 42.7 | 37.6 | 29.6 | 26.9 | 27.0 | 23.7 | 23.5 | 23.2 | 21.2 | 14.5 |
| Middle School | 19.4 | 17.9 | 15.7 | 16.5 | 18.7 | 16.7 | 15.1 | 9.6 | 8.7 | 7.5 | 7.9 | 8.8 | 7.8 | 6.6 |
| High School | 41.0 | 39.3 | 36.4 | 34.8 | 35.7 | 29.3 | 24.0 | 22.9 | 22.3 | 20.0 | 19.0 | 19.5 | 15.7 | 12.0 |
| Total | 31.7 | 30.0 | 27.7 | 26.9 | 28.3 | 23.9 | 20.2 | 17.2 | 16.4 | 14.7 | 14.3 | 14.8 | 12.3 | 9.7 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 27. Percentage of surveyed Florida youth who used *any illicit drug other than marijuana* in lifetime and past 30 days—2012 to 2024

| | Any Illicit Drug Other Than Marijuana | | | | | | | | | | | | | |
|--------------------------|---------------------------------------|-------------|-------------|-------------|-------------|-------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 19.7 | 17.9 | 16.4 | 15.5 | 15.9 | 14.0 | 11.0 | 8.6 | 7.9 | 7.3 | 6.5 | 6.0 | 5.2 | 4.1 |
| Male | 17.8 | 16.4 | 14.2 | 13.7 | 12.7 | 10.4 | 8.7 | 7.7 | 7.0 | 6.2 | 5.1 | 5.0 | 4.0 | 3.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 13.5 | 12.8 | 12.3 | 12.0 | 10.9 | 9.5 | 7.3 | 6.7 | 6.2 | 5.7 | 6.0 | 4.9 | 4.6 | 3.5 |
| Hispanic/Latino | 18.9 | 16.9 | 15.2 | 13.7 | 13.1 | 10.8 | 8.2 | 8.5 | 7.5 | 7.0 | 5.3 | 4.9 | 4.1 | 3.1 |
| White, non-Hispanic | 20.2 | 18.5 | 16.3 | 15.9 | 15.6 | 14.0 | 11.2 | 8.0 | 7.6 | 6.8 | 5.8 | 5.5 | 5.0 | 3.8 |
| Age | | | | | | | | | | | | | | |
| 11 | 11.6 | 8.7 | 7.5 | 8.7 | 9.2 | 10.4 | 9.7 | 5.2 | 4.3 | 3.1 | 4.1 | 4.1 | 4.6 | 4.3 |
| 12 | 12.5 | 11.2 | 10.5 | 10.7 | 12.2 | 11.1 | 10.3 | 5.9 | 4.6 | 5.0 | 4.9 | 5.0 | 4.4 | 4.3 |
| 13 | 16.3 | 15.2 | 12.9 | 13.8 | 14.4 | 12.3 | 10.5 | 6.9 | 6.7 | 5.8 | 5.9 | 6.1 | 5.2 | 4.2 |
| 14 | 17.8 | 16.9 | 15.3 | 15.4 | 14.5 | 12.6 | 9.7 | 8.2 | 7.9 | 7.2 | 6.4 | 5.9 | 5.4 | 4.1 |
| 15 | 19.0 | 17.9 | 16.7 | 15.3 | 14.0 | 11.6 | 10.0 | 8.8 | 8.6 | 7.8 | 5.7 | 5.6 | 4.4 | 3.9 |
| 16 | 22.0 | 19.0 | 17.6 | 17.0 | 15.2 | 12.1 | 9.3 | 9.6 | 8.4 | 7.7 | 6.7 | 5.7 | 4.2 | 3.0 |
| 17 | 24.3 | 22.9 | 19.0 | 16.2 | 15.9 | 14.4 | 9.8 | 9.3 | 9.1 | 7.5 | 6.0 | 5.2 | 4.6 | 2.9 |
| 18 | 24.5 | 21.8 | 19.8 | 18.3 | 17.7 | 13.2 | 9.5 | 10.0 | 8.1 | 8.5 | 5.9 | 6.3 | 4.3 | 2.6 |
| Grade | | | | | | | | | | | | | | |
| 6th | 12.1 | 10.5 | 9.2 | 9.8 | 10.7 | 11.3 | 9.5 | 5.8 | 4.8 | 4.2 | 4.8 | 4.6 | 5.0 | 4.1 |
| 7th | 15.4 | 14.0 | 11.7 | 13.0 | 13.5 | 11.7 | 10.8 | 6.7 | 6.1 | 5.7 | 5.6 | 5.7 | 4.7 | 4.6 |
| 8th | 18.3 | 16.7 | 15.1 | 15.1 | 15.2 | 13.0 | 10.9 | 8.3 | 7.6 | 6.8 | 6.2 | 6.6 | 5.4 | 4.6 |
| 9th | 18.8 | 16.8 | 15.6 | 14.4 | 13.6 | 11.1 | 9.2 | 8.6 | 7.8 | 7.2 | 5.8 | 5.1 | 4.5 | 3.6 |
| 10th | 19.5 | 19.5 | 17.8 | 17.1 | 14.3 | 12.1 | 8.9 | 8.8 | 9.4 | 7.9 | 6.7 | 5.7 | 4.5 | 3.1 |
| 11th | 23.3 | 20.2 | 18.6 | 15.7 | 16.1 | 13.0 | 9.7 | 9.5 | 7.8 | 7.8 | 5.7 | 5.3 | 4.1 | 3.4 |
| 12th | 24.9 | 23.0 | 19.2 | 17.6 | 17.0 | 13.9 | 9.9 | 9.6 | 9.0 | 7.7 | 6.0 | 5.7 | 4.4 | 2.3 |
| Middle School | 15.3 | 13.7 | 12.0 | 12.6 | 13.2 | 12.0 | 10.5 | 6.9 | 6.2 | 5.6 | 5.5 | 5.7 | 5.0 | 4.4 |
| High School | 21.5 | 19.7 | 17.7 | 16.2 | 15.2 | 12.5 | 9.4 | 9.1 | 8.5 | 7.7 | 6.0 | 5.4 | 4.4 | 3.1 |
| Total | 18.8 | 17.1 | 15.3 | 14.6 | 14.3 | 12.3 | 9.9 | 8.2 | 7.5 | 6.8 | 5.8 | 5.5 | 4.7 | 3.7 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 28. Percentage of surveyed Florida youth who used *alcohol only* in lifetime and past 30 days—2012 to 2024

| | Alcohol Only | | | | | | | | | | | | | |
|--------------------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 22.1 | 19.5 | 18.1 | 16.8 | 15.3 | 14.8 | 14.2 | 14.7 | 11.7 | 11.1 | 9.0 | 8.6 | 7.2 | 6.9 |
| Male | 19.9 | 17.8 | 17.0 | 15.6 | 14.3 | 13.8 | 12.8 | 12.7 | 10.1 | 9.1 | 7.4 | 7.0 | 5.6 | 5.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 18.8 | 14.6 | 13.7 | 12.4 | 11.3 | 10.4 | 8.8 | 10.3 | 7.8 | 7.3 | 5.1 | 5.1 | 3.5 | 3.4 |
| Hispanic/Latino | 23.1 | 21.5 | 20.3 | 18.6 | 16.5 | 15.9 | 14.5 | 15.1 | 12.9 | 10.8 | 9.1 | 7.8 | 6.2 | 5.8 |
| White, non-Hispanic | 21.2 | 19.4 | 18.3 | 17.0 | 15.9 | 15.2 | 15.3 | 14.9 | 12.2 | 11.4 | 9.6 | 9.3 | 7.9 | 7.5 |
| Age | | | | | | | | | | | | | | |
| 11 | 9.5 | 8.0 | 7.3 | 7.2 | 8.5 | 8.9 | 8.5 | 4.4 | 2.8 | 1.8 | 1.8 | 2.8 | 2.4 | 2.0 |
| 12 | 13.2 | 11.6 | 10.2 | 9.4 | 10.6 | 10.2 | 9.8 | 5.0 | 4.3 | 3.7 | 2.8 | 4.0 | 3.6 | 3.2 |
| 13 | 17.2 | 15.7 | 14.1 | 12.8 | 12.7 | 12.7 | 12.8 | 9.3 | 7.3 | 6.1 | 5.0 | 5.2 | 4.7 | 4.7 |
| 14 | 23.6 | 19.4 | 17.8 | 17.0 | 15.5 | 15.2 | 13.7 | 12.0 | 10.2 | 8.4 | 7.5 | 7.1 | 5.6 | 5.1 |
| 15 | 24.5 | 20.8 | 19.6 | 17.2 | 17.1 | 15.0 | 13.1 | 16.3 | 11.7 | 10.9 | 8.2 | 8.5 | 6.6 | 5.6 |
| 16 | 25.5 | 22.5 | 20.5 | 20.1 | 15.6 | 17.0 | 14.9 | 17.8 | 15.0 | 12.0 | 11.0 | 9.9 | 8.4 | 7.5 |
| 17 | 24.5 | 23.0 | 22.9 | 21.9 | 18.5 | 16.0 | 16.2 | 20.7 | 16.4 | 17.2 | 13.6 | 11.4 | 8.6 | 9.2 |
| 18 | 23.4 | 23.9 | 21.7 | 19.5 | 17.2 | 17.2 | 17.7 | 21.6 | 17.9 | 18.0 | 14.2 | 12.4 | 10.5 | 10.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | 10.7 | 9.9 | 8.4 | 7.6 | 9.2 | 8.9 | 9.1 | 4.5 | 3.5 | 2.9 | 2.2 | 3.5 | 2.8 | 2.6 |
| 7th | 16.6 | 13.3 | 12.6 | 11.6 | 11.9 | 11.8 | 11.6 | 7.9 | 5.8 | 4.6 | 3.7 | 4.8 | 4.5 | 4.2 |
| 8th | 20.8 | 18.7 | 16.3 | 14.7 | 14.4 | 14.2 | 13.6 | 11.4 | 9.4 | 8.2 | 7.0 | 6.4 | 5.3 | 5.3 |
| 9th | 24.4 | 20.7 | 19.1 | 18.9 | 16.4 | 15.2 | 12.5 | 15.0 | 11.4 | 9.5 | 7.6 | 7.5 | 6.0 | 4.7 |
| 10th | 25.2 | 21.1 | 20.3 | 17.9 | 16.4 | 16.3 | 14.4 | 17.0 | 13.5 | 11.6 | 10.1 | 9.1 | 6.8 | 6.7 |
| 11th | 25.1 | 23.1 | 21.4 | 21.8 | 16.6 | 16.8 | 16.3 | 18.8 | 15.2 | 15.0 | 12.1 | 10.1 | 9.4 | 8.4 |
| 12th | 24.1 | 24.2 | 23.4 | 20.7 | 19.1 | 16.6 | 16.7 | 22.2 | 18.5 | 18.3 | 14.8 | 13.5 | 9.9 | 10.3 |
| Middle School | 16.0 | 14.0 | 12.5 | 11.3 | 11.9 | 11.7 | 11.5 | 7.9 | 6.3 | 5.2 | 4.3 | 4.9 | 4.2 | 4.1 |
| High School | 24.7 | 22.2 | 21.0 | 19.8 | 17.1 | 16.2 | 14.9 | 18.1 | 14.5 | 13.4 | 11.1 | 10.0 | 8.0 | 7.4 |
| Total | 21.0 | 18.6 | 17.5 | 16.2 | 14.8 | 14.3 | 13.4 | 13.7 | 10.9 | 10.0 | 8.2 | 7.7 | 6.4 | 6.0 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 29. Percentage of surveyed Florida youth who used *alcohol or any illicit drug* in lifetime and past 30 days—2012 to 2024

| | Alcohol Or Any Illicit Drug | | | | | | | | | | | | | |
|--------------------------|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 53.6 | 50.1 | 46.8 | 45.2 | 46.1 | 42.0 | 37.3 | 30.7 | 27.9 | 25.8 | 23.7 | 23.9 | 21.0 | 17.9 |
| Male | 51.4 | 47.0 | 43.1 | 40.5 | 39.6 | 34.0 | 29.8 | 30.2 | 26.1 | 22.9 | 20.4 | 20.8 | 16.1 | 13.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 46.1 | 42.3 | 39.4 | 36.8 | 36.6 | 31.7 | 27.2 | 24.6 | 21.6 | 19.4 | 17.8 | 18.3 | 15.0 | 13.2 |
| Hispanic/Latino | 53.3 | 51.1 | 46.8 | 44.0 | 42.7 | 37.2 | 31.2 | 31.0 | 28.1 | 24.7 | 21.7 | 21.0 | 17.0 | 13.0 |
| White, non-Hispanic | 54.9 | 50.6 | 46.7 | 45.3 | 45.3 | 41.2 | 37.3 | 32.7 | 29.5 | 26.6 | 24.4 | 24.5 | 21.0 | 18.1 |
| Age | | | | | | | | | | | | | | |
| 11 | 21.4 | 17.4 | 14.9 | 16.5 | 19.0 | 20.6 | 20.0 | 9.6 | 7.3 | 5.1 | 6.2 | 7.6 | 7.4 | 6.9 |
| 12 | 27.2 | 24.3 | 21.7 | 21.3 | 25.6 | 24.0 | 22.9 | 11.6 | 9.9 | 9.0 | 8.3 | 10.5 | 9.3 | 8.4 |
| 13 | 38.0 | 35.1 | 30.8 | 31.3 | 33.4 | 29.9 | 28.2 | 19.0 | 16.1 | 13.9 | 13.7 | 14.5 | 12.9 | 11.1 |
| 14 | 50.4 | 45.9 | 41.1 | 40.8 | 41.6 | 36.2 | 31.1 | 25.9 | 24.3 | 20.2 | 19.3 | 20.0 | 16.3 | 13.8 |
| 15 | 59.8 | 54.8 | 49.5 | 46.2 | 46.0 | 39.6 | 34.2 | 36.3 | 31.1 | 27.4 | 23.4 | 24.4 | 19.3 | 15.9 |
| 16 | 66.7 | 62.7 | 57.4 | 56.3 | 52.8 | 45.4 | 38.7 | 40.3 | 36.1 | 31.3 | 30.7 | 29.7 | 23.0 | 19.9 |
| 17 | 72.1 | 69.0 | 65.8 | 61.1 | 58.0 | 51.0 | 44.0 | 46.8 | 42.7 | 40.2 | 34.3 | 33.2 | 27.5 | 22.5 |
| 18 | 72.6 | 68.8 | 66.3 | 61.1 | 60.5 | 53.3 | 46.6 | 48.1 | 44.0 | 41.7 | 37.5 | 37.8 | 31.0 | 25.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 23.9 | 21.7 | 18.2 | 18.4 | 22.1 | 22.4 | 21.1 | 10.7 | 8.9 | 7.3 | 7.6 | 9.1 | 8.9 | 7.7 |
| 7th | 35.8 | 30.4 | 27.4 | 27.7 | 30.1 | 27.3 | 26.6 | 17.1 | 14.0 | 11.9 | 11.2 | 13.1 | 11.3 | 10.3 |
| 8th | 46.3 | 43.0 | 37.6 | 36.4 | 38.8 | 34.6 | 31.3 | 24.5 | 21.6 | 18.3 | 17.5 | 18.5 | 15.2 | 13.7 |
| 9th | 57.1 | 51.7 | 46.2 | 44.6 | 43.4 | 36.6 | 30.3 | 33.0 | 28.6 | 24.3 | 20.5 | 21.1 | 17.3 | 13.5 |
| 10th | 63.4 | 59.5 | 54.5 | 52.0 | 49.6 | 42.9 | 36.9 | 38.1 | 34.8 | 30.2 | 28.8 | 27.2 | 21.1 | 18.1 |
| 11th | 70.4 | 65.5 | 62.4 | 58.8 | 56.3 | 49.0 | 42.6 | 43.9 | 38.6 | 36.8 | 31.9 | 32.8 | 25.8 | 21.5 |
| 12th | 73.4 | 71.0 | 67.4 | 62.8 | 61.5 | 53.9 | 46.0 | 48.6 | 45.1 | 41.7 | 37.3 | 36.3 | 30.9 | 24.7 |
| Middle School | 35.3 | 31.7 | 27.8 | 27.5 | 30.4 | 28.2 | 26.4 | 17.4 | 14.8 | 12.5 | 12.1 | 13.6 | 11.9 | 10.6 |
| High School | 65.6 | 61.4 | 57.2 | 54.4 | 52.4 | 45.3 | 38.7 | 40.4 | 36.3 | 32.9 | 29.5 | 29.1 | 23.5 | 19.3 |
| Total | 52.5 | 48.5 | 44.8 | 42.9 | 42.8 | 38.0 | 33.5 | 30.5 | 27.0 | 24.3 | 22.0 | 22.3 | 18.5 | 15.6 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 30. Percentage of surveyed Florida youth who used *any illicit drug, but no alcohol* in lifetime and past 30 days—2012 to 2024

| | Any Illicit Drug, But No Alcohol | | | | | | | | | | | | | |
|--------------------------|----------------------------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|------------|------------|------------|
| | Lifetime | | | | | | | Past 30 Days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 5.0 | 5.9 | 6.0 | 6.7 | 7.9 | 7.7 | 7.0 | 5.7 | 6.5 | 6.4 | 7.2 | 8.1 | 7.9 | 6.2 |
| Male | 5.8 | 6.3 | 6.5 | 6.7 | 7.3 | 6.8 | 6.6 | 6.7 | 6.9 | 6.3 | 6.9 | 7.2 | 6.0 | 4.9 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 7.7 | 8.3 | 9.0 | 8.9 | 10.5 | 9.3 | 8.5 | 7.7 | 8.2 | 7.7 | 8.9 | 9.4 | 7.9 | 6.8 |
| Hispanic/Latino | 4.7 | 6.0 | 6.0 | 6.2 | 7.6 | 6.5 | 5.8 | 5.8 | 6.3 | 6.7 | 6.7 | 7.1 | 6.5 | 4.2 |
| White, non-Hispanic | 4.5 | 4.8 | 5.0 | 5.7 | 5.9 | 6.4 | 6.1 | 5.3 | 6.0 | 5.4 | 6.2 | 6.6 | 6.4 | 5.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 6.8 | 6.3 | 5.3 | 5.7 | 6.1 | 7.6 | 7.0 | 4.2 | 3.6 | 2.7 | 3.5 | 3.1 | 3.6 | 4.1 |
| 12 | 6.4 | 6.3 | 6.4 | 6.2 | 7.3 | 7.4 | 7.5 | 4.6 | 3.8 | 4.0 | 3.9 | 4.6 | 4.6 | 3.8 |
| 13 | 6.6 | 7.3 | 6.6 | 7.8 | 7.5 | 7.2 | 6.5 | 5.1 | 5.1 | 4.8 | 5.6 | 5.4 | 5.4 | 4.1 |
| 14 | 5.8 | 7.1 | 7.0 | 7.3 | 8.9 | 7.4 | 7.2 | 6.0 | 6.1 | 5.9 | 6.4 | 7.8 | 6.8 | 5.7 |
| 15 | 5.3 | 6.3 | 6.4 | 7.4 | 7.8 | 7.2 | 7.5 | 7.5 | 8.6 | 7.8 | 7.9 | 8.7 | 7.7 | 5.8 |
| 16 | 4.5 | 4.9 | 6.2 | 6.7 | 7.6 | 7.0 | 6.1 | 7.1 | 8.1 | 8.0 | 9.6 | 10.4 | 7.9 | 6.9 |
| 17 | 4.0 | 5.3 | 5.8 | 5.8 | 7.1 | 7.5 | 6.6 | 7.0 | 8.8 | 8.1 | 9.1 | 9.4 | 9.2 | 7.2 |
| 18 | 4.1 | 4.5 | 5.2 | 5.7 | 7.9 | 6.3 | 6.1 | 6.6 | 8.1 | 7.6 | 9.4 | 10.8 | 9.0 | 6.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | 6.5 | 6.7 | 6.2 | 6.1 | 6.9 | 8.2 | 7.0 | 4.3 | 3.9 | 3.5 | 3.9 | 4.0 | 4.6 | 3.8 |
| 7th | 6.6 | 6.6 | 6.3 | 7.5 | 7.3 | 6.8 | 7.7 | 5.4 | 4.7 | 4.5 | 5.1 | 5.2 | 5.0 | 4.1 |
| 8th | 6.4 | 7.3 | 7.0 | 7.2 | 8.3 | 7.3 | 6.9 | 6.2 | 5.9 | 5.5 | 5.8 | 7.2 | 6.2 | 5.5 |
| 9th | 5.4 | 6.4 | 6.5 | 7.2 | 8.7 | 7.1 | 7.0 | 6.7 | 7.5 | 7.4 | 6.9 | 8.2 | 6.9 | 5.3 |
| 10th | 5.0 | 5.7 | 6.9 | 7.1 | 7.4 | 7.1 | 6.9 | 7.0 | 8.7 | 8.1 | 9.6 | 9.1 | 8.3 | 6.4 |
| 11th | 4.1 | 5.3 | 6.1 | 6.3 | 8.0 | 7.4 | 6.1 | 7.5 | 8.6 | 8.0 | 8.8 | 11.1 | 8.0 | 7.1 |
| 12th | 3.5 | 4.4 | 4.8 | 5.6 | 6.7 | 6.6 | 6.0 | 6.2 | 7.8 | 7.7 | 9.3 | 9.0 | 9.8 | 6.8 |
| Middle School | 6.5 | 6.9 | 6.5 | 6.9 | 7.5 | 7.5 | 7.2 | 5.3 | 4.8 | 4.5 | 4.9 | 5.5 | 5.3 | 4.5 |
| High School | 4.6 | 5.5 | 6.1 | 6.6 | 7.7 | 7.1 | 6.5 | 6.8 | 8.1 | 7.8 | 8.6 | 9.4 | 8.2 | 6.4 |
| Total | 5.4 | 6.1 | 6.3 | 6.7 | 7.6 | 7.2 | 6.8 | 6.2 | 6.7 | 6.4 | 7.1 | 7.7 | 6.9 | 5.6 |

Note: In 2008, on the middle school questionnaire, a reduced set of items was used to measure the use of club drugs, cocaine, and hallucinogens. In 2010, this reduced item set was adopted by the high school questionnaire. In 2008, the middle school questionnaire began to measure the illicit use of over-the-counter drugs. These items were added to the high school questionnaire in 2010. In 2011, the high school questionnaire began to measure the use of synthetic marijuana. In 2016, the artificial stimulant “flakka” was added to the high school questionnaire. In 2018, the wording of the depressant use items was changed to more clearly specify non-medical use. In 2020, flakka and steroids were removed and vaping marijuana was added. As a result of these changes, please exercise caution when comparing results from different years.

Table 31. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: carrying a handgun and selling drugs—2012 to 2024

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|---------------------|------------|------------|------------|------------|------------|------------|---------------|------------|------------|------------|------------|------------|------------|
| | Carrying a Handgun | | | | | | | Selling Drugs | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.8 | 2.7 | 2.6 | 3.2 | 3.6 | 3.9 | 3.5 | 2.8 | 3.1 | 3.0 | 2.7 | 2.3 | 1.6 | 1.1 |
| Male | 6.9 | 7.8 | 8.3 | 8.7 | 8.6 | 8.1 | 8.2 | 7.1 | 6.6 | 5.4 | 5.1 | 4.2 | 2.4 | 2.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 4.3 | 4.8 | 4.7 | 5.8 | 5.7 | 5.0 | 4.9 | 4.3 | 4.3 | 3.4 | 3.3 | 2.9 | 1.7 | 1.7 |
| Hispanic/Latino | 3.5 | 4.0 | 4.7 | 5.0 | 4.9 | 4.8 | 3.7 | 4.7 | 4.6 | 4.2 | 3.3 | 2.9 | 1.9 | 1.0 |
| White, non-Hispanic | 4.7 | 5.9 | 6.1 | 6.6 | 6.7 | 7.1 | 7.6 | 5.6 | 5.4 | 4.4 | 4.3 | 3.5 | 2.2 | 1.8 |
| Age | | | | | | | | | | | | | | |
| 11 | 2.5 | 2.7 | 3.5 | 4.0 | 5.1 | 4.4 | 5.2 | 0.2 | 0.5 | 0.2 | 0.3 | 0.2 | 0.4 | 0.2 |
| 12 | 3.1 | 4.3 | 4.3 | 4.4 | 5.1 | 5.6 | 6.6 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.6 | 0.6 |
| 13 | 4.3 | 5.5 | 5.1 | 6.3 | 6.9 | 7.0 | 6.2 | 2.2 | 2.0 | 1.6 | 1.7 | 2.0 | 1.1 | 0.9 |
| 14 | 5.0 | 5.6 | 6.0 | 6.6 | 6.3 | 7.0 | 6.7 | 4.2 | 4.0 | 3.4 | 3.3 | 2.5 | 1.8 | 1.6 |
| 15 | 4.5 | 6.3 | 6.2 | 6.2 | 6.1 | 6.3 | 5.5 | 6.1 | 6.5 | 5.8 | 4.8 | 3.3 | 2.2 | 2.1 |
| 16 | 4.6 | 4.9 | 5.8 | 6.4 | 6.0 | 5.7 | 6.1 | 7.6 | 7.7 | 6.2 | 5.7 | 4.9 | 3.0 | 2.3 |
| 17 | 4.9 | 5.4 | 5.7 | 6.7 | 5.6 | 5.5 | 5.0 | 8.7 | 7.8 | 6.2 | 6.4 | 5.3 | 3.1 | 2.0 |
| 18 | 4.7 | 6.2 | 5.8 | 5.7 | 7.8 | 4.9 | 4.6 | 7.3 | 8.1 | 7.0 | 7.1 | 7.1 | 3.0 | 2.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 3.0 | 3.9 | 4.2 | 4.4 | 5.2 | 5.3 | 6.4 | 0.6 | 0.8 | 0.6 | 0.6 | 0.6 | 0.8 | 0.6 |
| 7th | 4.0 | 5.3 | 4.8 | 5.5 | 6.3 | 7.0 | 6.5 | 2.0 | 1.8 | 1.3 | 1.2 | 1.5 | 1.0 | 0.9 |
| 8th | 5.9 | 6.1 | 6.1 | 7.1 | 7.0 | 7.6 | 6.9 | 4.2 | 3.8 | 2.9 | 2.7 | 2.7 | 1.5 | 1.6 |
| 9th | 4.5 | 5.4 | 6.4 | 6.0 | 5.9 | 6.2 | 5.6 | 5.8 | 5.6 | 5.4 | 4.2 | 2.8 | 2.0 | 1.7 |
| 10th | 4.2 | 6.0 | 6.0 | 6.7 | 5.9 | 5.7 | 5.9 | 6.7 | 7.3 | 6.4 | 5.7 | 3.6 | 2.6 | 2.2 |
| 11th | 4.5 | 5.2 | 5.8 | 5.9 | 5.8 | 5.5 | 5.6 | 7.7 | 7.7 | 6.1 | 5.5 | 5.9 | 3.4 | 2.1 |
| 12th | 4.6 | 5.0 | 4.9 | 6.3 | 6.5 | 4.6 | 4.2 | 8.4 | 7.3 | 6.4 | 7.4 | 6.1 | 2.7 | 2.1 |
| Middle School | 4.3 | 5.1 | 5.0 | 5.7 | 6.2 | 6.7 | 6.6 | 2.2 | 2.1 | 1.6 | 1.5 | 1.6 | 1.1 | 1.0 |
| High School | 4.5 | 5.4 | 5.8 | 6.2 | 6.0 | 5.5 | 5.4 | 7.1 | 6.9 | 6.0 | 5.7 | 4.5 | 2.7 | 2.0 |
| Total | 4.4 | 5.3 | 5.5 | 6.0 | 6.1 | 6.0 | 5.9 | 5.0 | 4.9 | 4.2 | 3.9 | 3.3 | 2.0 | 1.6 |

Table 32. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attempting to steal a vehicle and being arrested—2012 to 2024

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|-------------------------------|------------|------------|------------|------------|------------|------------|----------------|------------|------------|------------|------------|------------|------------|
| | Attempting to Steal a Vehicle | | | | | | | Being Arrested | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 1.2 | 0.9 | 0.8 | 1.2 | 1.1 | 1.0 | 0.8 | 2.4 | 2.1 | 1.8 | 1.7 | 1.8 | 1.3 | 1.3 |
| Male | 2.3 | 1.8 | 1.7 | 1.8 | 1.8 | 1.2 | 1.4 | 4.2 | 3.5 | 3.0 | 2.8 | 2.7 | 2.0 | 2.1 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 2.2 | 2.1 | 2.0 | 2.5 | 2.2 | 1.4 | 1.6 | 4.7 | 4.1 | 3.7 | 3.7 | 3.5 | 2.4 | 2.9 |
| Hispanic/Latino | 1.6 | 1.1 | 1.3 | 1.2 | 1.4 | 1.1 | 0.7 | 3.1 | 2.8 | 2.3 | 1.9 | 1.9 | 1.3 | 1.2 |
| White, non-Hispanic | 1.4 | 1.1 | 0.9 | 1.0 | 1.1 | 0.8 | 1.0 | 2.8 | 2.3 | 1.8 | 1.7 | 1.7 | 1.3 | 1.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.5 | 0.3 | 0.2 | 0.6 | 0.4 | 0.4 | 0.8 | 0.5 | 0.6 | 0.5 | 0.5 | 1.5 | 0.6 | 0.7 |
| 12 | 1.0 | 0.6 | 0.7 | 0.8 | 1.0 | 0.9 | 1.0 | 1.2 | 0.9 | 1.1 | 1.0 | 1.4 | 1.2 | 1.0 |
| 13 | 1.4 | 1.1 | 1.2 | 1.3 | 1.5 | 1.0 | 1.0 | 2.5 | 2.0 | 2.0 | 2.1 | 2.3 | 1.7 | 1.5 |
| 14 | 1.6 | 1.5 | 1.4 | 2.2 | 1.5 | 1.3 | 1.4 | 3.8 | 2.9 | 2.7 | 2.7 | 2.8 | 2.2 | 2.2 |
| 15 | 2.3 | 1.8 | 1.7 | 2.0 | 1.8 | 1.3 | 1.0 | 4.3 | 4.1 | 3.3 | 2.9 | 2.3 | 1.8 | 2.3 |
| 16 | 2.2 | 1.9 | 1.6 | 1.7 | 1.4 | 1.4 | 1.4 | 4.5 | 3.6 | 3.1 | 2.8 | 2.7 | 1.8 | 1.9 |
| 17 | 2.4 | 1.4 | 1.3 | 1.0 | 1.4 | 1.0 | 0.9 | 4.2 | 3.4 | 2.5 | 2.6 | 2.0 | 1.7 | 1.9 |
| 18 | 1.3 | 1.7 | 1.6 | 1.5 | 2.3 | 0.8 | 0.9 | 3.5 | 3.6 | 2.8 | 2.3 | 3.0 | 1.3 | 1.4 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.9 | 0.7 | 0.6 | 0.7 | 0.9 | 0.9 | 1.1 | 1.2 | 1.2 | 1.1 | 1.1 | 1.8 | 1.4 | 1.2 |
| 7th | 1.4 | 0.9 | 1.1 | 1.2 | 1.3 | 0.8 | 1.1 | 2.6 | 1.8 | 1.7 | 2.0 | 2.1 | 1.6 | 1.3 |
| 8th | 2.0 | 1.7 | 1.3 | 2.1 | 1.5 | 1.5 | 1.3 | 3.8 | 3.4 | 2.9 | 2.1 | 2.7 | 2.1 | 2.6 |
| 9th | 2.1 | 1.4 | 1.6 | 2.2 | 1.7 | 1.1 | 1.1 | 4.4 | 3.2 | 3.1 | 2.9 | 2.4 | 1.9 | 1.9 |
| 10th | 1.9 | 1.9 | 1.8 | 1.8 | 1.5 | 1.4 | 1.2 | 3.9 | 3.9 | 3.3 | 3.1 | 2.3 | 1.8 | 1.9 |
| 11th | 2.2 | 1.5 | 1.3 | 1.0 | 1.8 | 1.1 | 1.2 | 4.1 | 3.0 | 2.7 | 2.2 | 2.5 | 1.6 | 1.8 |
| 12th | 1.8 | 1.3 | 1.1 | 1.2 | 1.4 | 0.7 | 0.8 | 3.4 | 3.1 | 2.0 | 2.4 | 2.0 | 1.4 | 1.4 |
| Middle School | 1.4 | 1.1 | 1.0 | 1.4 | 1.3 | 1.1 | 1.2 | 2.5 | 2.2 | 1.9 | 1.7 | 2.2 | 1.7 | 1.7 |
| High School | 2.0 | 1.5 | 1.5 | 1.6 | 1.6 | 1.1 | 1.1 | 4.0 | 3.3 | 2.8 | 2.6 | 2.3 | 1.7 | 1.8 |
| Total | 1.8 | 1.4 | 1.3 | 1.5 | 1.5 | 1.1 | 1.1 | 3.4 | 2.8 | 2.4 | 2.3 | 2.3 | 1.7 | 1.7 |

Table 33. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: taking a handgun to school and getting suspended—2012 to 2024

| | Delinquent Behavior | | | | | | | | | | | | | |
|--------------------------|----------------------------|------------|------------|------------|------------|------------|------------|-------------------|-------------|------------|------------|-------------|-------------|-------------|
| | Taking a Handgun to School | | | | | | | Getting Suspended | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 8.6 | 7.4 | 7.0 | 7.3 | 9.2 | 8.8 | 11.2 |
| Male | 1.1 | 1.0 | 0.9 | 0.9 | 0.8 | 0.5 | 0.6 | 15.2 | 12.9 | 12.5 | 11.7 | 14.1 | 13.3 | 15.8 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 1.0 | 1.3 | 1.0 | 1.4 | 1.0 | 0.7 | 0.8 | 20.6 | 18.6 | 16.4 | 16.7 | 20.5 | 19.1 | 23.0 |
| Hispanic/Latino | 0.6 | 0.7 | 0.7 | 0.5 | 0.5 | 0.4 | 0.5 | 11.2 | 10.3 | 9.5 | 8.1 | 9.5 | 9.4 | 11.8 |
| White, non-Hispanic | 0.6 | 0.5 | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 | 8.7 | 7.2 | 6.7 | 6.7 | 8.2 | 8.2 | 9.3 |
| Age | | | | | | | | | | | | | | |
| 11 | 0.2 | 0.4 | 0.1 | 0.2 | 0.4 | 0.1 | 0.2 | 8.0 | 5.5 | 5.5 | 7.3 | 9.0 | 10.0 | 11.8 |
| 12 | 0.3 | 0.3 | 0.2 | 0.4 | 0.3 | 0.3 | 0.3 | 9.8 | 8.1 | 7.8 | 8.7 | 11.8 | 10.2 | 14.5 |
| 13 | 0.6 | 0.5 | 0.6 | 0.5 | 0.5 | 0.3 | 0.5 | 13.6 | 11.8 | 11.5 | 11.4 | 14.6 | 14.9 | 17.0 |
| 14 | 0.9 | 0.8 | 0.6 | 0.7 | 0.6 | 0.4 | 0.4 | 14.4 | 12.2 | 12.3 | 12.0 | 13.9 | 13.7 | 17.5 |
| 15 | 0.8 | 0.9 | 0.6 | 0.8 | 0.5 | 0.6 | 0.7 | 13.0 | 12.2 | 11.5 | 10.4 | 12.2 | 11.5 | 14.7 |
| 16 | 0.9 | 0.9 | 1.0 | 0.7 | 0.6 | 0.5 | 0.4 | 11.4 | 10.9 | 9.8 | 8.9 | 10.0 | 9.7 | 11.7 |
| 17 | 0.9 | 0.8 | 0.5 | 0.7 | 0.7 | 0.5 | 0.8 | 11.3 | 8.8 | 8.0 | 7.5 | 8.6 | 8.6 | 9.2 |
| 18 | 0.8 | 1.0 | 0.9 | 0.9 | 1.2 | 0.7 | 0.3 | 9.8 | 7.9 | 7.6 | 7.5 | 10.5 | 6.8 | 7.5 |
| Grade | | | | | | | | | | | | | | |
| 6th | 0.3 | 0.5 | 0.2 | 0.4 | 0.4 | 0.3 | 0.4 | 10.7 | 8.2 | 8.0 | 8.7 | 11.6 | 12.0 | 14.7 |
| 7th | 0.6 | 0.4 | 0.5 | 0.4 | 0.5 | 0.3 | 0.3 | 14.0 | 12.0 | 11.2 | 11.4 | 14.5 | 13.8 | 16.6 |
| 8th | 1.1 | 0.8 | 0.5 | 0.6 | 0.5 | 0.3 | 0.5 | 14.6 | 12.6 | 12.6 | 12.0 | 15.0 | 14.7 | 19.3 |
| 9th | 0.8 | 0.7 | 0.8 | 1.1 | 0.6 | 0.5 | 0.5 | 14.1 | 11.6 | 12.0 | 11.4 | 12.5 | 11.0 | 14.5 |
| 10th | 0.9 | 1.1 | 0.9 | 0.7 | 0.6 | 0.6 | 0.5 | 10.7 | 10.9 | 9.4 | 8.8 | 9.4 | 9.9 | 12.1 |
| 11th | 0.8 | 0.9 | 0.7 | 0.6 | 1.0 | 0.3 | 0.6 | 10.4 | 9.2 | 8.7 | 6.7 | 9.4 | 8.7 | 9.6 |
| 12th | 0.9 | 0.6 | 0.6 | 0.8 | 0.8 | 0.6 | 0.4 | 8.4 | 6.5 | 6.1 | 7.6 | 8.6 | 7.1 | 7.2 |
| Middle School | 0.7 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 13.1 | 11.0 | 10.6 | 10.7 | 13.7 | 13.5 | 16.9 |
| High School | 0.8 | 0.8 | 0.7 | 0.8 | 0.7 | 0.5 | 0.5 | 11.1 | 9.7 | 9.1 | 8.7 | 10.0 | 9.2 | 10.9 |
| Total | 0.8 | 0.7 | 0.6 | 0.6 | 0.6 | 0.4 | 0.5 | 11.9 | 10.3 | 9.8 | 9.5 | 11.6 | 11.1 | 13.5 |

Table 34. Percentage of surveyed Florida youth who reported engaging in delinquent behavior in past 12 months: attacking someone with intent to harm—2012 to 2024

| | Delinquent Behavior | | | | | | |
|--------------------------|---------------------------------------|------------|------------|------------|------------|------------|------------|
| | Attacking Someone with Intent to Harm | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | |
| Female | 6.6 | 6.1 | 5.3 | 5.6 | 5.8 | 6.2 | 5.4 |
| Male | 9.2 | 7.7 | 6.9 | 7.3 | 7.6 | 7.2 | 6.7 |
| Race/Ethnic group | | | | | | | |
| African American | 12.0 | 11.2 | 10.1 | 11.3 | 11.3 | 10.8 | 9.5 |
| Hispanic/Latino | 6.6 | 6.3 | 5.2 | 5.3 | 5.4 | 5.3 | 4.2 |
| White, non-Hispanic | 6.0 | 4.9 | 4.4 | 4.3 | 4.6 | 5.1 | 4.6 |
| Age | | | | | | | |
| 11 | 4.3 | 4.3 | 4.2 | 4.9 | 6.5 | 7.1 | 6.6 |
| 12 | 6.8 | 5.5 | 4.6 | 6.3 | 7.8 | 8.6 | 8.6 |
| 13 | 8.2 | 7.3 | 6.7 | 8.0 | 8.6 | 10.2 | 8.1 |
| 14 | 9.0 | 7.5 | 7.3 | 7.4 | 7.6 | 7.8 | 8.0 |
| 15 | 9.5 | 8.5 | 7.6 | 6.5 | 6.8 | 6.3 | 5.5 |
| 16 | 8.6 | 7.6 | 6.6 | 5.9 | 5.2 | 5.5 | 4.5 |
| 17 | 6.5 | 6.7 | 5.6 | 5.5 | 4.8 | 4.0 | 3.3 |
| 18 | 7.4 | 4.7 | 4.2 | 5.4 | 5.3 | 3.4 | 2.6 |
| Grade | | | | | | | |
| 6th | 6.1 | 5.5 | 4.5 | 6.5 | 7.8 | 8.9 | 8.3 |
| 7th | 8.3 | 6.6 | 6.1 | 6.7 | 8.2 | 9.6 | 8.7 |
| 8th | 9.5 | 8.1 | 7.8 | 8.3 | 8.8 | 9.3 | 8.3 |
| 9th | 9.4 | 8.3 | 7.8 | 6.9 | 6.8 | 5.9 | 6.4 |
| 10th | 8.0 | 8.4 | 6.5 | 6.0 | 5.2 | 5.6 | 4.5 |
| 11th | 7.1 | 6.1 | 5.7 | 5.2 | 5.3 | 4.7 | 3.8 |
| 12th | 6.5 | 4.6 | 4.1 | 5.7 | 4.6 | 3.1 | 2.3 |
| Middle School | 8.0 | 6.7 | 6.2 | 7.2 | 8.3 | 9.3 | 8.4 |
| High School | 7.8 | 7.0 | 6.1 | 5.9 | 5.5 | 4.9 | 4.3 |
| Total | 7.9 | 6.9 | 6.1 | 6.5 | 6.7 | 6.7 | 6.0 |

Table 35. Percentage of surveyed Florida high school youth who started using alcohol at age 13 or younger—2012 to 2024

| | Early ATOD Use | | | | | | | | | | | | | |
|--------------------------|----------------------------|--------|--------|--------|--------|--------|--------|--------------------------------|--------|--------|--------|--------|--------|--------|
| | More Than a Sip of Alcohol | | | | | | | Drinking at Least Once a Month | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 23.9 | 20.5 | 18.3 | 17.1 | 16.4 | 15.5 | 14.3 | 4.6 | 3.9 | 3.7 | 2.4 | 2.9 | 2.3 | 2.3 |
| Male | 26.8 | 23.2 | 20.2 | 18.1 | 15.4 | 12.6 | 12.1 | 5.4 | 3.9 | 3.4 | 2.5 | 2.5 | 2.1 | 1.7 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 23.3 | 19.4 | 17.5 | 16.4 | 13.8 | 10.7 | 8.8 | 4.5 | 3.6 | 3.9 | 2.2 | 2.7 | 1.7 | 1.6 |
| Hispanic/Latino | 26.2 | 22.0 | 19.1 | 17.1 | 15.4 | 14.4 | 12.2 | 5.3 | 4.1 | 3.1 | 2.7 | 2.6 | 2.2 | 1.6 |
| White, non-Hispanic | 24.2 | 22.3 | 19.5 | 18.2 | 17.0 | 14.9 | 15.1 | 4.8 | 3.9 | 3.3 | 2.4 | 2.6 | 2.5 | 2.3 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 35.1 | 30.3 | 27.4 | 27.0 | 24.8 | 21.1 | 18.6 | 7.0 | 5.2 | 4.8 | 3.3 | 3.6 | 3.0 | 2.8 |
| 15 | 29.3 | 25.4 | 21.5 | 20.0 | 18.6 | 16.9 | 15.8 | 5.9 | 4.1 | 3.8 | 2.9 | 2.8 | 2.6 | 2.4 |
| 16 | 24.4 | 20.9 | 19.0 | 17.7 | 15.1 | 13.8 | 12.9 | 4.8 | 4.0 | 3.8 | 2.3 | 2.5 | 2.1 | 1.8 |
| 17 | 21.8 | 18.8 | 17.4 | 13.6 | 12.3 | 11.4 | 11.3 | 4.0 | 3.5 | 2.9 | 2.3 | 2.3 | 1.9 | 1.8 |
| 18 | 19.0 | 16.0 | 13.8 | 12.9 | 12.4 | 8.8 | 8.1 | 4.2 | 3.0 | 2.7 | 1.8 | 3.0 | 1.1 | 1.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 32.8 | 27.5 | 24.3 | 23.3 | 21.5 | 18.6 | 17.2 | 7.1 | 4.9 | 4.5 | 3.3 | 3.3 | 3.1 | 2.8 |
| 10th | 25.1 | 22.7 | 18.3 | 18.1 | 16.3 | 14.9 | 13.4 | 4.9 | 4.2 | 3.3 | 2.4 | 2.5 | 2.0 | 1.8 |
| 11th | 22.6 | 18.9 | 18.1 | 15.0 | 13.0 | 12.5 | 12.5 | 4.0 | 3.0 | 3.1 | 2.1 | 2.4 | 2.0 | 1.8 |
| 12th | 19.5 | 17.2 | 16.0 | 13.6 | 12.4 | 9.7 | 9.5 | 3.9 | 3.3 | 3.1 | 2.1 | 2.5 | 1.4 | 1.5 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 25.4 | 21.8 | 19.4 | 17.6 | 15.9 | 14.1 | 13.2 | 5.0 | 3.9 | 3.5 | 2.5 | 2.7 | 2.2 | 2.0 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 36. Percentage of surveyed Florida high school youth who started using cigarettes or marijuana at age 13 or younger—2012 to 2024

| | Early ATOD Use | | | | | | | | | | | | | |
|--------------------------|----------------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|--------|--------|--------|
| | Cigarettes | | | | | | | Marijuana | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 13.7 | 10.7 | 8.6 | 6.9 | 5.6 | 4.9 | 4.7 | 9.5 | 9.1 | 9.0 | 8.0 | 7.6 | 7.2 | 5.8 |
| Male | 15.3 | 13.1 | 9.8 | 7.9 | 6.2 | 4.9 | 3.9 | 13.8 | 13.6 | 12.0 | 10.6 | 8.8 | 5.8 | 4.4 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 10.1 | 7.4 | 6.5 | 5.2 | 4.0 | 2.4 | 2.1 | 10.3 | 10.2 | 10.0 | 9.5 | 7.6 | 5.5 | 4.2 |
| Hispanic/Latino | 13.4 | 10.5 | 8.0 | 6.7 | 4.5 | 4.3 | 3.8 | 10.8 | 10.8 | 10.3 | 8.9 | 6.9 | 5.3 | 4.2 |
| White, non-Hispanic | 16.2 | 14.1 | 10.6 | 8.7 | 7.5 | 6.4 | 5.7 | 12.0 | 11.8 | 10.6 | 9.2 | 8.6 | 7.4 | 5.9 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 14.6 | 12.6 | 9.5 | 6.3 | 6.3 | 5.2 | 3.4 | 12.1 | 12.8 | 11.3 | 11.0 | 10.3 | 6.7 | 6.2 |
| 15 | 14.5 | 12.1 | 9.3 | 7.5 | 6.0 | 5.2 | 5.1 | 12.5 | 12.1 | 11.1 | 9.3 | 8.6 | 6.9 | 5.4 |
| 16 | 13.6 | 11.1 | 9.3 | 7.3 | 5.9 | 4.7 | 4.4 | 11.3 | 11.0 | 11.2 | 9.8 | 7.9 | 6.6 | 5.3 |
| 17 | 15.3 | 12.5 | 9.5 | 7.9 | 5.6 | 4.8 | 4.2 | 11.4 | 11.3 | 10.2 | 8.2 | 7.1 | 6.7 | 4.5 |
| 18 | 14.3 | 11.3 | 8.4 | 6.6 | 5.4 | 4.6 | 3.0 | 10.7 | 9.5 | 8.7 | 8.8 | 7.9 | 5.1 | 4.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 15.7 | 13.2 | 9.9 | 7.0 | 6.5 | 5.6 | 4.2 | 13.4 | 12.6 | 11.9 | 9.9 | 9.7 | 7.1 | 5.7 |
| 10th | 13.5 | 11.6 | 9.2 | 8.1 | 6.0 | 4.5 | 4.9 | 11.7 | 12.0 | 11.0 | 10.1 | 7.8 | 6.0 | 5.2 |
| 11th | 14.2 | 11.0 | 9.6 | 7.0 | 5.4 | 4.8 | 4.4 | 11.0 | 10.3 | 10.2 | 8.6 | 7.9 | 6.8 | 5.0 |
| 12th | 14.4 | 11.8 | 8.3 | 7.5 | 5.6 | 4.6 | 3.6 | 10.3 | 10.2 | 9.0 | 8.6 | 7.2 | 6.0 | 4.3 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 14.5 | 11.9 | 9.3 | 7.4 | 5.9 | 4.9 | 4.3 | 11.7 | 11.4 | 10.6 | 9.3 | 8.2 | 6.5 | 5.1 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 37. Percentage of surveyed Florida high school youth who started vaping nicotine or vaping marijuana at age 13 or younger, 2019 to 2024

| | Early ATOD Use | | | | | | | | | | | | | |
|--------------------------|-----------------|-----------|-----------|-----------|-----------|-----------|--|------------------|-----------|-----------|-----------|-----------|-----------|--|
| | Vaping Nicotine | | | | | | | Vaping Marijuana | | | | | | |
| | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | |
| Sex | | | | | | | | | | | | | | |
| Female | 5.0 | 5.9 | 8.5 | 9.6 | 8.6 | 10.7 | | 2.6 | 3.1 | 4.2 | 4.8 | 4.6 | 5.1 | |
| Male | 5.4 | 6.2 | 6.1 | 7.0 | 5.6 | 6.2 | | 3.0 | 3.2 | 3.6 | 3.6 | 2.4 | 3.5 | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 2.8 | 3.4 | 3.2 | 3.5 | 3.8 | 4.8 | | 1.8 | 2.2 | 2.1 | 2.2 | 3.5 | 2.7 | |
| Hispanic/Latino | 5.4 | 4.8 | 6.9 | 7.8 | 6.6 | 8.4 | | 2.9 | 2.8 | 3.9 | 4.3 | 2.7 | 4.2 | |
| White, non-Hispanic | 6.6 | 7.6 | 9.0 | 10.7 | 9.1 | 10.1 | | 3.5 | 3.4 | 4.2 | 5.0 | 3.9 | 5.0 | |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 12 | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 13 | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 14 | 12.4 | 14.4 | 14.8 | 11.5 | 8.2 | 11.6 | | 5.1 | 6.7 | 6.7 | 5.1 | 4.1 | 5.9 | |
| 15 | 7.1 | 8.6 | 11.5 | 10.5 | 8.5 | 10.2 | | 3.7 | 4.1 | 5.5 | 5.3 | 3.6 | 5.2 | |
| 16 | 3.8 | 4.8 | 7.5 | 8.4 | 6.9 | 8.1 | | 2.5 | 2.8 | 4.5 | 4.3 | 3.7 | 4.5 | |
| 17 | 3.6 | 2.8 | 3.0 | 6.6 | 6.8 | 7.0 | | 1.8 | 1.7 | 1.8 | 3.5 | 3.9 | 3.4 | |
| 18 | 2.1 | 2.6 | 0.8 | 4.4 | 5.8 | 5.6 | | 1.7 | 1.6 | 1.2 | 2.2 | 2.1 | 2.3 | |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 7th | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 8th | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| 9th | 9.7 | 11.0 | 12.1 | 11.2 | 8.9 | 10.3 | | 4.6 | 5.5 | 5.6 | 5.3 | 4.0 | 5.5 | |
| 10th | 4.3 | 6.6 | 9.8 | 8.3 | 7.0 | 9.1 | | 2.5 | 3.1 | 5.4 | 4.1 | 3.3 | 4.5 | |
| 11th | 4.0 | 3.2 | 4.4 | 8.3 | 6.1 | 7.5 | | 2.4 | 2.1 | 2.5 | 4.5 | 4.0 | 4.2 | |
| 12th | 2.4 | 2.9 | 2.0 | 5.0 | 6.5 | 6.5 | | 1.5 | 1.6 | 1.5 | 2.6 | 2.7 | 2.8 | |
| Middle School | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |
| High School | 5.2 | 6.0 | 7.3 | 8.3 | 7.2 | 8.4 | | 2.8 | 3.1 | 3.8 | 4.2 | 3.5 | 4.3 | |
| Total | -- | -- | -- | -- | -- | -- | | -- | -- | -- | -- | -- | -- | |

Table 38. Percentage of surveyed Florida youth who perceive great risk of harm in using alcohol or tobacco—2012 to 2024

| | Perceive Great Risk of Harm If: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------|
| | Drink One or More Alcoholic Drinks Nearly Every Day | | | | | | | Smoke a Pack or More of Cigarettes Per Day | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 46.0 | 45.4 | 46.4 | 49.1 | 48.4 | 47.8 | 51.8 | 69.7 | 69.5 | 68.4 | 67.6 | 67.3 | 66.3 | 65.8 |
| Male | 37.4 | 39.7 | 39.3 | 42.8 | 43.1 | 44.0 | 47.6 | 67.0 | 68.9 | 68.5 | 66.6 | 64.5 | 65.1 | 63.6 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 43.0 | 43.9 | 44.0 | 46.3 | 44.5 | 44.5 | 47.8 | 62.5 | 64.6 | 64.1 | 62.1 | 58.9 | 58.4 | 56.5 |
| Hispanic/Latino | 43.7 | 44.9 | 44.7 | 47.8 | 47.6 | 49.3 | 52.3 | 66.4 | 67.6 | 65.7 | 65.7 | 64.6 | 64.1 | 63.6 |
| White, non-Hispanic | 38.5 | 39.6 | 40.3 | 43.9 | 44.7 | 43.7 | 48.5 | 70.8 | 71.5 | 71.2 | 70.1 | 69.8 | 69.6 | 69.6 |
| Age | | | | | | | | | | | | | | |
| 11 | 50.1 | 53.8 | 51.2 | 56.6 | 55.7 | 52.4 | 55.3 | 70.9 | 74.0 | 71.6 | 71.3 | 67.6 | 68.1 | 64.6 |
| 12 | 47.8 | 47.2 | 47.4 | 51.7 | 51.3 | 49.8 | 52.5 | 69.1 | 69.1 | 69.0 | 67.4 | 66.8 | 65.6 | 65.0 |
| 13 | 44.8 | 44.8 | 44.7 | 47.8 | 48.7 | 46.2 | 50.6 | 68.5 | 67.1 | 67.6 | 66.5 | 65.9 | 64.3 | 64.7 |
| 14 | 39.9 | 41.2 | 43.7 | 43.5 | 42.3 | 45.8 | 48.9 | 66.7 | 68.5 | 68.4 | 66.3 | 63.6 | 65.5 | 64.2 |
| 15 | 38.3 | 40.7 | 41.2 | 45.1 | 44.2 | 44.7 | 48.6 | 67.8 | 69.4 | 67.0 | 66.4 | 66.4 | 65.8 | 65.2 |
| 16 | 39.1 | 39.7 | 40.1 | 42.5 | 43.7 | 44.9 | 48.4 | 69.2 | 69.7 | 68.8 | 67.0 | 67.3 | 65.4 | 65.5 |
| 17 | 39.1 | 39.2 | 38.7 | 43.3 | 43.3 | 44.8 | 48.1 | 68.4 | 70.2 | 69.0 | 68.2 | 65.8 | 67.1 | 64.5 |
| 18 | 37.5 | 39.9 | 40.4 | 41.7 | 40.4 | 40.4 | 49.0 | 67.3 | 70.0 | 69.3 | 65.3 | 65.9 | 66.4 | 64.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 47.4 | 48.6 | 48.1 | 52.8 | 51.1 | 49.9 | 52.6 | 66.9 | 68.6 | 67.8 | 66.8 | 64.7 | 63.9 | 63.5 |
| 7th | 44.7 | 45.2 | 44.7 | 48.6 | 50.2 | 47.6 | 50.4 | 68.3 | 66.8 | 66.7 | 66.4 | 65.5 | 64.6 | 63.7 |
| 8th | 43.6 | 43.3 | 44.1 | 46.5 | 46.0 | 46.0 | 50.9 | 67.8 | 68.6 | 69.0 | 67.3 | 65.9 | 65.8 | 65.3 |
| 9th | 36.7 | 40.7 | 42.3 | 42.4 | 41.8 | 44.2 | 48.0 | 66.4 | 69.2 | 67.0 | 65.1 | 63.9 | 64.8 | 64.1 |
| 10th | 40.5 | 39.8 | 41.0 | 43.9 | 45.2 | 45.9 | 49.4 | 69.7 | 69.9 | 68.5 | 66.6 | 67.7 | 65.8 | 66.4 |
| 11th | 38.4 | 40.0 | 39.4 | 44.4 | 43.5 | 44.5 | 47.8 | 69.5 | 70.2 | 69.3 | 68.7 | 66.7 | 66.5 | 64.3 |
| 12th | 39.8 | 39.5 | 39.9 | 42.3 | 42.0 | 43.3 | 48.8 | 69.6 | 70.5 | 70.6 | 68.2 | 67.0 | 68.7 | 65.2 |
| Middle School | 45.2 | 45.7 | 45.7 | 49.3 | 49.1 | 47.8 | 51.3 | 67.6 | 68.0 | 67.9 | 66.8 | 65.4 | 64.8 | 64.2 |
| High School | 38.8 | 40.0 | 40.7 | 43.3 | 43.1 | 44.5 | 48.5 | 68.7 | 70.0 | 68.8 | 67.1 | 66.3 | 66.4 | 65.0 |
| Total | 41.6 | 42.5 | 42.8 | 45.9 | 45.7 | 45.9 | 49.7 | 68.3 | 69.1 | 68.4 | 67.0 | 65.9 | 65.7 | 64.7 |

Table 39. Percentage of surveyed Florida youth who perceive great risk of harm in smoking marijuana—2012 to 2024

| | Perceive Great Risk of Harm If: | | | | | | | | | | | | | |
|--------------------------|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| | Smoke Marijuana Once or Twice a Week | | | | | | Try Marijuana Once or Twice | | | | | | | |
| | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | |
| Sex | | | | | | | | | | | | | | |
| Female | 39.2 | 37.5 | 35.2 | 34.1 | 33.9 | 38.9 | 29.1 | 25.5 | 24.8 | 22.8 | 22.7 | 22.3 | 27.3 | |
| Male | 36.3 | 35.2 | 33.7 | 32.8 | 34.8 | 39.2 | 26.0 | 25.3 | 25.0 | 23.6 | 23.6 | 24.6 | 28.6 | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 32.5 | 31.4 | 29.8 | 28.2 | 29.8 | 33.3 | 27.1 | 24.7 | 23.8 | 23.2 | 22.2 | 23.0 | 26.4 | |
| Hispanic/Latino | 38.5 | 36.2 | 34.9 | 35.6 | 36.6 | 42.5 | 29.8 | 28.1 | 26.7 | 25.0 | 26.1 | 26.3 | 32.4 | |
| White, non-Hispanic | 38.7 | 38.6 | 35.9 | 34.9 | 34.6 | 39.8 | 25.4 | 23.6 | 24.3 | 21.8 | 21.9 | 21.5 | 26.4 | |
| Age | | | | | | | | | | | | | | |
| 11 | 70.0 | 65.1 | 62.5 | 57.3 | 57.8 | 56.2 | 46.5 | 51.7 | 47.7 | 44.3 | 41.2 | 39.9 | 41.4 | |
| 12 | 60.9 | 58.8 | 56.1 | 52.9 | 51.5 | 52.3 | 43.0 | 43.0 | 41.0 | 38.0 | 36.3 | 35.5 | 36.4 | |
| 13 | 50.9 | 48.4 | 44.9 | 44.3 | 43.7 | 47.0 | 36.5 | 33.7 | 33.5 | 29.3 | 29.8 | 29.4 | 33.4 | |
| 14 | 37.5 | 38.3 | 34.6 | 32.5 | 36.2 | 40.6 | 28.2 | 24.1 | 25.3 | 22.5 | 22.0 | 24.8 | 29.3 | |
| 15 | 30.1 | 29.0 | 28.0 | 26.8 | 29.3 | 35.3 | 21.5 | 18.4 | 19.6 | 17.9 | 18.4 | 19.2 | 25.1 | |
| 16 | 24.6 | 24.3 | 21.6 | 21.5 | 25.6 | 32.6 | 19.0 | 15.8 | 16.4 | 15.0 | 14.6 | 17.4 | 23.2 | |
| 17 | 20.2 | 19.5 | 19.7 | 21.3 | 20.9 | 28.2 | 17.0 | 13.6 | 12.9 | 14.1 | 15.3 | 14.9 | 20.6 | |
| 18 | 21.0 | 21.4 | 19.1 | 17.7 | 18.2 | 26.1 | 16.7 | 14.8 | 13.9 | 13.4 | 13.1 | 12.6 | 19.6 | |
| Grade | | | | | | | | | | | | | | |
| 6th | 62.8 | 61.0 | 57.9 | 53.4 | 53.0 | 53.7 | 43.7 | 46.3 | 44.6 | 41.2 | 38.1 | 38.0 | 38.8 | |
| 7th | 53.9 | 51.5 | 50.0 | 47.6 | 47.3 | 48.0 | 38.4 | 36.5 | 35.6 | 32.6 | 32.6 | 31.2 | 33.7 | |
| 8th | 44.5 | 42.8 | 39.4 | 39.5 | 39.7 | 44.7 | 33.0 | 28.7 | 28.4 | 25.5 | 26.1 | 27.4 | 32.2 | |
| 9th | 31.4 | 32.4 | 29.5 | 27.5 | 31.5 | 36.9 | 22.2 | 19.9 | 21.7 | 19.2 | 19.1 | 20.8 | 26.0 | |
| 10th | 26.6 | 26.1 | 24.2 | 24.1 | 26.9 | 34.2 | 20.8 | 16.3 | 17.5 | 16.3 | 16.3 | 17.7 | 24.7 | |
| 11th | 22.9 | 21.1 | 20.8 | 20.6 | 22.8 | 29.4 | 17.9 | 15.3 | 14.2 | 14.3 | 14.3 | 16.0 | 20.6 | |
| 12th | 19.3 | 20.0 | 18.6 | 19.0 | 18.6 | 26.6 | 15.9 | 13.1 | 13.0 | 13.1 | 13.9 | 12.9 | 19.8 | |
| Middle School | 53.8 | 51.7 | 49.1 | 46.8 | 46.5 | 48.7 | 38.4 | 37.1 | 36.1 | 33.2 | 32.3 | 32.1 | 34.8 | |
| High School | 25.4 | 25.2 | 23.3 | 22.9 | 25.2 | 31.9 | 19.4 | 16.3 | 16.8 | 15.8 | 16.0 | 17.0 | 22.9 | |
| Total | 37.7 | 36.3 | 34.4 | 33.4 | 34.3 | 39.0 | 27.6 | 25.3 | 24.9 | 23.2 | 23.1 | 23.5 | 27.9 | |

Table 40. Percentage of surveyed Florida youth who perceive great risk of harm in taking a prescription drug without a doctor’s orders or having five or more alcoholic drinks once or twice a week—2012 to 2024

| | Perceive Great Risk of Harm If: | | | | | | | | | | | | | |
|--------------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------|
| | Take a Prescription Drug without a Doctor’s Orders | | | | | | | Five or More Alcoholic Drinks Once or Twice a Week | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 71.9 | 72.3 | 70.0 | 69.5 | 69.4 | 69.3 | 69.3 | | 57.7 | 58.4 | 61.3 | 60.4 | 58.3 | 60.8 |
| Male | 65.5 | 70.3 | 67.3 | 65.9 | 65.8 | 66.5 | 65.6 | | 51.7 | 51.2 | 54.9 | 54.1 | 54.8 | 57.5 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 67.4 | 66.0 | 63.3 | 61.7 | 60.8 | 60.1 | 59.6 | | 55.4 | 55.4 | 56.4 | 55.0 | 53.6 | 55.7 |
| Hispanic/Latino | 67.3 | 69.3 | 67.2 | 66.7 | 66.4 | 67.4 | 66.7 | | 54.1 | 53.5 | 57.9 | 56.3 | 57.3 | 59.4 |
| White, non-Hispanic | 69.7 | 74.2 | 71.5 | 70.8 | 71.5 | 71.6 | 71.8 | | 53.6 | 54.1 | 58.4 | 57.9 | 56.2 | 60.1 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | 76.0 | 72.8 | 74.1 | 72.3 | 71.4 | 70.6 | | 66.8 | 63.4 | 68.3 | 65.6 | 65.3 | 64.8 |
| 12 | -- | 72.6 | 69.0 | 69.2 | 69.4 | 67.5 | 67.1 | | 60.8 | 60.0 | 64.7 | 63.6 | 62.2 | 64.2 |
| 13 | -- | 70.7 | 69.0 | 66.9 | 68.4 | 66.2 | 66.5 | | 57.6 | 57.7 | 60.8 | 60.8 | 57.8 | 60.7 |
| 14 | 70.3 | 71.4 | 69.0 | 66.2 | 66.6 | 67.7 | 67.0 | | 55.3 | 55.8 | 57.7 | 55.7 | 57.7 | 59.3 |
| 15 | 69.5 | 71.1 | 67.9 | 66.0 | 66.3 | 67.3 | 67.3 | | 52.9 | 52.5 | 56.7 | 56.2 | 55.7 | 58.6 |
| 16 | 68.2 | 70.2 | 67.7 | 66.5 | 67.4 | 68.2 | 68.4 | | 51.9 | 52.5 | 53.7 | 54.4 | 54.0 | 58.0 |
| 17 | 68.4 | 70.6 | 68.0 | 68.6 | 67.1 | 68.3 | 67.4 | | 49.5 | 50.4 | 55.3 | 53.1 | 53.1 | 55.3 |
| 18 | 66.6 | 69.8 | 68.1 | 68.2 | 65.4 | 68.5 | 68.2 | | 46.9 | 49.7 | 51.9 | 50.4 | 49.8 | 54.3 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | 71.9 | 68.9 | 70.0 | 68.9 | 67.9 | 67.7 | | 61.1 | 59.6 | 64.4 | 61.8 | 61.4 | 62.5 |
| 7th | -- | 70.4 | 68.3 | 67.4 | 69.1 | 66.2 | 66.2 | | 57.6 | 57.8 | 61.8 | 62.3 | 59.7 | 61.5 |
| 8th | -- | 72.7 | 70.0 | 67.1 | 67.7 | 66.9 | 67.1 | | 57.5 | 56.6 | 60.1 | 59.2 | 58.3 | 61.0 |
| 9th | 67.7 | 71.2 | 68.2 | 65.4 | 66.3 | 67.8 | 66.6 | | 53.5 | 53.9 | 55.5 | 55.4 | 55.5 | 58.4 |
| 10th | 69.8 | 70.5 | 67.8 | 66.5 | 66.7 | 68.1 | 68.0 | | 52.8 | 52.4 | 55.7 | 54.8 | 55.0 | 58.9 |
| 11th | 68.2 | 71.2 | 68.2 | 68.0 | 67.1 | 67.5 | 68.2 | | 51.0 | 51.6 | 55.3 | 54.4 | 54.6 | 56.5 |
| 12th | 68.6 | 70.0 | 68.3 | 68.7 | 67.1 | 70.1 | 68.2 | | 47.7 | 51.0 | 53.3 | 51.9 | 51.5 | 55.2 |
| Middle School | -- | 71.7 | 69.1 | 68.2 | 68.5 | 67.0 | 67.0 | | 58.8 | 58.1 | 62.1 | 61.1 | 59.7 | 61.6 |
| High School | 68.6 | 70.8 | 68.2 | 67.1 | 66.8 | 68.4 | 67.7 | | 51.4 | 52.3 | 55.0 | 54.2 | 54.2 | 57.3 |
| Total | -- | 71.2 | 68.5 | 67.6 | 67.6 | 67.8 | 67.4 | | 54.6 | 54.7 | 58.0 | 57.2 | 56.6 | 59.1 |

Table 41. Percentage of surveyed Florida youth who perceive great risk of harm in vaping nicotine or vaping marijuana, 2019 to 2024

| | Perceive Great Risk of Harm If: | | | | | | | | | | | | | |
|--------------------------|---------------------------------|-------------|-------------|-------------|-------------|-------------|--|------------------|-------------|-------------|-------------|-------------|-------------|--|
| | Vaping Nicotine | | | | | | | Vaping Marijuana | | | | | | |
| | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | |
| Sex | | | | | | | | | | | | | | |
| Female | 38.5 | 46.7 | 41.3 | 42.8 | 48.0 | 49.5 | | 36.9 | 44.1 | 39.6 | 41.0 | 45.6 | 48.0 | |
| Male | 36.5 | 43.1 | 43.0 | 44.5 | 50.7 | 51.1 | | 36.1 | 41.5 | 40.4 | 42.6 | 46.7 | 48.6 | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 37.7 | 47.3 | 43.9 | 43.0 | 49.9 | 47.3 | | 34.2 | 42.0 | 40.2 | 39.6 | 44.5 | 43.9 | |
| Hispanic/Latino | 40.1 | 44.9 | 39.4 | 43.4 | 46.2 | 51.0 | | 39.0 | 43.6 | 39.4 | 43.0 | 47.1 | 50.2 | |
| White, non-Hispanic | 36.0 | 43.6 | 43.1 | 43.4 | 50.4 | 51.5 | | 36.5 | 42.9 | 41.1 | 41.6 | 45.4 | 49.3 | |
| Age | | | | | | | | | | | | | | |
| 11 | 56.2 | 60.1 | 56.9 | 59.2 | 58.2 | 59.6 | | 63.7 | 64.3 | 61.2 | 63.0 | 61.6 | 62.7 | |
| 12 | 46.8 | 54.2 | 51.3 | 52.4 | 55.1 | 56.9 | | 51.6 | 57.2 | 55.4 | 56.7 | 57.4 | 59.2 | |
| 13 | 41.1 | 48.1 | 44.7 | 46.2 | 49.8 | 53.6 | | 44.1 | 50.1 | 46.5 | 48.3 | 52.2 | 55.1 | |
| 14 | 36.0 | 41.6 | 39.1 | 44.1 | 49.1 | 50.3 | | 37.0 | 40.2 | 38.3 | 43.6 | 47.2 | 49.7 | |
| 15 | 32.2 | 41.6 | 37.2 | 39.5 | 47.6 | 47.9 | | 29.3 | 38.2 | 33.8 | 36.7 | 42.8 | 44.8 | |
| 16 | 31.0 | 39.6 | 36.5 | 40.0 | 44.9 | 47.8 | | 25.3 | 34.6 | 31.2 | 35.0 | 39.8 | 42.7 | |
| 17 | 34.7 | 40.9 | 38.2 | 38.4 | 47.4 | 45.1 | | 28.1 | 33.6 | 31.1 | 31.1 | 39.1 | 39.2 | |
| 18 | 32.5 | 39.0 | 42.3 | 36.4 | 51.7 | 45.6 | | 25.1 | 32.3 | 32.3 | 28.6 | 38.4 | 37.9 | |
| Grade | | | | | | | | | | | | | | |
| 6th | 51.3 | 55.2 | 54.9 | 54.2 | 55.1 | 57.5 | | 57.6 | 58.9 | 57.4 | 58.2 | 58.0 | 60.0 | |
| 7th | 40.2 | 51.0 | 46.6 | 48.2 | 51.0 | 53.6 | | 44.2 | 53.6 | 49.5 | 51.9 | 53.5 | 55.5 | |
| 8th | 40.1 | 45.2 | 41.9 | 45.3 | 50.0 | 53.0 | | 41.8 | 45.5 | 43.1 | 46.1 | 48.6 | 53.2 | |
| 9th | 33.4 | 40.9 | 37.7 | 41.2 | 45.5 | 48.7 | | 32.1 | 37.5 | 36.1 | 38.7 | 42.4 | 46.7 | |
| 10th | 31.5 | 40.3 | 34.9 | 40.5 | 47.1 | 48.2 | | 26.5 | 36.3 | 30.1 | 36.5 | 40.4 | 44.4 | |
| 11th | 31.7 | 41.0 | 37.9 | 38.2 | 46.0 | 44.9 | | 25.3 | 34.2 | 31.8 | 31.7 | 39.8 | 39.3 | |
| 12th | 34.2 | 39.5 | 41.9 | 37.8 | 50.6 | 46.5 | | 27.3 | 32.2 | 32.0 | 29.6 | 38.2 | 39.0 | |
| Middle School | 43.9 | 50.4 | 47.7 | 49.1 | 52.1 | 54.6 | | 47.9 | 52.6 | 49.9 | 51.9 | 53.3 | 56.2 | |
| High School | 32.7 | 40.5 | 38.0 | 39.5 | 47.1 | 47.1 | | 27.9 | 35.1 | 32.5 | 34.3 | 40.3 | 42.5 | |
| Total | 37.5 | 44.8 | 42.2 | 43.6 | 49.3 | 50.3 | | 36.5 | 42.8 | 40.1 | 41.8 | 46.0 | 48.2 | |

Table 42. Percentage of surveyed Florida youth who think it would be wrong for someone their age to drink alcohol regularly or smoke cigarettes—2012 to 2024

| | Think It Would Be Wrong for Someone Their Age To: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Drink Alcohol Regularly | | | | | | | Smoke Cigarettes | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 70.5 | 72.7 | 74.1 | 75.9 | 77.4 | 78.6 | 82.6 | 86.1 | 88.7 | 91.1 | 92.6 | 93.8 | 93.2 | 94.3 |
| Male | 70.3 | 73.8 | 75.2 | 76.7 | 79.2 | 82.0 | 85.0 | 85.1 | 88.5 | 91.0 | 92.1 | 93.3 | 94.1 | 94.8 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 75.8 | 77.9 | 78.8 | 79.1 | 83.1 | 84.6 | 87.2 | 91.0 | 92.6 | 93.7 | 94.5 | 95.4 | 95.6 | 96.7 |
| Hispanic/Latino | 70.8 | 72.6 | 74.8 | 76.6 | 79.5 | 82.1 | 85.1 | 87.9 | 89.8 | 91.4 | 92.9 | 94.3 | 94.7 | 94.5 |
| White, non-Hispanic | 67.5 | 70.1 | 72.2 | 74.5 | 75.2 | 76.9 | 81.3 | 82.0 | 85.7 | 89.5 | 90.9 | 92.0 | 92.1 | 93.2 |
| Age | | | | | | | | | | | | | | |
| 11 | 94.1 | 96.3 | 96.4 | 94.4 | 94.4 | 94.4 | 96.0 | 97.7 | 98.3 | 98.4 | 98.1 | 97.9 | 97.9 | 98.5 |
| 12 | 92.1 | 92.8 | 92.9 | 92.5 | 91.8 | 93.7 | 93.4 | 96.1 | 96.7 | 97.1 | 96.9 | 97.5 | 97.5 | 97.5 |
| 13 | 84.4 | 87.1 | 87.2 | 86.2 | 87.5 | 88.0 | 90.1 | 93.2 | 94.1 | 95.1 | 95.0 | 95.1 | 95.7 | 96.4 |
| 14 | 74.8 | 78.1 | 79.8 | 79.9 | 80.9 | 82.6 | 87.1 | 89.1 | 91.8 | 92.9 | 93.7 | 94.4 | 94.6 | 95.8 |
| 15 | 64.8 | 69.2 | 71.8 | 74.3 | 75.8 | 79.1 | 82.4 | 85.1 | 88.6 | 91.1 | 91.9 | 93.4 | 93.7 | 94.3 |
| 16 | 58.6 | 61.6 | 65.5 | 67.6 | 70.8 | 73.7 | 78.6 | 81.8 | 85.7 | 89.3 | 91.5 | 92.5 | 92.1 | 93.9 |
| 17 | 51.3 | 54.7 | 56.8 | 60.9 | 65.1 | 68.9 | 74.3 | 74.6 | 80.3 | 86.0 | 88.8 | 90.9 | 90.5 | 91.0 |
| 18 | 49.2 | 50.1 | 53.6 | 58.5 | 62.0 | 65.0 | 70.8 | 67.2 | 72.4 | 78.3 | 81.6 | 85.8 | 87.0 | 88.8 |
| Grade | | | | | | | | | | | | | | |
| 6th | 93.2 | 94.3 | 94.5 | 93.5 | 92.9 | 93.9 | 94.6 | 96.8 | 97.0 | 97.7 | 97.2 | 97.5 | 97.5 | 98.0 |
| 7th | 86.8 | 88.9 | 89.3 | 88.6 | 89.2 | 90.0 | 91.5 | 94.0 | 94.7 | 95.7 | 95.7 | 96.1 | 96.4 | 96.9 |
| 8th | 78.0 | 81.3 | 82.7 | 82.9 | 84.1 | 85.2 | 88.3 | 89.9 | 92.2 | 93.3 | 93.9 | 94.6 | 95.2 | 96.2 |
| 9th | 66.5 | 72.1 | 74.4 | 76.4 | 77.9 | 81.0 | 85.0 | 85.9 | 89.7 | 91.1 | 93.2 | 93.6 | 93.8 | 95.0 |
| 10th | 61.5 | 63.9 | 68.2 | 70.6 | 72.2 | 76.0 | 80.0 | 83.2 | 87.0 | 90.3 | 91.5 | 93.5 | 93.1 | 93.9 |
| 11th | 54.2 | 58.5 | 60.2 | 63.4 | 68.4 | 70.7 | 75.6 | 77.9 | 82.8 | 87.2 | 89.9 | 91.2 | 91.0 | 91.9 |
| 12th | 49.2 | 49.8 | 53.3 | 57.9 | 61.6 | 65.2 | 71.9 | 69.2 | 74.4 | 81.5 | 84.3 | 87.7 | 88.1 | 89.8 |
| Middle School | 86.1 | 88.2 | 88.8 | 88.4 | 88.7 | 89.6 | 91.4 | 93.6 | 94.7 | 95.6 | 95.6 | 96.1 | 96.4 | 97.0 |
| High School | 58.3 | 61.7 | 64.5 | 67.2 | 70.3 | 73.5 | 78.3 | 79.5 | 83.9 | 87.7 | 89.8 | 91.6 | 91.6 | 92.7 |
| Total | 70.4 | 73.2 | 74.7 | 76.3 | 78.3 | 80.4 | 83.8 | 85.6 | 88.6 | 91.0 | 92.3 | 93.5 | 93.6 | 94.5 |

Table 43. Percentage of surveyed Florida youth who think it would be wrong for someone their age to smoke marijuana or use other illicit drugs—2012 to 2024

| | Think It Would Be Wrong for Someone Their Age To: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Smoke Marijuana | | | | | | | Use Other Illicit Drugs | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 78.9 | 75.2 | 74.4 | 72.9 | 73.9 | 77.0 | 84.6 | 96.0 | 95.2 | 95.8 | 96.2 | 95.9 | 96.4 | 97.8 |
| Male | 74.3 | 72.8 | 73.3 | 72.8 | 75.4 | 79.7 | 85.8 | 94.4 | 94.5 | 94.7 | 95.1 | 94.6 | 96.1 | 97.1 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 77.1 | 74.0 | 73.7 | 72.9 | 73.6 | 77.1 | 83.4 | 96.1 | 96.1 | 96.1 | 96.5 | 96.0 | 96.3 | 97.8 |
| Hispanic/Latino | 79.8 | 75.6 | 75.8 | 74.8 | 78.6 | 82.9 | 88.9 | 94.9 | 94.4 | 94.5 | 95.5 | 95.4 | 96.6 | 97.4 |
| White, non-Hispanic | 74.6 | 72.4 | 73.1 | 71.8 | 73.2 | 76.1 | 83.9 | 95.0 | 94.5 | 95.1 | 95.5 | 95.0 | 96.0 | 97.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 98.0 | 98.2 | 98.0 | 96.9 | 97.0 | 97.2 | 98.0 | 98.9 | 99.4 | 99.3 | 99.0 | 98.5 | 99.1 | 99.1 |
| 12 | 95.6 | 94.8 | 94.8 | 93.9 | 93.8 | 95.7 | 96.3 | 98.3 | 98.5 | 98.3 | 98.2 | 98.5 | 98.8 | 98.5 |
| 13 | 89.3 | 88.4 | 88.4 | 86.3 | 87.2 | 89.6 | 92.9 | 96.9 | 97.0 | 97.2 | 96.8 | 97.0 | 97.4 | 98.0 |
| 14 | 80.4 | 78.0 | 78.2 | 76.0 | 78.5 | 83.0 | 89.0 | 95.7 | 95.6 | 96.0 | 95.9 | 96.2 | 96.7 | 97.8 |
| 15 | 71.3 | 68.9 | 68.7 | 68.0 | 70.2 | 76.9 | 84.6 | 94.4 | 94.4 | 94.7 | 95.5 | 94.8 | 96.4 | 97.1 |
| 16 | 65.7 | 60.9 | 62.4 | 60.1 | 62.6 | 68.5 | 78.4 | 93.3 | 93.0 | 93.2 | 94.6 | 93.5 | 95.4 | 97.1 |
| 17 | 60.4 | 55.4 | 55.3 | 55.0 | 57.5 | 60.8 | 74.0 | 93.0 | 91.2 | 92.8 | 93.5 | 92.5 | 93.8 | 96.3 |
| 18 | 58.2 | 53.4 | 54.2 | 52.2 | 52.7 | 58.2 | 70.2 | 92.3 | 90.4 | 92.2 | 92.6 | 90.9 | 93.2 | 96.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | 96.8 | 96.4 | 96.3 | 95.1 | 95.5 | 96.2 | 97.3 | 98.6 | 98.8 | 98.7 | 98.4 | 98.6 | 98.9 | 99.0 |
| 7th | 90.9 | 90.2 | 90.8 | 89.3 | 90.0 | 92.7 | 94.0 | 97.2 | 97.1 | 97.7 | 97.3 | 97.5 | 97.8 | 98.1 |
| 8th | 83.2 | 81.5 | 82.1 | 80.9 | 82.6 | 85.1 | 89.9 | 95.6 | 96.1 | 95.9 | 96.2 | 96.4 | 97.0 | 97.5 |
| 9th | 73.4 | 72.2 | 71.6 | 71.4 | 73.0 | 79.7 | 87.2 | 95.1 | 95.1 | 95.2 | 96.0 | 95.7 | 96.4 | 97.7 |
| 10th | 68.3 | 63.9 | 64.5 | 63.0 | 65.7 | 73.1 | 81.7 | 93.4 | 93.1 | 94.0 | 94.9 | 93.8 | 96.4 | 97.2 |
| 11th | 62.4 | 58.4 | 58.1 | 56.9 | 59.5 | 63.2 | 75.4 | 93.7 | 92.3 | 92.4 | 93.9 | 93.1 | 94.3 | 96.3 |
| 12th | 58.4 | 52.0 | 53.6 | 51.7 | 53.4 | 57.3 | 70.5 | 92.1 | 90.4 | 92.5 | 92.3 | 91.3 | 93.1 | 96.1 |
| Middle School | 90.3 | 89.4 | 89.7 | 88.5 | 89.4 | 91.2 | 93.7 | 97.1 | 97.4 | 97.5 | 97.3 | 97.5 | 97.9 | 98.2 |
| High School | 66.1 | 62.2 | 62.3 | 60.9 | 63.2 | 68.7 | 79.0 | 93.6 | 92.9 | 93.6 | 94.3 | 93.5 | 95.1 | 96.9 |
| Total | 76.6 | 74.0 | 73.8 | 72.8 | 74.6 | 78.3 | 85.2 | 95.2 | 94.8 | 95.2 | 95.6 | 95.3 | 96.3 | 97.4 |

Table 44. Percentage of surveyed Florida youth who think it would be wrong for someone their age to vape nicotine or vape marijuana, 2019 to 2024

| | Think It Would Be Wrong for Someone Their Age To: | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|-------------|--|--|
| | Vape Nicotine | | | | | | | Vape Marijuana | | | | | | |
| | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | | |
| | % | % | % | % | % | % | % | % | % | % | % | % | | |
| Sex | | | | | | | | | | | | | | |
| Female | 81.2 | 83.7 | 80.2 | 82.4 | 86.6 | 88.3 | 79.5 | 81.7 | 79.8 | 81.3 | 84.6 | 87.2 | | |
| Male | 80.6 | 85.0 | 84.9 | 87.5 | 90.7 | 91.6 | 80.0 | 82.8 | 82.4 | 84.9 | 87.6 | 89.4 | | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 87.1 | 89.5 | 89.0 | 87.3 | 91.8 | 91.6 | 83.6 | 85.7 | 86.1 | 84.4 | 88.5 | 88.9 | | |
| Hispanic/Latino | 83.8 | 86.8 | 82.8 | 86.0 | 88.1 | 91.5 | 82.2 | 84.8 | 83.6 | 86.2 | 87.8 | 90.6 | | |
| White, non-Hispanic | 76.4 | 80.7 | 79.1 | 82.9 | 87.8 | 88.2 | 77.2 | 79.6 | 77.5 | 80.7 | 84.1 | 86.8 | | |
| Age | | | | | | | | | | | | | | |
| 11 | 95.4 | 96.0 | 95.6 | 96.0 | 95.4 | 97.0 | 97.3 | 97.2 | 96.1 | 97.2 | 96.4 | 98.3 | | |
| 12 | 91.1 | 93.2 | 92.1 | 93.9 | 94.0 | 95.5 | 94.0 | 95.1 | 95.2 | 96.0 | 96.4 | 96.6 | | |
| 13 | 86.8 | 88.1 | 85.9 | 89.1 | 91.0 | 92.8 | 90.4 | 89.9 | 89.2 | 90.8 | 92.2 | 93.7 | | |
| 14 | 81.5 | 84.8 | 81.7 | 86.0 | 88.3 | 90.8 | 82.6 | 84.3 | 83.4 | 86.5 | 88.5 | 90.8 | | |
| 15 | 77.4 | 82.4 | 81.4 | 83.7 | 88.3 | 88.9 | 75.6 | 79.6 | 80.7 | 81.9 | 83.7 | 87.5 | | |
| 16 | 75.9 | 80.2 | 78.2 | 80.6 | 86.7 | 87.9 | 71.3 | 74.2 | 72.5 | 76.1 | 81.4 | 83.9 | | |
| 17 | 74.4 | 78.8 | 76.3 | 78.6 | 85.9 | 85.7 | 68.6 | 72.0 | 68.8 | 70.8 | 78.1 | 80.5 | | |
| 18 | 69.4 | 73.2 | 74.7 | 74.4 | 83.6 | 83.0 | 62.5 | 67.2 | 66.4 | 68.0 | 76.7 | 77.0 | | |
| Grade | | | | | | | | | | | | | | |
| 6th | 94.1 | 94.5 | 94.4 | 94.8 | 94.4 | 96.1 | 95.9 | 96.1 | 95.9 | 96.4 | 96.9 | 97.4 | | |
| 7th | 88.1 | 90.0 | 88.0 | 90.7 | 91.3 | 94.0 | 91.5 | 91.9 | 92.0 | 93.0 | 92.6 | 95.0 | | |
| 8th | 83.9 | 86.1 | 83.0 | 87.0 | 88.7 | 91.5 | 87.4 | 86.9 | 85.8 | 88.0 | 88.5 | 91.6 | | |
| 9th | 78.7 | 83.6 | 82.4 | 84.7 | 87.4 | 90.1 | 77.6 | 82.0 | 82.1 | 83.9 | 84.4 | 89.3 | | |
| 10th | 76.0 | 80.7 | 79.0 | 83.1 | 87.4 | 88.1 | 73.1 | 75.6 | 74.4 | 80.0 | 82.1 | 85.7 | | |
| 11th | 75.1 | 79.6 | 76.4 | 78.6 | 86.5 | 86.6 | 68.0 | 73.1 | 70.9 | 72.1 | 80.6 | 81.5 | | |
| 12th | 70.3 | 75.1 | 75.0 | 75.3 | 84.4 | 83.8 | 64.3 | 68.4 | 66.3 | 67.5 | 75.7 | 77.6 | | |
| Middle School | 88.7 | 90.2 | 88.4 | 90.7 | 91.5 | 93.8 | 91.6 | 91.6 | 91.2 | 92.4 | 92.7 | 94.7 | | |
| High School | 75.1 | 79.9 | 78.3 | 80.6 | 86.5 | 87.2 | 70.9 | 75.0 | 73.7 | 76.2 | 81.0 | 83.7 | | |
| Total | 81.0 | 84.4 | 82.7 | 84.9 | 88.7 | 90.0 | 79.8 | 82.2 | 81.2 | 83.1 | 86.0 | 88.3 | | |

Table 45. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke tobacco or drink alcohol regularly—2014 to 2024

| | Friends Feel It Would Be Wrong for You To: | | | | | | | | | | | | | |
|--------------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------------------|-------------|-------------|-------------|-------------|--|--|
| | Smoke Tobacco | | | | | | | Drink Alcohol Regularly | | | | | | |
| | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | | |
| Sex | | | | | | | | | | | | | | |
| Female | 89.4 | 91.1 | 92.1 | 92.1 | 91.5 | 93.2 | 84.0 | 85.6 | 87.1 | 87.6 | 87.9 | 91.3 | | |
| Male | 86.7 | 89.5 | 90.2 | 90.6 | 91.9 | 93.1 | 81.0 | 82.9 | 83.7 | 85.7 | 88.0 | 90.2 | | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 92.8 | 93.1 | 93.8 | 93.5 | 93.8 | 95.3 | 85.9 | 86.5 | 87.8 | 88.9 | 89.7 | 92.8 | | |
| Hispanic/Latino | 89.4 | 91.5 | 92.1 | 93.0 | 92.9 | 93.9 | 81.9 | 84.4 | 85.3 | 86.5 | 88.4 | 91.4 | | |
| White, non-Hispanic | 85.0 | 88.3 | 89.2 | 89.3 | 89.9 | 91.5 | 80.7 | 82.8 | 84.2 | 85.4 | 86.6 | 89.4 | | |
| Age | | | | | | | | | | | | | | |
| 11 | 98.1 | 98.0 | 97.6 | 97.1 | 98.1 | 97.7 | 96.6 | 96.9 | 95.7 | 95.4 | 96.0 | 96.6 | | |
| 12 | 95.7 | 96.4 | 96.0 | 96.2 | 95.9 | 96.7 | 93.8 | 94.5 | 93.7 | 94.1 | 93.9 | 94.9 | | |
| 13 | 94.4 | 94.0 | 93.0 | 93.3 | 93.5 | 94.9 | 89.9 | 89.9 | 89.4 | 89.7 | 90.3 | 92.8 | | |
| 14 | 89.8 | 91.8 | 91.7 | 91.6 | 91.6 | 94.2 | 83.1 | 85.6 | 85.0 | 87.2 | 87.2 | 91.0 | | |
| 15 | 87.7 | 90.3 | 91.0 | 90.8 | 91.4 | 92.3 | 79.1 | 81.5 | 83.7 | 83.9 | 86.5 | 89.7 | | |
| 16 | 84.5 | 87.6 | 89.4 | 89.1 | 89.7 | 91.5 | 76.6 | 79.0 | 80.7 | 82.8 | 85.1 | 88.4 | | |
| 17 | 79.7 | 85.2 | 87.4 | 87.5 | 87.6 | 89.7 | 73.6 | 76.6 | 79.6 | 81.4 | 83.9 | 88.0 | | |
| 18 | 75.2 | 80.4 | 83.9 | 84.8 | 87.7 | 89.7 | 71.7 | 74.8 | 78.9 | 80.2 | 84.6 | 87.1 | | |
| Grade | | | | | | | | | | | | | | |
| 6th | 96.7 | 97.1 | 96.9 | 96.5 | 97.0 | 97.5 | 94.8 | 95.4 | 94.8 | 94.5 | 94.9 | 96.0 | | |
| 7th | 93.8 | 94.7 | 94.4 | 94.3 | 94.2 | 95.1 | 90.6 | 91.4 | 90.7 | 91.2 | 91.5 | 93.3 | | |
| 8th | 91.8 | 92.5 | 91.8 | 92.4 | 92.3 | 94.1 | 85.3 | 87.1 | 87.0 | 88.2 | 88.2 | 91.2 | | |
| 9th | 87.6 | 90.7 | 91.1 | 90.8 | 91.6 | 93.5 | 80.4 | 83.0 | 84.1 | 85.5 | 86.9 | 90.1 | | |
| 10th | 86.3 | 88.3 | 90.4 | 90.0 | 90.3 | 91.8 | 77.2 | 80.0 | 81.3 | 82.9 | 85.7 | 89.5 | | |
| 11th | 81.9 | 86.0 | 88.7 | 88.8 | 88.3 | 90.2 | 75.0 | 78.1 | 80.1 | 82.6 | 84.0 | 87.7 | | |
| 12th | 76.0 | 82.2 | 84.3 | 85.2 | 87.6 | 89.7 | 72.5 | 74.1 | 79.0 | 80.1 | 84.5 | 87.3 | | |
| Middle School | 94.2 | 94.8 | 94.4 | 94.4 | 94.5 | 95.6 | 90.3 | 91.3 | 90.9 | 91.3 | 91.4 | 93.5 | | |
| High School | 83.3 | 87.0 | 88.7 | 88.8 | 89.5 | 91.4 | 76.5 | 79.0 | 81.2 | 82.8 | 85.3 | 88.7 | | |
| Total | 88.0 | 90.3 | 91.1 | 91.3 | 91.7 | 93.1 | 82.5 | 84.2 | 85.3 | 86.6 | 87.9 | 90.7 | | |

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

Table 46. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to smoke marijuana or use prescription drugs not prescribed to you—2014 to 2024

Friends Feel It Would Be Wrong for You To:

| | Smoke Marijuana | | | | | | | Use Rx Drugs Not Prescribed to You | | | | | | |
|--------------------------|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|------------------------------------|-------------|-------------|-------------|-------------|--|--|
| | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | | |
| Sex | | | | | | | | | | | | | | |
| Female | 72.8 | 72.6 | 71.5 | 73.0 | 76.0 | 83.5 | 93.8 | 93.4 | 94.1 | 93.7 | 94.5 | 96.0 | | |
| Male | 70.2 | 71.3 | 70.6 | 73.6 | 79.1 | 84.7 | 92.6 | 92.2 | 92.3 | 92.6 | 94.2 | 95.5 | | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 71.6 | 72.3 | 71.8 | 72.9 | 76.8 | 83.7 | 94.0 | 93.3 | 93.4 | 93.5 | 94.4 | 95.7 | | |
| Hispanic/Latino | 72.1 | 74.0 | 72.6 | 76.6 | 81.4 | 87.2 | 92.6 | 91.9 | 93.3 | 93.4 | 94.7 | 96.2 | | |
| White, non-Hispanic | 70.6 | 71.2 | 69.7 | 71.9 | 75.5 | 82.6 | 93.1 | 93.1 | 93.2 | 93.2 | 94.2 | 95.3 | | |
| Age | | | | | | | | | | | | | | |
| 11 | 97.8 | 97.7 | 96.8 | 95.9 | 97.3 | 97.2 | 98.5 | 98.0 | 97.1 | 96.8 | 97.5 | 97.8 | | |
| 12 | 93.8 | 94.2 | 93.3 | 93.1 | 94.0 | 95.6 | 97.2 | 96.7 | 96.4 | 96.8 | 96.1 | 96.9 | | |
| 13 | 87.5 | 86.3 | 83.9 | 85.5 | 88.4 | 92.2 | 96.1 | 95.4 | 94.4 | 94.1 | 94.7 | 96.3 | | |
| 14 | 73.3 | 75.8 | 72.4 | 76.3 | 80.6 | 87.6 | 93.3 | 93.7 | 92.4 | 93.3 | 93.2 | 96.2 | | |
| 15 | 65.2 | 66.5 | 66.2 | 67.9 | 75.7 | 82.4 | 92.0 | 91.6 | 92.2 | 91.7 | 94.0 | 94.5 | | |
| 16 | 58.0 | 59.0 | 58.4 | 60.1 | 68.2 | 77.4 | 91.1 | 89.4 | 91.8 | 91.4 | 94.1 | 95.2 | | |
| 17 | 52.9 | 53.4 | 53.1 | 56.2 | 60.3 | 71.8 | 89.8 | 90.0 | 91.7 | 90.9 | 92.7 | 94.5 | | |
| 18 | 51.6 | 52.9 | 52.0 | 54.7 | 60.8 | 71.7 | 88.5 | 90.4 | 91.3 | 91.1 | 93.8 | 95.7 | | |
| Grade | | | | | | | | | | | | | | |
| 6th | 95.7 | 96.1 | 95.2 | 94.6 | 95.3 | 97.0 | 97.6 | 97.4 | 97.0 | 96.8 | 97.0 | 97.7 | | |
| 7th | 89.0 | 89.3 | 88.1 | 88.6 | 90.9 | 93.1 | 96.1 | 95.9 | 95.0 | 95.1 | 95.2 | 96.2 | | |
| 8th | 78.8 | 80.3 | 77.5 | 80.4 | 83.3 | 88.7 | 94.4 | 94.0 | 93.1 | 93.7 | 93.1 | 95.9 | | |
| 9th | 67.4 | 68.7 | 68.6 | 71.5 | 77.9 | 85.1 | 92.2 | 92.4 | 92.8 | 92.4 | 93.6 | 95.5 | | |
| 10th | 61.1 | 61.7 | 61.5 | 62.9 | 72.1 | 80.2 | 92.0 | 90.7 | 91.6 | 91.6 | 94.2 | 95.0 | | |
| 11th | 54.9 | 55.8 | 55.1 | 57.1 | 63.0 | 73.5 | 90.1 | 89.6 | 91.5 | 91.0 | 92.9 | 94.6 | | |
| 12th | 50.6 | 51.9 | 50.4 | 54.6 | 59.0 | 70.6 | 89.0 | 89.3 | 91.1 | 90.8 | 93.9 | 95.2 | | |
| Middle School | 87.9 | 88.6 | 87.0 | 87.9 | 89.7 | 92.9 | 96.1 | 95.7 | 95.0 | 95.2 | 95.1 | 96.6 | | |
| High School | 59.0 | 59.9 | 59.1 | 61.8 | 68.4 | 77.6 | 90.9 | 90.6 | 91.8 | 91.5 | 93.7 | 95.1 | | |
| Total | 71.5 | 72.0 | 71.0 | 73.3 | 77.6 | 84.1 | 93.1 | 92.7 | 93.2 | 93.1 | 94.3 | 95.7 | | |

Note: These questions were modified in the 2013 survey. Instead of assessing peer disapproval, previous versions asked respondents “what are the chances you would be seen as cool.” As a result, a direct comparison between these data and older survey results is not possible.

Table 47. Percentage of surveyed Florida youth who reported that their friends feel it would be wrong to vape nicotine or vape marijuana, 2019 to 2024

Friends Feel It Would Be Wrong for You To:

| | Vape Nicotine | | | | | | | Vape Marijuana | | | | | | |
|--------------------------|---------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------|-------------|-------------|-------------|-------------|--|--|
| | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | 2019 % | 2020 % | 2021 % | 2022 % | 2023 % | 2024 % | | |
| Sex | | | | | | | | | | | | | | |
| Female | 75.8 | 78.3 | 75.3 | 77.6 | 81.9 | 84.7 | 76.0 | 78.9 | 77.5 | 78.7 | 81.4 | 84.8 | | |
| Male | 75.5 | 80.3 | 81.0 | 83.8 | 86.7 | 89.0 | 77.1 | 79.5 | 81.0 | 82.8 | 84.8 | 87.5 | | |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 86.0 | 87.7 | 84.2 | 85.2 | 88.6 | 89.3 | 82.6 | 84.5 | 83.5 | 83.5 | 85.9 | 87.5 | | |
| Hispanic/Latino | 78.9 | 81.4 | 79.7 | 81.8 | 84.0 | 88.4 | 78.1 | 80.9 | 81.4 | 83.0 | 84.6 | 88.6 | | |
| White, non-Hispanic | 68.8 | 74.3 | 75.2 | 77.4 | 82.8 | 84.8 | 73.2 | 76.1 | 76.6 | 78.1 | 81.1 | 84.3 | | |
| Age | | | | | | | | | | | | | | |
| 11 | 94.5 | 95.3 | 94.0 | 94.8 | 93.4 | 95.2 | 96.2 | 96.5 | 96.1 | 96.9 | 95.4 | 97.1 | | |
| 12 | 88.0 | 91.4 | 90.3 | 90.2 | 91.4 | 93.6 | 91.8 | 93.8 | 93.7 | 93.4 | 94.1 | 95.4 | | |
| 13 | 83.4 | 84.8 | 82.8 | 85.6 | 87.2 | 90.7 | 86.7 | 87.7 | 86.8 | 88.7 | 89.5 | 92.5 | | |
| 14 | 74.5 | 79.8 | 77.1 | 80.6 | 83.9 | 87.8 | 78.8 | 81.4 | 81.2 | 83.2 | 84.5 | 88.7 | | |
| 15 | 70.5 | 75.6 | 76.8 | 78.5 | 82.4 | 85.2 | 72.1 | 75.4 | 77.5 | 79.2 | 80.3 | 84.4 | | |
| 16 | 67.9 | 72.7 | 70.6 | 75.6 | 80.7 | 84.1 | 65.6 | 69.7 | 69.8 | 73.5 | 77.3 | 81.1 | | |
| 17 | 68.3 | 69.8 | 70.5 | 72.4 | 81.0 | 80.6 | 66.0 | 66.3 | 68.1 | 67.3 | 75.8 | 77.1 | | |
| 18 | 65.2 | 69.0 | 70.0 | 73.7 | 80.2 | 80.4 | 61.8 | 66.0 | 64.3 | 67.9 | 73.7 | 76.4 | | |
| Grade | | | | | | | | | | | | | | |
| 6th | 92.3 | 93.6 | 92.9 | 92.5 | 92.4 | 94.6 | 95.0 | 95.2 | 95.1 | 95.0 | 95.3 | 96.7 | | |
| 7th | 85.0 | 87.6 | 85.7 | 87.1 | 87.1 | 91.7 | 88.4 | 90.4 | 90.1 | 90.7 | 89.5 | 93.5 | | |
| 8th | 77.7 | 82.3 | 79.7 | 82.9 | 85.0 | 88.4 | 81.2 | 84.4 | 83.8 | 85.3 | 85.2 | 89.5 | | |
| 9th | 72.1 | 77.0 | 75.5 | 79.4 | 82.0 | 87.5 | 74.8 | 78.2 | 78.7 | 80.8 | 81.5 | 87.2 | | |
| 10th | 68.2 | 73.7 | 73.7 | 77.5 | 80.9 | 84.3 | 67.8 | 71.4 | 72.6 | 77.0 | 77.8 | 82.8 | | |
| 11th | 68.6 | 71.3 | 70.7 | 72.9 | 81.3 | 81.5 | 65.3 | 67.6 | 68.1 | 68.9 | 76.8 | 77.7 | | |
| 12th | 64.6 | 68.2 | 69.3 | 72.2 | 80.0 | 80.1 | 62.5 | 65.0 | 65.2 | 66.5 | 73.1 | 75.9 | | |
| Middle School | 85.1 | 87.8 | 86.0 | 87.4 | 88.2 | 91.5 | 88.2 | 90.0 | 89.6 | 90.2 | 90.0 | 93.2 | | |
| High School | 68.4 | 72.7 | 72.4 | 75.6 | 81.1 | 83.5 | 67.7 | 70.7 | 71.3 | 73.6 | 77.5 | 81.1 | | |
| Total | 75.7 | 79.3 | 78.3 | 80.7 | 84.2 | 86.9 | 76.6 | 79.2 | 79.3 | 80.8 | 83.0 | 86.2 | | |

Table 48. Percentage of surveyed Florida youth who reported that their parents feel it would be wrong to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, 2024

| | Parents Feel It Would Be Wrong for You To: | | | |
|--------------------------|--|------------------|-----------------|---|
| | Drink Alcohol Regularly | Smoke Cigarettes | Smoke Marijuana | Use Prescription Drugs Not Prescribed to Them |
| | % | % | % | % |
| Sex | | | | |
| Female | 96.8 | 98.5 | 94.0 | 97.9 |
| Male | 96.5 | 98.6 | 94.6 | 98.3 |
| Race/Ethnic group | | | | |
| African American | 97.1 | 98.9 | 94.3 | 97.8 |
| Hispanic/Latino | 97.0 | 98.7 | 96.8 | 98.1 |
| White, non-Hispanic | 96.1 | 98.3 | 93.0 | 98.4 |
| Age | | | | |
| 11 | 98.5 | 99.2 | 99.1 | 98.6 |
| 12 | 98.3 | 98.9 | 98.6 | 98.4 |
| 13 | 97.4 | 98.8 | 97.2 | 98.4 |
| 14 | 97.5 | 98.8 | 96.0 | 98.5 |
| 15 | 96.4 | 98.2 | 93.6 | 97.0 |
| 16 | 95.6 | 98.6 | 91.5 | 98.2 |
| 17 | 95.7 | 98.4 | 90.9 | 98.0 |
| 18 | 94.2 | 97.5 | 87.6 | 97.9 |
| Grade | | | | |
| 6th | 98.4 | 99.1 | 98.9 | 98.8 |
| 7th | 97.9 | 98.9 | 97.5 | 98.3 |
| 8th | 97.1 | 98.8 | 96.0 | 98.3 |
| 9th | 96.6 | 98.4 | 95.0 | 97.7 |
| 10th | 96.0 | 98.2 | 92.5 | 97.4 |
| 11th | 95.4 | 98.6 | 91.3 | 98.2 |
| 12th | 95.3 | 98.0 | 88.7 | 98.1 |
| Middle School | 97.8 | 98.9 | 97.4 | 98.4 |
| High School | 95.8 | 98.3 | 92.0 | 97.9 |
| Total | 96.7 | 98.6 | 94.3 | 98.1 |

Table 49. Percentage of surveyed Florida youth who think it would be wrong for their parents to drink alcohol regularly, smoke cigarettes, smoke marijuana, or use prescription drugs not prescribed to them, among middle school youth, 2024

| | Think It Would Be Wrong for Their Parents To: | | | |
|--------------------------|---|------------------|-----------------|---|
| | Drink Alcohol Regularly | Smoke Cigarettes | Smoke Marijuana | Use Prescription Drugs Not Prescribed to Them |
| | % | % | % | % |
| Sex | | | | |
| Female | 80.1 | 86.0 | 88.2 | 96.1 |
| Male | 82.8 | 89.6 | 91.7 | 97.3 |
| Race/Ethnic group | | | | |
| African American | 87.4 | 91.7 | 90.3 | 96.7 |
| Hispanic/Latino | 85.4 | 90.5 | 93.8 | 97.1 |
| White, non-Hispanic | 74.8 | 84.2 | 88.1 | 96.7 |
| Age | | | | |
| 11 | 84.4 | 91.7 | 94.8 | 97.3 |
| 12 | 81.1 | 88.0 | 92.6 | 96.8 |
| 13 | 81.0 | 86.9 | 88.6 | 96.7 |
| 14 | 80.3 | 86.0 | 85.6 | 96.4 |
| 15 | -- | -- | -- | -- |
| 16 | -- | -- | -- | -- |
| 17 | -- | -- | -- | -- |
| 18 | -- | -- | -- | -- |
| Grade | | | | |
| 6th | 83.0 | 90.2 | 93.8 | 97.3 |
| 7th | 81.5 | 87.0 | 90.4 | 96.6 |
| 8th | 79.9 | 86.1 | 85.8 | 96.2 |
| 9th | -- | -- | -- | -- |
| 10th | -- | -- | -- | -- |
| 11th | -- | -- | -- | -- |
| 12th | -- | -- | -- | -- |
| Middle School | 81.4 | 87.7 | 89.9 | 96.7 |
| High School | -- | -- | -- | -- |
| Total | -- | -- | -- | -- |

Table 50. Percentage of surveyed Florida youth reporting participation in extracurricular activities, 2024

| | School Sports | Organized Sports Outside of School | School Band | School Club(s) | Community Club(s) |
|--------------------------|---------------|------------------------------------|-------------|----------------|-------------------|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 35.6 | 29.5 | 11.7 | 35.8 | 13.6 |
| Male | 40.9 | 37.0 | 11.7 | 21.6 | 9.0 |
| Race/Ethnic group | | | | | |
| African American | 47.5 | 31.7 | 11.2 | 24.1 | 10.7 |
| Hispanic/Latino | 33.5 | 28.6 | 9.9 | 25.3 | 10.7 |
| White, non-Hispanic | 36.3 | 36.3 | 12.3 | 31.9 | 11.5 |
| Age | | | | | |
| 11 | 35.9 | 47.1 | 17.9 | 25.7 | 9.8 |
| 12 | 37.4 | 47.1 | 18.2 | 21.9 | 9.4 |
| 13 | 38.3 | 42.3 | 16.4 | 22.0 | 8.2 |
| 14 | 40.4 | 35.0 | 12.1 | 24.3 | 9.5 |
| 15 | 41.1 | 30.2 | 9.0 | 28.4 | 10.4 |
| 16 | 38.6 | 25.5 | 8.3 | 33.6 | 13.7 |
| 17 | 35.3 | 21.8 | 7.1 | 36.6 | 13.8 |
| 18 | 36.2 | 22.4 | 6.9 | 38.9 | 16.2 |
| Grade | | | | | |
| 6th | 37.6 | 48.0 | 17.5 | 23.3 | 9.8 |
| 7th | 38.5 | 42.5 | 17.8 | 20.8 | 8.3 |
| 8th | 38.3 | 40.4 | 14.7 | 22.9 | 9.2 |
| 9th | 40.8 | 30.8 | 9.0 | 25.4 | 9.5 |
| 10th | 40.5 | 26.9 | 8.5 | 32.1 | 12.3 |
| 11th | 37.2 | 23.4 | 7.4 | 36.9 | 13.7 |
| 12th | 33.9 | 21.3 | 7.2 | 39.1 | 16.1 |
| Middle School | 38.2 | 43.6 | 16.7 | 22.3 | 9.1 |
| High School | 38.2 | 25.7 | 8.1 | 33.2 | 12.8 |
| Total | 38.2 | 33.3 | 11.7 | 28.6 | 11.2 |

Table 51. Percentage of surveyed Florida youth reporting involvement in bullying behavior, 2024

| | Skipped School Because of Bullying | Was Kicked or Shoved | Was Taunted or Teased | Victim of Cyber Bullying | Physically Bullied Others | Verbally Bullied Others | Cyber Bullied Others |
|--------------------------|------------------------------------|----------------------|-----------------------|--------------------------|---------------------------|-------------------------|----------------------|
| | % | % | % | % | % | % | % |
| Sex | | | | | | | |
| Female | 13.7 | 36.6 | 64.0 | 36.7 | 15.9 | 30.0 | 14.6 |
| Male | 4.7 | 34.3 | 53.2 | 21.6 | 18.9 | 31.8 | 12.2 |
| Race/Ethnic group | | | | | | | |
| African American | 6.6 | 31.5 | 52.4 | 24.9 | 21.4 | 32.8 | 15.1 |
| Hispanic/Latino | 7.1 | 28.1 | 50.6 | 23.0 | 13.9 | 26.1 | 10.0 |
| White, non-Hispanic | 11.5 | 40.0 | 64.9 | 34.0 | 15.9 | 31.3 | 13.7 |
| Age | | | | | | | |
| 11 | 8.3 | 50.2 | 71.3 | 25.2 | 23.3 | 36.1 | 11.9 |
| 12 | 9.2 | 49.6 | 70.3 | 28.5 | 24.0 | 36.8 | 13.2 |
| 13 | 10.6 | 45.1 | 66.5 | 31.1 | 24.0 | 38.6 | 15.1 |
| 14 | 9.5 | 38.5 | 61.8 | 30.2 | 20.7 | 33.7 | 15.6 |
| 15 | 9.2 | 32.5 | 55.3 | 30.3 | 16.2 | 29.5 | 14.1 |
| 16 | 9.2 | 26.1 | 51.4 | 29.0 | 12.9 | 26.9 | 13.1 |
| 17 | 8.4 | 23.9 | 48.7 | 27.5 | 10.2 | 23.4 | 11.0 |
| 18 | 7.9 | 23.0 | 47.9 | 27.7 | 8.7 | 22.4 | 10.5 |
| Grade | | | | | | | |
| 6th | 9.3 | 49.5 | 70.4 | 27.3 | 23.8 | 37.2 | 12.6 |
| 7th | 10.0 | 48.1 | 68.1 | 30.0 | 24.8 | 38.4 | 14.6 |
| 8th | 10.6 | 42.2 | 65.3 | 31.6 | 23.7 | 36.4 | 16.5 |
| 9th | 8.8 | 33.2 | 56.1 | 29.6 | 16.8 | 30.2 | 14.1 |
| 10th | 8.9 | 28.2 | 53.1 | 28.9 | 13.3 | 26.7 | 13.0 |
| 11th | 9.0 | 24.9 | 48.9 | 28.3 | 11.8 | 24.7 | 12.0 |
| 12th | 7.7 | 22.9 | 48.3 | 27.4 | 8.2 | 22.8 | 10.9 |
| Middle School | 10.0 | 46.6 | 67.9 | 29.6 | 24.1 | 37.4 | 14.6 |
| High School | 8.6 | 27.4 | 51.7 | 28.6 | 12.6 | 26.2 | 12.5 |
| Total | 9.2 | 35.5 | 58.5 | 29.0 | 17.5 | 30.9 | 13.4 |

Table 52. Usual source of alcohol within the past 30 days among surveyed Florida high school youth who drank, 2024

| | Bought in a Store | Bought in a Restaurant, Bar or Club | Bought at a Public Event | Someone Bought it for Me | Someone Gave it to Me | Took it from a Store | Took it from a Family Member | Some Other Way |
|--------------------------|-------------------|-------------------------------------|--------------------------|--------------------------|-----------------------|----------------------|------------------------------|----------------|
| | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | |
| Female | 10.1 | 3.5 | 0.6 | 7.0 | 43.9 | 1.3 | 15.2 | 18.4 |
| Male | 17.7 | 2.8 | 1.9 | 7.3 | 37.3 | 3.1 | 9.5 | 20.2 |
| Race/Ethnic group | | | | | | | | |
| African American | 9.2 | 3.4 | 2.0 | 4.3 | 46.2 | 3.2 | 11.7 | 20.1 |
| Hispanic/Latino | 10.5 | 5.9 | 1.5 | 2.8 | 38.3 | 2.3 | 14.4 | 24.4 |
| White, non-Hispanic | 16.1 | 2.2 | 0.6 | 10.1 | 41.3 | 1.7 | 11.5 | 16.4 |
| Age | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 7.6 | 0.9 | 2.5 | 2.6 | 43.0 | 4.5 | 22.2 | 16.8 |
| 15 | 4.4 | 3.5 | 0.8 | 4.8 | 41.0 | 3.2 | 22.7 | 19.6 |
| 16 | 10.0 | 2.6 | 1.1 | 8.9 | 42.7 | 1.6 | 12.5 | 20.7 |
| 17 | 18.2 | 2.7 | 1.7 | 7.4 | 42.4 | 0.8 | 9.0 | 17.9 |
| 18 | 21.0 | 4.6 | 0.6 | 7.9 | 36.9 | 3.1 | 6.2 | 19.7 |
| Grade | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 6.2 | 2.5 | 1.9 | 4.4 | 36.4 | 4.1 | 21.6 | 22.8 |
| 10th | 7.4 | 2.6 | 1.1 | 6.7 | 42.2 | 2.3 | 17.9 | 20.0 |
| 11th | 14.4 | 2.5 | 0.7 | 7.3 | 46.4 | 2.1 | 9.0 | 17.5 |
| 12th | 20.1 | 4.5 | 1.3 | 8.5 | 38.3 | 1.0 | 8.1 | 18.2 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 13.4 | 3.2 | 1.2 | 7.1 | 41.1 | 2.1 | 12.8 | 19.2 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 53. Usual drinking location within the past 30 days among surveyed Florida high school youth who drank, 2024

| | My Home | Another Person's Home | Car or Other Vehicle | Restaurant, Bar or Club | Public Place | Public Event | School Property | Some Other Place |
|--------------------------|---------|-----------------------|----------------------|-------------------------|--------------|--------------|-----------------|------------------|
| | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | |
| Female | 44.6 | 31.4 | 1.6 | 5.3 | 5.4 | 2.6 | 0.9 | 8.3 |
| Male | 41.3 | 29.0 | 3.1 | 6.1 | 5.0 | 3.4 | 2.3 | 9.9 |
| Race/Ethnic group | | | | | | | | |
| African American | 44.1 | 23.8 | 3.0 | 3.9 | 6.3 | 5.4 | 6.0 | 7.7 |
| Hispanic/Latino | 43.4 | 25.5 | 2.1 | 7.6 | 6.5 | 3.5 | 0.9 | 10.5 |
| White, non-Hispanic | 41.7 | 34.3 | 1.8 | 5.0 | 4.8 | 2.4 | 0.9 | 9.1 |
| Age | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 52.5 | 24.7 | 2.4 | 1.6 | 4.9 | 1.6 | 1.9 | 10.2 |
| 15 | 47.9 | 26.9 | 2.6 | 1.9 | 4.1 | 3.9 | 1.8 | 10.9 |
| 16 | 45.9 | 28.2 | 3.3 | 5.7 | 4.9 | 2.8 | 1.4 | 7.9 |
| 17 | 40.9 | 34.7 | 1.2 | 5.7 | 5.8 | 1.9 | 1.6 | 8.3 |
| 18 | 35.1 | 32.8 | 1.6 | 10.2 | 6.2 | 3.9 | 0.9 | 9.2 |
| Grade | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 49.2 | 25.2 | 2.7 | 1.1 | 3.8 | 3.4 | 1.2 | 13.4 |
| 10th | 46.4 | 25.9 | 2.2 | 4.6 | 6.3 | 2.9 | 2.2 | 9.4 |
| 11th | 41.8 | 33.7 | 3.1 | 5.4 | 4.1 | 2.7 | 1.1 | 8.0 |
| 12th | 39.2 | 33.3 | 1.2 | 8.7 | 6.0 | 2.8 | 1.4 | 7.4 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 43.3 | 30.3 | 2.2 | 5.6 | 5.2 | 2.9 | 1.5 | 9.0 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 54. Number of drinks consumed, per day, on the days students drank in the past 30 days, among surveyed Florida high school youth who drank, 2024

| | 1 | 2 | 3 | 4 | 5 or More |
|--------------------------|------|------|------|-----|-----------|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 34.8 | 25.2 | 17.8 | 7.0 | 15.1 |
| Male | 30.9 | 20.0 | 17.6 | 7.1 | 24.5 |
| Race/Ethnic group | | | | | |
| African American | 41.3 | 19.5 | 22.2 | 4.0 | 13.0 |
| Hispanic/Latino | 33.1 | 27.5 | 18.0 | 5.0 | 16.4 |
| White, non-Hispanic | 28.5 | 22.9 | 18.2 | 8.5 | 22.0 |
| Age | | | | | |
| 11 | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- |
| 14 | 35.9 | 26.9 | 16.7 | 8.7 | 11.8 |
| 15 | 42.8 | 19.9 | 16.7 | 6.0 | 14.6 |
| 16 | 30.9 | 26.4 | 18.3 | 6.8 | 17.5 |
| 17 | 29.1 | 23.5 | 19.8 | 8.4 | 19.2 |
| 18 | 33.5 | 18.9 | 16.0 | 5.7 | 25.9 |
| Grade | | | | | |
| 6th | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- |
| 9th | 38.4 | 25.0 | 17.7 | 6.3 | 12.6 |
| 10th | 36.1 | 24.7 | 15.6 | 5.4 | 18.2 |
| 11th | 32.1 | 21.1 | 20.5 | 9.6 | 16.7 |
| 12th | 29.8 | 22.4 | 17.1 | 6.2 | 24.4 |
| Middle School | -- | -- | -- | -- | -- |
| High School | 33.2 | 23.0 | 17.8 | 7.0 | 19.0 |
| Total | -- | -- | -- | -- | -- |

Note: Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 55. Percentage of surveyed Florida high school youth who reported riding in a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana—2012 to 2024

| | Riding in a Vehicle Driven by Someone Who Had Been: | | | | | | | | | | | | | |
|--------------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Drinking Alcohol | | | | | | | Using Marijuana | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 22.8 | 20.1 | 17.5 | 15.1 | 16.2 | 16.0 | 14.1 | 25.5 | 24.4 | 23.7 | 24.4 | 24.0 | 20.6 | 16.7 |
| Male | 19.9 | 16.2 | 15.3 | 13.4 | 13.3 | 11.2 | 10.7 | 25.3 | 22.7 | 21.7 | 21.5 | 20.2 | 15.1 | 13.0 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 18.3 | 14.8 | 14.7 | 12.5 | 11.6 | 10.1 | 8.8 | 27.0 | 27.1 | 26.2 | 25.4 | 26.7 | 20.0 | 16.1 |
| Hispanic/Latino | 22.0 | 19.0 | 17.2 | 14.2 | 15.4 | 13.8 | 11.6 | 23.5 | 20.6 | 19.9 | 19.8 | 18.0 | 15.2 | 10.5 |
| White, non-Hispanic | 22.2 | 19.4 | 16.7 | 15.0 | 15.6 | 14.9 | 14.3 | 25.0 | 23.3 | 21.6 | 22.5 | 21.3 | 18.3 | 16.2 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 18.7 | 16.8 | 15.6 | 15.2 | 14.8 | 15.6 | 12.1 | 13.0 | 14.8 | 14.3 | 16.4 | 16.4 | 12.9 | 11.1 |
| 15 | 20.9 | 17.8 | 17.1 | 14.5 | 15.9 | 14.9 | 14.0 | 21.5 | 19.1 | 18.9 | 18.7 | 18.5 | 15.8 | 13.8 |
| 16 | 20.6 | 17.2 | 15.2 | 13.7 | 14.8 | 13.1 | 12.7 | 26.0 | 23.6 | 22.6 | 23.8 | 22.0 | 17.6 | 14.7 |
| 17 | 22.1 | 19.3 | 16.7 | 14.8 | 13.6 | 12.8 | 11.0 | 30.5 | 28.7 | 27.2 | 25.8 | 25.0 | 20.5 | 15.8 |
| 18 | 23.7 | 18.9 | 17.0 | 13.7 | 14.6 | 11.1 | 11.3 | 31.6 | 28.9 | 27.9 | 29.0 | 28.6 | 21.9 | 18.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 21.3 | 18.2 | 17.2 | 15.4 | 15.8 | 15.6 | 13.1 | 19.9 | 17.5 | 16.9 | 17.7 | 17.2 | 14.3 | 12.9 |
| 10th | 20.0 | 18.0 | 15.6 | 14.2 | 14.8 | 13.8 | 13.7 | 22.5 | 22.7 | 21.9 | 22.3 | 20.4 | 16.3 | 14.0 |
| 11th | 21.3 | 17.8 | 16.3 | 13.9 | 13.9 | 12.8 | 12.0 | 29.5 | 26.1 | 24.6 | 24.2 | 24.6 | 19.9 | 16.1 |
| 12th | 23.1 | 18.6 | 16.3 | 13.9 | 14.4 | 11.6 | 10.5 | 31.0 | 29.3 | 28.1 | 28.0 | 26.7 | 21.4 | 16.5 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 21.4 | 18.1 | 16.4 | 14.3 | 14.7 | 13.5 | 12.4 | 25.4 | 23.5 | 22.7 | 22.9 | 22.1 | 17.8 | 14.8 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 56. Percentage of surveyed Florida high school youth who reported driving a vehicle within the past 30 days after drinking alcohol or using marijuana—2012 to 2024

| | Driving a Vehicle After: | | | | | | | | | | | | | |
|--------------------------|--------------------------|--------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|--------|--------|
| | Drinking Alcohol | | | | | | | Using Marijuana | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 7.4 | 6.2 | 5.0 | 3.8 | 3.6 | 3.2 | 2.1 | 8.8 | 9.6 | 9.1 | 8.7 | 8.2 | 6.7 | 4.5 |
| Male | 8.8 | 6.8 | 5.8 | 4.9 | 4.6 | 3.4 | 2.8 | 13.4 | 12.2 | 11.4 | 10.1 | 9.8 | 6.1 | 4.3 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 6.4 | 4.8 | 5.0 | 3.7 | 3.2 | 2.5 | 1.8 | 11.1 | 10.0 | 10.3 | 9.4 | 9.6 | 7.0 | 4.8 |
| Hispanic/Latino | 8.0 | 6.7 | 5.5 | 4.1 | 4.1 | 2.3 | 2.0 | 9.4 | 10.2 | 9.5 | 7.7 | 7.5 | 4.3 | 2.9 |
| White, non-Hispanic | 8.8 | 7.4 | 5.6 | 4.8 | 4.4 | 4.3 | 2.9 | 11.8 | 11.4 | 10.4 | 10.1 | 9.3 | 7.2 | 5.0 |
| Age | | | | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 3.1 | 2.6 | 1.9 | 1.5 | 2.0 | 1.1 | 1.0 | 3.0 | 4.5 | 4.3 | 3.0 | 2.2 | 2.8 | 2.0 |
| 15 | 5.1 | 4.2 | 3.4 | 3.1 | 2.7 | 2.1 | 1.4 | 6.5 | 7.1 | 6.0 | 5.3 | 5.7 | 3.9 | 3.0 |
| 16 | 8.1 | 6.1 | 5.0 | 3.8 | 3.4 | 3.2 | 2.5 | 11.8 | 10.1 | 9.7 | 9.7 | 9.1 | 6.5 | 4.3 |
| 17 | 10.4 | 8.6 | 7.1 | 5.9 | 5.4 | 4.2 | 3.0 | 15.0 | 15.1 | 13.9 | 12.5 | 11.7 | 8.5 | 5.8 |
| 18 | 12.8 | 10.5 | 8.9 | 7.2 | 7.2 | 5.6 | 4.0 | 17.0 | 16.5 | 16.5 | 15.8 | 16.0 | 10.0 | 6.1 |
| Grade | | | | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 5.2 | 3.8 | 3.1 | 2.5 | 2.5 | 2.1 | 1.4 | 6.2 | 6.5 | 5.8 | 4.6 | 4.2 | 3.7 | 2.4 |
| 10th | 6.0 | 5.8 | 4.5 | 3.9 | 2.9 | 2.2 | 2.1 | 8.8 | 9.6 | 8.5 | 7.8 | 7.3 | 5.0 | 4.0 |
| 11th | 9.8 | 7.3 | 5.9 | 4.6 | 4.4 | 4.0 | 3.0 | 14.3 | 12.5 | 11.8 | 11.4 | 11.5 | 7.3 | 4.9 |
| 12th | 12.4 | 10.2 | 8.5 | 6.8 | 6.9 | 5.3 | 3.5 | 16.5 | 16.1 | 15.7 | 14.5 | 13.8 | 9.9 | 6.3 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 8.1 | 6.6 | 5.4 | 4.4 | 4.1 | 3.3 | 2.4 | 11.2 | 10.9 | 10.3 | 9.5 | 9.0 | 6.4 | 4.4 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 57. Percentage of surveyed Florida youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

| | Drinking Alcohol | Smoking Marijuana | Using Another Drug |
|--------------------------|-------------------------|--------------------------|---------------------------|
| | % | % | % |
| Sex | | | |
| Female | 3.7 | 6.8 | 2.3 |
| Male | 2.4 | 5.0 | 1.8 |
| Race/Ethnic group | | | |
| African American | 2.4 | 5.8 | 2.3 |
| Hispanic/Latino | 2.6 | 5.0 | 1.9 |
| White, non-Hispanic | 3.3 | 6.3 | 1.9 |
| Age | | | |
| 11 | 1.5 | 0.9 | 0.5 |
| 12 | 1.6 | 1.2 | 1.0 |
| 13 | 2.6 | 3.4 | 2.4 |
| 14 | 3.7 | 5.8 | 2.2 |
| 15 | 3.8 | 7.3 | 2.5 |
| 16 | 4.0 | 9.0 | 2.5 |
| 17 | 3.2 | 9.2 | 2.2 |
| 18 | 2.8 | 7.7 | 1.7 |
| Grade | | | |
| 6th | 1.5 | 1.1 | 0.9 |
| 7th | 2.5 | 2.5 | 1.8 |
| 8th | 3.8 | 5.6 | 2.7 |
| 9th | 3.5 | 5.7 | 2.1 |
| 10th | 3.6 | 8.2 | 2.4 |
| 11th | 3.7 | 9.6 | 2.7 |
| 12th | 2.7 | 8.3 | 1.7 |
| Middle School | 2.6 | 3.1 | 1.8 |
| High School | 3.4 | 7.9 | 2.2 |
| Total | 3.1 | 5.9 | 2.1 |

Table 58. Percentage of surveyed Florida youth who have talked with a parent or guardian in the past 12 months about the dangers of taking a prescription drug that was not prescribed to you—2018 to 2024

| | Talked with a Parent about Prescription Drug Abuse | | | |
|--------------------------|--|-------------|-------------|-------------|
| | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | |
| Female | 25.2 | 26.1 | 22.9 | 22.4 |
| Male | 23.7 | 25.1 | 21.6 | 20.2 |
| Race/Ethnic group | | | | |
| African American | 20.4 | 20.4 | 16.5 | 16.4 |
| Hispanic/Latino | 26.2 | 26.9 | 24.5 | 21.7 |
| White, non-Hispanic | 25.7 | 27.6 | 24.1 | 23.6 |
| Age | | | | |
| 11 | 28.6 | 27.4 | 24.2 | 22.3 |
| 12 | 27.0 | 26.4 | 24.1 | 21.7 |
| 13 | 25.1 | 26.3 | 22.4 | 22.0 |
| 14 | 24.9 | 27.3 | 23.8 | 21.4 |
| 15 | 25.2 | 26.5 | 23.4 | 21.9 |
| 16 | 24.0 | 24.9 | 22.2 | 22.7 |
| 17 | 22.1 | 22.6 | 18.9 | 19.7 |
| 18 | 19.9 | 23.6 | 18.9 | 16.6 |
| Grade | | | | |
| 6th | 27.8 | 27.7 | 24.3 | 22.1 |
| 7th | 24.6 | 25.1 | 22.3 | 21.4 |
| 8th | 25.6 | 26.7 | 22.9 | 22.1 |
| 9th | 25.3 | 27.5 | 23.9 | 21.0 |
| 10th | 25.5 | 24.9 | 22.5 | 22.7 |
| 11th | 22.1 | 24.7 | 20.5 | 21.8 |
| 12th | 20.5 | 22.4 | 18.8 | 17.4 |
| Middle School | 26.0 | 26.5 | 23.1 | 21.9 |
| High School | 23.4 | 24.9 | 21.5 | 20.8 |
| Total | 24.5 | 25.6 | 22.2 | 21.2 |

Table 59. Percentage of surveyed Florida high school youth who have heard about or have used products that contain Delta-8 THC or Delta-10 THC or kratom, 2024

| | Heard about products that contain Delta-8 THC or Delta-10 THC | Used products that contain Delta-8 THC or Delta-10 THC | Heard about products that contain kratom | Used products that contain kratom |
|--------------------------|---|--|--|-----------------------------------|
| | % | % | % | % |
| Sex | | | | |
| Female | 27.0 | 9.3 | 8.5 | 1.2 |
| Male | 27.6 | 8.2 | 8.8 | 1.1 |
| Race/Ethnic group | | | | |
| African American | 19.9 | 6.2 | 4.7 | 0.8 |
| Hispanic/Latino | 19.3 | 6.0 | 5.6 | 0.9 |
| White, non-Hispanic | 36.4 | 11.5 | 12.6 | 1.3 |
| Age | | | | |
| 11 | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- |
| 14 | 19.7 | 4.7 | 7.9 | 0.6 |
| 15 | 23.4 | 6.4 | 7.7 | 0.8 |
| 16 | 28.5 | 9.7 | 9.1 | 0.9 |
| 17 | 31.7 | 10.4 | 9.0 | 1.5 |
| 18 | 31.5 | 11.4 | 9.7 | 1.9 |
| Grade | | | | |
| 6th | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- |
| 9th | 20.2 | 5.1 | 7.7 | 0.6 |
| 10th | 25.8 | 8.0 | 8.1 | 0.9 |
| 11th | 30.7 | 10.5 | 9.2 | 1.2 |
| 12th | 33.1 | 11.6 | 9.8 | 1.8 |
| Middle School | -- | -- | -- | -- |
| High School | 27.3 | 8.7 | 8.7 | 1.1 |
| Total | -- | -- | -- | -- |

Table 60. Percentage of surveyed Florida youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

| | Lack of Self-Control | | | | | |
|--------------------------|--------------------------------|-----------------------------------|--------------------------------|---|--|--|
| | Do what brings me pleasure now | More concerned with the short run | Getting in trouble is exciting | Excitement more important than security | People better stay away from me when I'm angry | I get upset when I have a disagreement |
| | % | % | % | % | % | % |
| Sex | | | | | | |
| Female | 31.4 | 27.2 | 26.7 | 23.6 | 27.3 | 48.8 |
| Male | 27.0 | 22.9 | 25.2 | 25.8 | 21.1 | 31.2 |
| Race/Ethnic group | | | | | | |
| African American | 32.2 | 28.3 | 24.3 | 21.8 | 29.3 | 40.4 |
| Hispanic/Latino | 28.0 | 26.3 | 24.7 | 24.6 | 21.2 | 36.5 |
| White, non-Hispanic | 27.5 | 22.0 | 26.5 | 25.8 | 21.8 | 41.0 |
| Age | | | | | | |
| 11 | 31.6 | 29.6 | 23.5 | 25.0 | 29.3 | 51.0 |
| 12 | 32.1 | 28.5 | 25.2 | 24.7 | 29.6 | 48.4 |
| 13 | 30.1 | 26.9 | 27.8 | 27.5 | 26.9 | 46.3 |
| 14 | 28.8 | 26.0 | 27.9 | 26.1 | 24.7 | 42.1 |
| 15 | 27.7 | 23.9 | 26.0 | 24.5 | 22.1 | 37.5 |
| 16 | 28.8 | 23.9 | 25.9 | 23.2 | 21.5 | 34.5 |
| 17 | 27.6 | 21.7 | 25.2 | 23.7 | 20.4 | 32.6 |
| 18 | 28.3 | 21.6 | 24.0 | 22.1 | 21.7 | 31.3 |
| Grade | | | | | | |
| 6th | 30.7 | 28.7 | 24.0 | 24.6 | 29.9 | 48.3 |
| 7th | 32.1 | 28.3 | 26.9 | 27.0 | 28.4 | 47.3 |
| 8th | 29.4 | 26.4 | 29.6 | 27.6 | 27.1 | 45.4 |
| 9th | 27.6 | 25.2 | 25.3 | 24.0 | 22.1 | 38.3 |
| 10th | 28.0 | 23.2 | 25.2 | 23.8 | 20.9 | 35.3 |
| 11th | 28.2 | 22.6 | 25.7 | 22.3 | 20.9 | 33.2 |
| 12th | 28.4 | 21.3 | 25.0 | 23.6 | 20.5 | 32.0 |
| Middle School | 30.7 | 27.7 | 26.9 | 26.5 | 28.4 | 47.0 |
| High School | 28.0 | 23.1 | 25.3 | 23.4 | 21.1 | 34.8 |
| Total | 29.2 | 25.1 | 26.0 | 24.7 | 24.2 | 39.9 |

Table 61. Average number of hours of sleep on a school night reported by surveyed Florida youth—2018 to 2024

| | Hours of Sleep on a School Night | | | |
|--------------------------|----------------------------------|------------|------------|------------|
| | 2018 | 2020 | 2022 | 2024 |
| Sex | | | | |
| Female | 6.9 | 6.8 | 6.7 | 6.9 |
| Male | 7.0 | 6.9 | 7.0 | 7.1 |
| Race/Ethnic group | | | | |
| African American | 6.9 | 6.9 | 6.8 | 7.0 |
| Hispanic/Latino | 6.9 | 6.8 | 6.8 | 7.0 |
| White, non-Hispanic | 7.0 | 6.9 | 6.9 | 7.0 |
| Age | | | | |
| 11 | 8.2 | 7.9 | 7.9 | 8.0 |
| 12 | 7.9 | 7.7 | 7.7 | 7.7 |
| 13 | 7.5 | 7.3 | 7.3 | 7.4 |
| 14 | 7.0 | 6.9 | 6.9 | 7.0 |
| 15 | 6.7 | 6.6 | 6.6 | 6.8 |
| 16 | 6.4 | 6.4 | 6.4 | 6.6 |
| 17 | 6.3 | 6.2 | 6.2 | 6.4 |
| 18 | 6.2 | 6.2 | 6.2 | 6.3 |
| Grade | | | | |
| 6th | 8.0 | 7.8 | 7.8 | 7.9 |
| 7th | 7.6 | 7.5 | 7.4 | 7.5 |
| 8th | 7.3 | 7.1 | 7.2 | 7.3 |
| 9th | 6.7 | 6.6 | 6.7 | 6.8 |
| 10th | 6.5 | 6.5 | 6.5 | 6.7 |
| 11th | 6.3 | 6.3 | 6.3 | 6.5 |
| 12th | 6.2 | 6.2 | 6.2 | 6.3 |
| Middle School | 7.6 | 7.5 | 7.4 | 7.6 |
| High School | 6.4 | 6.4 | 6.4 | 6.6 |
| Total | 6.9 | 6.9 | 6.9 | 7.0 |

Note: In 2022, two additional response options, “11 hours” and “12 or more hours,” were added.

Table 62. Percentage of surveyed Florida youth who reported symptoms of depression—2012 to 2024

| | Symptoms of Depression | | | | | | | | | | | | | |
|--------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|--------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | Sometimes I think that life is not worth it | | | | | | | At times I think I am no good at all | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 28.0 | 30.3 | 31.1 | 35.9 | 39.5 | 43.0 | 35.1 | 41.0 | 46.4 | 46.2 | 49.9 | 55.8 | 57.5 | 48.5 |
| Male | 16.6 | 15.3 | 15.8 | 20.5 | 21.9 | 23.2 | 18.9 | 24.2 | 24.9 | 25.2 | 29.6 | 33.5 | 34.5 | 30.2 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 20.7 | 20.2 | 22.1 | 27.1 | 29.9 | 33.0 | 27.9 | 27.7 | 30.9 | 33.0 | 35.4 | 39.7 | 41.8 | 35.5 |
| Hispanic/Latino | 21.5 | 22.5 | 22.8 | 27.2 | 29.2 | 30.9 | 24.3 | 32.6 | 35.7 | 35.6 | 39.6 | 43.9 | 46.3 | 38.2 |
| White, non-Hispanic | 21.3 | 22.9 | 23.6 | 27.8 | 30.7 | 33.0 | 27.0 | 32.3 | 35.8 | 35.7 | 40.0 | 46.2 | 46.4 | 40.5 |
| Age | | | | | | | | | | | | | | |
| 11 | 16.8 | 15.1 | 16.7 | 22.7 | 27.3 | 31.4 | 29.2 | 30.8 | 31.2 | 32.8 | 36.2 | 43.5 | 48.5 | 44.7 |
| 12 | 18.9 | 19.6 | 19.9 | 23.3 | 28.1 | 30.8 | 27.6 | 31.5 | 32.6 | 32.7 | 36.4 | 43.8 | 47.1 | 42.4 |
| 13 | 22.1 | 24.2 | 24.0 | 28.4 | 31.4 | 33.6 | 29.3 | 31.7 | 36.7 | 35.4 | 40.4 | 45.9 | 47.5 | 42.2 |
| 14 | 24.2 | 25.0 | 26.0 | 30.4 | 31.3 | 36.4 | 28.2 | 33.9 | 37.2 | 37.6 | 40.7 | 45.2 | 47.5 | 39.9 |
| 15 | 24.4 | 26.3 | 25.9 | 29.3 | 32.0 | 34.3 | 27.9 | 34.8 | 38.3 | 38.1 | 40.3 | 45.2 | 45.3 | 38.2 |
| 16 | 23.9 | 23.7 | 25.1 | 30.4 | 31.4 | 34.4 | 25.8 | 34.0 | 37.4 | 37.2 | 42.1 | 45.9 | 46.5 | 37.1 |
| 17 | 21.9 | 22.2 | 22.8 | 30.6 | 31.7 | 33.4 | 24.2 | 31.4 | 34.5 | 34.9 | 42.4 | 44.6 | 44.7 | 36.4 |
| 18 | 21.3 | 20.0 | 23.1 | 26.6 | 31.2 | 28.2 | 23.1 | 30.4 | 31.8 | 33.9 | 35.7 | 41.8 | 41.5 | 36.2 |
| Grade | | | | | | | | | | | | | | |
| 6th | 18.6 | 18.3 | 18.8 | 23.5 | 28.6 | 31.7 | 28.2 | 31.0 | 32.4 | 32.8 | 36.4 | 43.6 | 48.2 | 43.1 |
| 7th | 21.5 | 22.5 | 22.4 | 26.3 | 29.8 | 33.0 | 28.7 | 32.3 | 34.4 | 34.9 | 38.1 | 45.2 | 47.2 | 42.3 |
| 8th | 23.6 | 24.5 | 25.8 | 29.7 | 31.3 | 34.3 | 29.5 | 33.0 | 37.2 | 36.0 | 40.3 | 45.2 | 46.5 | 41.1 |
| 9th | 24.2 | 25.9 | 25.8 | 29.4 | 30.9 | 34.2 | 27.4 | 34.6 | 38.1 | 37.8 | 41.4 | 44.7 | 45.7 | 38.5 |
| 10th | 24.3 | 25.2 | 25.5 | 29.5 | 31.8 | 35.3 | 26.3 | 34.7 | 37.9 | 37.9 | 40.8 | 45.6 | 46.0 | 37.5 |
| 11th | 22.1 | 22.2 | 23.2 | 29.6 | 31.8 | 34.2 | 25.2 | 32.2 | 35.8 | 35.6 | 41.4 | 45.9 | 46.2 | 37.1 |
| 12th | 20.6 | 20.5 | 22.7 | 29.5 | 31.1 | 30.0 | 23.0 | 29.7 | 32.5 | 34.4 | 39.5 | 42.2 | 42.8 | 35.3 |
| Middle School | 21.2 | 21.8 | 22.3 | 26.5 | 29.9 | 33.0 | 28.8 | 32.1 | 34.7 | 34.5 | 38.2 | 44.7 | 47.3 | 42.2 |
| High School | 22.9 | 23.6 | 24.4 | 29.5 | 31.4 | 33.5 | 25.5 | 32.9 | 36.3 | 36.5 | 40.8 | 44.6 | 45.2 | 37.1 |
| Total | 22.2 | 22.8 | 23.5 | 28.2 | 30.7 | 33.3 | 26.9 | 32.6 | 35.6 | 35.7 | 39.7 | 44.7 | 46.1 | 39.3 |

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 63. Percentage of surveyed Florida youth who reported symptoms of depression—2012 to 2024

| | Symptoms of Depression | | | | | | | | | | | | | |
|--------------------------|--|-------------|-------------|-------------|-------------|-------------|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------|
| | All in all, I am inclined to think that I am a failure | | | | | | | In the past year, felt depressed or sad on most days | | | | | | |
| | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % | 2012 % | 2014 % | 2016 % | 2018 % | 2020 % | 2022 % | 2024 % |
| Sex | | | | | | | | | | | | | | |
| Female | 20.3 | 26.1 | 27.6 | 32.1 | 36.6 | 38.6 | 33.4 | 49.2 | 51.0 | 50.5 | 53.1 | 57.0 | 58.4 | 50.7 |
| Male | 13.4 | 14.4 | 15.3 | 18.8 | 20.8 | 22.4 | 20.7 | 31.0 | 29.9 | 29.0 | 32.2 | 35.5 | 36.0 | 30.9 |
| Race/Ethnic group | | | | | | | | | | | | | | |
| African American | 13.9 | 16.1 | 17.5 | 21.2 | 23.7 | 25.9 | 23.1 | 44.1 | 43.4 | 42.0 | 45.2 | 46.0 | 47.5 | 41.1 |
| Hispanic/Latino | 16.4 | 21.2 | 22.6 | 25.8 | 29.4 | 30.7 | 26.1 | 43.2 | 43.2 | 41.9 | 43.9 | 47.6 | 47.9 | 39.6 |
| White, non-Hispanic | 16.3 | 20.2 | 21.7 | 26.1 | 29.6 | 31.2 | 28.2 | 34.6 | 36.0 | 36.3 | 38.6 | 44.2 | 44.9 | 39.4 |
| Age | | | | | | | | | | | | | | |
| 11 | 15.3 | 16.8 | 17.7 | 22.8 | 27.5 | 32.5 | 30.3 | 38.8 | 35.3 | 35.5 | 37.3 | 41.2 | 46.5 | 41.8 |
| 12 | 16.6 | 19.0 | 19.1 | 22.8 | 28.2 | 30.5 | 29.5 | 39.4 | 38.5 | 37.1 | 38.2 | 43.5 | 44.3 | 43.6 |
| 13 | 16.9 | 22.3 | 21.9 | 25.8 | 29.2 | 32.6 | 29.8 | 38.9 | 40.4 | 39.5 | 42.0 | 45.0 | 47.4 | 41.7 |
| 14 | 17.8 | 21.8 | 24.3 | 26.4 | 28.6 | 31.4 | 28.3 | 41.0 | 41.7 | 40.9 | 42.6 | 46.5 | 48.3 | 40.9 |
| 15 | 17.3 | 21.3 | 24.1 | 27.3 | 29.5 | 30.8 | 26.1 | 40.9 | 42.2 | 41.1 | 44.0 | 47.6 | 47.0 | 40.6 |
| 16 | 17.9 | 21.3 | 21.8 | 27.8 | 29.7 | 31.4 | 24.6 | 40.8 | 41.8 | 41.2 | 46.9 | 48.5 | 48.5 | 38.9 |
| 17 | 15.6 | 18.5 | 19.9 | 26.7 | 27.8 | 28.9 | 25.3 | 39.6 | 40.8 | 39.7 | 44.8 | 47.9 | 48.9 | 39.2 |
| 18 | 14.8 | 17.0 | 18.7 | 21.1 | 28.7 | 26.7 | 23.2 | 39.1 | 38.5 | 39.0 | 40.7 | 48.1 | 46.1 | 39.7 |
| Grade | | | | | | | | | | | | | | |
| 6th | 17.0 | 18.6 | 18.7 | 22.8 | 28.1 | 32.3 | 29.4 | 40.1 | 39.4 | 37.1 | 39.1 | 43.0 | 46.2 | 42.8 |
| 7th | 16.9 | 20.6 | 21.7 | 24.5 | 28.6 | 31.9 | 30.6 | 39.2 | 39.3 | 39.3 | 39.9 | 44.4 | 46.4 | 43.0 |
| 8th | 16.9 | 22.6 | 22.5 | 26.1 | 29.6 | 31.1 | 28.8 | 40.2 | 40.5 | 39.9 | 42.7 | 46.1 | 47.9 | 42.0 |
| 9th | 18.4 | 21.4 | 24.4 | 27.4 | 28.0 | 30.7 | 26.5 | 41.8 | 42.0 | 41.3 | 43.4 | 46.4 | 45.8 | 39.8 |
| 10th | 17.4 | 21.7 | 22.7 | 26.9 | 29.9 | 31.1 | 25.0 | 40.8 | 43.0 | 41.2 | 45.2 | 48.1 | 47.9 | 39.0 |
| 11th | 16.5 | 19.4 | 20.1 | 26.8 | 29.1 | 31.1 | 25.2 | 39.3 | 40.5 | 40.5 | 45.0 | 49.0 | 50.1 | 40.0 |
| 12th | 14.3 | 16.6 | 19.7 | 24.1 | 27.5 | 26.8 | 23.8 | 38.0 | 37.4 | 38.1 | 42.9 | 46.8 | 46.9 | 38.7 |
| Middle School | 16.9 | 20.6 | 21.0 | 24.5 | 28.8 | 31.7 | 29.6 | 39.8 | 39.7 | 38.8 | 40.6 | 44.5 | 46.9 | 42.6 |
| High School | 16.8 | 19.9 | 21.9 | 26.3 | 28.6 | 30.0 | 25.1 | 40.1 | 40.9 | 40.3 | 44.1 | 47.6 | 47.7 | 39.3 |
| Total | 16.9 | 20.2 | 21.5 | 25.5 | 28.7 | 30.7 | 27.0 | 40.0 | 40.4 | 39.7 | 42.6 | 46.2 | 47.3 | 40.7 |

Note: Table shows percentage of students who answered "yes" or "YES!"

Table 64. Percentage of surveyed Florida youth who reported suicidal ideation or behavior in the past 12 months, 2024

| | Felt sad or hopeless for 2 or more weeks | Seriously considered attempting suicide | Made a suicide plan | Attempted suicide one or more times | Suicide attempt that required medical care |
|--------------------------|---|--|----------------------------|--|---|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 38.7 | 17.8 | 14.2 | 10.1 | 2.3 |
| Male | 21.1 | 8.9 | 7.5 | 4.4 | 1.1 |
| Race/Ethnic group | | | | | |
| African American | 28.6 | 12.5 | 10.7 | 8.2 | 2.0 |
| Hispanic/Latino | 29.8 | 10.8 | 9.2 | 6.2 | 1.5 |
| White, non-Hispanic | 29.1 | 14.3 | 11.0 | 6.5 | 1.3 |
| Age | | | | | |
| 11 | 27.9 | 12.9 | 10.3 | 7.8 | 1.4 |
| 12 | 29.8 | 14.5 | 11.6 | 8.7 | 1.8 |
| 13 | 30.7 | 15.4 | 13.0 | 9.7 | 2.3 |
| 14 | 31.7 | 14.8 | 12.6 | 8.3 | 1.8 |
| 15 | 31.3 | 13.6 | 11.1 | 7.6 | 1.9 |
| 16 | 30.0 | 13.0 | 10.3 | 6.4 | 1.9 |
| 17 | 28.6 | 11.7 | 9.0 | 4.9 | 1.2 |
| 18 | 26.1 | 9.0 | 7.0 | 3.0 | 0.9 |
| Grade | | | | | |
| 6th | 29.4 | 13.9 | 10.7 | 9.0 | 1.8 |
| 7th | 30.5 | 14.7 | 13.0 | 9.4 | 2.4 |
| 8th | 32.1 | 15.8 | 13.0 | 9.5 | 2.2 |
| 9th | 30.7 | 14.0 | 11.5 | 7.5 | 1.4 |
| 10th | 29.9 | 12.6 | 10.1 | 6.3 | 1.8 |
| 11th | 29.8 | 12.4 | 9.7 | 5.3 | 1.6 |
| 12th | 26.5 | 10.3 | 7.9 | 3.9 | 0.8 |
| Middle School | 30.7 | 14.8 | 12.3 | 9.3 | 2.1 |
| High School | 29.3 | 12.4 | 9.8 | 5.8 | 1.4 |
| Total | 29.9 | 13.4 | 10.9 | 7.3 | 1.7 |

Table 65. Percentage of surveyed Florida youth who have heard the prevention message One Pill Can Kill, would be “very likely” to call the 988 crisis line when experiencing suicidal thoughts, or would be “very likely” to use phone, text, or chat to talk with a crisis counselor, 2024

| | Heard about <u>One Pill Can Kill</u> | “Very likely” to call <u>988</u> | “Very likely” to use <u>phone</u> to contact crisis counselor | “Very likely” to use <u>text</u> to contact crisis counselor | “Very likely” to use <u>chat</u> to contact crisis counselor |
|--------------------------|---|-------------------------------------|---|--|--|
| | % | % | % | % | % |
| Sex | | | | | |
| Female | 38.6 | 14.2 | 18.8 | 24.1 | 18.2 |
| Male | 34.2 | 20.7 | 25.3 | 23.8 | 22.9 |
| Race/Ethnic group | | | | | |
| African American | 32.7 | 15.5 | 22.2 | 22.6 | 20.3 |
| Hispanic/Latino | 34.2 | 16.9 | 22.1 | 23.3 | 20.7 |
| White, non-Hispanic | 40.0 | 19.5 | 22.1 | 25.3 | 20.5 |
| Age | | | | | |
| 11 | 30.8 | 27.0 | 32.1 | 29.2 | 27.1 |
| 12 | 34.0 | 23.9 | 29.9 | 28.8 | 26.9 |
| 13 | 35.5 | 19.0 | 24.9 | 26.6 | 22.6 |
| 14 | 33.4 | 16.2 | 20.7 | 22.8 | 18.6 |
| 15 | 36.6 | 15.6 | 19.4 | 23.4 | 19.1 |
| 16 | 39.4 | 14.4 | 18.5 | 21.3 | 17.4 |
| 17 | 39.9 | 14.0 | 17.5 | 21.1 | 17.8 |
| 18 | 38.6 | 15.2 | 18.8 | 20.6 | 18.4 |
| Grade | | | | | |
| 6th | 32.9 | 25.6 | 31.6 | 28.6 | 27.8 |
| 7th | 34.2 | 21.2 | 26.5 | 28.5 | 23.8 |
| 8th | 34.4 | 16.2 | 21.7 | 23.4 | 20.3 |
| 9th | 34.9 | 16.4 | 20.7 | 23.9 | 18.9 |
| 10th | 38.2 | 14.5 | 18.4 | 21.1 | 17.3 |
| 11th | 39.2 | 14.2 | 18.5 | 21.3 | 18.4 |
| 12th | 40.1 | 14.8 | 17.6 | 21.1 | 17.9 |
| Middle School | 33.8 | 20.9 | 26.5 | 26.8 | 23.9 |
| High School | 38.1 | 15.0 | 18.8 | 21.9 | 18.1 |
| Total | 36.3 | 17.5 | 22.1 | 24.0 | 20.5 |

Table 66. Percentage of surveyed Florida high school youth who reported adverse childhood experiences (ACEs), 2024

| | Emotional Abuse | Physical Abuse | Sexual Abuse | Parents Separated or Divorced | Physical Abuse in Household | Substance Abuse in Household | Mental Illness in Household | Incarcerated Household Member | Emotional Neglect | Physical Neglect |
|--------------------------|-----------------|----------------|--------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------|------------------|
| | % | % | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | | | |
| Female | 17.8 | 10.6 | 7.5 | 41.5 | 8.6 | 26.3 | 35.0 | 23.2 | 30.4 | 7.2 |
| Male | 8.8 | 7.2 | 2.3 | 36.0 | 5.2 | 19.3 | 20.4 | 20.2 | 19.7 | 5.3 |
| Race/Ethnic group | | | | | | | | | | |
| African American | 11.1 | 10.0 | 4.0 | 44.2 | 5.7 | 12.6 | 15.9 | 23.1 | 25.3 | 6.8 |
| Hispanic/Latino | 12.0 | 8.3 | 4.2 | 35.3 | 6.0 | 20.1 | 22.2 | 16.5 | 23.0 | 5.1 |
| White, non-Hispanic | 13.9 | 7.8 | 5.6 | 37.5 | 7.8 | 29.8 | 36.0 | 24.0 | 25.0 | 6.3 |
| Age | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 11.3 | 8.3 | 3.7 | 35.7 | 5.4 | 20.4 | 25.9 | 21.7 | 24.4 | 3.8 |
| 15 | 14.2 | 8.9 | 4.5 | 38.9 | 7.0 | 23.9 | 28.4 | 23.4 | 26.0 | 6.1 |
| 16 | 13.3 | 9.6 | 5.4 | 38.6 | 7.0 | 22.6 | 28.0 | 21.8 | 25.0 | 6.2 |
| 17 | 13.4 | 8.7 | 5.6 | 40.1 | 7.3 | 24.2 | 28.0 | 21.0 | 25.6 | 7.1 |
| 18 | 12.8 | 8.0 | 4.4 | 39.3 | 7.4 | 21.0 | 27.9 | 20.1 | 23.4 | 6.8 |
| Grade | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 12.2 | 8.1 | 3.9 | 37.4 | 5.8 | 21.9 | 26.7 | 23.1 | 25.5 | 5.5 |
| 10th | 14.2 | 9.3 | 5.1 | 39.8 | 7.0 | 23.3 | 28.1 | 22.9 | 25.3 | 6.0 |
| 11th | 14.0 | 9.9 | 5.4 | 39.2 | 7.6 | 24.0 | 28.2 | 20.7 | 25.8 | 6.5 |
| 12th | 12.6 | 8.3 | 5.1 | 38.6 | 7.4 | 22.0 | 28.0 | 19.9 | 23.7 | 7.0 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 13.3 | 8.9 | 4.9 | 38.7 | 6.9 | 22.8 | 27.7 | 21.7 | 25.1 | 6.2 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 67. Number of adverse childhood experiences (ACEs) reported by surveyed Florida high school youth, 2024

| | Number of Adverse Childhood Experiences | | | | | | | | | | |
|--------------------------|---|------|------|------|-----|-----|-----|-----|-----|-----|-----|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | % | % | % | % | % | % | % | % | % | % | % |
| Sex | | | | | | | | | | | |
| Female | 31.9 | 20.2 | 13.9 | 11.2 | 8.4 | 5.4 | 3.6 | 2.7 | 1.5 | 0.8 | 0.3 |
| Male | 43.9 | 21.1 | 13.0 | 8.9 | 5.5 | 3.4 | 2.0 | 1.1 | 0.6 | 0.3 | 0.2 |
| Race/Ethnic group | | | | | | | | | | | |
| African American | 39.4 | 22.3 | 13.9 | 10.2 | 5.8 | 3.6 | 2.1 | 1.2 | 0.9 | 0.5 | 0.2 |
| Hispanic/Latino | 42.0 | 20.5 | 14.0 | 9.7 | 5.5 | 3.2 | 2.6 | 1.3 | 0.6 | 0.4 | 0.2 |
| White, non-Hispanic | 36.1 | 19.6 | 12.6 | 10.3 | 7.9 | 5.3 | 3.4 | 2.4 | 1.3 | 0.8 | 0.3 |
| Age | | | | | | | | | | | |
| 11 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 13 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 14 | 38.5 | 23.5 | 13.0 | 9.2 | 7.0 | 3.9 | 2.5 | 1.1 | 1.1 | 0.2 | 0.1 |
| 15 | 37.4 | 20.4 | 13.4 | 10.4 | 6.6 | 4.7 | 3.1 | 2.0 | 1.3 | 0.5 | 0.3 |
| 16 | 37.9 | 20.4 | 13.6 | 9.6 | 7.5 | 4.4 | 2.7 | 1.8 | 1.1 | 0.6 | 0.3 |
| 17 | 37.3 | 19.7 | 13.8 | 10.6 | 7.5 | 4.5 | 2.5 | 2.1 | 0.9 | 0.8 | 0.3 |
| 18 | 38.7 | 21.0 | 12.8 | 10.3 | 6.0 | 4.2 | 3.6 | 2.1 | 0.6 | 0.3 | 0.3 |
| Grade | | | | | | | | | | | |
| 6th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 7th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 8th | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 9th | 38.0 | 21.7 | 14.1 | 9.5 | 6.7 | 4.0 | 2.8 | 1.7 | 1.1 | 0.3 | 0.2 |
| 10th | 38.0 | 19.9 | 13.1 | 10.1 | 7.1 | 5.0 | 2.8 | 1.8 | 1.4 | 0.6 | 0.3 |
| 11th | 37.4 | 19.9 | 13.4 | 10.4 | 7.6 | 4.3 | 3.0 | 2.0 | 1.0 | 0.6 | 0.3 |
| 12th | 38.5 | 21.0 | 13.1 | 10.1 | 6.5 | 4.3 | 2.7 | 2.1 | 0.7 | 0.7 | 0.3 |
| Middle School | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| High School | 37.9 | 20.6 | 13.4 | 10.0 | 7.0 | 4.4 | 2.8 | 1.9 | 1.1 | 0.5 | 0.3 |
| Total | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% across each row. Rounding can produce totals that do not equal 100%.

Table 68. Percentage of Florida youth with elevated protective factor scale scores, 2024

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Family Domain | | | |
| Family Opportunities for Prosocial Involvement | 55 | 58 | 56 |
| Family Rewards for Prosocial Involvement | 49 | 52 | 51 |
| School Domain | | | |
| School Opportunities for Prosocial Involvement | 49 | 62 | 57 |
| School Rewards for Prosocial Involvement | 45 | 57 | 52 |
| Peer and Individual Domain | | | |
| Religiosity | 43 | 54 | 49 |
| Protective Factor Average | 48 | 57 | 53 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 69. Percentage of Florida youth with elevated risk factor scale scores, 2024

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Community Domain | | | |
| Laws and Norms Favorable to Drug Use | 40 | 25 | 32 |
| Perceived Availability of Drugs | 30 | 13 | 20 |
| Perceived Availability of Handguns | 24 | 29 | 27 |
| Family Domain | | | |
| Poor Family Management | 47 | 35 | 40 |
| Family Conflict | 40 | 30 | 34 |
| School Domain | | | |
| Poor Academic Performance | 45 | 45 | 45 |
| Lack of Commitment to School | 76 | 68 | 71 |
| Peer and Individual Domain | | | |
| Favorable Attitudes toward Antisocial Behavior | 54 | 38 | 45 |
| Favorable Attitudes toward ATOD Use | 27 | 22 | 24 |
| Early Initiation of Drug Use | 19 | 11 | 14 |
| Risk Factor Average | 40 | 32 | 35 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 70. Percentage of youth from the national normative sample with elevated protective factor scale scores

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Family Domain | | | |
| Family Opportunities for Prosocial Involvement | 59 | 54 | 56 |
| Family Rewards for Prosocial Involvement | 54 | 55 | 55 |
| School Domain | | | |
| School Opportunities for Prosocial Involvement | 57 | 60 | 59 |
| School Rewards for Prosocial Involvement | 53 | 58 | 55 |
| Peer and Individual Domain | | | |
| Religiosity | 56 | 62 | 59 |
| Protective Factor Average | 56 | 58 | 57 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 71. Percentage of youth from the national normative sample with elevated risk factor scale scores

| | Middle School | High School | Overall |
|--|---------------|-------------|-----------|
| Community Domain | | | |
| Laws and Norms Favorable to Drug Use | 42 | 42 | 42 |
| Perceived Availability of Drugs | 45 | 45 | 45 |
| Perceived Availability of Handguns | 25 | 42 | 34 |
| Family Domain | | | |
| Poor Family Management | 44 | 45 | 45 |
| Family Conflict | 42 | 37 | 39 |
| School Domain | | | |
| Poor Academic Performance | 45 | 48 | 47 |
| Lack of Commitment to School | 47 | 46 | 46 |
| Peer and Individual Domain | | | |
| Favorable Attitudes toward Antisocial Behavior | 40 | 46 | 43 |
| Favorable Attitudes toward ATOD Use | 39 | 45 | 42 |
| Early Initiation of Drug Use | 41 | 46 | 43 |
| Risk Factor Average | 41 | 44 | 43 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 72. Percentage of Florida middle school youth with elevated protective factor scale scores—2012 to 2024

| | 2012 | 2014 | 2016 | 2018 | 2020 | 2022 | 2024 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Family Domain | | | | | | | |
| Family Opportunities for Prosocial Involvement | 59 | 60 | 60 | 58 | 57 | 53 | 55 |
| Family Rewards for Prosocial Involvement | 55 | 55 | 56 | 50 | 50 | 46 | 49 |
| School Domain | | | | | | | |
| School Opportunities for Prosocial Involvement | 50 | 51 | 53 | 54 | 51 | 51 | 49 |
| School Rewards for Prosocial Involvement | 52 | 50 | 49 | 45 | 44 | 45 | 45 |
| Peer and Individual Domain | | | | | | | |
| Religiosity | 50 | 47 | 49 | 46 | 42 | 36 | 43 |
| Protective Factor Average | 53 | 53 | 53 | 51 | 49 | 46 | 48 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 73. Percentage of Florida high school youth with elevated protective factor scale scores—2012 to 2024

| | 2012 | 2014 | 2016 | 2018 | 2020 | 2022 | 2024 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Family Domain | | | | | | | |
| Family Opportunities for Prosocial Involvement | 56 | 58 | 59 | 57 | 57 | 55 | 58 |
| Family Rewards for Prosocial Involvement | 54 | 56 | 56 | 51 | 53 | 49 | 52 |
| School Domain | | | | | | | |
| School Opportunities for Prosocial Involvement | 61 | 62 | 63 | 64 | 60 | 60 | 62 |
| School Rewards for Prosocial Involvement | 61 | 60 | 59 | 55 | 54 | 56 | 57 |
| Peer and Individual Domain | | | | | | | |
| Religiosity | 59 | 57 | 57 | 54 | 52 | 46 | 54 |
| Protective Factor Average | 58 | 59 | 59 | 56 | 55 | 53 | 57 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 74. Percentage of Florida middle school youth with elevated risk factor scale scores—2012 to 2024

| | 2012 | 2014 | 2016 | 2018 | 2020 | 2022 | 2024 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Laws and Norms Favorable to Drug Use | 38 | 36 | 37 | 38 | 41 | 41 | 40 |
| Perceived Availability of Drugs | 40 | 40 | 37 | 35 | 34 | 33 | 30 |
| Perceived Availability of Handguns | 23 | 24 | 24 | 24 | 23 | 25 | 24 |
| Family Domain | | | | | | | |
| Poor Family Management | 43 | 40 | 40 | 43 | 43 | 47 | 47 |
| Family Conflict | 38 | 38 | 38 | 39 | 42 | 43 | 40 |
| School Domain | | | | | | | |
| Poor Academic Performance | 41 | 42 | 42 | 43 | 46 | 48 | 45 |
| Lack of Commitment to School | 48 | 52 | 53 | 60 | 69 | 73 | 76 |
| Peer and Individual Domain | | | | | | | |
| Favorable Attitudes toward Antisocial Behavior | 41 | 38 | 39 | 43 | 49 | 52 | 54 |
| Favorable Attitudes toward ATOD Use | 34 | 32 | 32 | 35 | 35 | 33 | 27 |
| Early Initiation of Drug Use | 29 | 25 | 23 | 24 | 24 | 21 | 19 |
| Risk Factor Average | 38 | 37 | 37 | 38 | 41 | 42 | 40 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 75. Percentage of Florida high school youth with elevated risk factor scale scores—2012 to 2024

| | 2012 | 2014 | 2016 | 2018 | 2020 | 2022 | 2024 |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Community Domain | | | | | | | |
| Laws and Norms Favorable to Drug Use | 35 | 33 | 31 | 32 | 32 | 29 | 25 |
| Perceived Availability of Drugs | 32 | 31 | 27 | 24 | 20 | 15 | 13 |
| Perceived Availability of Handguns | 34 | 37 | 36 | 34 | 31 | 30 | 29 |
| Family Domain | | | | | | | |
| Poor Family Management | 41 | 38 | 38 | 37 | 35 | 34 | 35 |
| Family Conflict | 35 | 33 | 33 | 34 | 34 | 34 | 30 |
| School Domain | | | | | | | |
| Poor Academic Performance | 44 | 43 | 44 | 43 | 46 | 48 | 45 |
| Lack of Commitment to School | 46 | 52 | 54 | 57 | 63 | 68 | 68 |
| Peer and Individual Domain | | | | | | | |
| Favorable Attitudes toward Antisocial Behavior | 38 | 36 | 35 | 36 | 38 | 39 | 38 |
| Favorable Attitudes toward ATOD Use | 39 | 38 | 36 | 34 | 32 | 29 | 22 |
| Early Initiation of Drug Use | 30 | 26 | 22 | 19 | 17 | 13 | 11 |
| Risk Factor Average | 37 | 37 | 36 | 35 | 35 | 34 | 32 |

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.