

2024 Florida Youth Substance Abuse Survey

Big Bend Community Based Care Data Tables

Table 1. Major demographic characteristics of surveyed Big Bend Community Based Care and Florida Statewide, 2024

	Big Bend Community Based Care		Florida Statewide	
	N	%	N	%
Sex				
Female	5,499	49.8	21,747	48.6
Male	5,468	49.5	22,711	50.7
Race/Ethnic group				
African American	2,118	19.2	9,493	21.2
American Indian	310	2.8	426	1.0
Asian	219	2.0	653	1.5
Hispanic/Latino	903	8.2	10,394	23.2
Native Hawaiian/Pacific Islander	36	0.3	41	0.1
Other/Multiple	2,120	19.2	7,299	16.3
White, non-Hispanic	5,231	47.4	16,109	36.0
Parent/Guardian in the Military				
No	8,957	81.1	38,723	86.5
Yes	2,009	18.2	5,679	12.7
Age				
11	644	5.8	2,499	5.6
12	1,596	14.4	5,938	13.3
13	1,925	17.4	6,288	14.0
14	1,804	16.3	6,501	14.5
15	1,755	15.9	6,784	15.2
16	1,524	13.8	6,743	15.1
17	1,171	10.6	6,358	14.2
18	546	4.9	3,252	7.3
Grade				
6th	1,785	16.2	6,126	13.7
7th	1,885	17.1	6,468	14.5
8th	1,936	17.5	6,341	14.2
9th	1,691	15.3	6,696	15.0
10th	1,607	14.5	6,738	15.1
11th	1,241	11.2	6,266	14.0
12th	902	8.2	6,121	13.7
Middle School	5,606	50.7	18,934	42.3
High School	5,441	49.3	25,821	57.7
Total	11,047	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	19.4	33.9	30.6	24.8	20.1	33.7	27.6	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	10.9	12.6	9.3	--	10.7	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	5.8	10.9	8.5	8.7	5.7	10.5	8.7	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	12.9	23.4	22.3	15.5	13.3	23.1	18.9	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	6.3	18.1	14.8	11.3	6.6	18.3	13.0	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	6.9	20.9	16.8	13.0	7.1	20.8	14.9	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	2.7	2.9	2.5	--	2.5	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	6.6	4.1	5.5	4.9	6.7	4.0	5.2	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.5	1.0	0.6	1.0	0.5	0.9	0.8	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.0	3.5	2.6	2.3	1.0	3.4	2.4	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.7	0.6	0.6	0.7	0.6	0.6	0.7	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.3	0.8	0.6	0.5	0.3	0.8	0.6	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	1.6	1.8	2.0	1.4	1.5	1.7	1.7	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	1.8	2.4	2.2	2.1	1.8	2.3	2.1	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	2.0	2.8	2.9	2.0	2.1	2.9	2.5	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	2.4	2.3	2.7	1.9	2.4	2.2	2.3	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.8	0.6	1.1	--	0.6	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	11.2	11.9	10.5	--	11.4	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.3	1.5	1.2	--	1.3	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	15.8	26.3	24.1	19.4	16.2	26.1	21.8	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	10.8	10.8	11.6	9.9	10.8	10.6	10.8	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	10.4	14.5	12.9	12.7	10.7	14.4	12.8	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	26.0	40.6	36.9	31.8	26.7	40.2	34.3	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	6.7	7.1	6.5	7.3	6.7	6.9	6.9	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	5.5	14.0	11.6	9.0	5.9	13.7	10.4	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	2.4	6.2	4.6	4.4	2.5	5.8	4.5	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.7	2.2	1.1	2.0	0.7	1.9	1.5	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	4.5	10.9	9.9	6.4	4.7	10.9	8.1	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	2.3	8.8	6.7	5.4	2.4	9.0	6.0	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	2.7	10.4	7.7	6.6	2.8	10.4	7.1	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.9	1.0	0.8	--	0.8	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	2.1	1.2	1.8	1.3	2.0	1.2	1.6	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.2	0.7	0.4	0.6	0.2	0.7	0.5	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.3	0.3	0.3	0.4	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.1	0.3	0.1	0.3	0.1	0.4	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.4	0.4	0.5	0.2	0.4	0.4	0.4	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.9	0.7	0.8	0.8	0.9	0.8	0.8	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.7	0.8	1.0	0.6	0.8	0.8	0.8	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.9	0.9	1.0	0.7	1.1	0.7	0.9	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	6.4	13.8	11.9	9.3	6.7	13.9	10.6	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	4.0	3.9	4.2	3.6	4.1	3.7	3.9	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	3.3	7.3	6.2	5.0	3.6	6.9	5.6	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	9.7	21.0	17.9	14.3	10.2	20.7	16.1	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	4.3	7.2	6.4	5.4	4.4	7.2	5.9	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	23.4	54.3	40.6	22.1	52.5	39.3	22.1	47.6	36.4	22.5	43.1	33.7	21.5	39.1	31.4	19.4	33.9	27.6
Blacking Out	--	20.7	--	--	19.0	--	--	16.4	--	--	14.9	--	--	13.4	--	--	10.9	--
Cigarettes	12.5	29.3	21.8	10.4	26.3	19.3	10.0	20.2	15.6	9.2	15.4	12.6	7.3	13.2	10.6	5.8	10.9	8.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	15.7	34.6	26.0	15.6	30.4	24.0	12.9	23.4	18.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	7.2	20.8	14.6	6.8	20.8	14.7	6.3	18.1	13.0
Marijuana or Hashish	8.1	32.5	21.6	7.1	32.0	21.0	7.8	29.9	20.0	8.8	29.8	20.3	7.9	25.3	17.7	6.9	20.9	14.9
Synthetic Marijuana	--	9.3	--	--	6.7	--	--	3.4	--	--	3.2	--	--	2.9	--	--	2.7	--
Inhalants	8.2	5.8	6.8	6.8	4.9	5.8	8.0	5.2	6.4	8.7	5.4	6.9	6.9	4.9	5.7	6.6	4.1	5.2
Club Drugs	0.8	4.2	2.7	0.9	3.5	2.4	0.6	2.4	1.6	0.9	2.8	1.9	0.4	2.2	1.4	0.5	1.0	0.8
LSD, PCP or Mushrooms	1.1	5.7	3.7	1.0	5.8	3.7	0.7	4.4	2.7	1.1	4.9	3.2	1.1	5.0	3.3	1.0	3.5	2.4
Methamphetamine	0.7	1.3	1.0	0.6	1.0	0.9	0.5	1.0	0.8	0.8	1.2	1.1	0.8	1.1	1.0	0.7	0.6	0.7
Cocaine or Crack	0.8	2.7	1.9	0.9	3.3	2.2	0.7	2.5	1.7	0.8	2.3	1.6	0.5	1.8	1.2	0.3	0.8	0.6
Heroin	0.5	0.9	0.7	0.4	0.4	0.4	0.3	0.5	0.4	0.5	0.8	0.7	0.4	0.5	0.5	0.3	0.2	0.2
Prescription Depressants	2.0	8.3	5.5	2.7	9.8	6.7	2.9	8.0	5.7	2.7	6.5	4.8	1.5	4.0	2.9	1.6	1.8	1.7
Prescription Pain Relievers	3.3	9.8	6.9	3.5	8.3	6.2	2.6	6.4	4.7	3.4	4.9	4.2	3.5	3.4	3.4	1.8	2.4	2.1
Prescription Amphetamines	1.3	7.7	4.9	1.8	7.4	4.9	1.5	5.7	3.8	2.6	5.5	4.1	2.2	4.4	3.4	2.0	2.8	2.5
Over-the-Counter Drugs	3.6	6.5	5.2	3.2	6.5	5.0	3.5	6.2	5.0	3.5	5.2	4.4	3.0	3.7	3.4	2.4	2.3	2.3
Needle to Inject Drugs	--	--	--	--	0.9	--	--	0.8	--	--	0.8	--	--	0.5	--	--	0.8	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.2	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.3	--
Any illicit drug	17.7	39.6	29.8	16.0	37.3	27.9	17.1	36.2	27.7	19.9	35.7	28.5	17.9	32.0	25.8	15.8	26.3	21.8
Any illicit drug other than marijuana	13.6	22.8	18.7	12.6	21.5	17.6	13.2	19.1	16.5	14.4	17.1	15.9	12.5	14.0	13.4	10.8	10.8	10.8
Alcohol only	12.7	20.3	16.9	12.4	20.4	16.9	11.4	18.1	15.2	10.9	15.3	13.3	11.3	13.9	12.8	10.4	14.5	12.8
Alcohol or any illicit drug	30.3	59.6	46.6	28.0	57.6	44.5	28.1	54.2	42.6	30.7	51.0	41.8	29.0	45.8	38.5	26.0	40.6	34.3
Any illicit drug, but no alcohol	7.0	5.4	6.1	6.5	5.3	5.8	6.3	6.7	6.5	8.4	8.0	8.2	7.8	7.1	7.4	6.7	7.1	6.9

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	9.9	29.2	20.6	8.2	27.6	19.2	8.5	23.5	16.9	7.9	20.0	14.5	7.1	17.2	12.8	5.5	14.0	10.4
Binge Drinking	3.8	15.1	10.0	2.9	13.5	8.9	2.8	11.5	7.6	3.4	9.2	6.5	3.6	9.8	7.1	2.4	6.2	4.5
Cigarettes	3.2	9.0	6.4	2.4	7.5	5.2	1.7	5.6	3.9	1.8	3.7	2.8	1.0	2.5	1.9	0.7	2.2	1.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	5.7	19.0	13.0	6.1	16.4	11.9	4.5	10.9	8.1
Vaping Marijuana	--	--	--	--	--	--	--	--	--	3.0	9.6	6.6	3.2	10.9	7.6	2.3	8.8	6.0
Marijuana or Hashish	4.1	16.8	11.1	3.2	16.0	10.4	3.5	15.1	10.0	3.5	14.4	9.4	3.5	13.0	8.9	2.7	10.4	7.1
Synthetic Marijuana	--	1.6	--	--	1.3	--	--	1.2	--	--	0.9	--	--	0.8	--	--	0.9	--
Inhalants	2.8	1.5	2.1	2.3	1.1	1.6	3.0	1.3	2.1	2.9	1.6	2.2	2.6	0.9	1.6	2.1	1.2	1.6
Club Drugs	0.4	1.1	0.8	0.3	0.9	0.6	0.3	0.7	0.5	0.4	1.1	0.8	0.3	0.7	0.5	0.2	0.3	0.3
LSD, PCP or Mushrooms	0.5	1.5	1.1	0.3	1.4	0.9	0.4	1.3	0.9	0.4	1.6	1.0	0.3	1.1	0.8	0.2	0.7	0.5
Methamphetamine	0.4	0.5	0.5	0.3	0.4	0.4	0.2	0.4	0.3	0.3	0.8	0.6	0.2	0.3	0.3	0.3	0.3	0.3
Cocaine or Crack	0.4	0.9	0.7	0.3	1.0	0.7	0.3	0.7	0.5	0.3	0.8	0.6	0.2	0.8	0.5	0.1	0.3	0.2
Heroin	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.1	0.1	0.1	0.0	0.1	0.1
Prescription Depressants	0.7	2.9	1.9	1.0	3.8	2.6	0.9	2.4	1.7	0.8	1.6	1.2	0.4	0.7	0.6	0.4	0.4	0.4
Prescription Pain Relievers	1.6	3.7	2.8	1.5	3.0	2.4	0.9	1.9	1.5	1.5	1.3	1.4	1.5	1.0	1.2	0.9	0.7	0.8
Prescription Amphetamines	0.7	2.6	1.7	0.6	2.3	1.5	0.6	1.6	1.2	0.9	1.5	1.2	0.9	1.3	1.1	0.7	0.8	0.8
Over-the-Counter Drugs	1.9	3.0	2.5	1.5	2.2	1.9	1.5	2.2	1.9	1.4	1.7	1.5	1.3	1.0	1.1	0.9	0.9	0.9
Any illicit drug	8.6	21.6	15.8	7.3	19.3	14.0	7.8	18.4	13.7	9.0	18.3	14.0	8.6	16.4	13.0	6.4	13.8	10.6
Any illicit drug other than marijuana	6.2	10.0	8.3	5.4	8.5	7.1	5.7	7.3	6.6	6.0	6.4	6.2	5.7	4.9	5.2	4.0	3.9	3.9
Alcohol only	6.0	15.1	11.0	5.4	15.1	10.9	5.3	12.7	9.4	4.5	9.6	7.3	4.1	8.1	6.3	3.3	7.3	5.6
Alcohol or any illicit drug	14.4	36.3	26.5	12.4	34.1	24.5	12.9	30.3	22.6	13.4	27.9	21.3	12.5	24.4	19.2	9.7	21.0	16.1
Any illicit drug, but no alcohol	4.6	7.4	6.1	4.5	6.7	5.7	4.6	7.1	6.0	5.6	8.0	6.9	5.5	7.5	6.6	4.3	7.2	5.9

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	13.8	15.6	11.9	--	13.8	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	2.2	2.5	2.0	--	2.3	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	5.9	6.2	5.6	--	6.1	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	6.4	6.6	6.2	--	6.2	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	10.1	11.9	8.3	--	9.9	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.4	4.7	4.1	--	4.3	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	49.3	47.2	50.5	45.9	49.5	47.4	48.1	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	61.0	57.7	61.3	57.0	61.1	58.2	59.1	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	64.5	66.0	66.7	64.2	64.7	66.2	65.3	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	54.4	46.6	49.8	50.3	53.7	47.3	50.0	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	56.0	41.7	48.7	47.1	54.9	42.4	47.8	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	48.1	30.9	38.6	38.1	47.4	30.6	38.2	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	34.2	22.0	27.2	27.4	33.4	21.8	27.2	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	67.8	68.5	70.8	65.8	67.9	68.7	68.2	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	21.9	--	--	20.8	--	--	17.9	--	--	16.0	--	--	15.6	--	--	13.8	--
Drink monthly	--	4.4	--	--	3.9	--	--	3.0	--	--	2.9	--	--	2.8	--	--	2.2	--
Smoke cigarettes	--	15.6	--	--	13.2	--	--	10.0	--	--	8.0	--	--	7.3	--	--	5.9	--
Smoke marijuana	--	11.4	--	--	11.4	--	--	9.8	--	--	8.2	--	--	7.7	--	--	6.4	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	7.3	--	--	9.9	--	--	10.1	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	3.2	--	--	4.7	--	--	4.4	--
Great risk of harm																		
Daily alcohol use	44.3	37.2	40.4	44.9	36.6	40.2	46.7	40.2	43.1	47.8	43.1	45.2	47.4	41.7	44.2	49.3	47.2	48.1
5+ drinks daily	57.8	49.4	53.1	59.2	48.3	53.1	61.0	51.8	55.9	61.5	53.8	57.3	61.5	51.9	56.1	61.0	57.7	59.1
Daily cigarette use	67.5	68.8	68.3	68.4	65.2	66.6	65.1	63.1	64.0	66.1	66.7	66.5	65.5	66.0	65.8	64.5	66.0	65.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	50.9	40.0	44.9	50.7	38.6	43.9	54.4	46.6	50.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	53.7	36.7	44.4	53.1	34.2	42.5	56.0	41.7	47.8
Marijuana weekly	55.3	29.4	40.9	53.9	26.4	38.5	49.8	24.5	35.8	47.3	25.5	35.3	46.7	24.8	34.4	48.1	30.9	38.2
Try marijuana	39.5	18.0	27.5	37.5	17.7	26.4	32.7	15.6	23.3	33.0	17.2	24.3	31.8	17.2	23.6	34.2	22.0	27.2
Prescription drugs	72.2	67.4	69.5	70.4	63.8	66.7	67.6	64.3	65.8	70.6	66.8	68.6	69.0	67.9	68.3	67.8	68.5	68.2

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	96.7	91.8	93.7	94.3	96.4	92.5	93.9	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	91.8	77.5	82.4	84.9	91.2	78.0	83.6	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	93.1	76.1	82.5	84.4	92.3	77.0	83.4	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	92.8	84.8	86.6	90.0	92.5	85.6	88.2	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	94.4	81.5	86.1	88.1	94.1	82.0	87.0	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.2	96.4	97.7	96.7	98.2	96.3	97.1	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	93.4	87.3	91.2	88.7	93.2	87.4	89.9	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	95.2	89.2	91.7	92.0	95.2	89.0	91.8	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	92.6	75.8	82.2	83.8	92.1	75.9	83.0	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	91.7	80.1	83.2	87.0	91.2	80.9	85.1	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	93.4	78.6	84.2	85.8	92.9	78.8	85.0	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	96.5	93.9	95.6	94.5	96.5	93.5	95.0	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	97.9	95.6	96.4	96.7	97.8	96.0	96.6	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	98.9	98.1	98.3	98.5	98.8	98.3	98.4	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	97.0	89.7	91.9	93.8	97.0	90.2	92.8	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	98.4	97.4	97.5	98.1	98.4	97.4	97.8	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	93.6	80.7	86.5	95.0	82.5	88.0	94.6	85.1	89.3	95.6	89.5	92.2	96.2	89.3	92.4	96.7	91.8	93.9
Drink regularly	88.4	61.7	73.6	88.8	63.1	74.4	88.0	65.2	75.3	89.0	70.5	78.8	89.2	71.4	79.2	91.8	77.5	83.6
Smoke marijuana	89.5	65.4	76.2	90.2	63.7	75.3	88.5	60.9	73.1	89.5	64.2	75.6	91.4	67.6	78.0	93.1	76.1	83.4
Vape nicotine	--	--	--	--	--	--	--	--	--	90.0	77.6	83.1	90.5	77.6	83.2	92.8	84.8	88.2
Vape marijuana	--	--	--	--	--	--	--	--	--	91.8	75.4	82.7	93.1	74.2	82.5	94.4	81.5	87.0
Other illicit drugs	97.9	93.2	95.3	97.9	92.5	94.9	97.2	94.0	95.4	97.6	93.9	95.6	98.2	94.4	96.0	98.2	96.4	97.1
<i>Friends think it wrong</i>																		
Daily alcohol use	89.6	73.3	80.5	90.6	75.9	82.4	90.9	78.0	83.7	91.6	81.6	86.1	91.5	82.6	86.5	93.4	87.3	89.9
Smoke tobacco	92.5	79.1	85.1	93.3	82.1	87.1	93.6	82.7	87.6	93.6	85.3	89.1	94.5	86.3	89.9	95.2	89.2	91.8
Smoke marijuana	88.3	62.3	73.9	88.9	62.1	73.9	87.3	58.4	71.3	88.4	63.2	74.6	89.9	67.9	77.5	92.6	75.8	83.0
Vape nicotine	--	--	--	--	--	--	--	--	--	87.2	69.2	77.3	86.8	72.4	78.7	91.7	80.1	85.1
Vape marijuana	--	--	--	--	--	--	--	--	--	90.4	70.3	79.3	90.4	72.3	80.2	93.4	78.6	85.0
Use prescription drugs	96.0	88.3	91.7	95.8	87.8	91.3	94.6	88.8	91.4	95.4	91.5	93.3	95.4	92.8	93.9	96.5	93.9	95.0
<i>Parents think it wrong</i>																		
Daily alcohol use	97.3	92.2	94.5	97.6	92.8	94.9	97.5	93.4	95.2	97.4	94.5	95.8	96.8	94.6	95.6	97.9	95.6	96.6
Smoke tobacco	98.4	94.3	96.1	98.1	95.2	96.5	98.5	96.1	97.2	98.5	96.9	97.6	98.4	97.9	98.2	98.9	98.1	98.4
Smoke marijuana	96.5	89.8	92.8	96.4	88.8	92.1	96.0	86.4	90.7	95.6	86.1	90.5	95.8	86.7	90.7	97.0	89.7	92.8
Use prescription drugs	98.2	96.2	97.1	98.4	96.6	97.4	98.1	96.2	97.1	97.4	97.3	97.3	97.8	98.1	97.9	98.4	97.4	97.8

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	16.7	14.1	20.1	--	16.7	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	1.9	1.9	1.9	--	1.9	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	1.6	0.9	2.5	--	1.6	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	9.9	11.4	8.5	--	9.9	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	36.9	42.5	29.1	--	36.9	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	1.9	0.2	3.9	--	1.9	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	12.5	14.5	10.5	--	12.5	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	18.6	14.4	23.7	--	18.6	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	44.1	44.6	42.3	--	44.1	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	30.0	33.4	26.6	--	30.0	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	2.6	1.8	3.6	--	2.6	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	4.6	6.5	2.4	--	4.6	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	5.0	3.8	6.6	--	5.0	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	2.1	2.5	1.6	--	2.1	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	1.0	0.2	2.0	--	1.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	10.7	7.2	14.9	--	10.7	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Big Bend Community Based Care and Florida Statewide youth, 2024

	Big Bend Community Based Care						Florida Statewide							
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	34.2	32.4	35.4	--	34.2	--	--	33.2	34.8	30.9	--	33.2	--
2	--	22.8	27.2	18.0	--	22.8	--	--	23.0	25.2	20.0	--	23.0	--
3	--	14.9	14.3	15.1	--	14.9	--	--	17.8	17.8	17.6	--	17.8	--
4	--	7.0	9.2	4.4	--	7.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	21.2	16.9	27.0	--	21.2	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Drinking alcohol	2.6	3.7	3.9	2.4	2.5	4.0	3.2	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	3.4	8.7	7.4	5.4	3.3	9.1	6.4	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.5	2.6	2.3	2.0	1.4	2.6	2.1	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.3	7.0	3.8	11.4	7.9	7.2	7.6	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	1.2	2.5	1.6	2.3	1.0	2.3	1.9	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.4	1.3	1.1	1.6	1.4	1.2	1.3	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	1.9	1.8	1.7	2.0	1.8	1.8	1.9	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.5	0.5	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	16.6	11.3	11.0	16.3	15.7	12.1	13.6	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	8.5	5.0	5.4	7.6	8.1	5.1	6.5	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.4	6.7	6.5	7.1	6.7	6.9	7.0	7.7	7.4	7.4	7.3	7.3	9.8	7.3	8.4	8.3	7.0	7.6
Selling drugs	2.0	6.7	4.6	1.5	6.3	4.2	1.5	5.2	3.5	1.5	4.9	3.3	1.3	3.3	2.4	1.2	2.5	1.9
Attempting to steal a vehicle	1.1	1.8	1.5	0.6	2.0	1.4	1.1	1.6	1.4	1.1	2.0	1.6	0.8	1.2	1.0	1.4	1.3	1.3
Being arrested	2.3	3.0	2.7	1.9	3.0	2.5	2.1	2.9	2.5	2.4	2.7	2.6	1.9	2.1	2.0	1.9	1.8	1.9
Taking a handgun to school	0.4	0.8	0.6	0.3	0.8	0.6	0.4	1.0	0.7	0.4	0.9	0.7	0.4	0.6	0.5	0.5	0.5	0.5
Getting suspended	11.8	9.3	10.4	10.9	9.3	10.1	10.1	7.8	8.8	14.0	9.2	11.4	14.2	10.2	12.0	16.6	11.3	13.6
Attacking someone with intent to harm	6.8	6.8	6.8	6.8	6.8	6.8	8.1	6.0	6.9	8.3	6.0	7.0	9.4	6.2	7.6	8.5	5.0	6.5

Table 16. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	28.4	29.4	37.9	19.9	28.6	29.2	29.0	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	42.2	40.7	51.3	31.3	42.3	40.9	41.4	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	29.0	27.8	35.4	21.0	29.2	27.8	28.3	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	43.2	41.9	53.4	31.5	43.0	42.3	42.5	42.6	39.3	50.7	30.9	42.0	39.6	40.7
Suicide (past 12 months)														
Seriously considered attempting suicide	14.8	15.4	20.0	10.0	15.3	15.3	15.1	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	11.6	12.1	15.6	8.1	11.9	12.0	11.9	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	9.2	7.8	11.6	5.1	9.0	8.1	8.4	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.8	1.6	2.5	0.9	1.7	1.7	1.7	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	10.9	10.8	16.5	5.3	10.5	11.2	10.8	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	46.3	30.8	39.3	35.7	45.7	30.9	37.5	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	69.2	55.7	68.1	55.1	68.6	56.6	61.5	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	31.9	32.2	41.2	23.2	32.3	32.6	32.1	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	22.6	13.6	15.8	19.1	22.0	14.1	17.4	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	37.4	28.5	32.1	32.6	37.0	29.0	32.4	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	15.0	13.5	15.7	12.8	15.1	13.9	14.2	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Big Bend Community Based Care and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	13.7	17.6	9.6	--	13.8	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	8.9	9.5	7.9	--	9.6	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	6.1	9.0	3.0	--	6.6	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	41.7	44.5	38.9	--	41.4	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	8.6	10.2	6.8	--	8.7	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	28.8	33.5	23.5	--	29.0	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	35.1	43.8	25.8	--	35.3	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	27.2	29.6	24.5	--	27.4	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	27.1	31.6	22.4	--	26.6	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	7.1	8.1	6.0	--	7.2	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Big Bend Community Based Care and Florida Statewide high school youth, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	33.5	27.5	39.9	--	33.5	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	19.6	19.3	19.8	--	19.6	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	13.4	13.4	13.5	--	13.4	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	10.7	12.5	8.8	--	10.7	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	7.9	8.7	7.0	--	7.9	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	6.4	7.5	5.4	--	6.4	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	3.6	4.5	2.4	--	3.6	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	2.8	3.6	2.0	--	2.8	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	1.1	1.7	0.4	--	1.1	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.6	0.7	0.4	--	0.6	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.4	0.6	0.3	--	0.4	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Big Bend Community Based Care and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	29.0	26.4	29.1	25.8	29.1	26.0	27.5	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	25.5	22.2	25.2	21.9	26.3	21.0	23.6	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	26.8	26.6	25.7	27.6	26.8	27.8	26.7	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	25.0	23.7	22.4	26.1	25.1	24.1	24.2	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	28.7	22.6	28.5	21.9	27.6	22.4	25.2	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	48.1	38.0	51.0	33.5	47.9	37.3	42.3	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Big Bend Community Based Care and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Big Bend Community Based Care							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	43.7	44.4	41.7	46.6	44.8	43.9	44.1	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	46.3	25.7	31.8	37.6	45.1	25.0	34.5	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	16.4	9.5	12.2	12.7	15.9	10.1	12.5	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	24.6	33.9	37.2	22.7	25.6	33.0	29.9	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	8.6	13.2	13.0	9.7	8.9	12.8	11.3	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Big Bend Community Based Care and Florida Statewide youth, 2024

	Big Bend Community Based Care							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	13.3	14.8	11.9	--	13.3	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	16.7	18.4	14.9	--	16.9	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	2.9	2.6	3.2	--	2.7	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	5.7	5.4	5.9	--	5.8	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Big Bend Community Based Care, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	19.2	--	--	17.7	--	--	16.0	--	--	15.7	--	--	16.0	--	--	13.3	--
Marijuana	--	22.0	--	--	23.1	--	--	21.8	--	--	22.4	--	--	20.3	--	--	16.7	--
<i>Driving a vehicle</i>																		
Alcohol	--	7.4	--	--	6.6	--	--	4.9	--	--	4.5	--	--	4.8	--	--	2.9	--
Marijuana	--	11.2	--	--	10.6	--	--	9.6	--	--	8.8	--	--	8.2	--	--	5.7	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Big Bend Community Based Care, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Big Bend Community Based Care		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	56	58	55	58	59	54
	Family Rewards for Prosocial Involvement	51	52	49	52	54	55
School	School Opportunities for Prosocial Involvement	51	64	49	62	57	60
	School Rewards for Prosocial Involvement	44	56	45	57	53	58
Peer and Individual	Religiosity	49	57	43	54	56	62
Average Prevalence Rate		50	57	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Big Bend Community Based Care, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Big Bend Community Based Care		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	40	26	40	25	42	42
	Perceived Availability of Drugs	30	14	30	13	45	45
	Perceived Availability of Handguns	28	33	24	29	25	42
Family	Poor Family Management	47	35	47	35	44	45
	Family Conflict	36	32	40	30	42	37
School	Poor Academic Performance	46	44	45	45	45	48
	Lack of Commitment to School	76	68	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	41	54	38	40	46
	Favorable Attitudes toward ATOD Use	27	24	27	22	39	45
	Early Initiation of Drug Use	20	13	19	11	41	46
Average Prevalence Rate		40	33	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Big Bend Community Based Care, 2014 to 2024

Domain	Scale	Big Bend Community Based Care					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	63	62	58	58	55	56
	Family Rewards for Prosocial Involvement	59	58	51	50	47	51
School	School Opportunities for Prosocial Involvement	57	57	56	52	52	51
	School Rewards for Prosocial Involvement	54	50	48	43	45	44
Peer and Individual	Religiosity	57	59	52	48	41	49
Average Prevalence Rate		58	57	53	50	48	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Big Bend Community Based Care, 2014 to 2024

Domain	Scale	Big Bend Community Based Care					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	38	37	38	40	39	40
	Perceived Availability of Drugs	38	38	33	34	35	30
	Perceived Availability of Handguns	31	31	29	28	32	28
Family	Poor Family Management	38	37	41	41	46	47
	Family Conflict	36	36	39	41	42	36
School	Poor Academic Performance	42	43	44	46	47	46
	Lack of Commitment to School	48	52	58	68	72	76
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	37	39	42	48	51	51
	Favorable Attitudes toward ATOD Use	32	31	35	34	32	27
	Early Initiation of Drug Use	25	23	25	25	22	20
Average Prevalence Rate		37	37	38	40	42	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Big Bend Community Based Care, 2014 to 2024

Domain	Scale	Big Bend Community Based Care					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	59	61	59	56	55	58
	Family Rewards for Prosocial Involvement	58	56	53	52	48	52
School	School Opportunities for Prosocial Involvement	61	64	66	62	59	64
	School Rewards for Prosocial Involvement	61	59	59	56	53	56
Peer and Individual	Religiosity	66	64	58	58	51	57
Average Prevalence Rate		61	61	59	57	53	57

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Big Bend Community Based Care, 2014 to 2024

Domain		Scale	Big Bend Community Based Care					
			2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use		31	31	29	30	31	26
	Perceived Availability of Drugs		30	28	25	20	17	14
	Perceived Availability of Handguns		42	41	39	36	36	33
Family	Poor Family Management		38	36	34	35	35	35
	Family Conflict		31	33	33	33	34	32
School	Poor Academic Performance		40	44	42	45	47	44
	Lack of Commitment to School		49	53	55	63	70	68
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		35	36	37	37	41	41
	Favorable Attitudes toward ATOD Use		39	38	38	33	31	24
	Early Initiation of Drug Use		28	26	21	19	17	13
Average Prevalence Rate			36	37	35	35	36	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.