## **Chapter 6A - Substance Abuse Admission Data Set (SA ADMSN)**

## **Table of Contents**

I.	Do	cument Revision History	2
II.	Ge	neral Policies and Considerations	3
ı	I.A.	Adding Substance Abuse Admission Records	3
ı	I.B.	Updating Substance Abuse Admission Records	3
ı	I.C.	Deleting Substance Abuse Admission Records	3
III.	Sul	bstance Abuse Admission Data File Layout (SA ADMSN)	4
IV.	Sui	bstance Abuse Target Group Determination for ICD10 and ICD9 Codes	12
ľ	V.A.	General Comments	12
Tal	ole 1.	Document Revision History	2
Tal	ole 2.	SA ADMSN Record Deletion File Layout	3
Tal	ole 3.	SA ADMSN Data File Layout	4
		Substance Abuse Target Group Determination for ICD10	
Tal	ole 5.	Substance Abuse Target Group Determination for ICD9	13

# I. Document Revision History

**Table 1. Document Revision History** 

	Document Revision History							
Version Number	Effective Date	Revision Date	Description Author					
11.0	07/01/2015	04/13/2015	◆ Completed Version 11.0	SAMH Data Unit				
11.1	07/01/2015	04/30/2015	◆ Completed Version 11.1 revisions	SAMH Data Unit				
11.1.1	07/01/2015	05/29/2015	◆ Completed Version 11.1.1 revisions	SAMH Data Unit				
11.1.2	07/01/2015	06/20/2015	♦ Completed Version 11.1.2 revisions	SAMH Data Unit				
11.1.3	07/01/2016	08/20/2016	♦ Completed Version 11.1.3 revisions	SAMH Data Unit				
11.1.3	07/01/2016	08/20/2016	<ul><li>SADIAG10 is now Mandatory</li><li>SADIAG and MHDIAG are to be space filled.</li></ul>	SAMH Data Unit				
11.1.3	07/01/2016	08/24/2016	<ul> <li>Removed SA Target Determination Tables for ICD9 and ICD10</li> </ul>	SAMH Data Unit				
11.1.3	07/01/2016	10/19/2016	♦ Added SA Target tables for ICD9 and ICD10	SAMH Data Unit				

#### II. General Policies and Considerations

#### II.A. Adding Substance Abuse Admission Records

- Contractors report substance abuse admission data for all clients receiving reportable client-specific service events associated with the substance abuse program area.
- A demographic record must exist for the same SSN, CONTRACTORID, and PROVIDERID.
- 3. To determine how Substance Abuse Target Groups are determined, refer to **Tables 4 and 5** under **IV. Substance Abuse Target Group Determination for ICD10 and ICD9 Codes** on pages 6A-11 and 6A-12.
- 4. Pamphlet 155-2 Chapters, Appendices and Forms can be found at: <a href="http://www.myflfamilies.com/service-programs/substance-abuse/pamphlet-155-2-v11">http://www.myflfamilies.com/service-programs/substance-abuse/pamphlet-155-2-v11</a>

#### **II.B.** Updating Substance Abuse Admission Records

 A substance abuse admission record can be updated by submitting a record with the same mandatory key fields. Refer to the mandatory key fields in Table 3 to identify the record to update. If the key fields match the record will be updated, otherwise it will be added.

#### **II.C.** Deleting Substance Abuse Admission Records

1. To delete a substance abuse admission record, an SA ADMSN deletion record must be submitted according to the file layout in Table 2.

Field Position Length **Format** CONTRACTORID 10 XX-XXXXXXX 1 SSN 11 9 XXXXXXXX **PURPOSE** 20 1 YYYYMMDD **EVALDATE** 21 8 **PROVIDERID** 10 XX-XXXXXXX 29

**Table 2. SA ADMSN Record Deletion File Layout** 

**Warning:** When a client's substance abuse admission record (PURPOSE = 1) is deleted, all associated services, assessments, and discharges will be deleted.

# III. Substance Abuse Admission Data File Layout (SA ADMSN)

Table 3. SA ADMSN Data File Layout

Field Name	Pos	Type / Size	Edits and Validations	
CONTRACTORID	1	CHAR(10)	Format: XX-XXXXXXX	
(Mandatory Key)			Contractor must be registered in SAMHIS.	
			Must match CONTRACTORID in DEMO record.	
			structions: Contractor Id - The contractor id is the Federal on Number of the entity which holds a contract with DCF.	
SITEID	11	CHAR(2)	Format: XX right justified/zero filled.	
(Mandatory)		0 (_)	Must be registered in SAMHIS for the PROVIDERID.	
		riptions and In es will be provi	structions: Site Id - The physical location of the provider where	
SSN	13	CHAR(9)	Format: XXXXXXXXX	
(Mandatory Key)			Must match SSN in DEMO record.	
			structions: Social Security Number - See General Policies and Edding Substance Abuse Admission Records.	
CLIENTID	22	CHAR(10)	Left justified/space filled.	
	Desci	riptions and In	structions: Client Id - Contractor use only as of 07/01/2015.	
CNTYRESID	32	CHAR(2)	Must be between 01 and 67 or 99; right justified/zero filled.	
(Mandatory)	Descriptions and Instructions: County of Residence - Indicate the Florida county of the client resides at the time of admission. If unknown or client is homele the county of the provider site where the evaluation occurred. Refer to the Florida County Codes Table in Appendix 5 – Data Code Tables.			
GRADE	34	CHAR(2)	Must be 00-08, 24-28, 30-42; right justified/zero filled.	
(Mandatory)	Descriptions and Instructions: Grade - Indicate the highest educational level of by the client prior to this evaluation. Refer to the Educational Levels (GRADE) Table in Appendix 5 – Data Code Tables.  NOTE: New code values effective July 1, 2015.			
MARITAL	36	CHAR(1)	Must be 1 through 8.	
(Mandatory)			structions: Marital Status - Indicate the client's current marital  Marital Status Codes Table in Appendix 5 – Data Code Tables.	
HLTHSTAT	37	CHAR(1)	Must be 1 through 8.	
(Mandatory)		riptions and In s health status	structions: Health Status - Indicate the appropriate code for the at evaluation.	
	[3] Dis	itated omatose soriented epressed	<ul><li>[5] Forgetful</li><li>[6] Lethargic</li><li>[7] Other Mental Condition</li><li>[8] Oriented</li></ul>	
PREGTRIM	38	CHAR(1)	Must be 1 through 5.	
(Mandatory)	status [1] 1 <sup>st</sup> [2] 2n	riptions and In at admission: trimester d trimester d trimester	structions: Pregnancy Trimester - Indicate the client's pregnancy  [4] Not pregnant or male  [5] Unknown (Effective 7/1/15)	

Field Name	Pos	Type / Size	Edits and Validations		
ADMITYPE	39	CHAR(1)	Must be 1 through 4.		
(Mandatory)	Descriptions and Instructions: Admission Type - Indicate the code that maclient's type of admission.  [1] Voluntary Competent – Not court ordered into treatment; not deemed legally [2] Voluntary Incompetent – Not court ordered into treatment; legally incompetent – Court ordered into treatment; not deemed legally [4] Involuntary Incompetent – Court ordered into treatment; legally incompetent – Court ordered into treatment; legally incompetent				
DRUGCRT	40	CHAR(1)	Must be 0 or 1.		
(Mandatory)		ed to attend sub	nstructions: Drug Court - Indicate if the client was Drug Court bstance abuse treatment.  [1] Yes		
CHILDWEL	41	CHAR(1)	Must be 0 or 1.		
(Mandatory)		welfare system	nstructions: Child Welfare - Indicate if the client was involved in the at admission.  [1] Yes		
RESIDSTAT	42	CHAR(2)	Must be 01 through 18 or 99; right justified/zero filled.		
(Mandatory)	Enter	nstructions: Residential Status - Indicate the residential status.  ode that reflects the correct residential setting. Refer to the  Codes Table in Appendix 5 – Data Code Tables.			
DEPCRIMS	44	CHAR(2)	Must be 00 through 09, 27 or 28 if age at time of admission <		
(Mandatory)			<ul> <li>18.</li> <li>Must be 00, 10 through 13, 16 through 19, 21 through 26, 28, or 29 if age of at time of admission &gt;= 18.</li> </ul>		
	deper <b>Depe</b>	ndency/delinque ndency / Crimi	nstructions: Dependency or Criminal Status - Indicate the client's ency (for children) or criminal/competency status (for adults) .Refer to inal Status Codes Table in Appendix 5 – Data Code Tables. If client for either adults or children, use 00.		
PROBPRIM (Mandatory)	46	CHAR(2)	<ul> <li>Must be 02 - 20, 22 - 48, 50 - 99,1A - 2P; right justified/zero filled.</li> </ul>		
	<ul> <li>Descriptions and Instructions: Primary Problem - Indicate the primary substance problem. Refer to the Substance Abuse Drug Codes Table in Appendix 5 – Data Code Tables.</li> <li>Enter the substance which is <i>primarily</i> responsible for the client's admission. Do not enter the same drug for Primary, Secondary and Tertiary fields even if different routes are used for the same drug.</li> <li>If the client is admitted to a methadone maintenance modality, the primary substance must be a narcotic (heroin, non-prescription methadone, or any other narcotic).</li> <li>If a client is receiving legally prescribed methadone from another clinic and is admitted to the reporting clinic for dosage adjustment or termination, the primary substance must be the narcotic for which the client originally received methadone. The prescribed methadone should not be identified as the client's primary substance under</li> </ul>				
	• If se	a record is sub econdary or tert	ethadone", "other" drug, etc. omitted which has the primary substance as '98' and either the tiary substance as a declared drug, i.e., heroin; SAMHIS will op the '98' as the primary substance and make heroin as the primary		

Field Name	Pos	Type / Size	Edits and Validations			
PROBSEC	48	CHAR(2)	<ul> <li>Must be 02 - 20, 22 - 48, 50 - 97,1A - 2P; right justified/zero filled or spaces</li> </ul>			
	proble	em. Secondary	structions: Secondary Problem - Indicate secondary substance problem must be different than primary problem. Refer to the Codes Table in Appendix 5 – Data Code Tables.			
PROBTER	50	CHAR(2)	<ul> <li>Must be 02 - 20, 22 - 48, 50 - 97,1A - 2P; right justified/zero filled or spaces.</li> </ul>			
	Tertia	ry problem mus	structions: Tertiary Problem - Indicate tertiary substance problem.  St be different than the primary or secondary problems. Refer to the brug Codes Table in Appendix 5 – Data Code Tables.			
ROUTPRIM	52	CHAR(1)	<ul> <li>Must be 1 through 5 or space.</li> <li>Mandatory only if PROBPRIM is <i>not</i> equal to 98 or 99.</li> </ul>			
	admir syster	istration or met	structions: Primary Route - Indicate the client's usual route of thod of ingestion of the primary substance of abuse into the client's one route of administration is used, enter the most frequent route for			
	[1] Or [2] Sn	al noking	[3] Inhalation [5] Other [4] Injection (IV or Intra-muscular)			
ROUTSEC	53	CHAR(1)	<ul><li>Must be 1 through 5 or space.</li><li>Mandatory only if PROBSEC is not spaces.</li></ul>			
	admir syster	nistration or met	structions: Secondary Route - Indicate the client's usual route of thod of ingestion of the secondary substance of abuse into the client's one route of administration is used, enter the most frequent route for			
	[1] Or [2] Sn	ral noking	[3] Inhalation [5] Other [4] Injection (IV or Intra-muscular)			
ROUTTER	54	CHAR(1)	<ul> <li>Must be 1 through 5 or space.</li> <li>Mandatory only if PROBTER is not spaces.</li> </ul>			
	admir syster	nistration or met	structions: Tertiary Route - Indicate the client's usual route of thod of ingestion of the tertiary substance of abuse into the client's one route of administration is used, enter the most frequent route for			
	[1] Or		[3] Inhalation [5] Other [4] Injection (IV or Intra-muscular)			
FREQPRIM	55	CHAR(1)	<ul> <li>Must be 1 through 5 or space.</li> <li>Mandatory only if PROBPRIM is <i>not</i> equal to 98 or 99.</li> </ul>			
			<b>structions: Primary Frequency -</b> Indicate the client's frequency of ibstance during the month prior to admission.			
	[1] No Past Month Use [2] 1-3 Times in Past Month [5] Daily [3] 1-2 Times per Week					
FREQSEC	56	CHAR(1)	<ul> <li>Must be 1 through 5 or space.</li> <li>Mandatory only if PROBSEC is not spaces.</li> </ul>			
		Descriptions and Instructions: Secondary Frequency - Indicate the client's frequency of use of the secondary substance during the month prior to admission.				
	[2] 1-	o Past Month Us 3 Times in Past 2 Times per We	Month [5] Daily			

Field Name	Pos	Type / Size	Edits and Validations		
FREQTER	57	CHAR(1)	<ul> <li>Must be 1 through 5 or space.</li> <li>Mandatory only if PROBTER is not spaces.</li> </ul>		
			structions: Tertiary Frequency - Indicate the client's frequency of ostance during the month prior to admission.		
	[2] 1-3	Past Month Us Times in Past Times per We	Month [5] Daily		
AGEPRIM	58	CHAR (2)	<ul> <li>Must be 00 through 99; right justified/zero filled or spaces.</li> <li>Mandatory only if PROBPRIM is <i>not</i> equal to 98 or 99.</li> </ul>		
	age a	first use of the client's age at	structions: Age at Primary Substance Usage - Indicate the client's primary substance. The age at first use should be less than or equal admission. The recorded age should reflect willful use. A value of porn with a substance dependence problem.		
AGESEC	60	CHAR (2)	<ul> <li>Must be 00 through 99; right justified/zero filled or spaces.</li> <li>Mandatory only if PROBSEC is not spaces.</li> </ul>		
			structions: Age at Secondary Substance Usage - Indicate the e of the secondary substance.		
AGETER	62	CHAR (2)	<ul> <li>Must be 00 through 99; right justified/zero filled or spaces.</li> <li>Mandatory only if PROBTER is not spaces.</li> </ul>		
			structions: Age at Tertiary Substance Usage - Indicate the client's tertiary substance.		
STAFFID	64	CHAR(12)	Format: 99-XXXXXXXXX		
(Mandatory)	Desci	riptions and In	structions: Staff Id - The ID of the staff rendering the services		
	<ul> <li>Positions 1 and 2 must be an educational level code of 01 through 07. Refer to the Staff ID Education Codes Table in Appendix 5 – Data Code Tables.</li> <li>Position 3 must be a dash (-).</li> </ul>				
	<ul><li>Po</li><li>Fo</li><li>Fo</li></ul>	ositions 4 throu or non-Family Ir	gh 12 can be any alphanumeric character (left justified/space filled). Intervention Specialist, positions 4 and 5 must contain an employee id. ention Specialist (FIS), positions 4 through 6 must be FIS (e.g.: 01-		
PURPOSE (Mandatory Key)	76	CHAR(1)	<ul> <li>Must be 1 or 2.</li> <li>PURPOSE = 1 will only be accepted for a new client or after an existing client has been discharged.</li> </ul>		
		riptions and In sion record.	structions: Purpose Code - Indicate the purpose code for this		
	exi	sting client, the	client or existing client beginning a new episode of care. If an most recent outcome must be a type 3 or 4 or 5 and dated one or the new admission.		
	inte the	ention of returni	arge - For clients who are seen for an assessment only with no ng to the facility. This is normally only one face-to-face contact with ble covered services: 01-Assessment, 11-Intervention, 15-TASC, vention		
EVALDATE (Mandatory Key)	77	CHAR(8)	<ul> <li>Format: YYYYMMDD</li> <li>Must be &gt;= client's date of birth and &lt;= system date.</li> <li>Must be within the begin and end date of the contract in CONTNUM1.</li> </ul>		
	<b>Desci</b> condu	•	structions: Evaluation Date - The date on which the evaluation is		

Field Name	Pos	Type / Size			Edits and Validations	
CHILDPREV	85	CHAR(1)	•		age at admission is < 18. (Mandatory)	
			•		pace if age at time of admission is >= 18.	
		ri <b>ptions and In</b> revention progr		ctions: Child Pre	vention Status - Indicate if the child is involved	
	Пар	. •	a ] No		[1] Yes	
DRUGHARM	86	CHAR(1)	] 140		if age at time of admission is < 18.	
DROGHARW	00	OTIAIX(1)		(Mandatory)	ii age at time of admission is < 10.	
			•	Must be 0, 1, 3 o	r space if age at time of admission is >= 18.	
		riptions and In harmful to their			nful - Indicate if the client perceives drugs as	
	[ <b>0</b> ] No		0,0	[1] Yes	[3] Unknown	
ALCOHARM	87	CHAR(1)	•		if age at time of admission is < 18.	
			•	(Mandatory)	r space if age at time of admission is >= 18.	
	Dose	rintions and In			space if age at time of admission is >= 16.	
		ing harmful to the			armiui - indicate ii the client perceives alconor	
	<b>[0]</b> No	)		[1] Yes	[3] Unknown	
TOBAHARM	88	CHAR(1)	•		3 if age at time of admission is < 18.	
				(Mandatory)	or space if age at time of admission is >= 18	
	<ul> <li>Must be 0, 1, 3 or space if age at time of admission is &gt;= 18.</li> <li>Descriptions and Instructions: Tobacco Harmful - Indicate if the client perceives</li> </ul>					
	tobacco as being harmful to their overall health.					
	<b>[0]</b> No	)		[1] Yes	[3] Unknown	
TOBACUSE	89	CHAR(1)	•		3 if age at time of admission is < 18.	
			•	(Mandatory) Must be 0, 1, 3 (	or space if age at time of admission is >= 18.	
	Descriptions and Instructions: Tobacco Usage - Indicate if the client uses tobacco					
	products.					
	[ <b>0</b> ] No	)		[1] Yes	[3] Unknown	
LEGGUARD	90	CHAR(1)	•	Must be 1 through (Mandatory)	gh 6 if age at time of admission is < 18.	
			•	Must be 1 through	gh 6 or space if age at time of admission is >=	
			<u> </u>	18.		
	Descriptions and Instructions: Legal Guardian - Indicate the child's legal guardian.					
	[1] Pa				[4] Emancipated minor [5] State or public agency	
				[6] Not applicable		
EMPL	91	CHAR(2)	•	Must be 10, 20,	30, 31, 40, 50, 60, 70 or 81 through 86.	
(Mandatory)	Descriptions and Instructions: Employment Status - Indicate the client's employment status at evaluation. Refer to the Employment Status Codes Table in Appendix 5 – Data Code Tables.					
PINCOSRC	93	CHAR(1)	•	Must be 1 throu	ugh 7.	
(Mandatory)  Descriptions and Instructions: Primary Income Source - source of income at the time of evaluation. Refer to the Primin Appendix 5 – Data Code Tables.			ncome Source - Indicate the client's primary			

Field Name	Pos	Type / Size	Edit	ts and Validations	
INCOPERS	94	CHAR(2)	Must be 00 through:	99; right justified/zero filled.	
(Mandatory)	<b>Descriptions and Instructions: Personal Income -</b> Indicate the annual personal income (in thousands) rounded to nearest thousand <i>or</i> select one of the following.				
	[ <b>00</b> ] N	No income	[98] Income over	98,000 <b>[99]</b> Unknown income	
FAMINC (Mandatory)	96	CHAR(2)	<ul><li>Must be 00 through 9</li><li>FAMINC must be &gt;=</li></ul>	99; right justified/zero filled. = INCOPERS.	
	incom of coo what INCO report	ne (in thousands de choices belov was reported for PERS amount to	) rounded to nearest thousa v. If there is no known inco INCOPERS above. If there	•	
WAITDAYS	98	CHAR(3)		999 if PURPOSE = 1; right justified/zero	
WAIIDATO			<ul> <li>filled. (Mandatory)</li> <li>Must be 000 through 9 justified/zero filled.</li> </ul>	999 or spaces if PURPOSE = 2; right	
	<b>Descriptions and Instructions: Wait Days -</b> Indicate the number of days the client waited to get into the agency's treatment service programs. For unknown, enter 999.				
POSTPART	101	CHAR(1)	<ul><li>(Mandatory)</li><li>Must be 0, 1, 3 or space</li><li>Must be space if client</li></ul>		
	<b>Descriptions and Instructions: Post-Partum Status -</b> Indicate whether client has given birth within the last 91 days. (Changed from 30 days to 91 days as of July 1, 2015)				
	<b>[0]</b> No	)	[1] Yes	[3] Unknown	
DEPEND	102	CHAR(1)	• Must be 0 through 9.		
(Mandatory)		riptions and Insthan 9, enter 9.	structions: Dependents - I	Indicate the number of dependents. If	
DEVELOP	103	CHAR(1)	• Must be 0 or 1.		
(Mandatory)		riptions and Insopmentally disal		Status - Indicate if the client is	
		[0]	No	[1] Yes	
PHYSICAL	104	CHAR(1)	• Must be 0 or 1.		
(Mandatory)		riptions and Inscally disabled.	structions: Physical Disab	pility Status - Indicate if the client is	
			No	[1] Yes	
AMBULAT	105	CHAR(1)	• Must be 0 or 1.		
(Mandatory)	Descriptions and Instructions: Ambulatory Status - Indicate if the client is ambula				
VICUAL	100		No Must be O and	[1] Yes	
VISUAL	106 CHAR(1) • Must be 0 or 1.				
(Mandatory)				Indicate if the client is visually impaired.	

Field Name	Pos	Type / Size	Edits and Validations	
HEARING	107	CHAR(1)	Must be 0 or 1.	
(Mandatory)		structions: Hearing Status - Indicate if the client's hearing is		
	impaii		] No [1] Yes	
ENGLISH	108	CHAR(1)	Must be 0 or 1.	
(Mandatory)		` ,	structions: English Status - Indicate if the client's English language	
(,		erely impaired.	structions. English otatus - maleate ii the elient's English language	
		[0	] No [1] Yes	
REFERRAL	109	CHAR(2)	Must be 01 through 14, 16 through 25 or 99; right justified/zero	
(Mandatory)	Danas		filled.	
			structions: Referral - Indicate the referring agency. Refer to the Descriptions Table in Appendix 5 – Data Code Tables.	
CRIMJUST	111	CHAR (1)	Must be 0, 1, or 3.	
(Mandatory)	Desci	, ,	structions: Criminal Justice - Indicate if the client is involved with	
		•	stem at the time of the admission.	
	<b>[0]</b> No	)	[1] Yes [3] Unknown	
ARREST	112	CHAR(1)	Format: X (space filled)	
			structions: Arrests – No longer used as of July 1, 2015. Use the sition 188 as it has expanded from 1 character to 2 characters.	
IVHIST	113	CHAR(1)	Must be 0, 1, 3 or space.	
	structions: Intravenous History - Code for current or history of ce use other than previously indicated.			
	<b>[0]</b> No	)	[1] Yes [3] Unknown	
PRIORADM	114	CHAR(1)	Must be 0 through 9 or space.	
			structions: Prior Admissions - Enter the number of previous bstance abuse treatment agency.	
PROVINFO	115	CHAR(20)	Left justified/space filled.	
	Desci	riptions and In	structions: Provider Information - Contractor use only.	
ZIP	135	CHAR(5)	Format: 99999	
(Mandatory)	Descriptions and Instructions: Zip Code - Client's home/residence US Postal Zip code. If the client is homeless and the zip code is not known, use the zip code of the service provider where the services are provided. If the client is from outside the state, use the out-of-state zip code. If the client is in prison, local jail, a detention or a residential treatment facility and the residence county cannot be obtained, enter the prison, local jail, or detention facility's zip code.			
TSTAT	140	CHAR(1)	Must be 1 through 3.	
(Mandatory)	Desci	riptions and In	structions: TANF Status - Indicate the client's TANF status.	
		emporary Cash version Family		
FAMSIZE	141	CHAR(1)	Must be 1 through 9.	
(Mandatory)		riptions and In than 9, enter 9.	structions: Indicate the number of persons living in the house. If	
SAPROB	142	CHAR(1)	Must be 0 or 1.	
(Mandatory)			structions: Substance Abuse Problem - Indicate if the client is at coming dependent on alcohol or other substances.	
		[0	] No [1] Yes	

Field Name	Pos	Type / Size	Edits and Validations			
PROVIDERID	143	CHAR(10)	Format: XX-XXXXXXX			
(Mandatory Key)			Provider must be registered in SAMHIS.			
			Must match PROVIDERID in DEMO record.			
	<b>Descriptions and Instructions: Provider Id -</b> The PROVIDERID is the Federal Employer Identification Number of the entity which provides the service to the client.					
SADIAG	153	CHAR(6)	Must be space filled.			
			structions: Substance Abuse Diagnosis Code (ICD-9) - Indicate ubstance abuse diagnosis code.			
MHDIAG	159	CHAR(6)	Must be space filled.			
			structions: Mental Health Diagnosis Code (ICD-9) - Indicate the diagnosis. Refer to Appendix 3 – ICD-9 Code Table.			
MARCHMAN	165	CHAR(1)	Must be 1 through 4.			
(Mandatory)			structions: Marchman Status - Indicate the type of Marchman Act			
	admis					
		oluntary Asses	,			
COLLATERAL	166	oluntary Treatr CHAR(1)	ment [4] Not applicable  • Must be 0, 1 or 3.			
(Mandatory)			structions: Collateral Status - Indicate if the client is receiving			
			ner person's involvement with substance abuse.			
	<b>[0]</b> No		[1] Yes [3] Unknown			
OPIOIDREPLAC	167	CHAR (1)	• Must be 0, 1 or 3.			
(Mandatory)			<b>structions: Opioid Replacement Status -</b> Indicate if the client is on the time of admission.			
	[ <b>0</b> ] No	•	[1] Yes [3] Unknown			
VETSTATUS	168 CHAR (1) • Must be 0, 1 or 3.					
(Mandatory)		riptions and In	structions: Veteran Status - Indicate if the client is a veteran of the			
		Armed Services				
	[0] No		[1] Yes [3] Unknown			
CONTNUM1	169	CHAR(5)	Must be a valid SAMH contract number that is in the Florida     Accountability Contract Tracking System (FACTS).			
(Mandatory)	Dage	intions and In				
	<b>Descriptions and Instructions: Contract Number 1 -</b> Contract under which services may be provided.					
CONTNUM2	174	CHAR(5)	Format: XXXXX; space filled.			
	Descriptions and Instructions: Contract Number 2 - No longer used.					
CONTNUM3	179	Char (5)	Format: XXXXX; space filled.			
	Desci	riptions and In	structions: Contract Number 3 - No longer used.			
MHDIAGNOSIS	184	CHAR(1)	Must be 0 or 1.			
(Mandatory)			structions: Mental Health Diagnosis Status - Indicate if the client			
	has a		blem in addition to his or her alcohol or drug use problem.			
SOCIAL	185	CHAR(2)	No [1] Yes  • Must be 01 through 07; right justified/zero filled.			
(Mandatory)		` '	structions: Social Status - Indicate the number of times the client			
(		.tended a self-h lone -3	relp program in the 30 days preceding the date of admission.  [04] 8-15  [05] 16-30  [06] Some Attendance  (Frequency unknown)			

Field Name	Pos	Type / Size	Edits and Validations		
SCHOOL	187	CHAR(1)	Must be 1 through 4.		
(Mandatory)		•	structions: School Status - Indicate if the client was suspended or within the last 30 days.		
	[1] Suspended [2] Expelled		<ul><li>[3] Suspended and Expelled</li><li>[4] Not Applicable</li></ul>		
ARREST	188	CHAR(2)	Must be 00 through 96, right justified/zero filled.		
(Mandatory)	<b>Descriptions and Instructions: Arrest Status -</b> Indicate the number of times the client was arrested within the last 30 days.				
SADIAG10	190 CHAR(8) • Must be a valid Substance Abuse ICD-10-CM code.				
(Mandatory)	substa Class	ance abuse diag ification of Dise	structions: Substance Abuse Diagnosis Code (ICD-10) - Enter the gnosis code for the client using the code from the International ases (ICD-10-CM). Refer to Appendix 8.		
MUDIAGAG	Mandatory as of July 1, 2016.				
MHDIAG10	198	CHAR(8)	Must be a valid Mental Health ICD-10-CM code or Spaces.		
mental health diagnosis code for the clie			structions: Mental Health Diagnosis Code (ICD-10) - Enter the sis code for the client using the code from the International ases (ICD-10-CM). Refer to Appendix 8.		

### IV. Substance Abuse Target Group Determination for ICD10 and ICD9 Codes

#### **IV.A. General Comments**

- 1. The substance abuse target populations are determined from the client's admission and service data.
- 2. In order for a target group to be determined for a client, the client must have a primary substance abuse diagnosis that allows a population group to be assigned.

**Table 4. Substance Abuse Target Group Determination (ICD-10 version)** 

Substance Abuse Target Group Codes					
Target Group	Code	If Statement			
ADULT SA		SAAGEADMIS >= 18 And ICD10PRIMARYCODE starts with F10, F11, F12, F13, F14, F15, F16, F17, F18, F19 Or SUBSTANCEPRIMARYCODE is 99 or is between 02 and 61 Or SUBSTANCESECONDARYCODE is 99 or is between 02 and 61 Or SUBSTANCETERTIARYCODE is 99 or is between 02 and 61			
ADULT SA AT RISK		SAAGEADMIS >= 18 And ICD10PRIMARYCODE does not start with F10, F11, F12, F13, F14, F15, F16, F17, F18, F19 Or SUBSTANCEPRIMARYCODE is 98 Or SUBSTANCESECONDARYCODE is 98 Or SUBSTANCETERTIARYCODE is 98			
CHILD SA		SAAGEADMIS < 18 And ICD10PRIMARYCODE starts with F10, F11, F12, F13, F14, F15, F16, F17, F18, F19 Or SUBSTANCEPRIMARYCODE is 99 or is between 02 and 61 Or SUBSTANCESECONDARYCODE is 99 or is between 02 and 61 Or SUBSTANCETERTIARYCODE is 99 or is between 02 and 61			

Substance Abuse Target Group Codes			
Target Group	Code	If Statement	
CHILD SA AT RISK		SAAGEADMIS < 18 And ICD10PRIMARYCODE does not start with F10, F11, F12, F13, F14, F15, F16, F17, F18, F19 Or SUBSTANCEPRIMARYCODE is 98 Or SUBSTANCESECONDARYCODE is 98 Or SUBSTANCETERTIARYCODE is 98	

**Table 5. Substance Abuse Target Group Determination (ICD-9 version)** 

Substance Abuse Target Group Codes			
Target Group	Code	If Statement	
SA ADULT		SAAGEADMIS >= 18 And ICD9PRIMARYCODE starts with 291, 292, 303, 304, 305 Or SUBSTANCEPRIMARYCODE is 99 or is between 02 and 61 Or SUBSTANCESECONDARYCODE is 99 or is between 02 and 61 Or SUBSTANCETERTIARYCODE is 99 or is between 02 and 61	
ADULT SA AT RISK		SAAGEADMIS >= 18 And ICD9PRIMARYCODE does not start with 291, 292, 303, 304, 305 Or SUBSTANCEPRIMARYCODE is 98 Or SUBSTANCESECONDARYCODE is 98 Or SUBSTANCETERTIARYCODE is 98	
CHILD SA		SAAGEADMIS < 18 And ICD9PRIMARYCODE starts with 291, 292, 303, 304, 305 Or SUBSTANCEPRIMARYCODE is 99 or is between 02 and 61 Or SUBSTANCESECONDARYCODE is 99 or is between 02 and 61 Or SUBSTANCETERTIARYCODE is 99 or is between 02 and 61	
CHILD SA AT RISK		SAAGEADMIS < 18 And ICD9PRIMARYCODE does not start with 291, 292, 303, 304, 305 Or SUBSTANCEPRIMARYCODE is 98 Or SUBSTANCESECONDARYCODE is 98 Or SUBSTANCETERTIARYCODE is 98	