

2024 Florida Youth Substance Abuse Survey

Calhoun County Data Tables

Table 1. Major demographic characteristics of surveyed Calhoun County and Florida Statewide, 2024

	Calhoun County		Florida Statewide	
	N	%	N	%
Sex				
Female	195	55.2	21,747	48.6
Male	157	44.5	22,711	50.7
Race/Ethnic group				
African American	30	8.5	9,493	21.2
American Indian	11	3.1	426	1.0
Asian	6	1.7	653	1.5
Hispanic/Latino	16	4.5	10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0	41	0.1
Other/Multiple	69	19.5	7,299	16.3
White, non-Hispanic	221	62.6	16,109	36.0
Parent/Guardian in the Military				
No	292	82.7	38,723	86.5
Yes	57	16.1	5,679	12.7
Age				
11	14	4.0	2,499	5.6
12	48	13.6	5,938	13.3
13	56	15.9	6,288	14.0
14	55	15.6	6,501	14.5
15	63	17.8	6,784	15.2
16	48	13.6	6,743	15.1
17	47	13.3	6,358	14.2
18	19	5.4	3,252	7.3
Grade				
6th	53	15.0	6,126	13.7
7th	51	14.4	6,468	14.5
8th	60	17.0	6,341	14.2
9th	48	13.6	6,696	15.0
10th	59	16.7	6,738	15.1
11th	49	13.9	6,266	14.0
12th	33	9.3	6,121	13.7
Middle School	164	46.5	18,934	42.3
High School	189	53.5	25,821	57.7
Total	353	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Calhoun County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	27.5	40.8	37.4	33.3	27.1	39.4	35.3	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	14.4	9.9	19.9	--	15.3	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	12.0	21.8	17.7	18.0	11.0	19.8	17.7	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	26.4	45.2	41.2	33.5	28.7	41.3	37.3	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	9.6	28.9	22.0	19.6	10.7	26.9	20.8	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	12.3	29.5	23.9	20.5	10.6	28.2	22.2	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	4.2	5.0	3.4	--	3.4	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	8.3	8.9	9.8	7.4	8.0	8.1	8.7	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	1.3	1.8	2.0	1.1	1.2	0.7	1.6	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.6	4.0	3.4	2.7	1.5	2.5	3.0	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	1.2	2.0	2.3	0.9	1.1	0.9	1.6	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.3	1.8	2.0	0.2	0.2	0.7	1.2	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.3	1.4	1.5	0.3	0.3	0.2	0.9	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	3.0	6.6	5.7	4.4	1.7	6.8	5.1	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	5.6	8.1	8.3	5.8	4.1	9.9	7.1	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	9.2	2.5	7.3	3.1	7.4	2.6	5.3	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	3.4	5.6	4.8	4.6	2.2	6.4	4.7	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	2.8	3.9	1.4	--	1.1	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	9.9	11.4	8.3	--	9.3	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.4	1.5	1.3	--	1.9	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	24.4	41.2	37.7	30.5	25.1	38.1	34.1	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	18.4	19.4	22.7	15.0	15.3	21.3	19.0	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	13.1	12.3	11.6	13.9	13.6	12.9	12.6	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	37.4	53.7	49.2	44.6	38.5	51.5	46.8	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	9.9	12.8	12.0	11.3	11.5	12.0	11.6	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Calhoun County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	11.4	17.1	15.1	14.5	11.4	15.7	14.7	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	5.5	9.1	6.3	9.1	5.6	9.2	7.6	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	4.8	4.3	2.4	6.9	2.2	7.3	4.5	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	9.6	22.0	18.2	15.5	8.6	21.9	16.8	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	4.6	12.4	9.4	8.9	4.0	14.4	9.1	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	5.5	14.0	10.1	11.0	4.3	16.5	10.5	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	1.5	0.4	2.9	--	1.7	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	2.8	3.0	2.3	3.6	2.6	2.5	2.9	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	1.3	0.2	0.2	1.1	1.2	0.2	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	1.3	1.4	0.8	2.1	1.2	1.8	1.4	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	1.2	0.6	0.9	0.8	1.1	0.8	0.9	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	2.5	0.2	1.1	1.1	1.2	1.3	1.1	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	4.4	1.6	2.8	2.7	3.0	3.0	2.7	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	4.1	0.8	2.9	1.5	2.8	2.1	2.2	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	3.2	1.4	1.2	3.2	2.0	2.7	2.1	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	13.3	18.5	17.1	15.6	11.4	20.8	16.3	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	11.5	6.2	8.5	8.5	8.6	8.5	8.4	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	8.1	9.4	10.7	6.9	8.6	6.7	8.9	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	21.3	28.3	27.7	23.0	20.0	28.1	25.4	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	9.8	11.3	12.8	8.4	8.5	12.5	10.7	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	26.4	50.6	39.4	26.9	57.5	44.3	27.9	42.0	35.6	24.9	41.3	33.4	31.1	41.9	37.1	27.5	40.8	35.3
Blacking Out	--	18.8	--	--	18.7	--	--	17.7	--	--	16.8	--	--	13.3	--	--	14.4	--
Cigarettes	17.5	30.3	24.3	14.9	37.1	27.2	12.5	26.8	20.4	19.3	25.0	22.2	18.0	14.5	16.1	12.0	21.8	17.7
Vaping Nicotine	--	--	--	--	--	--	--	--	--	21.7	37.2	29.9	31.2	29.4	30.2	26.4	45.2	37.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	11.0	17.7	14.5	11.6	23.7	18.3	9.6	28.9	20.8
Marijuana or Hashish	7.8	28.7	19.0	11.6	36.2	25.4	5.8	28.7	18.5	10.2	27.3	19.2	13.9	26.7	20.9	12.3	29.5	22.2
Synthetic Marijuana	--	11.3	--	--	9.8	--	--	6.7	--	--	5.0	--	--	5.1	--	--	4.2	--
Inhalants	4.8	5.5	5.2	8.0	5.6	6.7	5.9	7.3	6.7	12.7	8.8	10.7	7.5	4.7	6.0	8.3	8.9	8.7
Club Drugs	0.0	2.1	1.1	0.8	2.2	1.6	0.6	1.8	1.3	1.3	2.9	2.2	0.4	5.0	2.9	1.3	1.8	1.6
LSD, PCP or Mushrooms	0.2	3.6	2.0	1.3	1.9	1.6	1.7	2.8	2.3	2.4	2.5	2.5	0.4	6.5	3.7	1.6	4.0	3.0
Methamphetamine	0.3	0.7	0.5	1.4	0.5	0.9	0.8	3.3	2.2	0.4	1.4	0.9	0.2	1.1	0.7	1.2	2.0	1.6
Cocaine or Crack	0.7	4.5	2.8	2.2	3.7	3.1	1.3	4.5	3.1	1.3	3.8	2.6	0.0	3.3	1.8	0.3	1.8	1.2
Heroin	0.0	1.0	0.5	0.0	0.0	0.0	0.8	0.0	0.4	0.8	1.0	0.9	2.1	1.3	1.7	0.3	1.4	0.9
Prescription Depressants	1.1	6.8	4.2	3.4	7.8	5.8	2.4	8.7	5.8	4.2	5.7	5.0	4.5	4.8	4.6	3.0	6.6	5.1
Prescription Pain Relievers	1.7	3.8	2.9	3.9	7.3	5.8	1.3	7.9	4.9	3.0	2.9	3.0	4.1	3.8	3.9	5.6	8.1	7.1
Prescription Amphetamines	0.0	9.8	5.2	2.1	5.9	4.2	0.7	5.4	3.3	3.8	3.9	3.8	3.2	8.4	6.1	9.2	2.5	5.3
Over-the-Counter Drugs	2.3	6.5	4.5	3.6	6.3	5.1	5.1	3.2	4.1	6.2	2.1	4.1	4.0	4.0	4.0	3.4	5.6	4.7
Needle to Inject Drugs	--	--	--	--	0.3	--	--	1.7	--	--	0.8	--	--	0.7	--	--	2.8	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.9	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.4	--
Any illicit drug	16.2	32.1	24.7	18.1	38.4	29.4	12.5	33.1	23.8	24.8	35.2	30.1	30.8	32.8	31.9	24.4	41.2	34.1
Any illicit drug other than marijuana	10.4	16.9	13.9	14.3	16.1	15.3	10.1	17.6	14.2	19.3	17.8	18.5	19.4	14.8	16.9	18.4	19.4	19.0
Alcohol only	16.5	24.2	20.7	13.2	22.9	18.7	19.7	18.4	19.0	9.3	13.1	11.3	11.7	15.6	13.8	13.1	12.3	12.6
Alcohol or any illicit drug	31.9	56.3	44.9	30.7	60.9	47.5	31.5	51.2	42.3	33.9	48.0	41.2	42.3	48.3	45.6	37.4	53.7	46.8
Any illicit drug, but no alcohol	6.1	5.5	5.8	4.2	3.3	3.7	4.0	9.1	6.8	9.4	6.5	7.9	11.5	6.4	8.7	9.9	12.8	11.6

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	10.7	25.1	18.4	9.5	30.6	21.4	10.8	24.3	18.2	12.7	24.4	18.8	12.7	18.2	15.8	11.4	17.1	14.7
Binge Drinking	2.9	9.7	6.6	5.5	11.3	8.8	5.3	13.9	10.1	9.0	17.0	13.1	5.9	10.3	8.3	5.5	9.1	7.6
Cigarettes	3.7	8.3	6.1	5.2	14.0	10.1	2.3	12.4	7.8	8.0	8.8	8.4	1.1	3.1	2.2	4.8	4.3	4.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	10.4	19.2	15.0	12.9	18.3	15.9	9.6	22.0	16.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	4.5	8.0	6.3	4.0	10.7	7.7	4.6	12.4	9.1
Marijuana or Hashish	2.7	12.8	8.2	4.4	18.8	12.5	4.3	12.5	8.9	6.0	12.1	9.2	5.2	13.8	10.0	5.5	14.0	10.5
Synthetic Marijuana	--	2.5	--	--	1.7	--	--	1.0	--	--	1.0	--	--	1.1	--	--	1.5	--
Inhalants	1.1	0.7	0.9	2.6	0.3	1.3	1.8	1.9	1.8	8.8	3.2	5.9	2.9	0.5	1.6	2.8	3.0	2.9
Club Drugs	0.7	0.2	0.4	0.5	0.0	0.2	0.7	0.4	0.5	0.3	1.4	0.9	0.0	0.5	0.3	1.3	0.2	0.6
LSD, PCP or Mushrooms	0.2	0.0	0.1	0.5	0.0	0.2	0.9	0.8	0.8	1.8	1.5	1.7	0.4	0.5	0.5	1.3	1.4	1.4
Methamphetamine	0.3	0.7	0.5	1.0	0.0	0.4	0.9	1.5	1.2	0.4	1.2	0.8	0.8	0.4	0.6	1.2	0.6	0.9
Cocaine or Crack	0.4	2.5	1.5	0.5	0.9	0.7	0.9	0.4	0.6	0.6	2.0	1.3	0.8	0.5	0.7	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.6	0.0	1.4	0.7	0.3	0.2	0.2
Prescription Depressants	0.4	3.7	2.2	1.3	4.4	3.1	1.4	3.3	2.4	0.2	0.7	0.5	1.3	0.5	0.9	2.5	0.2	1.1
Prescription Pain Relievers	0.9	2.5	1.8	1.7	1.7	1.7	0.9	2.6	1.8	4.2	1.4	2.8	1.3	0.0	0.6	4.4	1.6	2.7
Prescription Amphetamines	0.0	5.9	3.2	0.5	2.0	1.3	0.0	0.7	0.4	0.3	1.4	0.9	1.6	3.2	2.5	4.1	0.8	2.2
Over-the-Counter Drugs	2.1	4.2	3.2	1.3	4.1	2.9	2.2	2.4	2.3	2.8	0.0	1.3	2.2	1.9	2.0	3.2	1.4	2.1
Any illicit drug	7.3	16.7	12.3	6.8	21.5	15.1	6.3	18.1	12.9	14.7	18.1	16.5	13.0	19.4	16.5	13.3	18.5	16.3
Any illicit drug other than marijuana	5.3	11.5	8.6	5.3	8.4	7.0	4.6	9.7	7.4	12.6	7.4	9.9	10.2	5.4	7.6	11.5	6.2	8.4
Alcohol only	6.2	15.6	11.3	6.3	17.7	12.8	8.7	13.8	11.6	3.1	13.5	8.5	5.5	9.7	7.8	8.1	9.4	8.9
Alcohol or any illicit drug	13.3	32.0	23.3	13.3	39.0	27.6	14.1	30.9	23.4	17.7	31.6	24.9	18.3	29.0	24.1	21.3	28.3	25.4
Any illicit drug, but no alcohol	2.4	7.1	4.9	4.1	8.6	6.7	3.6	6.3	5.1	5.2	7.2	6.2	6.4	10.7	8.8	9.8	11.3	10.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Calhoun County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	23.6	25.1	22.3	--	22.8	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	4.8	5.9	3.7	--	5.5	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	11.4	13.5	9.2	--	10.9	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	15.0	19.7	10.2	--	13.5	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	20.0	21.5	18.6	--	20.9	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	11.0	13.1	8.8	--	10.2	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	35.6	51.3	49.0	40.7	38.5	51.2	44.8	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	53.6	56.1	58.0	51.5	55.9	56.5	55.1	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	63.0	69.5	69.5	64.6	62.8	75.2	66.9	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	45.4	47.6	46.6	47.2	43.9	53.0	46.7	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	45.0	43.7	45.6	43.3	43.3	48.4	44.3	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	39.0	32.9	37.4	33.6	37.4	36.0	35.4	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	34.9	28.3	32.1	30.2	33.6	29.9	31.0	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	64.8	72.7	77.2	61.6	65.7	75.7	69.4	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	21.2	--	--	29.1	--	--	17.5	--	--	17.9	--	--	15.1	--	--	23.6	--
Drink monthly	--	3.5	--	--	5.2	--	--	0.9	--	--	5.6	--	--	2.3	--	--	4.8	--
Smoke cigarettes	--	18.4	--	--	23.5	--	--	14.7	--	--	14.4	--	--	10.4	--	--	11.4	--
Smoke marijuana	--	12.5	--	--	13.3	--	--	6.6	--	--	9.3	--	--	11.1	--	--	15.0	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	10.8	--	--	10.9	--	--	20.0	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	2.5	--	--	6.4	--	--	11.0	--
Great risk of harm																		
Daily alcohol use	47.6	37.7	42.3	53.6	39.7	45.9	46.0	36.4	40.7	54.9	42.9	48.7	50.5	40.3	44.9	35.6	51.3	44.8
5+ drinks daily	53.6	52.6	53.1	64.4	50.2	56.5	60.8	49.7	54.6	66.1	55.1	60.5	57.4	47.6	52.0	53.6	56.1	55.1
Daily cigarette use	57.8	62.1	60.1	67.6	64.4	65.8	58.8	60.1	59.5	67.7	68.4	68.1	63.8	69.7	67.0	63.0	69.5	66.9
Vaping nicotine	--	--	--	--	--	--	--	--	--	59.9	47.3	53.4	45.3	42.6	43.8	45.4	47.6	46.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	64.2	47.1	55.4	52.4	38.2	44.6	45.0	43.7	44.3
Marijuana weekly	55.6	41.7	48.1	59.1	33.9	45.2	48.0	28.0	37.0	50.7	33.7	42.0	46.1	30.5	37.5	39.0	32.9	35.4
Try marijuana	43.9	32.0	37.5	38.5	23.1	30.0	36.9	21.3	28.4	39.5	25.0	32.1	33.7	21.2	26.9	34.9	28.3	31.0
Prescription drugs	69.8	71.3	70.6	74.1	71.9	72.9	67.6	63.8	65.5	76.8	71.6	74.1	68.7	66.3	67.4	64.8	72.7	69.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Calhoun County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	91.9	86.9	89.1	88.8	93.5	87.1	88.9	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	83.2	72.2	79.6	73.7	85.4	70.3	76.7	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	88.4	71.4	76.7	79.9	88.5	69.2	78.2	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	84.5	77.2	81.2	79.0	85.9	78.5	80.1	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	89.4	75.6	79.9	82.5	89.7	73.8	81.2	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.1	96.1	98.9	94.7	98.2	95.6	96.9	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	86.5	78.0	80.5	82.5	89.4	76.8	81.5	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	90.0	82.8	88.5	82.8	93.0	82.0	85.7	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	85.1	66.1	72.6	75.4	85.5	65.8	73.9	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	80.6	67.5	71.8	74.0	81.3	68.1	72.9	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	85.7	69.3	75.2	76.9	86.0	69.4	76.0	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	89.4	92.9	91.2	91.7	92.2	92.0	91.5	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	95.2	93.7	95.7	92.8	95.2	95.2	94.3	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	93.9	97.8	96.4	95.8	95.5	96.6	96.2	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	92.6	91.3	90.4	93.4	93.7	88.9	91.9	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	97.0	95.4	96.2	96.8	97.2	95.7	96.0	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	90.0	81.3	85.3	91.0	77.1	83.3	92.8	77.0	84.1	90.9	85.9	88.3	93.2	86.1	89.3	91.9	86.9	88.9
Drink regularly	86.4	65.9	75.3	83.7	61.2	71.1	88.9	62.2	74.3	84.7	74.3	79.3	85.0	67.1	75.3	83.2	72.2	76.7
Smoke marijuana	89.4	76.3	82.3	87.7	65.1	75.0	86.9	63.7	74.2	87.4	71.3	79.0	90.5	65.3	76.8	88.4	71.4	78.2
Vape nicotine	--	--	--	--	--	--	--	--	--	88.6	77.0	82.5	82.4	74.7	78.2	84.5	77.2	80.1
Vape marijuana	--	--	--	--	--	--	--	--	--	90.8	78.3	84.3	90.9	72.0	80.6	89.4	75.6	81.2
Other illicit drugs	98.3	94.7	96.4	97.0	94.8	95.7	96.1	95.0	95.5	96.5	96.2	96.4	98.1	91.6	94.5	98.1	96.1	96.9
<i>Friends think it wrong</i>																		
Daily alcohol use	87.1	72.1	79.0	89.4	74.7	81.3	89.8	67.5	77.6	82.4	73.6	77.8	87.2	79.4	82.9	86.5	78.0	81.5
Smoke tobacco	93.5	80.1	86.3	90.2	75.8	82.2	95.4	73.7	83.5	88.6	79.9	84.1	89.7	84.6	86.9	90.0	82.8	85.7
Smoke marijuana	90.8	72.7	81.0	89.3	64.8	75.7	86.9	60.0	72.2	85.6	65.8	75.3	84.9	68.4	75.9	85.1	66.1	73.9
Vape nicotine	--	--	--	--	--	--	--	--	--	84.0	70.5	77.0	79.5	69.3	73.9	80.6	67.5	72.9
Vape marijuana	--	--	--	--	--	--	--	--	--	85.7	74.8	80.0	87.1	74.4	80.1	85.7	69.3	76.0
Use Prescription drugs	97.7	87.7	92.3	95.1	89.3	91.8	93.3	87.3	90.1	93.1	88.0	90.4	94.7	90.2	92.2	89.4	92.9	91.5
<i>Parents think it wrong</i>																		
Daily alcohol use	98.4	90.8	94.4	96.5	93.3	94.2	97.2	88.4	92.3	94.9	95.3	95.1	95.4	93.3	94.2	95.2	93.7	94.3
Smoke tobacco	99.2	93.1	96.0	96.8	92.6	93.9	97.4	91.3	94.0	98.3	96.6	97.4	98.2	97.3	97.7	93.9	97.8	96.2
Smoke marijuana	97.8	88.6	92.9	97.0	88.0	91.5	93.8	82.0	87.3	95.9	85.7	90.6	97.0	88.9	92.5	92.6	91.3	91.9
Use prescription drugs	98.6	95.2	96.8	98.1	96.4	96.9	95.8	94.8	95.2	97.6	95.7	96.6	98.9	99.0	99.0	97.0	95.4	96.0

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Calhoun County and Florida Statewide youth, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	7.4	2.4	10.6	--	7.4	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	3.4	0.0	5.6	--	3.4	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.9	2.3	0.0	--	0.9	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	11.7	20.0	6.3	--	11.7	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	41.5	47.9	37.3	--	41.5	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	9.7	0.0	15.9	--	9.7	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	0.0	0.0	0.0	--	0.0	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	25.5	27.4	24.3	--	25.5	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Calhoun County and Florida Statewide youth, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	51.1	46.6	57.6	--	51.1	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	20.2	15.2	27.3	--	20.2	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	7.2	9.7	3.6	--	7.2	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	1.3	2.1	0.0	--	1.3	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	1.1	1.8	0.0	--	1.1	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	19.1	24.5	11.5	--	19.1	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Calhoun County and Florida Statewide youth, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	38.1	50.7	25.1	--	38.1	--	--	33.2	34.8	30.9	--	33.2	--
2	--	12.5	4.4	20.9	--	12.5	--	--	23.0	25.2	20.0	--	23.0	--
3	--	14.0	5.1	23.1	--	14.0	--	--	17.8	17.8	17.6	--	17.8	--
4	--	12.0	17.4	6.5	--	12.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	23.3	22.2	24.4	--	23.3	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Calhoun County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	4.6	8.4	6.9	6.8	3.3	10.0	6.8	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	5.7	11.2	11.3	6.2	4.1	11.7	8.8	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	3.2	4.3	5.1	2.5	3.0	3.9	3.8	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Calhoun County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	11.6	9.0	7.4	13.2	10.4	10.6	10.1	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	1.3	4.3	1.8	4.5	1.9	4.8	3.1	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.0	3.8	2.0	3.3	0.0	5.8	2.6	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	1.6	4.5	2.3	4.4	1.8	5.4	3.3	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.3	2.0	1.2	1.4	0.3	2.5	1.3	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	7.6	14.0	10.0	12.9	6.8	15.9	11.3	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	8.9	6.9	7.4	8.2	5.9	10.0	7.8	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.5	10.7	9.2	6.5	9.5	8.2	8.2	5.7	6.8	10.2	9.2	9.7	17.1	11.3	13.9	11.6	9.0	10.1
Selling drugs	0.7	7.6	4.4	2.3	8.5	5.8	3.6	5.2	4.5	1.3	1.0	1.1	3.1	5.5	4.4	1.3	4.3	3.1
Attempting to steal a vehicle	1.1	3.5	2.3	0.9	1.4	1.2	1.4	0.8	1.1	0.9	1.9	1.4	1.8	2.7	2.3	1.0	3.8	2.6
Being arrested	0.2	3.0	1.7	0.5	2.2	1.5	4.0	1.4	2.6	1.2	0.7	0.9	2.2	1.7	1.9	1.6	4.5	3.3
Taking a handgun to school	0.0	1.1	0.6	0.8	0.5	0.6	0.0	2.1	1.2	0.7	0.8	0.8	0.0	0.7	0.4	0.3	2.0	1.3
Getting suspended	13.0	11.3	12.1	11.1	9.3	10.1	8.5	6.9	7.6	12.2	7.4	9.7	11.0	13.3	12.3	7.6	14.0	11.3
Attacking someone with intent to harm	2.5	6.4	4.5	9.0	5.8	7.2	5.9	8.6	7.4	9.6	4.7	7.0	11.7	6.6	8.9	8.9	6.9	7.8

Table 16. Percentages of Calhoun County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Symptoms of Depression</i>														
Sometimes I think that life is not worth it	36.6	39.1	49.1	26.6	39.4	33.4	38.1	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	44.3	48.7	62.8	30.4	49.6	42.4	46.9	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	34.5	36.7	45.8	25.5	37.9	31.0	35.8	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	52.3	51.7	66.9	35.7	52.1	49.6	51.9	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<i>Suicide (past 12 months)</i>														
Seriously considered attempting suicide	16.5	19.5	25.3	10.6	17.3	16.9	18.2	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	13.3	13.2	17.3	8.9	12.9	12.6	13.2	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	10.3	12.4	13.0	10.0	11.0	9.4	11.5	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.8	1.5	2.2	1.0	2.5	1.0	1.6	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Calhoun County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	17.6	14.4	25.8	5.3	15.8	15.8	15.7	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	42.2	35.4	43.8	32.6	43.0	33.2	38.1	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	71.1	63.9	78.6	54.2	70.4	64.5	66.8	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	34.4	38.9	48.3	25.2	34.6	40.7	37.0	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	26.3	17.8	19.4	23.4	24.6	18.8	21.3	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	46.1	27.8	35.1	35.8	43.4	26.7	35.3	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	13.9	15.7	16.8	13.2	14.7	15.3	15.0	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Calhoun County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	21.4	26.1	16.2	--	22.4	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	13.9	13.4	14.8	--	11.2	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	10.1	12.3	7.7	--	10.1	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	43.7	44.3	41.9	--	38.4	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	15.7	13.1	17.3	--	15.7	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	34.6	38.3	28.9	--	33.6	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	40.8	46.3	34.1	--	42.2	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	33.6	38.1	26.8	--	35.0	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	38.1	52.5	21.6	--	37.3	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	13.9	17.8	9.5	--	12.1	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Calhoun County and Florida Statewide high school youth, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	28.7	21.1	38.3	--	28.7	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	14.8	16.4	13.2	--	14.8	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	12.7	11.8	13.9	--	12.7	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	10.3	11.8	8.7	--	10.3	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	10.5	11.5	7.7	--	10.5	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	8.2	10.6	5.5	--	8.2	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	4.3	4.9	3.6	--	4.3	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	5.0	4.7	5.4	--	5.0	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	3.8	4.0	3.7	--	3.8	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.5	0.8	0.0	--	0.5	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	1.3	2.4	0.0	--	1.3	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Calhoun County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	22.6	27.0	27.1	22.3	22.2	23.4	25.1	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	19.9	17.8	16.8	19.9	18.5	16.4	18.7	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	29.7	31.7	36.0	25.2	28.1	31.6	30.8	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	27.9	20.2	23.3	22.7	28.2	18.4	23.4	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	36.2	30.4	35.4	30.5	35.9	31.9	32.9	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	56.6	42.3	56.9	38.5	54.2	42.1	48.3	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Calhoun County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	61.8	54.0	50.1	65.0	61.4	56.7	57.2	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	30.0	16.8	18.3	26.4	27.8	19.6	22.2	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	3.2	4.5	4.9	3.1	2.9	5.2	4.0	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	49.8	41.8	58.1	31.9	50.1	43.3	45.0	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	5.7	10.2	9.4	7.4	6.3	9.5	8.4	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Calhoun County and Florida Statewide youth, 2024

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	17.2	15.8	19.0	--	15.5	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	25.6	25.8	25.8	--	23.7	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	8.2	4.2	12.8	--	9.0	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	11.2	11.3	11.3	--	10.9	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Calhoun County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	18.2	--	--	18.2	--	--	19.9	--	--	23.4	--	--	21.5	--	--	17.2	--
Marijuana	--	15.6	--	--	25.2	--	--	18.7	--	--	22.6	--	--	24.8	--	--	25.6	--
<i>Driving a vehicle</i>																		
Alcohol	--	3.8	--	--	6.3	--	--	6.9	--	--	9.0	--	--	5.2	--	--	8.2	--
Marijuana	--	8.2	--	--	12.4	--	--	8.8	--	--	11.6	--	--	10.3	--	--	11.2	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Calhoun County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	53	44	55	58	59	54
	Family Rewards for Prosocial Involvement	47	37	49	52	54	55
School	School Opportunities for Prosocial Involvement	42	59	49	62	57	60
	School Rewards for Prosocial Involvement	42	56	45	57	53	58
Peer and Individual	Religiosity	51	67	43	54	56	62
Average Prevalence Rate		47	53	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Calhoun County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	53	29	40	25	42	42
	Perceived Availability of Drugs	33	21	30	13	45	45
	Perceived Availability of Handguns	40	45	24	29	25	42
Family	Poor Family Management	59	47	47	35	44	45
	Family Conflict	31	38	40	30	42	37
School	Poor Academic Performance	59	49	45	45	45	48
	Lack of Commitment to School	81	75	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	50	42	54	38	40	46
	Favorable Attitudes toward ATOD Use	36	31	27	22	39	45
	Early Initiation of Drug Use	28	21	19	11	41	46
Average Prevalence Rate		47	40	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Calhoun County, 2014 to 2024

Domain	Scale	Calhoun County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	61	59	57	60	51	53
	Family Rewards for Prosocial Involvement	57	56	50	52	37	47
School	School Opportunities for Prosocial Involvement	52	48	62	60	52	42
	School Rewards for Prosocial Involvement	63	67	66	65	47	42
Peer and Individual	Religiosity	64	64	59	63	63	51
Average Prevalence Rate		59	59	59	60	50	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Calhoun County, 2014 to 2024

Domain	Scale	Calhoun County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	39	38	47	41	49	53
	Perceived Availability of Drugs	32	35	28	41	41	33
	Perceived Availability of Handguns	31	34	26	39	45	40
Family	Poor Family Management	42	41	39	43	49	59
	Family Conflict	35	32	34	37	45	31
School	Poor Academic Performance	46	43	52	50	52	59
	Lack of Commitment to School	51	51	60	60	76	81
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	35	34	34	38	46	50
	Favorable Attitudes toward ATOD Use	38	36	36	30	40	36
	Early Initiation of Drug Use	28	26	28	34	32	28
Average Prevalence Rate		38	37	38	41	48	47

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Calhoun County, 2014 to 2024

Domain	Scale	Calhoun County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	60	58	52	58	54	44
	Family Rewards for Prosocial Involvement	57	55	47	57	46	37
School	School Opportunities for Prosocial Involvement	60	68	68	62	64	59
	School Rewards for Prosocial Involvement	66	66	70	59	66	56
Peer and Individual	Religiosity	73	71	66	64	59	67
Average Prevalence Rate		63	64	61	60	58	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Calhoun County, 2014 to 2024

Domain	Scale	Calhoun County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	34	38	37	32	34	29
	Perceived Availability of Drugs	26	30	25	22	24	21
	Perceived Availability of Handguns	59	59	47	50	49	45
Family	Poor Family Management	34	38	35	31	37	47
	Family Conflict	28	29	39	34	34	38
School	Poor Academic Performance	41	43	47	40	37	49
	Lack of Commitment to School	53	56	61	60	65	75
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	29	35	38	38	40	42
	Favorable Attitudes toward ATOD Use	32	42	36	28	37	31
	Early Initiation of Drug Use	27	35	24	26	18	21
Average Prevalence Rate		36	41	39	36	38	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.