

2024 Florida Youth Substance Abuse Survey

Glades County Data Tables

Table 1. Major demographic characteristics of surveyed Glades County and Florida Statewide, 2024

	Glades County		Florida Statewide	
	N	%	N	%
Sex				
Female	116	50.7	21,747	48.6
Male	112	48.9	22,711	50.7
Race/Ethnic group				
African American	23	10.0	9,493	21.2
American Indian	16	7.0	426	1.0
Asian	0	0.0	653	1.5
Hispanic/Latino	80	34.9	10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0	41	0.1
Other/Multiple	66	28.8	7,299	16.3
White, non-Hispanic	41	17.9	16,109	36.0
Parent/Guardian in the Military				
No	183	79.9	38,723	86.5
Yes	43	18.8	5,679	12.7
Age				
11	22	9.6	2,499	5.6
12	55	24.0	5,938	13.3
13	45	19.7	6,288	14.0
14	37	16.2	6,501	14.5
15	20	8.7	6,784	15.2
16	22	9.6	6,743	15.1
17	14	6.1	6,358	14.2
18	9	3.9	3,252	7.3
Grade				
6th	54	23.6	6,126	13.7
7th	54	23.6	6,468	14.5
8th	49	21.4	6,341	14.2
9th	19	8.3	6,696	15.0
10th	17	7.4	6,738	15.1
11th	21	9.2	6,266	14.0
12th	15	6.6	6,121	13.7
Middle School	157	68.6	18,934	42.3
High School	72	31.4	25,821	57.7
Total	229	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Glades County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	18.9	26.8	27.4	16.3	19.8	29.9	21.9	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	9.2	10.7	7.6	--	11.3	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	2.8	9.6	6.1	4.8	3.5	9.4	5.4	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	5.7	13.9	12.6	4.7	6.5	15.7	8.8	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	2.3	12.8	8.1	4.4	3.6	13.2	6.3	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	1.9	14.1	5.9	7.3	3.1	15.2	6.6	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	5.0	4.7	5.3	4.5	5.5	3.4	4.9	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.7	0.0	0.4	0.4	0.7	0.0	0.4	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	0.3	2.3	1.2	0.9	0.3	2.8	1.1	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	0.8	0.0	1.0	0.0	0.8	0.0	0.5	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.0	1.1	0.9	0.0	0.7	0.0	0.4	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	2.2	2.2	3.6	0.8	2.9	0.0	2.2	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	6.1	10.0	1.8	--	4.3	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.1	0.0	2.2	--	0.0	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	9.0	19.1	14.4	11.3	10.7	18.8	12.8	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	7.6	9.1	10.6	5.7	9.4	6.1	8.2	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	15.7	8.1	17.3	8.3	15.5	10.2	12.8	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	24.5	28.0	32.3	19.4	26.1	30.0	25.9	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	5.9	2.1	5.3	3.6	6.5	1.2	4.5	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Glades County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.4	9.7	11.0	6.8	9.6	9.7	8.9	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	0.9	2.3	1.1	1.8	0.5	1.7	1.5	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	1.9	3.4	2.4	2.5	2.4	3.2	2.5	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	0.6	5.4	3.7	1.1	1.3	5.4	2.4	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	0.6	5.6	3.7	1.3	1.3	5.5	2.5	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	0.6	5.9	4.5	0.7	1.3	6.0	2.6	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	0.5	2.9	1.4	1.4	1.0	1.2	1.4	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.3	0.0	0.4	0.0	0.3	0.0	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	2.3	0.0	2.7	0.0	2.2	0.0	1.4	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	3.6	10.2	8.9	3.3	4.8	9.0	6.1	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	3.0	2.8	4.4	1.4	3.5	1.2	2.9	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	7.9	4.8	6.7	6.8	7.7	6.1	6.7	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	11.3	14.9	15.5	9.9	12.4	14.9	12.7	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	3.0	5.6	4.7	3.4	3.0	5.8	4.0	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	28.0	47.3	35.9	26.3	49.2	35.0	24.7	47.2	32.9	20.9	37.5	26.4	21.7	11.8	18.3	18.9	26.8	21.9
Blacking Out	--	13.8	--	--	18.8	--	--	15.7	--	--	7.4	--	--	4.0	--	--	9.2	--
Cigarettes	16.7	30.2	22.0	11.0	21.3	14.9	4.6	22.4	11.1	14.4	13.2	14.0	2.8	1.9	2.5	2.8	9.6	5.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	13.2	16.6	14.3	10.9	9.9	10.6	5.7	13.9	8.8
Vaping Marijuana	--	--	--	--	--	--	--	--	--	8.7	11.4	9.6	6.2	4.1	5.5	2.3	12.8	6.3
Marijuana or Hashish	6.8	26.4	14.8	5.4	28.0	13.9	3.9	24.7	11.5	9.7	17.6	12.2	7.5	16.0	10.5	1.9	14.1	6.6
Synthetic Marijuana	--	8.6	--	--	6.0	--	--	3.7	--	--	3.7	--	--	1.2	--	--	0.0	--
Inhalants	8.1	2.4	5.8	4.8	4.7	4.8	7.9	5.5	7.0	9.6	5.0	8.1	5.8	0.9	4.1	5.0	4.7	4.9
Club Drugs	0.0	0.0	0.0	0.0	1.5	0.6	0.0	0.0	0.0	0.0	0.7	0.2	0.9	0.0	0.6	0.7	0.0	0.4
LSD, PCP or Mushrooms	1.2	3.6	2.2	0.8	1.5	1.0	0.0	2.4	0.9	0.9	1.9	1.2	0.9	2.6	1.5	0.3	2.3	1.1
Methamphetamine	1.8	0.0	1.1	0.0	0.0	0.0	0.0	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2
Cocaine or Crack	1.8	1.2	1.6	0.0	0.0	0.0	0.0	2.7	1.0	1.5	0.0	1.0	0.8	1.3	1.0	0.3	0.0	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.6	0.7	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	0.0	1.2	0.5	1.1	2.4	1.6	2.4	5.7	3.6	2.5	4.1	3.0	0.3	1.7	0.8	0.0	0.0	0.0
Prescription Pain Relievers	1.8	1.3	1.6	1.8	3.8	2.5	0.9	2.6	1.5	4.9	1.9	4.0	1.3	0.0	0.8	0.8	0.0	0.5
Prescription Amphetamines	0.6	1.2	0.9	0.5	4.5	2.0	0.4	3.6	1.5	2.3	3.5	2.7	1.2	0.0	0.8	0.0	1.1	0.4
Over-the-Counter Drugs	4.3	0.0	2.6	3.3	5.5	4.2	2.0	13.1	5.9	2.6	2.0	2.4	2.7	0.9	2.1	2.2	2.2	2.2
Needle to Inject Drugs	--	--	--	--	1.0	--	--	1.4	--	--	0.0	--	--	0.0	--	--	0.0	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.1	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--
Any illicit drug	14.8	26.4	19.5	13.1	29.7	19.3	10.5	32.0	18.3	20.0	21.3	20.4	15.2	17.0	15.8	9.0	19.1	12.8
Any illicit drug other than marijuana	13.3	6.1	10.4	9.8	13.3	11.1	9.1	18.8	12.5	14.3	8.8	12.5	9.9	4.2	7.9	7.6	9.1	8.2
Alcohol only	18.6	24.6	21.0	19.0	23.8	20.8	16.8	22.1	18.7	9.1	21.2	12.9	11.7	4.5	9.2	15.7	8.1	12.8
Alcohol or any illicit drug	33.1	51.0	40.3	31.8	53.5	39.9	26.9	55.2	37.2	28.6	43.5	33.5	26.8	21.5	25.0	24.5	28.0	25.9
Any illicit drug, but no alcohol	5.6	3.7	4.8	6.1	4.3	5.4	2.4	8.2	4.5	7.4	6.4	7.1	4.6	9.7	6.4	5.9	2.1	4.5

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.1	26.4	22.1	12.5	27.0	18.0	15.6	22.8	18.2	8.8	11.2	9.6	5.2	4.2	4.9	8.4	9.7	8.9
Binge Drinking	8.4	17.2	12.0	6.8	15.1	10.0	3.0	10.3	5.7	8.8	5.2	7.6	6.3	4.0	5.5	0.9	2.3	1.5
Cigarettes	3.4	9.3	5.7	0.6	10.0	4.1	0.8	8.9	3.7	0.8	1.0	0.9	2.4	0.0	1.6	1.9	3.4	2.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	6.6	7.7	6.9	1.4	5.7	2.9	0.6	5.4	2.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	5.7	2.4	4.7	2.4	0.0	1.6	0.6	5.6	2.5
Marijuana or Hashish	3.6	19.3	10.0	1.5	10.2	4.8	0.0	13.3	4.6	4.0	6.4	4.8	4.2	4.3	4.2	0.6	5.9	2.6
Synthetic Marijuana	--	0.0	--	--	1.6	--	--	0.0	--	--	2.1	--	--	1.9	--	--	0.0	--
Inhalants	3.0	0.0	1.8	0.9	0.0	0.6	2.5	1.3	2.0	5.6	2.1	4.5	1.2	0.0	0.7	0.5	2.9	1.4
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.9	0.0	0.6	0.3	0.0	0.2
LSD, PCP or Mushrooms	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.5	0.3	0.0	0.2
Methamphetamine	0.7	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.3	0.0	0.2
Cocaine or Crack	0.7	1.2	0.9	0.0	0.0	0.0	0.0	2.9	1.0	0.4	0.0	0.3	0.9	1.3	1.0	0.3	0.0	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	0.0	0.0	0.0	0.5	0.0	0.3	1.6	5.2	2.8	0.0	4.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Pain Relievers	0.0	0.0	0.0	0.8	1.4	1.0	0.0	0.0	0.0	0.7	0.8	0.7	1.0	0.0	0.7	0.0	0.0	0.0
Prescription Amphetamines	0.0	0.0	0.0	0.6	0.0	0.4	0.4	0.0	0.3	0.7	0.0	0.5	0.0	2.2	0.8	0.0	0.0	0.0
Over-the-Counter Drugs	2.4	0.0	1.4	2.9	4.9	3.7	1.6	5.0	2.7	0.4	3.1	1.2	0.0	0.9	0.3	2.3	0.0	1.4
Any illicit drug	6.9	19.1	11.8	5.1	13.5	8.2	2.8	15.8	7.5	11.3	10.1	10.9	7.5	9.2	8.1	3.6	10.2	6.1
Any illicit drug other than marijuana	5.9	1.2	4.0	4.2	4.9	4.5	2.8	8.4	4.8	7.2	9.3	7.8	3.3	4.5	3.7	3.0	2.8	2.9
Alcohol only	13.2	14.9	13.9	11.7	22.7	15.9	12.6	11.8	12.3	3.1	6.3	4.0	3.2	1.6	2.6	7.9	4.8	6.7
Alcohol or any illicit drug	20.0	34.3	25.8	16.2	36.9	23.9	15.5	27.1	19.7	15.1	15.5	15.2	10.6	10.9	10.7	11.3	14.9	12.7
Any illicit drug, but no alcohol	1.2	8.1	4.0	4.3	10.4	6.6	0.0	4.5	1.6	6.7	5.2	6.3	4.9	6.7	5.5	3.0	5.6	4.0

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Glades County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	11.5	13.4	9.5	--	9.7	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	0.0	0.0	0.0	--	0.0	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	2.6	5.1	0.0	--	3.7	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	8.8	9.0	8.7	--	7.4	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	6.5	6.9	6.0	--	4.1	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	5.1	6.9	3.2	--	2.3	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	54.6	41.3	41.3	57.7	55.6	39.9	49.5	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	57.6	50.9	55.6	54.0	60.0	45.8	55.0	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	67.4	61.3	62.5	67.5	68.7	60.8	65.1	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	60.4	48.7	48.1	63.6	60.5	47.7	55.9	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	61.3	50.4	50.2	64.0	62.5	47.7	57.2	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	53.5	34.5	46.8	45.1	54.3	28.7	46.2	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	41.1	27.4	32.2	39.0	42.0	22.9	35.8	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	73.5	64.6	68.4	71.5	76.1	62.2	70.1	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	34.5	--	--	27.3	--	--	18.8	--	--	12.1	--	--	9.5	--	--	11.5	--
Drink monthly	--	12.5	--	--	9.4	--	--	8.7	--	--	0.0	--	--	0.0	--	--	0.0	--
Smoke cigarettes	--	17.6	--	--	14.3	--	--	13.0	--	--	8.5	--	--	0.7	--	--	2.6	--
Smoke marijuana	--	14.5	--	--	14.7	--	--	9.9	--	--	8.9	--	--	1.8	--	--	8.8	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	3.5	--	--	2.0	--	--	6.5	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	1.6	--	--	0.0	--	--	5.1	--
Great risk of harm																		
Daily alcohol use	38.7	27.5	34.2	46.0	30.1	40.1	44.7	36.8	41.8	45.1	39.3	43.2	40.7	60.7	47.5	54.6	41.3	49.5
5+ drinks daily	48.3	41.9	45.7	49.1	48.8	49.0	49.8	35.5	44.5	61.5	46.8	56.8	54.7	59.4	56.3	57.6	50.9	55.0
Daily cigarette use	63.6	53.4	59.4	67.9	68.7	68.2	57.6	58.4	57.9	61.7	52.3	58.7	61.8	74.2	66.0	67.4	61.3	65.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	49.0	38.5	45.7	51.4	64.3	55.8	60.4	48.7	55.9
Vaping marijuana	--	--	--	--	--	--	--	--	--	56.8	29.1	48.1	52.1	56.2	53.5	61.3	50.4	57.2
Marijuana weekly	49.8	24.0	39.2	52.0	25.0	41.7	41.5	23.9	35.0	46.8	15.8	37.0	45.5	38.0	42.9	53.5	34.5	46.2
Try marijuana	41.5	18.0	32.0	31.1	17.9	26.1	31.4	16.7	26.0	36.7	12.7	29.0	39.8	34.1	37.9	41.1	27.4	35.8
Prescription drugs	68.9	59.2	64.9	68.6	72.8	70.2	63.1	56.5	60.7	71.8	61.4	68.5	61.4	77.1	66.7	73.5	64.6	70.1

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Glades County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	98.0	96.7	96.9	98.0	98.0	97.9	97.5	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	88.9	81.0	87.0	84.4	86.2	84.7	85.8	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	96.8	84.7	91.2	92.8	95.6	86.0	92.0	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	95.8	92.4	92.2	96.9	95.4	93.4	94.5	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	98.1	91.3	92.9	98.1	96.9	93.4	95.4	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.5	100.0	98.2	100.0	98.5	100.0	99.1	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	90.5	91.6	90.3	91.6	90.8	89.1	91.0	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	95.8	95.9	94.2	97.5	95.9	94.7	95.9	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	94.5	88.9	92.6	91.8	93.9	88.3	92.3	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	92.5	93.8	89.3	96.6	92.0	93.3	93.0	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	96.4	93.0	92.7	97.5	95.8	93.6	95.1	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	94.7	98.4	96.4	95.8	94.8	97.9	96.1	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	94.0	97.1	95.2	95.1	94.1	96.3	95.2	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	99.1	100.0	99.5	99.4	99.1	100.0	99.4	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	98.7	96.2	96.2	99.3	98.0	96.6	97.7	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	99.0	100.0	98.8	100.0	99.0	100.0	99.4	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	92.0	93.1	92.5	96.5	82.5	91.1	92.8	83.1	89.0	95.2	94.0	94.8	98.4	98.2	98.3	98.0	96.7	97.5
Drink regularly	84.9	71.2	79.2	86.4	59.8	76.4	79.2	62.4	72.6	82.5	74.2	79.7	92.0	79.8	87.8	88.9	81.0	85.8
Smoke marijuana	93.8	73.6	85.4	93.5	60.7	81.1	88.0	56.6	75.8	90.3	67.9	82.9	90.5	78.6	86.4	96.8	84.7	92.0
Vape nicotine	--	--	--	--	--	--	--	--	--	89.0	86.8	88.3	93.1	85.0	90.3	95.8	92.4	94.5
Vape marijuana	--	--	--	--	--	--	--	--	--	94.3	82.1	90.3	92.7	89.7	91.6	98.1	91.3	95.4
Other illicit drugs	97.3	98.8	97.9	97.1	87.5	93.5	96.5	93.1	95.2	98.1	90.1	95.4	98.1	97.0	97.7	98.5	100.0	99.1
<i>Friends think it wrong</i>																		
Daily alcohol use	87.3	59.9	76.6	89.0	67.6	81.0	83.5	72.2	79.3	91.0	85.3	89.2	89.1	81.5	86.5	90.5	91.6	91.0
Smoke tobacco	93.8	74.3	86.2	94.2	80.0	88.9	92.8	80.9	88.4	95.7	85.6	92.6	95.7	93.1	94.8	95.8	95.9	95.9
Smoke marijuana	89.5	47.4	72.8	91.7	61.2	80.2	88.6	55.0	76.4	90.8	65.5	83.0	91.9	79.3	87.6	94.5	88.9	92.3
Vape nicotine	--	--	--	--	--	--	--	--	--	87.8	81.9	86.0	89.3	86.3	88.2	92.5	93.8	93.0
Vape marijuana	--	--	--	--	--	--	--	--	--	92.1	73.6	86.4	90.7	88.1	89.8	96.4	93.0	95.1
Use Prescription drugs	94.9	88.6	92.4	95.6	86.1	92.0	95.8	88.9	93.3	96.9	95.7	96.6	90.9	96.6	92.9	94.7	98.4	96.1
<i>Parents think it wrong</i>																		
Daily alcohol use	93.8	94.1	93.9	93.7	95.2	94.3	96.7	90.3	94.4	95.0	97.7	95.9	97.1	99.1	97.8	94.0	97.1	95.2
Smoke tobacco	97.6	95.5	96.8	98.3	92.1	96.1	97.5	92.0	95.6	100.0	99.3	99.8	97.7	98.6	98.0	99.1	100.0	99.4
Smoke marijuana	97.1	89.0	93.9	96.8	89.7	94.2	97.0	79.2	90.6	98.6	88.8	95.5	97.8	95.6	97.0	98.7	96.2	97.7
Use prescription drugs	97.9	96.9	97.5	97.4	98.9	98.0	95.5	94.5	95.2	98.3	99.3	98.6	97.0	100.0	98.0	99.0	100.0	99.4

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Glades County and Florida Statewide youth, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	19.8	0.0	23.6	--	19.8	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	48.8	100.0	39.1	--	48.8	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	16.0	0.0	19.1	--	16.0	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	15.3	0.0	18.3	--	15.3	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	0.0	0.0	0.0	--	0.0	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	0.0	0.0	0.0	--	0.0	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Glades County and Florida Statewide youth, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	58.2	60.8	55.8	--	58.2	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	18.7	39.2	0.0	--	18.7	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	23.2	0.0	44.2	--	23.2	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	0.0	0.0	0.0	--	0.0	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Glades County and Florida Statewide youth, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	0.0	0.0	0.0	--	0.0	--	--	33.2	34.8	30.9	--	33.2	--
2	--	35.2	60.8	0.0	--	35.2	--	--	23.0	25.2	20.0	--	23.0	--
3	--	22.7	39.2	0.0	--	22.7	--	--	17.8	17.8	17.6	--	17.8	--
4	--	0.0	0.0	0.0	--	0.0	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	42.0	0.0	100.0	--	42.0	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Glades County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	1.4	1.4	1.8	1.1	1.4	1.8	1.4	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	1.8	5.2	3.1	3.1	2.5	3.3	3.1	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	0.3	0.0	0.4	0.0	0.3	0.0	0.2	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Glades County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.2	10.1	10.2	7.7	8.0	11.3	8.9	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.9	0.0	1.0	0.0	0.8	0.0	0.5	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	0.6	0.0	0.0	0.7	0.6	0.0	0.3	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	3.0	1.4	2.1	2.8	3.0	0.0	2.4	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	9.6	7.3	6.2	11.5	10.8	6.6	8.7	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	5.0	0.9	3.5	3.4	5.4	0.0	3.4	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	11.0	12.2	11.5	13.4	18.1	15.2	7.7	12.5	9.4	7.8	10.0	8.5	9.4	11.3	10.1	8.2	10.1	8.9
Selling drugs	2.2	1.3	1.9	1.9	5.9	3.4	0.9	5.3	2.4	1.5	5.6	2.9	2.5	2.5	2.5	0.9	0.0	0.5
Attempting to steal a vehicle	0.0	0.0	0.0	2.2	1.3	1.9	1.3	1.5	1.4	0.0	0.0	0.0	0.0	1.9	0.7	0.6	0.0	0.3
Being arrested	2.7	1.3	2.1	1.9	3.7	2.6	0.8	10.1	4.1	2.7	2.5	2.6	2.0	2.1	2.1	3.0	1.4	2.4
Taking a handgun to school	1.2	1.3	1.2	0.0	1.1	0.4	0.5	1.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Getting suspended	10.6	12.8	11.4	9.4	9.0	9.3	10.9	15.3	12.4	10.8	9.7	10.5	16.0	17.7	16.6	9.6	7.3	8.7
Attacking someone with intent to harm	6.9	4.6	6.0	6.1	5.0	5.7	4.8	10.2	6.7	12.7	4.5	10.0	10.8	3.3	8.1	5.0	0.9	3.4

Table 16. Percentages of Glades County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	25.2	23.8	33.2	15.3	26.7	21.3	24.7	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	44.5	34.9	48.1	32.8	46.4	33.1	40.8	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	25.6	22.7	31.5	16.7	27.7	18.5	24.5	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	43.2	31.5	49.3	27.2	44.9	29.5	38.6	42.6	39.3	50.7	30.9	42.0	39.6	40.7
Suicide (past 12 months)														
Seriously considered attempting suicide	8.5	10.8	13.0	5.7	8.1	12.4	9.4	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	9.5	7.4	13.6	3.6	9.7	7.9	8.7	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	12.3	7.5	15.6	5.2	11.6	7.6	10.4	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	0.3	6.2	3.4	1.8	0.3	7.8	2.6	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Glades County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.7	9.8	14.7	3.5	9.1	10.6	9.1	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	38.0	18.9	38.3	23.2	37.5	17.9	30.6	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	54.0	44.6	60.0	40.2	52.4	45.4	50.4	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	21.5	30.5	32.4	17.7	21.3	32.3	25.1	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	17.7	13.7	17.7	14.8	18.3	9.5	16.2	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	28.4	18.8	25.9	23.7	29.2	15.0	24.7	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	9.0	13.4	9.4	12.1	7.8	12.2	10.7	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Glades County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	6.2	3.6	8.9	--	6.8	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	2.2	0.0	4.4	--	1.3	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	1.2	2.3	0.0	--	1.6	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	31.0	30.5	31.4	--	34.6	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	6.6	7.2	6.0	--	5.7	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	16.0	18.4	13.5	--	15.7	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	18.5	24.6	12.3	--	18.9	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	15.6	19.3	11.9	--	16.9	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	21.2	32.6	8.7	--	22.1	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	4.0	5.8	1.9	--	2.4	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Glades County and Florida Statewide high school youth, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	52.6	50.0	55.4	--	52.6	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	21.3	15.1	28.3	--	21.3	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	12.6	17.2	7.3	--	12.6	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	1.6	3.0	0.0	--	1.6	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	3.4	6.4	0.0	--	3.4	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	2.3	1.7	2.9	--	2.3	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	3.4	4.3	2.5	--	3.4	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	1.9	2.2	1.6	--	1.9	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.9	0.0	1.9	--	0.9	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Glades County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	33.6	20.4	28.8	27.2	33.5	21.8	28.4	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	24.8	18.6	29.1	15.0	25.2	16.9	22.3	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	23.6	26.7	29.2	20.5	24.1	29.8	24.8	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	31.4	13.3	25.4	22.0	31.5	12.8	24.2	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	25.7	30.0	30.7	24.1	25.0	31.3	27.4	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	45.8	35.3	50.6	31.3	45.7	34.2	41.7	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Glades County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Glades County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	60.2	63.2	58.1	65.2	61.4	59.6	61.4	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	48.9	27.7	41.4	40.2	48.8	27.1	40.6	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	5.3	9.7	7.8	6.2	6.4	5.3	7.0	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	28.2	45.9	44.7	25.7	30.6	39.5	35.1	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	6.9	18.6	11.5	11.5	7.7	12.6	11.4	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Glades County and Florida Statewide youth, 2024

	Glades County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	10.8	10.2	11.5	--	10.0	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	9.4	10.2	8.5	--	8.0	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	3.0	0.0	6.1	--	1.8	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	2.8	2.2	3.5	--	1.6	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Glades County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	17.3	--	--	27.2	--	--	14.5	--	--	19.6	--	--	13.9	--	--	10.8	--
Marijuana	--	15.7	--	--	25.2	--	--	32.9	--	--	33.9	--	--	7.8	--	--	9.4	--
<i>Driving a vehicle</i>																		
Alcohol	--	4.1	--	--	10.3	--	--	8.2	--	--	7.6	--	--	2.5	--	--	3.0	--
Marijuana	--	10.9	--	--	13.1	--	--	15.1	--	--	13.4	--	--	4.7	--	--	2.8	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Glades County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	47	66	55	58	59	54
	Family Rewards for Prosocial Involvement	45	63	49	52	54	55
School	School Opportunities for Prosocial Involvement	51	58	49	62	57	60
	School Rewards for Prosocial Involvement	51	65	45	57	53	58
Peer and Individual	Religiosity	51	70	43	54	56	62
Average Prevalence Rate		49	64	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Glades County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Glades County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	42	23	40	25	42	42
	Perceived Availability of Drugs	34	12	30	13	45	45
	Perceived Availability of Handguns	31	30	24	29	25	42
Family	Poor Family Management	56	35	47	35	44	45
	Family Conflict	37	16	40	30	42	37
School	Poor Academic Performance	42	37	45	45	45	48
	Lack of Commitment to School	78	61	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	36	54	38	40	46
	Favorable Attitudes toward ATOD Use	34	21	27	22	39	45
	Early Initiation of Drug Use	18	10	19	11	41	46
Average Prevalence Rate		42	28	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Glades County, 2014 to 2024

Domain	Scale	Glades County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	49	69	48	61	48	47
	Family Rewards for Prosocial Involvement	55	61	48	51	41	45
School	School Opportunities for Prosocial Involvement	58	56	41	56	50	51
	School Rewards for Prosocial Involvement	59	59	46	48	46	51
Peer and Individual	Religiosity	50	58	50	52	34	51
Average Prevalence Rate		54	61	47	54	44	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Glades County, 2014 to 2024

Domain	Scale	Glades County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	48	45	47	44	38	42
	Perceived Availability of Drugs	35	38	37	32	31	34
	Perceived Availability of Handguns	35	35	30	29	24	31
Family	Poor Family Management	44	36	41	44	59	56
	Family Conflict	31	32	37	35	41	37
School	Poor Academic Performance	50	41	47	49	51	42
	Lack of Commitment to School	49	43	72	67	78	78
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	36	47	49	49	51
	Favorable Attitudes toward ATOD Use	40	33	41	33	33	34
	Early Initiation of Drug Use	35	24	22	29	28	18
Average Prevalence Rate		41	36	42	41	43	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Glades County, 2014 to 2024

Domain	Scale	Glades County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	54	55	65	50	62	66
	Family Rewards for Prosocial Involvement	43	57	50	46	49	63
School	School Opportunities for Prosocial Involvement	46	53	49	42	49	58
	School Rewards for Prosocial Involvement	67	65	57	56	47	65
Peer and Individual	Religiosity	62	62	62	47	51	70
Average Prevalence Rate		54	58	57	48	52	64

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Glades County, 2014 to 2024

Domain		Scale	Glades County					
			2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use		22	38	33	42	18	23
	Perceived Availability of Drugs		31	32	21	14	15	12
	Perceived Availability of Handguns		50	41	41	29	24	30
Family	Poor Family Management		41	49	41	48	36	35
	Family Conflict		19	24	24	32	24	16
School	Poor Academic Performance		51	42	43	41	37	37
	Lack of Commitment to School		53	70	45	75	87	61
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		38	32	44	43	42	36
	Favorable Attitudes toward ATOD Use		32	42	37	21	23	21
	Early Initiation of Drug Use		31	25	24	13	6	10
Average Prevalence Rate			37	40	35	36	31	28

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.