

# **2024 Florida Youth Substance Abuse Survey**

**Levy County Data Tables**



**Table 1. Major demographic characteristics of surveyed Levy County and Florida Statewide, 2024**

	Levy County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	319	47.8	21,747	48.6
Male	346	51.9	22,711	50.7
<b>Race/Ethnic group</b>				
African American	62	9.3	9,493	21.2
American Indian	15	2.2	426	1.0
Asian	3	0.4	653	1.5
Hispanic/Latino	92	13.8	10,394	23.2
Native Hawaiian/Pacific Islander	2	0.3	41	0.1
Other/Multiple	126	18.9	7,299	16.3
White, non-Hispanic	365	54.7	16,109	36.0
<b>Parent/Guardian in the Military</b>				
No	564	84.6	38,723	86.5
Yes	101	15.1	5,679	12.7
<b>Age</b>				
11	37	5.5	2,499	5.6
12	85	12.7	5,938	13.3
13	111	16.6	6,288	14.0
14	109	16.3	6,501	14.5
15	102	15.3	6,784	15.2
16	95	14.2	6,743	15.1
17	87	13.0	6,358	14.2
18	31	4.6	3,252	7.3
<b>Grade</b>				
6th	118	17.7	6,126	13.7
7th	88	13.2	6,468	14.5
8th	104	15.6	6,341	14.2
9th	112	16.8	6,696	15.0
10th	104	15.6	6,738	15.1
11th	86	12.9	6,266	14.0
12th	55	8.2	6,121	13.7
<b>Middle School</b>	310	46.5	18,934	42.3
<b>High School</b>	357	53.5	25,821	57.7
<b>Total</b>	<b>667</b>	<b>100.0</b>	<b>44,755</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Levy County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.1	26.2	22.8	17.3	13.5	25.0	19.8	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	7.1	8.6	5.8	--	7.0	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	2.0	9.0	4.8	6.8	3.7	8.1	5.8	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	7.9	17.2	15.4	11.0	8.7	17.3	13.0	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	3.9	14.5	9.3	10.1	4.3	16.4	9.7	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	5.4	18.9	13.0	12.7	5.7	20.1	12.8	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	1.0	2.1	0.0	--	1.3	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	3.7	2.9	3.4	3.1	4.1	2.9	3.2	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.6	1.2	0.9	0.9	0.5	1.5	0.9	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	0.1	2.5	2.2	0.7	0.3	3.0	1.4	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.7	0.0	0.5	0.2	0.7	0.0	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	0.6	1.2	1.5	0.5	0.5	1.6	0.9	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	1.2	2.4	3.2	0.7	1.6	2.5	1.9	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.4	1.1	0.9	0.6	0.3	1.4	0.8	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	0.8	0.8	1.0	0.6	0.8	1.0	0.8	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	9.7	9.7	9.8	--	9.5	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.9	3.9	0.3	--	1.5	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	10.1	20.7	17.0	15.1	10.3	22.3	16.0	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	5.8	6.2	6.9	5.3	6.3	6.8	6.0	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	8.7	13.3	12.6	10.1	9.8	12.7	11.2	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	17.9	33.9	29.0	24.6	19.4	34.4	26.6	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	6.3	7.9	6.8	7.5	6.3	9.6	7.2	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Levy County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	3.6	11.2	9.5	6.2	4.1	9.3	7.7	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	0.3	4.7	1.9	3.4	0.9	3.8	2.7	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.7	1.5	1.0	1.3	0.7	1.9	1.2	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	2.9	6.0	4.4	4.9	2.3	6.5	4.6	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	2.5	6.3	4.3	4.9	2.1	7.5	4.6	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	3.0	7.1	5.4	5.2	2.3	8.9	5.3	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	0.4	0.6	0.8	0.2	0.6	0.6	0.5	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.1	0.9	0.8	0.2	0.3	0.9	0.5	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.0	0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.2	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.0	0.1	0.0	0.1	0.0	0.2	0.1	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.2	0.0	0.2	0.0	0.1	0.0	0.1	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.0	0.4	0.4	0.0	0.0	0.5	0.2	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.5	0.0	0.3	0.2	0.5	0.0	0.2	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	4.1	9.5	7.8	6.5	3.6	11.6	7.1	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	0.8	1.8	2.2	0.5	0.9	2.1	1.3	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	2.7	8.9	7.9	4.6	3.3	6.7	6.1	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	6.5	18.2	15.4	10.7	6.6	18.0	12.9	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	3.1	7.1	6.2	4.6	2.7	8.8	5.3	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in substance use for Levy County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	33.2	58.4	46.8	31.2	59.8	46.9	33.4	57.9	46.8	30.7	50.6	40.5	21.0	29.7	25.6	12.1	26.2	19.8
Blacking Out	--	19.1	--	--	17.6	--	--	25.5	--	--	21.6	--	--	7.3	--	--	7.1	--
Cigarettes	13.6	34.0	24.6	16.2	25.9	21.5	11.3	28.4	20.4	14.8	18.8	16.8	5.7	10.4	8.2	2.0	9.0	5.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	19.3	33.9	26.7	17.7	18.3	18.0	7.9	17.2	13.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	12.4	23.7	18.0	5.7	12.6	9.3	3.9	14.5	9.7
Marijuana or Hashish	8.8	34.5	22.8	10.8	31.9	22.3	10.3	40.2	26.3	16.3	32.4	24.4	8.7	14.9	11.9	5.4	18.9	12.8
Synthetic Marijuana	--	12.2	--	--	5.3	--	--	7.1	--	--	1.4	--	--	1.8	--	--	1.0	--
Inhalants	9.8	5.0	7.2	6.5	5.8	6.1	5.5	3.9	4.7	7.7	2.0	4.8	5.6	3.5	4.5	3.7	2.9	3.2
Club Drugs	2.1	4.8	3.6	0.4	1.8	1.2	0.2	3.1	1.8	0.9	1.8	1.3	0.2	1.8	1.0	0.6	1.2	0.9
LSD, PCP or Mushrooms	1.5	4.8	3.3	1.6	4.4	3.1	0.8	6.3	3.8	1.3	2.4	1.9	1.2	4.1	2.7	0.1	2.5	1.4
Methamphetamine	1.3	1.0	1.1	0.5	0.7	0.6	0.5	2.0	1.3	0.9	0.4	0.6	0.4	0.8	0.6	0.2	0.0	0.1
Cocaine or Crack	2.3	3.3	2.9	1.1	2.8	2.1	1.1	6.5	4.0	1.9	2.7	2.3	0.4	1.7	1.1	0.2	0.1	0.2
Heroin	0.2	1.0	0.6	1.3	1.2	1.3	0.8	1.0	0.9	0.8	0.0	0.4	0.0	0.0	0.0	0.7	0.0	0.3
Prescription Depressants	0.5	5.1	3.0	2.8	3.8	3.3	1.5	8.5	5.2	3.4	4.3	3.8	2.4	3.5	2.9	0.6	1.2	0.9
Prescription Pain Relievers	3.1	7.2	5.3	3.0	5.1	4.2	3.1	5.3	4.3	3.4	2.4	2.9	1.1	1.1	1.1	1.2	2.4	1.9
Prescription Amphetamines	1.0	3.0	2.1	1.2	2.5	1.9	0.7	4.7	2.8	2.1	1.9	2.0	0.5	2.1	1.3	0.4	1.1	0.8
Over-the-Counter Drugs	4.9	4.6	4.7	4.5	4.8	4.7	3.4	3.3	3.4	4.0	2.8	3.4	1.1	3.8	2.5	0.8	0.8	0.8
Needle to Inject Drugs	--	--	--	--	2.5	--	--	1.6	--	--	0.1	--	--	0.2	--	--	0.0	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9.7	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.9	--
Any illicit drug	19.1	37.2	28.9	19.6	36.8	28.9	16.4	41.9	30.1	23.4	34.3	28.8	14.8	18.6	16.8	10.1	20.7	16.0
Any illicit drug other than marijuana	14.3	16.7	15.6	14.5	15.2	14.9	11.0	16.2	13.8	12.8	9.2	11.0	8.8	8.8	8.8	5.8	6.2	6.0
Alcohol only	18.0	24.4	21.5	16.8	28.6	23.3	23.0	21.2	22.0	14.2	19.4	16.7	12.2	13.2	12.8	8.7	13.3	11.2
Alcohol or any illicit drug	36.9	61.6	50.3	35.9	65.0	51.7	38.1	63.1	51.5	38.1	53.6	45.8	26.5	31.7	29.2	17.9	33.9	26.6
Any illicit drug, but no alcohol	3.6	3.2	3.4	5.5	5.2	5.4	5.9	5.2	5.5	7.5	4.1	5.8	6.0	2.3	4.0	6.3	7.9	7.2

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trends in substance use for Levy County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.8	32.3	24.8	12.3	29.5	21.7	11.6	26.1	19.5	10.1	25.3	17.6	10.7	14.8	12.8	3.6	11.2	7.7
Binge Drinking	6.3	18.3	12.8	7.1	14.7	11.3	4.4	15.7	10.6	5.0	14.0	9.5	3.4	7.9	5.8	0.3	4.7	2.7
Cigarettes	2.1	10.8	6.8	5.0	7.2	6.2	2.1	8.3	5.4	1.4	1.1	1.3	0.2	1.2	0.7	0.7	1.5	1.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	7.9	21.9	15.0	5.6	7.1	6.4	2.9	6.0	4.6
Vaping Marijuana	--	--	--	--	--	--	--	--	--	4.3	9.7	7.0	1.8	7.9	5.0	2.5	6.3	4.6
Marijuana or Hashish	4.4	19.1	12.4	4.9	13.7	9.6	5.7	21.9	14.5	6.4	17.2	11.9	2.7	8.3	5.6	3.0	7.1	5.3
Synthetic Marijuana	--	1.3	--	--	0.0	--	--	3.2	--	--	1.0	--	--	1.2	--	--	0.0	--
Inhalants	5.1	1.2	3.0	2.5	1.3	1.9	2.7	1.9	2.3	2.5	0.6	1.6	2.0	2.3	2.1	0.4	0.6	0.5
Club Drugs	1.5	0.5	1.0	0.2	0.6	0.4	0.2	1.3	0.8	0.1	1.4	0.7	0.2	0.0	0.1	0.1	0.0	0.0
LSD, PCP or Mushrooms	0.0	1.0	0.6	0.2	1.7	1.0	0.4	2.1	1.3	0.2	0.6	0.4	0.3	1.8	1.1	0.1	0.9	0.5
Methamphetamine	0.6	0.6	0.6	0.6	0.0	0.3	0.3	1.2	0.8	0.8	0.2	0.5	0.5	0.6	0.5	0.2	0.0	0.1
Cocaine or Crack	1.8	1.9	1.8	0.9	0.9	0.9	1.1	3.2	2.2	1.0	0.2	0.6	0.3	0.0	0.2	0.0	0.1	0.1
Heroin	0.2	0.0	0.1	1.3	0.0	0.6	0.4	0.0	0.2	0.9	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.1
Prescription Depressants	0.5	0.7	0.6	1.2	1.5	1.3	0.5	2.1	1.3	1.0	0.8	0.9	0.5	1.3	0.9	0.0	0.1	0.1
Prescription Pain Relievers	1.3	1.6	1.5	1.7	1.3	1.5	1.8	1.6	1.7	1.8	0.8	1.3	1.4	1.1	1.2	0.2	0.0	0.1
Prescription Amphetamines	0.6	0.2	0.4	0.9	0.3	0.6	0.6	1.3	1.0	0.2	0.4	0.3	0.5	0.2	0.3	0.0	0.4	0.2
Over-the-Counter Drugs	2.0	0.5	1.2	1.5	2.7	2.2	2.2	1.5	1.9	1.6	0.8	1.2	0.5	1.8	1.2	0.5	0.0	0.2
Any illicit drug	9.1	20.0	15.0	9.5	17.3	13.7	10.9	23.8	17.8	11.4	18.7	15.0	7.1	11.0	9.2	4.1	9.5	7.1
Any illicit drug other than marijuana	7.2	4.9	6.0	6.2	6.9	6.6	6.4	8.2	7.4	5.1	3.7	4.4	4.9	3.8	4.3	0.8	1.8	1.3
Alcohol only	11.1	17.7	14.7	7.0	17.4	12.7	7.7	12.4	10.3	6.6	12.5	9.5	7.8	9.0	8.4	2.7	8.9	6.1
Alcohol or any illicit drug	19.9	37.5	29.4	16.6	34.6	26.3	18.1	35.9	27.7	18.1	30.6	24.3	15.4	20.6	18.1	6.5	18.2	12.9
Any illicit drug, but no alcohol	3.9	5.2	4.6	4.5	5.2	4.9	7.0	10.1	8.7	8.2	6.1	7.2	5.1	6.0	5.6	3.1	7.1	5.3

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Levy County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early substance use</b>														
More than a sip of alcohol	--	13.8	13.5	14.1	--	13.5	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	1.8	3.4	0.5	--	1.7	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	6.0	4.4	7.3	--	6.2	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	4.6	3.8	5.3	--	5.2	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	7.4	7.2	7.7	--	8.1	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.3	4.3	4.3	--	5.1	--	--	4.3	5.1	3.5	--	4.4	--
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	55.9	44.7	52.4	47.6	53.8	43.8	49.8	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	65.9	57.5	61.8	60.9	64.7	58.1	61.4	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	72.1	64.6	68.8	67.3	70.0	67.6	68.1	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	64.4	53.3	59.8	57.1	62.1	55.2	58.4	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	65.9	47.2	58.9	53.4	63.1	48.8	55.9	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	52.8	33.4	47.9	37.6	51.4	32.6	42.3	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	41.0	23.7	35.4	28.4	40.0	22.2	31.6	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	70.6	65.8	67.5	68.4	69.6	67.2	68.0	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early substance use and perceived risk of harm for Levy County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early substance use</b>																		
Try alcohol	--	23.3	--	--	24.4	--	--	23.4	--	--	19.1	--	--	11.4	--	--	13.8	--
Drink monthly	--	6.2	--	--	2.7	--	--	3.8	--	--	2.7	--	--	1.5	--	--	1.8	--
Smoke cigarettes	--	19.5	--	--	11.8	--	--	15.9	--	--	7.3	--	--	9.9	--	--	6.0	--
Smoke marijuana	--	14.3	--	--	11.3	--	--	12.9	--	--	12.2	--	--	8.7	--	--	4.6	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	7.0	--	--	7.1	--	--	7.4	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	3.6	--	--	2.6	--	--	4.3	--
<b>Great risk of harm</b>																		
Daily alcohol use	38.4	30.4	34.1	36.2	33.1	34.5	34.3	34.9	34.6	48.3	37.8	43.0	47.8	42.4	45.0	55.9	44.7	49.8
5+ drinks daily	48.6	43.9	46.1	53.8	45.4	49.2	51.9	49.1	50.4	60.9	47.0	53.9	58.7	46.6	52.3	65.9	57.5	61.4
Daily cigarette use	58.8	63.1	61.1	65.4	70.7	68.3	62.1	65.4	63.8	67.4	63.4	65.4	71.5	64.7	67.9	72.1	64.6	68.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	50.4	34.4	42.3	56.4	47.0	51.4	64.4	53.3	58.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	54.9	30.2	42.4	56.9	42.0	49.1	65.9	47.2	55.9
Marijuana weekly	51.5	28.1	38.8	47.9	26.3	36.3	46.2	20.6	32.7	45.0	19.0	31.8	46.6	30.1	37.9	52.8	33.4	42.3
Try marijuana	34.8	19.9	26.8	32.8	18.4	25.0	28.6	17.2	22.5	32.5	9.8	21.1	34.9	25.6	30.0	41.0	23.7	31.6
Prescription drugs	69.8	73.1	71.6	73.3	69.9	71.5	63.7	68.6	66.3	71.4	72.5	71.9	71.9	64.1	67.8	70.6	65.8	68.0

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

**Table 8. Percentages of Levy County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Think it would be wrong to...</i></b>														
Smoke cigarettes	98.5	94.5	96.1	96.5	98.4	95.9	96.3	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	95.6	81.3	85.9	89.5	94.3	82.6	87.9	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	95.3	79.0	87.0	86.1	94.3	77.7	86.5	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	97.2	87.4	91.3	92.4	96.6	87.4	91.9	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	96.3	84.5	90.5	89.4	95.3	84.6	89.9	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	99.0	97.1	98.0	98.0	99.1	97.7	98.0	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<b><i>Friends think it would be wrong to...</i></b>														
1 or 2 drinks nearly every day	95.5	87.2	91.6	90.4	94.8	86.5	91.0	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	97.4	91.0	95.6	92.3	97.2	90.0	93.9	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	93.9	76.8	86.3	83.0	92.3	75.0	84.5	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	95.6	86.6	91.6	89.8	94.2	86.2	90.7	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	95.5	83.2	90.8	87.1	93.8	83.2	88.8	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	97.7	95.1	97.6	95.0	97.9	94.6	96.3	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<b><i>Parents think it would be wrong to...</i></b>														
Daily alcohol use	99.0	97.5	99.5	97.0	99.0	98.0	98.1	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	99.7	97.9	98.6	98.8	99.3	99.2	98.7	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	97.7	92.7	95.5	94.3	97.6	93.2	94.9	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	97.5	98.2	99.0	97.0	97.9	99.4	97.9	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

**Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Levy County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Think it wrong</i></b>																		
Smoke cigarettes	93.5	78.6	85.5	89.0	85.6	87.2	94.4	77.9	85.7	96.3	87.9	92.2	97.2	92.2	94.6	98.5	94.5	96.3
Drink regularly	83.5	62.3	72.1	84.5	61.2	71.9	86.0	53.8	69.0	85.2	65.7	75.4	90.0	77.9	83.6	95.6	81.3	87.9
Smoke marijuana	89.2	66.9	77.1	85.4	64.0	73.9	87.8	53.1	69.6	85.6	60.9	73.3	89.7	74.9	81.9	95.3	79.0	86.5
Vape nicotine	--	--	--	--	--	--	--	--	--	88.3	73.8	81.1	90.4	87.1	88.7	97.2	87.4	91.9
Vape marijuana	--	--	--	--	--	--	--	--	--	89.7	72.2	80.9	92.8	84.8	88.6	96.3	84.5	89.9
Other illicit drugs	98.2	94.0	96.0	93.8	96.1	95.1	96.9	89.4	92.9	98.2	95.2	96.7	98.2	97.1	97.7	99.0	97.1	98.0
<b><i>Friends think it wrong</i></b>																		
Daily alcohol use	84.3	70.4	76.8	82.6	69.1	75.3	90.0	69.0	78.9	90.9	76.0	83.4	92.0	82.3	86.9	95.5	87.2	91.0
Smoke tobacco	91.9	77.5	84.2	88.9	79.0	83.5	93.6	74.8	83.6	93.7	83.7	88.7	95.6	88.8	92.0	97.4	91.0	93.9
Smoke marijuana	87.3	63.6	74.5	83.4	61.9	71.7	85.3	51.1	67.2	81.2	58.6	69.8	89.8	76.1	82.6	93.9	76.8	84.5
Vape nicotine	--	--	--	--	--	--	--	--	--	87.4	68.8	78.1	88.8	81.9	85.2	95.6	86.6	90.7
Vape marijuana	--	--	--	--	--	--	--	--	--	87.5	70.2	78.8	91.4	83.9	87.5	95.5	83.2	88.8
Use prescription drugs	96.6	90.2	93.2	94.3	91.3	92.7	96.3	88.9	92.4	94.5	93.2	93.8	96.0	93.1	94.5	97.7	95.1	96.3
<b><i>Parents think it wrong</i></b>																		
Daily alcohol use	95.1	91.6	93.2	97.2	89.8	93.1	94.4	93.5	93.9	96.2	92.6	94.4	94.8	93.9	94.3	99.0	97.5	98.1
Smoke tobacco	97.8	92.6	95.0	97.8	93.1	95.3	96.9	94.3	95.5	99.1	98.4	98.8	97.4	98.2	97.8	99.7	97.9	98.7
Smoke marijuana	94.9	85.2	89.6	96.5	88.0	91.8	91.4	82.9	86.8	95.6	80.2	88.1	93.0	88.1	90.5	97.7	92.7	94.9
Use prescription drugs	98.0	97.9	97.9	98.9	98.3	98.6	97.9	98.2	98.1	95.9	97.8	96.8	97.9	99.2	98.6	97.5	98.2	97.9

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Levy County and Florida Statewide youth, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.0	0.0	22.9	--	8.0	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	5.6	0.0	16.0	--	5.6	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	3.7	5.7	0.0	--	3.7	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	24.3	24.3	24.4	--	24.3	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	32.7	36.7	25.0	--	32.7	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	6.9	10.6	0.0	--	6.9	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	18.8	22.7	11.7	--	18.8	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

**Table 11. Among high school drinkers, usual drinking location within the past 30 days, Levy County and Florida Statewide youth, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	51.7	45.1	69.9	--	51.7	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	10.7	12.3	6.3	--	10.7	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	6.4	0.0	23.8	--	6.4	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	3.0	4.0	0.0	--	3.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	28.2	38.5	0.0	--	28.2	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

**Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Levy County and Florida Statewide youth, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	26.1	35.9	0.0	--	26.1	--	--	33.2	34.8	30.9	--	33.2	--
2	--	25.0	26.0	22.3	--	25.0	--	--	23.0	25.2	20.0	--	23.0	--
3	--	22.4	8.9	58.4	--	22.4	--	--	17.8	17.8	17.6	--	17.8	--
4	--	12.5	17.2	0.0	--	12.5	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	14.0	12.0	19.3	--	14.0	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

**Table 13. Percentages of Levy County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.9	3.1	3.3	2.8	2.7	3.9	3.0	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	2.8	4.7	3.8	4.0	2.4	5.9	3.9	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.3	0.5	1.0	0.7	1.2	0.6	0.8	1.8	2.2	2.3	1.8	1.7	2.4	2.1

**Table 14. Percentages of Levy County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	8.6	7.2	4.0	11.2	7.9	8.8	7.8	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	2.4	1.6	1.5	2.3	2.6	1.6	1.9	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.6	0.8	0.0	2.2	1.5	1.0	1.2	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	1.9	1.9	2.5	1.3	2.1	0.5	1.9	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.9	0.0	0.0	0.7	0.8	0.0	0.4	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	20.3	11.1	9.8	19.7	19.4	12.6	15.0	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	7.6	3.0	5.0	5.0	6.5	3.5	5.0	8.4	4.3	5.4	6.7	8.0	4.5	6.0



**Table 15. Trends in delinquent behaviors for Levy County, 2014 to 2024**

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.7	11.1	9.1	7.5	11.1	9.5	11.5	9.6	10.5	15.2	9.4	12.3	9.1	10.8	10.0	8.6	7.2	7.8
Selling drugs	2.5	9.6	6.4	3.2	5.5	4.4	2.3	10.3	6.6	4.9	3.7	4.3	0.3	3.8	2.1	2.4	1.6	1.9
Attempting to steal a vehicle	1.6	2.0	1.8	0.8	1.4	1.1	1.2	2.2	1.7	0.3	0.2	0.3	0.2	1.4	0.9	1.6	0.8	1.2
Being arrested	2.0	1.9	1.9	1.2	1.8	1.6	1.5	2.4	2.0	0.5	0.1	0.3	2.3	1.9	2.1	1.9	1.9	1.9
Taking a handgun to school	0.5	1.0	0.8	0.5	0.0	0.2	1.1	1.2	1.2	0.4	0.5	0.5	0.2	0.6	0.4	0.9	0.0	0.4
Getting suspended	11.1	7.7	9.3	7.8	8.5	8.2	9.3	8.3	8.7	11.1	9.1	10.1	12.0	15.9	14.0	20.3	11.1	15.0
Attacking someone with intent to harm	7.9	8.6	8.3	5.9	5.6	5.8	7.7	6.2	6.9	8.4	3.7	6.1	8.2	6.4	7.3	7.6	3.0	5.0

**Table 16. Percentages of Levy County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Symptoms of Depression</b>														
Sometimes I think that life is not worth it	19.1	16.5	22.9	13.0	18.8	16.5	17.7	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	35.8	25.4	36.7	24.5	34.6	26.4	30.1	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	21.4	21.1	23.9	19.0	20.9	23.2	21.2	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	34.2	30.8	38.7	26.8	35.3	28.0	32.3	42.6	39.3	50.7	30.9	42.0	39.6	40.7
<b>Suicide (past 12 months)</b>														
Seriously considered attempting suicide	11.0	8.7	11.1	8.5	10.6	9.2	9.7	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	9.4	5.8	8.8	6.2	9.3	6.1	7.4	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	8.6	6.0	9.4	5.2	8.8	5.5	7.2	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.8	1.5	1.0	2.2	1.8	1.8	1.6	2.1	1.4	2.3	1.1	1.9	1.7	1.7

**Table 17. Percentages of Levy County and Florida Statewide youth who reported involvement in bullying behavior, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	5.4	9.0	11.6	3.7	5.8	9.8	7.3	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	41.8	22.5	30.7	32.4	42.5	21.3	31.6	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	58.4	46.8	59.8	46.1	58.6	46.2	52.2	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	16.1	20.2	23.7	13.8	17.2	19.7	18.3	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	18.3	12.6	10.9	18.9	17.7	13.3	15.3	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	26.6	22.4	22.9	25.7	28.0	22.8	24.4	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	6.6	10.6	9.3	8.3	7.3	11.8	8.7	14.6	12.5	14.6	12.2	14.4	12.8	13.4

**Table 18. Percentages of Levy County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	12.0	14.7	9.4	--	10.9	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	5.9	5.1	6.5	--	6.1	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	4.4	4.8	4.1	--	3.0	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	40.6	41.5	40.2	--	41.0	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	8.2	11.6	5.5	--	7.6	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	27.1	32.2	23.1	--	25.0	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	24.4	28.4	20.9	--	24.6	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	23.0	23.3	22.8	--	20.5	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	21.2	23.5	19.0	--	22.0	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	4.2	6.6	2.2	--	4.3	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

**Table 19. Number of adverse childhood experiences (ACEs) reported by Levy County and Florida Statewide high school youth, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	41.4	43.4	40.0	--	41.4	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	17.9	11.9	22.7	--	17.9	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	13.6	15.7	11.9	--	13.6	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	9.5	8.4	10.0	--	9.5	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	7.3	5.7	8.5	--	7.3	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	3.3	4.1	2.7	--	3.3	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	4.5	5.4	3.8	--	4.5	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	0.8	1.8	0.0	--	0.8	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.5	0.7	0.3	--	0.5	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	1.3	2.9	0.0	--	1.3	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

**Table 20. Percentages of Levy County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	25.5	19.9	20.9	23.8	25.1	17.2	22.4	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	22.7	19.5	19.8	22.0	24.8	13.5	20.9	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	15.3	18.4	17.2	16.9	19.1	15.4	17.0	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	20.2	20.5	18.1	22.5	20.6	20.2	20.4	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	29.7	19.5	23.9	24.2	29.3	18.4	24.1	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	40.1	25.8	35.6	29.2	38.6	25.6	32.2	47.0	34.8	48.8	31.2	46.1	34.9	39.9

**Table 21. Percentages of Levy County and Florida Statewide youth who reported participation in extracurricular activities, 2024**

	Levy County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	49.4	42.1	46.9	44.5	48.5	43.0	45.5	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	40.7	25.9	30.6	34.9	38.8	25.7	32.9	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	5.8	4.2	4.9	5.0	5.6	4.6	4.9	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	22.8	38.6	39.1	24.5	26.7	36.5	31.2	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	8.4	11.3	12.9	7.5	9.4	9.0	9.9	9.1	12.8	13.6	9.0	9.1	12.6	11.2

**Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Levy County and Florida Statewide youth, 2024**

	Levy County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	11.1	8.5	13.3	--	11.4	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	10.8	16.5	6.1	--	12.9	--	--	14.8	16.7	13.0	--	14.8	--
<b><i>Driving a vehicle</i></b>														
Alcohol	--	2.7	1.4	3.8	--	3.0	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	4.3	4.1	4.5	--	4.6	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.



Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Levy County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	21.1	--	--	19.9	--	--	21.9	--	--	17.2	--	--	14.7	--	--	11.1	--
Marijuana	--	27.1	--	--	25.1	--	--	32.4	--	--	31.8	--	--	13.4	--	--	10.8	--
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	8.5	--	--	8.5	--	--	13.6	--	--	10.0	--	--	4.2	--	--	2.7	--
Marijuana	--	12.0	--	--	13.2	--	--	18.2	--	--	16.0	--	--	5.7	--	--	4.3	--

Note: The symbol "--" indicates that data are not available.

**Table 24. Protective factor prevalence rates for Levy County, Florida Statewide youth, and the national normative database, 2024**

Domain	Scale	Levy County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Family</b>	Family Opportunities for Prosocial Involvement	59	63	55	58	59	54
	Family Rewards for Prosocial Involvement	54	54	49	52	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	58	57	49	62	57	60
	School Rewards for Prosocial Involvement	49	63	45	57	53	58
<b>Peer and Individual</b>	Religiosity	51	57	43	54	56	62
<b>Average Prevalence Rate</b>		<b>54</b>	<b>59</b>	<b>48</b>	<b>57</b>	<b>53</b>	<b>58</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Risk factor prevalence rates for Levy County, Florida Statewide youth, and the national normative database, 2024**

Domain	Scale	Levy County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Laws and Norms Favorable to Drug Use	38	25	40	25	42	42
	Perceived Availability of Drugs	21	9	30	13	45	45
	Perceived Availability of Handguns	26	30	24	29	25	42
<b>Family</b>	Poor Family Management	37	36	47	35	44	45
	Family Conflict	36	24	40	30	42	37
<b>School</b>	Poor Academic Performance	42	49	45	45	45	48
	Lack of Commitment to School	71	71	76	68	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	39	34	54	38	40	46
	Favorable Attitudes toward ATOD Use	19	19	27	22	39	45
	Early Initiation of Drug Use	18	11	19	11	41	46
<b>Average Prevalence Rate</b>		<b>35</b>	<b>31</b>	<b>40</b>	<b>32</b>	<b>41</b>	<b>44</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 26. Protective factor prevalence rate trends among middle school students for Levy County, 2014 to 2024**

Domain	Scale	Levy County					
		2014	2016	2018	2020	2022	2024
<b>Family</b>	Family Opportunities for Prosocial Involvement	60	58	63	63	53	59
	Family Rewards for Prosocial Involvement	55	49	50	54	44	54
<b>School</b>	School Opportunities for Prosocial Involvement	52	53	54	62	49	58
	School Rewards for Prosocial Involvement	56	51	44	50	43	49
<b>Peer and Individual</b>	Religiosity	48	56	48	47	41	51
<b>Average Prevalence Rate</b>		<b>54</b>	<b>53</b>	<b>52</b>	<b>55</b>	<b>46</b>	<b>54</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 27. Risk factor prevalence rate trends among middle school students for Levy County, 2014 to 2024**

Domain	Scale	Levy County					
		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	48	48	55	51	50	38
	Perceived Availability of Drugs	38	41	43	42	36	21
	Perceived Availability of Handguns	37	32	40	37	34	26
<b>Family</b>	Poor Family Management	35	38	47	43	47	37
	Family Conflict	35	39	38	41	37	36
<b>School</b>	Poor Academic Performance	50	48	52	48	42	42
	Lack of Commitment to School	50	54	56	63	75	71
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	43	44	51	48	45	39
	Favorable Attitudes toward ATOD Use	34	40	45	39	32	19
	Early Initiation of Drug Use	29	30	39	32	19	18
<b>Average Prevalence Rate</b>		<b>40</b>	<b>41</b>	<b>47</b>	<b>44</b>	<b>42</b>	<b>35</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 28. Protective factor prevalence rate trends among high school students for Levy County, 2014 to 2024**

Domain	Scale	Levy County					
		2014	2016	2018	2020	2022	2024
<b>Family</b>	Family Opportunities for Prosocial Involvement	60	59	61	60	66	63
	Family Rewards for Prosocial Involvement	54	49	55	51	58	54
<b>School</b>	School Opportunities for Prosocial Involvement	61	53	51	54	65	57
	School Rewards for Prosocial Involvement	67	61	55	60	68	63
<b>Peer and Individual</b>	Religiosity	59	63	62	52	40	57
<b>Average Prevalence Rate</b>		<b>60</b>	<b>57</b>	<b>57</b>	<b>55</b>	<b>59</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 29. Risk factor prevalence rate trends among high school students for Levy County, 2014 to 2024**

Domain	Scale	Levy County					
		2014	2016	2018	2020	2022	2024
<b>Community</b>	Laws and Norms Favorable to Drug Use	38	46	38	43	28	25
	Perceived Availability of Drugs	32	27	29	25	13	9
	Perceived Availability of Handguns	54	56	42	39	31	30
<b>Family</b>	Poor Family Management	39	43	38	34	36	36
	Family Conflict	28	32	29	32	20	24
<b>School</b>	Poor Academic Performance	44	44	49	49	41	49
	Lack of Commitment to School	51	58	69	64	57	71
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	33	38	44	37	32	34
	Favorable Attitudes toward ATOD Use	40	37	48	35	24	19
	Early Initiation of Drug Use	31	24	31	25	15	11
<b>Average Prevalence Rate</b>		<b>39</b>	<b>41</b>	<b>42</b>	<b>38</b>	<b>30</b>	<b>31</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.