

2024 Florida Youth Substance Abuse Survey

Martin County Data Tables

Table 1. Major demographic characteristics of surveyed Martin County and Florida Statewide, 2024

	Martin County		Florida Statewide	
	N	%	N	%
Sex				
Female	390	51.5	21,747	48.6
Male	364	48.0	22,711	50.7
Race/Ethnic group				
African American	32	4.2	9,493	21.2
American Indian	11	1.5	426	1.0
Asian	22	2.9	653	1.5
Hispanic/Latino	188	24.8	10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0	41	0.1
Other/Multiple	160	21.1	7,299	16.3
White, non-Hispanic	337	44.5	16,109	36.0
Parent/Guardian in the Military				
No	657	86.7	38,723	86.5
Yes	96	12.7	5,679	12.7
Age				
11	55	7.3	2,499	5.6
12	130	17.2	5,938	13.3
13	126	16.6	6,288	14.0
14	120	15.8	6,501	14.5
15	87	11.5	6,784	15.2
16	100	13.2	6,743	15.1
17	96	12.7	6,358	14.2
18	39	5.1	3,252	7.3
Grade				
6th	130	17.2	6,126	13.7
7th	142	18.7	6,468	14.5
8th	145	19.1	6,341	14.2
9th	81	10.7	6,696	15.0
10th	98	12.9	6,738	15.1
11th	86	11.3	6,266	14.0
12th	76	10.0	6,121	13.7
Middle School	417	55.0	18,934	42.3
High School	341	45.0	25,821	57.7
Total	758	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Martin County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	24.7	30.7	29.8	25.8	24.0	30.1	28.1	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	12.6	15.5	9.8	--	13.1	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	3.0	5.7	3.5	5.4	2.8	6.6	4.6	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	10.4	20.3	17.9	14.3	10.1	21.6	16.0	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	4.3	19.5	13.8	12.2	4.4	20.6	12.9	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	4.5	22.1	13.8	15.2	4.9	22.6	14.6	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	2.2	2.8	1.6	--	2.8	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	6.2	2.5	4.4	3.4	6.2	1.9	4.1	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.5	0.6	0.4	0.7	0.4	0.7	0.5	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	1.4	3.1	1.7	3.1	1.3	3.8	2.4	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	0.8	0.4	0.9	0.2	0.7	0.3	0.6	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.2	0.3	0.4	0.2	0.2	0.4	0.3	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.4	0.4	0.1	0.8	0.4	0.0	0.4	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	0.8	2.9	3.2	0.8	1.2	3.0	2.0	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	1.8	1.4	1.6	1.6	1.9	1.5	1.6	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	0.4	1.2	1.0	0.7	0.3	0.7	0.8	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	0.6	1.1	0.8	1.1	0.6	0.6	0.9	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	0.3	0.0	0.7	--	0.4	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	11.0	11.0	10.6	--	12.8	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.9	2.9	0.5	--	2.4	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	13.2	26.0	20.8	19.7	13.2	25.8	20.5	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	9.2	8.7	8.9	8.7	9.1	8.4	8.9	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	15.6	10.1	13.3	11.5	14.9	10.2	12.5	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	28.8	35.5	33.9	30.8	28.0	35.3	32.6	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	4.5	4.9	4.3	5.2	4.4	5.4	4.7	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Martin County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	7.6	15.7	13.0	11.7	8.0	16.8	12.3	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	1.2	7.7	6.5	3.5	1.1	9.3	5.0	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	0.8	1.0	0.9	0.9	0.8	1.0	0.9	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	2.9	11.7	9.1	6.8	3.1	12.1	7.9	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	2.6	10.9	7.3	7.4	2.8	12.3	7.3	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	2.2	11.7	7.2	8.2	2.8	13.3	7.7	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	1.1	2.2	0.0	--	1.4	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	4.5	0.8	3.4	1.3	4.5	0.2	2.4	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.4	0.0	0.3	0.0	0.4	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.4	0.7	1.1	0.0	0.4	0.9	0.6	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.8	0.4	0.9	0.2	0.7	0.3	0.6	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.2	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.4	0.0	0.4	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	0.4	0.9	1.0	0.4	0.3	1.1	0.7	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.2	0.6	0.5	0.4	0.5	0.4	0.4	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	0.3	0.0	0.3	0.0	0.3	0.0	0.1	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.3	0.0	0.3	0.0	0.3	0.0	0.1	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	7.6	13.3	11.7	10.2	8.1	14.2	10.9	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	5.4	2.6	5.2	2.4	5.6	1.7	3.8	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	4.4	6.3	6.1	4.9	4.4	6.1	5.5	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	12.2	19.3	17.7	15.0	12.6	20.0	16.2	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	4.5	3.9	4.6	3.7	4.5	3.5	4.1	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	23.9	53.9	41.6	22.2	56.8	43.2	20.5	55.3	41.3	23.4	44.5	35.6	18.9	40.7	31.8	24.7	30.7	28.1
Blacking Out	--	22.4	--	--	15.9	--	--	19.8	--	--	17.3	--	--	13.2	--	--	12.6	--
Cigarettes	5.6	23.0	15.8	5.0	16.1	11.6	7.2	18.5	13.9	4.1	8.2	6.5	2.5	7.4	5.4	3.0	5.7	4.6
Vaping Nicotine	--	--	--	--	--	--	--	--	--	16.3	36.5	28.1	9.3	24.5	18.3	10.4	20.3	16.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	6.7	26.5	18.2	3.6	17.8	11.9	4.3	19.5	12.9
Marijuana or Hashish	9.1	38.3	26.2	5.2	33.0	22.0	8.0	35.1	24.0	6.4	32.1	21.3	4.3	21.3	14.3	4.5	22.1	14.6
Synthetic Marijuana	--	7.7	--	--	3.4	--	--	2.9	--	--	0.7	--	--	2.1	--	--	2.2	--
Inhalants	10.6	4.9	7.2	4.7	4.4	4.5	10.5	6.0	7.8	9.7	3.0	5.8	5.6	3.0	4.1	6.2	2.5	4.1
Club Drugs	1.8	2.2	2.0	0.7	2.0	1.5	0.9	1.9	1.5	0.9	2.2	1.7	0.4	0.5	0.5	0.5	0.6	0.5
LSD, PCP or Mushrooms	2.0	6.3	4.6	1.5	7.0	4.8	1.6	6.4	4.4	0.9	5.1	3.3	0.2	3.8	2.3	1.4	3.1	2.4
Methamphetamine	1.1	0.5	0.7	0.9	0.8	0.8	0.0	0.2	0.1	0.9	0.7	0.8	0.7	0.8	0.8	0.8	0.4	0.6
Cocaine or Crack	1.4	3.8	2.8	0.5	2.8	1.9	1.9	4.0	3.1	0.4	1.1	0.8	0.3	0.7	0.5	0.2	0.3	0.3
Heroin	0.4	0.5	0.5	0.2	0.3	0.3	0.5	0.2	0.3	0.0	0.2	0.1	0.4	0.6	0.5	0.4	0.4	0.4
Prescription Depressants	1.9	6.1	4.4	2.0	6.7	4.8	3.2	6.5	5.1	2.4	5.8	4.4	1.0	1.0	1.0	0.8	2.9	2.0
Prescription Pain Relievers	4.0	6.2	5.3	3.7	6.3	5.2	3.0	6.7	5.2	3.8	3.5	3.6	2.8	2.3	2.5	1.8	1.4	1.6
Prescription Amphetamines	1.0	5.5	3.7	1.2	4.9	3.4	2.2	6.0	4.5	1.2	5.8	3.9	1.2	2.0	1.7	0.4	1.2	0.8
Over-the-Counter Drugs	3.1	5.8	4.7	3.6	4.4	4.1	4.1	5.9	5.2	2.2	4.0	3.3	1.1	3.1	2.3	0.6	1.1	0.9
Needle to Inject Drugs	--	--	--	--	0.9	--	--	0.4	--	--	0.4	--	--	1.4	--	--	0.3	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.0	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.9	--
Any illicit drug	19.5	40.9	32.1	14.8	38.2	28.8	18.7	41.6	32.3	17.5	35.9	28.2	13.1	28.3	22.0	13.2	26.0	20.5
Any illicit drug other than marijuana	14.8	21.8	18.9	11.7	18.3	15.7	14.9	18.9	17.3	12.6	12.7	12.6	9.3	11.8	10.8	9.2	8.7	8.9
Alcohol only	13.8	18.6	16.6	12.2	23.7	19.2	10.0	18.1	14.9	12.2	14.4	13.5	11.6	18.4	15.6	15.6	10.1	12.5
Alcohol or any illicit drug	33.2	59.5	48.7	27.0	61.7	47.8	28.2	59.8	46.9	29.4	50.0	41.3	24.5	46.8	37.6	28.8	35.5	32.6
Any illicit drug, but no alcohol	9.3	5.5	7.1	5.4	5.0	5.2	8.3	4.5	6.0	6.2	6.1	6.1	6.0	6.5	6.3	4.5	4.9	4.7

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	7.6	27.8	19.5	7.4	30.4	21.4	6.2	27.9	19.1	7.4	22.2	16.0	5.3	19.7	13.8	7.6	15.7	12.3
Binge Drinking	3.3	15.1	10.2	3.3	11.7	8.4	3.0	15.0	10.1	2.4	10.7	7.2	1.3	8.7	5.6	1.2	7.7	5.0
Cigarettes	1.6	10.3	6.7	1.1	3.3	2.4	1.9	5.1	3.8	1.0	1.2	1.1	0.2	0.6	0.4	0.8	1.0	0.9
Vaping Nicotine	--	--	--	--	--	--	--	--	--	9.6	19.4	15.3	2.2	11.3	7.6	2.9	11.7	7.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	4.2	14.0	9.9	0.9	9.7	6.0	2.6	10.9	7.3
Marijuana or Hashish	4.1	23.8	15.6	3.2	21.2	14.1	5.4	21.5	15.0	4.3	17.7	12.1	1.6	12.2	7.8	2.2	11.7	7.7
Synthetic Marijuana	--	1.1	--	--	1.2	--	--	0.9	--	--	0.3	--	--	0.5	--	--	1.1	--
Inhalants	4.3	1.0	2.4	2.3	1.1	1.6	3.8	2.0	2.7	4.2	0.6	2.1	2.2	0.3	1.1	4.5	0.8	2.4
Club Drugs	1.1	0.9	1.0	0.4	0.3	0.3	0.1	0.0	0.0	0.9	0.6	0.7	0.2	0.5	0.4	0.4	0.0	0.2
LSD, PCP or Mushrooms	0.6	2.6	1.8	0.3	3.5	2.3	0.3	2.1	1.4	0.6	1.5	1.1	0.2	1.0	0.6	0.4	0.7	0.6
Methamphetamine	0.5	0.2	0.3	0.5	0.2	0.3	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.2	0.1	0.8	0.4	0.6
Cocaine or Crack	1.1	1.3	1.2	0.1	2.1	1.3	0.9	0.3	0.6	0.2	0.5	0.3	0.0	0.4	0.2	0.2	0.0	0.1
Heroin	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.0	0.1	0.2	0.2	0.2	0.2	0.0	0.1	0.0	0.4	0.2
Prescription Depressants	1.0	1.9	1.5	0.8	2.3	1.7	1.6	2.6	2.2	0.8	1.6	1.3	0.6	0.4	0.5	0.4	0.9	0.7
Prescription Pain Relievers	1.0	1.8	1.5	1.3	2.5	2.1	1.4	0.7	1.0	1.0	1.3	1.2	0.6	1.0	0.8	0.2	0.6	0.4
Prescription Amphetamines	0.2	2.2	1.4	0.6	1.2	1.0	0.5	1.2	0.9	0.6	1.4	1.1	0.3	0.4	0.3	0.3	0.0	0.1
Over-the-Counter Drugs	1.8	1.9	1.9	1.4	1.9	1.7	1.0	1.6	1.4	0.8	1.9	1.4	0.2	0.3	0.3	0.3	0.0	0.1
Any illicit drug	8.3	24.2	17.7	6.9	23.5	17.0	10.4	25.9	19.6	9.0	21.1	16.0	5.1	13.4	10.0	7.6	13.3	10.9
Any illicit drug other than marijuana	6.9	8.5	7.9	5.3	8.9	7.5	6.8	7.6	7.3	6.0	5.9	5.9	3.9	2.8	3.3	5.4	2.6	3.8
Alcohol only	3.9	12.4	9.0	4.4	15.6	11.3	2.1	11.5	7.7	4.1	8.4	6.6	4.2	11.1	8.2	4.4	6.3	5.5
Alcohol or any illicit drug	11.9	36.5	26.4	11.4	38.9	27.9	12.2	37.4	27.1	13.0	29.2	22.4	9.3	24.3	18.1	12.2	19.3	16.2
Any illicit drug, but no alcohol	4.2	8.7	6.9	4.4	8.7	7.0	6.3	9.6	8.3	5.6	7.5	6.7	4.2	4.5	4.3	4.5	3.9	4.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Martin County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	9.3	9.3	9.3	--	9.7	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	1.2	1.2	1.2	--	1.4	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	2.2	1.1	3.3	--	2.7	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	4.3	3.3	5.3	--	4.9	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	8.0	7.4	8.8	--	9.0	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.0	3.2	4.8	--	4.5	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	49.7	55.2	56.9	49.3	50.1	53.7	52.9	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	62.7	60.4	65.3	57.4	62.8	58.4	61.4	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	68.6	70.4	71.9	67.4	69.0	68.3	69.6	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	57.8	52.5	54.6	54.5	58.0	47.7	54.7	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	57.6	46.1	52.1	50.0	57.2	43.6	51.1	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	51.5	34.4	42.7	41.1	50.1	33.3	41.7	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	38.1	27.8	32.2	32.3	37.3	26.8	32.2	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	68.7	70.2	75.6	64.2	68.0	69.0	69.5	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	18.1	--	--	16.6	--	--	19.8	--	--	15.3	--	--	14.0	--	--	9.3	--
Drink monthly	--	2.6	--	--	2.2	--	--	3.1	--	--	3.0	--	--	2.7	--	--	1.2	--
Smoke cigarettes	--	10.7	--	--	6.9	--	--	7.3	--	--	2.8	--	--	4.6	--	--	2.2	--
Smoke marijuana	--	10.9	--	--	10.6	--	--	11.6	--	--	8.3	--	--	4.3	--	--	4.3	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	8.5	--	--	7.3	--	--	8.0	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	4.4	--	--	2.9	--	--	4.0	--
Great risk of harm																		
Daily alcohol use	48.4	42.4	44.8	46.7	37.4	41.1	52.2	40.9	45.5	50.7	42.5	46.0	54.8	47.4	50.5	49.7	55.2	52.9
5+ drinks daily	62.6	57.2	59.4	62.3	47.6	53.5	64.1	53.6	57.9	58.6	51.3	54.4	66.0	60.2	62.6	62.7	60.4	61.4
Daily cigarette use	64.5	74.5	70.4	72.9	70.2	71.3	70.9	71.1	71.0	66.9	68.5	67.8	75.8	74.9	75.3	68.6	70.4	69.6
Vaping nicotine	--	--	--	--	--	--	--	--	--	53.3	43.8	47.8	60.0	47.1	52.5	57.8	52.5	54.7
Vaping marijuana	--	--	--	--	--	--	--	--	--	54.1	36.4	43.8	62.0	40.4	49.4	57.6	46.1	51.1
Marijuana weekly	52.2	24.9	35.9	57.4	22.2	36.4	48.8	23.8	33.9	44.9	21.9	31.6	54.9	27.1	38.7	51.5	34.4	41.7
Try marijuana	33.8	13.7	21.9	38.9	14.2	24.1	31.3	14.1	21.1	32.1	14.3	21.8	38.5	19.1	27.2	38.1	27.8	32.2
Prescription drugs	66.8	75.4	71.9	71.5	70.8	71.1	67.2	69.5	68.6	70.1	70.8	70.5	76.9	76.4	76.6	68.7	70.2	69.5

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Martin County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	97.1	92.4	94.5	94.2	97.2	92.4	94.3	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	90.3	78.4	82.3	84.3	90.0	78.4	83.4	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	93.6	78.4	87.2	82.6	93.2	77.7	84.8	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	95.6	88.2	89.7	92.8	95.4	87.2	91.3	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	95.3	82.6	87.9	87.9	95.0	81.8	87.9	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	98.2	99.3	99.3	98.4	98.3	99.4	98.9	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	94.0	94.1	94.4	93.7	94.3	93.6	94.1	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	95.9	94.4	96.6	93.4	96.5	93.0	95.0	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	92.8	79.2	87.5	82.4	92.7	76.0	84.9	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	92.3	86.0	87.1	90.0	92.9	83.6	88.6	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	92.8	80.6	86.9	84.7	92.7	77.9	85.8	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	97.6	96.4	97.1	96.7	97.9	95.9	96.9	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	97.7	97.4	98.2	96.8	97.5	97.6	97.5	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	98.9	99.1	99.3	98.6	98.9	99.1	99.0	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	98.8	91.1	94.3	95.0	98.3	90.9	94.5	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	99.4	98.8	99.2	98.9	99.0	99.1	99.0	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	95.7	82.1	87.7	95.5	89.1	91.6	95.2	89.2	91.7	97.0	93.2	94.8	96.9	93.3	94.8	97.1	92.4	94.3
Drink regularly	88.2	61.3	72.3	89.4	59.0	71.1	90.2	65.5	75.6	88.1	73.0	79.3	93.2	71.5	80.5	90.3	78.4	83.4
Smoke marijuana	90.6	58.3	71.5	91.2	57.6	70.8	87.9	57.2	69.7	89.0	68.3	77.0	94.5	72.3	81.6	93.6	78.4	84.8
Vape nicotine	--	--	--	--	--	--	--	--	--	89.7	83.2	85.9	94.5	86.7	90.0	95.6	88.2	91.3
Vape marijuana	--	--	--	--	--	--	--	--	--	91.0	76.9	82.8	94.9	78.9	85.6	95.3	82.6	87.9
Other illicit drugs	97.5	90.5	93.3	98.0	92.1	94.4	97.1	88.4	92.0	97.6	94.1	95.6	97.0	97.3	97.2	98.2	99.3	98.9
<i>Friends think it wrong</i>																		
Daily alcohol use	92.6	77.3	83.6	92.3	78.4	83.9	93.7	78.0	84.4	92.9	86.0	88.9	95.0	88.6	91.3	94.0	94.1	94.1
Smoke tobacco	96.0	82.5	88.0	96.0	86.5	90.3	94.9	87.6	90.6	93.7	90.8	92.0	95.6	90.9	92.9	95.9	94.4	95.0
Smoke marijuana	91.0	56.6	70.6	87.6	52.5	66.5	87.4	55.6	68.6	90.8	61.8	74.0	93.7	74.0	82.2	92.8	79.2	84.9
Vape nicotine	--	--	--	--	--	--	--	--	--	86.5	70.8	77.4	91.3	79.6	84.5	92.3	86.0	88.6
Vape marijuana	--	--	--	--	--	--	--	--	--	91.1	68.2	77.8	92.6	77.6	83.8	92.8	80.6	85.8
Use prescription drugs	96.2	91.5	93.4	95.5	91.0	92.8	94.6	92.2	93.2	96.5	93.4	94.7	97.2	95.1	96.0	97.6	96.4	96.9
<i>Parents think it wrong</i>																		
Daily alcohol use	97.6	92.9	94.8	98.2	94.2	95.8	97.8	92.6	94.6	98.0	95.8	96.7	99.0	96.4	97.4	97.7	97.4	97.5
Smoke tobacco	98.2	97.2	97.6	99.1	96.9	97.8	98.6	96.9	97.6	98.9	98.1	98.5	99.3	99.1	99.2	98.9	99.1	99.0
Smoke marijuana	97.3	88.5	92.1	97.2	85.6	90.3	95.6	82.6	87.7	95.7	88.0	91.3	98.3	93.7	95.6	98.8	91.1	94.5
Use prescription drugs	98.3	98.9	98.6	98.8	97.6	98.1	97.2	98.2	97.8	98.9	98.6	98.7	99.1	98.8	98.9	99.4	98.8	99.0

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Martin County and Florida Statewide youth, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	21.7	32.1	10.9	--	21.7	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	5.4	0.0	11.6	--	5.4	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	10.0	17.3	2.2	--	10.0	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	41.8	35.2	50.7	--	41.8	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	1.3	2.5	0.0	--	1.3	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	8.5	3.4	11.0	--	8.5	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	11.2	9.4	13.6	--	11.2	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Martin County and Florida Statewide youth, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	34.1	27.7	39.4	--	34.1	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	30.2	40.2	19.3	--	30.2	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	2.8	1.8	4.2	--	2.8	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	3.0	0.0	6.6	--	3.0	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	10.7	9.3	12.7	--	10.7	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	11.9	9.2	15.5	--	11.9	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	7.3	11.7	2.3	--	7.3	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Martin County and Florida Statewide youth, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	21.0	18.8	20.7	--	21.0	--	--	33.2	34.8	30.9	--	33.2	--
2	--	16.4	12.3	21.2	--	16.4	--	--	23.0	25.2	20.0	--	23.0	--
3	--	17.5	26.9	8.1	--	17.5	--	--	17.8	17.8	17.6	--	17.8	--
4	--	27.8	31.9	24.4	--	27.8	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	17.3	10.1	25.6	--	17.3	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Martin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.7	3.2	3.2	2.7	2.6	2.8	3.0	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	1.8	8.5	4.4	6.8	2.6	8.4	5.5	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	1.3	1.7	1.5	1.5	0.9	1.8	1.5	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Martin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.2	4.5	3.2	8.3	7.1	3.8	5.7	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.9	0.7	0.5	1.1	0.8	0.4	0.8	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.8	0.5	0.8	1.4	1.6	0.2	1.1	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	2.4	1.3	1.2	2.4	2.2	1.1	1.8	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.4	0.4	0.3	0.5	0.4	0.0	0.4	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	15.0	11.5	9.9	16.4	15.1	11.8	13.0	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	5.1	2.7	3.3	4.3	5.1	2.4	3.7	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.2	6.2	6.2	5.0	7.3	6.4	4.4	5.0	4.7	4.7	3.7	4.1	7.1	6.8	6.9	7.2	4.5	5.7
Selling drugs	1.6	11.3	7.4	2.0	6.8	4.9	2.9	9.9	7.2	1.5	5.4	3.8	0.7	3.7	2.4	0.9	0.7	0.8
Attempting to steal a vehicle	1.5	0.7	1.0	0.4	1.3	1.0	1.5	1.5	1.5	0.1	0.7	0.5	1.3	0.4	0.7	1.8	0.5	1.1
Being arrested	1.9	3.4	2.8	1.7	1.7	1.7	1.5	3.2	2.6	3.3	2.2	2.7	1.2	1.4	1.3	2.4	1.3	1.8
Taking a handgun to school	0.9	0.8	0.9	0.5	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0	0.3	0.0	0.1	0.4	0.4	0.4
Getting suspended	7.5	9.9	8.9	8.9	8.9	8.9	8.8	9.6	9.3	12.3	9.4	10.6	10.7	6.8	8.4	15.0	11.5	13.0
Attacking someone with intent to harm	4.3	5.5	5.0	4.6	3.7	4.1	5.7	5.0	5.3	4.7	2.6	3.5	4.5	0.8	2.4	5.1	2.7	3.7

Table 16. Percentages of Martin County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	21.9	16.1	26.2	10.2	21.8	16.5	18.5	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	41.5	23.5	37.1	24.5	39.8	25.0	31.1	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	26.6	17.3	26.3	15.5	26.0	18.3	21.2	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	40.4	26.4	39.5	24.6	38.7	29.1	32.3	42.6	39.3	50.7	30.9	42.0	39.6	40.7
Suicide (past 12 months)														
Seriously considered attempting suicide	11.3	7.5	10.0	7.7	10.3	9.4	9.2	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	7.2	2.6	5.5	3.5	6.7	3.2	4.6	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	5.3	2.1	4.9	1.8	4.9	2.5	3.5	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.6	0.9	1.5	0.9	1.5	1.1	1.2	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Martin County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	8.8	9.6	14.4	4.1	9.0	9.3	9.3	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	48.1	22.2	33.9	31.7	46.6	22.5	33.0	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	66.3	48.5	64.2	47.3	66.1	47.5	55.9	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	32.4	26.1	35.5	21.9	32.5	25.8	28.7	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	24.4	9.8	14.1	17.6	24.7	9.4	15.9	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	37.8	25.0	29.8	30.8	38.3	25.3	30.4	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	16.5	11.3	11.9	15.0	17.1	11.1	13.5	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Martin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	9.0	12.6	4.9	--	9.5	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	4.2	3.9	4.4	--	3.8	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	3.1	5.6	0.6	--	2.9	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	30.9	31.4	30.4	--	32.0	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	5.4	4.9	5.9	--	5.1	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	21.1	21.2	21.0	--	21.7	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	22.2	26.5	17.3	--	23.0	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	13.8	12.8	15.0	--	14.7	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	19.7	26.2	12.8	--	19.4	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	7.3	6.6	8.0	--	4.5	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Martin County and Florida Statewide high school youth, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	44.5	36.6	52.8	--	44.5	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	22.5	26.2	18.8	--	22.5	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	14.2	17.7	10.2	--	14.2	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	7.1	5.9	8.4	--	7.1	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	3.9	4.6	3.2	--	3.9	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	3.3	4.6	1.9	--	3.3	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	2.6	2.4	2.8	--	2.6	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	1.2	1.0	1.3	--	1.2	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.4	0.3	0.6	--	0.4	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	0.3	0.7	0.0	--	0.3	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Martin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	28.4	25.2	24.6	28.7	28.8	25.3	26.6	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	22.8	19.1	20.4	21.1	21.4	20.0	20.7	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	27.2	28.1	25.1	30.1	28.0	28.3	27.7	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	23.8	23.3	26.2	21.1	24.0	24.1	23.5	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	25.2	22.7	26.2	20.9	24.6	22.8	23.8	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	39.3	26.8	39.4	24.7	39.5	24.9	32.3	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Martin County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Martin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	31.2	38.0	33.1	37.5	32.1	37.7	35.2	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	54.7	36.0	38.8	49.2	56.2	33.4	43.8	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	17.8	4.4	11.1	8.2	16.3	4.7	10.0	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	22.1	31.7	36.5	19.2	21.0	32.0	27.7	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	6.9	13.8	13.0	9.0	6.6	13.4	10.9	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Martin County and Florida Statewide youth, 2024

	Martin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	15.9	17.0	14.6	--	16.2	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	16.7	17.7	15.4	--	19.0	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	6.3	6.7	6.0	--	6.9	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	4.6	4.7	4.6	--	5.4	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Martin County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	17.8	--	--	15.8	--	--	16.2	--	--	14.7	--	--	13.5	--	--	15.9	--
Marijuana	--	26.5	--	--	25.8	--	--	23.1	--	--	18.6	--	--	14.1	--	--	16.7	--
<i>Driving a vehicle</i>																		
Alcohol	--	7.3	--	--	4.6	--	--	4.6	--	--	5.4	--	--	3.3	--	--	6.3	--
Marijuana	--	12.7	--	--	12.9	--	--	11.3	--	--	10.9	--	--	6.1	--	--	4.6	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Martin County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Martin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	51	67	55	58	59	54
	Family Rewards for Prosocial Involvement	47	59	49	52	54	55
School	School Opportunities for Prosocial Involvement	40	67	49	62	57	60
	School Rewards for Prosocial Involvement	37	61	45	57	53	58
Peer and Individual	Religiosity	49	53	43	54	56	62
Average Prevalence Rate		45	61	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Martin County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Martin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	39	26	40	25	42	42
	Perceived Availability of Drugs	35	14	30	13	45	45
	Perceived Availability of Handguns	27	25	24	29	25	42
Family	Poor Family Management	45	33	47	35	44	45
	Family Conflict	38	21	40	30	42	37
School	Poor Academic Performance	43	42	45	45	45	48
	Lack of Commitment to School	80	67	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	54	35	54	38	40	46
	Favorable Attitudes toward ATOD Use	29	22	27	22	39	45
	Early Initiation of Drug Use	18	10	19	11	41	46
Average Prevalence Rate		41	30	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Martin County, 2014 to 2024

Domain	Scale	Martin County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	66	61	57	58	59	51
	Family Rewards for Prosocial Involvement	60	58	53	52	54	47
School	School Opportunities for Prosocial Involvement	40	50	46	44	48	40
	School Rewards for Prosocial Involvement	49	42	44	39	48	37
Peer and Individual	Religiosity	51	49	47	43	44	49
Average Prevalence Rate		53	52	49	47	51	45

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Martin County, 2014 to 2024

Domain	Scale	Martin County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	34	35	41	41	33	39
	Perceived Availability of Drugs	46	35	41	36	32	35
	Perceived Availability of Handguns	28	21	27	24	25	27
Family	Poor Family Management	37	44	46	43	44	45
	Family Conflict	35	32	37	39	38	38
School	Poor Academic Performance	34	35	37	41	39	43
	Lack of Commitment to School	52	58	63	72	73	80
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	37	42	50	50	54
	Favorable Attitudes toward ATOD Use	30	31	36	33	29	29
	Early Initiation of Drug Use	19	19	23	24	17	18
Average Prevalence Rate		36	35	39	40	38	41

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Martin County, 2014 to 2024

Domain	Scale	Martin County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	55	60	64	63	53	67
	Family Rewards for Prosocial Involvement	56	56	57	60	53	59
School	School Opportunities for Prosocial Involvement	60	59	57	60	62	67
	School Rewards for Prosocial Involvement	62	56	51	59	56	61
Peer and Individual	Religiosity	57	55	52	58	55	53
Average Prevalence Rate		58	57	56	60	56	61

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Martin County, 2014 to 2024

Domain	Scale	Martin County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	33	35	32	27	22	26
	Perceived Availability of Drugs	34	30	32	18	16	14
	Perceived Availability of Handguns	39	39	38	29	32	25
Family	Poor Family Management	37	41	38	27	30	33
	Family Conflict	31	34	30	30	33	21
School	Poor Academic Performance	35	36	39	37	33	42
	Lack of Commitment to School	58	60	58	60	66	67
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	43	40	35	42	35
	Favorable Attitudes toward ATOD Use	42	45	38	28	26	22
	Early Initiation of Drug Use	24	23	22	16	12	10
Average Prevalence Rate		37	39	37	31	31	30

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.