

2024 Florida Youth Substance Abuse Survey

Washington County Data Tables

Table 1. Major demographic characteristics of surveyed Washington County and Florida Statewide, 2024

	Washington County		Florida Statewide	
	N	%	N	%
Sex				
Female	221	50.2	21,747	48.6
Male	217	49.3	22,711	50.7
Race/Ethnic group				
African American	55	12.5	9,493	21.2
American Indian	19	4.3	426	1.0
Asian	1	0.2	653	1.5
Hispanic/Latino	8	1.8	10,394	23.2
Native Hawaiian/Pacific Islander	0	0.0	41	0.1
Other/Multiple	88	20.0	7,299	16.3
White, non-Hispanic	268	60.9	16,109	36.0
Parent/Guardian in the Military				
No	357	81.1	38,723	86.5
Yes	79	18.0	5,679	12.7
Age				
11	18	4.1	2,499	5.6
12	81	18.4	5,938	13.3
13	80	18.2	6,288	14.0
14	75	17.0	6,501	14.5
15	66	15.0	6,784	15.2
16	66	15.0	6,743	15.1
17	30	6.8	6,358	14.2
18	18	4.1	3,252	7.3
Grade				
6th	88	20.0	6,126	13.7
7th	80	18.2	6,468	14.5
8th	80	18.2	6,341	14.2
9th	77	17.5	6,696	15.0
10th	62	14.1	6,738	15.1
11th	35	8.0	6,266	14.0
12th	18	4.1	6,121	13.7
Middle School	248	56.4	18,934	42.3
High School	192	43.6	25,821	57.7
Total	440	100.0	44,755	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Washington County and Florida Statewide youth who reported having used various substances in their lifetimes, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.5	28.0	27.2	25.9	27.1	30.7	26.9	19.3	32.5	30.5	23.5	19.8	32.4	26.9
Blacking Out	--	9.3	9.1	9.5	--	11.1	--	--	9.1	10.3	8.0	--	9.2	--
Cigarettes	9.6	10.8	9.9	10.8	8.9	12.4	10.3	4.4	7.7	6.4	6.2	4.3	7.9	6.3
Vaping Nicotine	20.0	17.1	21.0	15.7	19.5	19.4	18.3	10.9	20.1	20.2	12.4	11.3	20.4	16.2
Vaping Marijuana	7.8	13.9	13.6	8.9	8.5	14.7	11.3	5.5	16.3	14.4	9.2	5.9	16.5	11.7
Marijuana or Hashish	7.5	14.3	13.9	8.8	7.5	16.2	11.4	5.9	18.6	15.3	11.2	6.3	18.8	13.2
Synthetic Marijuana	--	1.8	2.7	0.7	--	2.3	--	--	1.9	2.4	1.5	--	1.9	--
Inhalants	11.0	3.3	7.2	6.2	11.5	3.5	6.7	6.9	3.5	5.5	4.3	6.5	3.7	4.9
Club Drugs	0.4	0.4	0.6	0.1	0.5	0.5	0.4	0.4	0.8	0.6	0.6	0.3	0.8	0.6
LSD, PCP or Mushrooms	0.8	2.6	2.7	1.0	0.6	4.1	1.9	1.0	3.0	2.3	2.1	1.0	3.1	2.2
Methamphetamine	1.0	0.0	0.5	0.4	1.0	0.0	0.4	0.6	0.5	0.6	0.5	0.6	0.5	0.6
Cocaine or Crack Cocaine	0.6	0.5	0.5	0.5	0.7	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.5
Heroin	0.3	0.0	0.3	0.0	0.3	0.0	0.1	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Prescription Depressants	2.4	2.2	1.7	2.9	2.7	2.6	2.3	1.2	1.6	1.8	1.1	1.2	1.6	1.5
Prescription Pain Relievers	3.0	2.5	3.8	1.6	2.8	3.8	2.7	1.6	1.8	1.9	1.5	1.6	1.8	1.7
Prescription Amphetamines	1.9	1.6	2.0	1.5	1.6	2.5	1.7	1.5	2.0	2.2	1.4	1.5	2.1	1.8
Over-the-Counter Drugs	0.8	2.8	3.1	0.7	0.7	2.2	1.9	1.7	2.0	2.2	1.6	1.6	2.2	1.9
Needle to Inject Illegal Drugs	--	1.0	1.7	0.3	--	1.6	--	--	0.6	0.5	0.6	--	0.6	--
Delta-8 or Delta-10 THC	--	7.3	8.9	5.3	--	8.4	--	--	8.7	9.3	8.2	--	8.9	--
Kratom	--	1.1	1.2	0.9	--	1.7	--	--	1.1	1.2	1.1	--	1.1	--
Any illicit drug	20.5	19.7	22.1	18.1	21.4	21.6	20.0	15.1	24.0	23.3	17.2	15.1	24.4	20.2
Any illicit drug other than marijuana	17.2	9.0	14.6	10.6	16.6	10.7	12.6	10.5	9.4	11.0	8.7	10.1	9.7	9.9
Alcohol only	13.8	12.4	11.5	13.7	14.5	12.3	13.0	11.5	14.9	14.2	12.8	11.7	14.7	13.4
Alcohol or any illicit drug	34.0	32.0	33.5	31.5	35.7	33.5	32.9	26.4	38.7	37.3	29.8	26.7	38.9	33.5
Any illicit drug, but no alcohol	8.4	4.3	6.3	6.0	8.5	3.3	6.1	7.2	6.5	7.0	6.6	7.0	6.7	6.8

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Washington County and Florida Statewide youth who reported having used various substances in the past 30 days, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	10.3	12.6	12.5	10.1	10.1	14.8	11.6	6.2	13.1	11.8	8.6	6.3	13.0	10.2
Binge Drinking	3.9	6.0	5.2	4.9	4.1	6.1	5.1	2.4	5.9	4.8	4.1	2.4	5.9	4.4
Cigarettes	2.2	5.9	3.7	5.0	2.2	3.2	4.3	0.7	1.4	0.9	1.2	0.7	1.4	1.1
Vaping Nicotine	6.9	12.9	12.9	7.5	7.0	15.2	10.3	3.7	8.7	8.4	4.9	3.9	8.9	6.6
Vaping Marijuana	5.2	5.7	8.5	2.3	5.9	7.2	5.5	2.2	7.8	6.3	4.7	2.4	8.0	5.5
Marijuana or Hashish	4.3	7.0	7.8	3.9	4.4	9.9	5.9	2.4	9.1	7.1	5.6	2.7	9.1	6.3
Synthetic Marijuana	--	1.5	2.7	0.0	--	2.3	--	--	0.7	0.8	0.6	--	0.7	--
Inhalants	4.1	1.1	2.7	2.1	3.9	1.6	2.4	2.5	0.9	1.9	1.2	2.3	1.0	1.6
Club Drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LSD, PCP or Mushrooms	0.4	0.9	1.3	0.0	0.0	1.8	0.7	0.3	0.7	0.5	0.6	0.3	0.7	0.5
Methamphetamine	0.8	0.0	0.3	0.4	0.7	0.0	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3
Cocaine or Crack Cocaine	0.6	0.3	0.5	0.4	0.6	0.5	0.5	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Prescription Depressants	1.7	0.6	1.1	1.0	1.6	0.8	1.0	0.4	0.4	0.5	0.3	0.4	0.5	0.4
Prescription Pain Relievers	0.4	0.1	0.4	0.1	0.4	0.2	0.3	0.7	0.5	0.6	0.6	0.7	0.5	0.6
Prescription Amphetamines	1.2	0.6	0.4	1.3	0.8	1.2	0.8	0.5	0.5	0.6	0.4	0.5	0.5	0.5
Over-the-Counter Drugs	0.3	1.3	1.8	0.0	0.3	0.0	0.9	0.7	0.7	0.7	0.7	0.7	0.8	0.7
Any illicit drug	12.2	11.3	15.0	8.2	12.5	13.4	11.7	6.6	12.0	11.2	8.3	6.7	12.1	9.7
Any illicit drug other than marijuana	8.5	4.3	7.6	4.6	7.3	5.2	6.1	4.4	3.1	4.1	3.2	4.2	3.3	3.7
Alcohol only	4.9	7.2	4.9	7.1	4.8	7.3	6.2	4.1	7.4	6.9	5.2	4.1	7.4	6.0
Alcohol or any illicit drug	17.0	18.4	19.8	15.1	17.2	20.5	17.8	10.6	19.3	17.9	13.4	10.7	19.4	15.6
Any illicit drug, but no alcohol	6.5	5.9	7.1	5.2	6.8	5.9	6.2	4.5	6.4	6.2	4.9	4.5	6.6	5.6

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in substance use for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	35.4	59.9	48.3	28.9	55.1	43.8	18.6	46.4	34.9	25.2	39.3	32.7	26.7	46.3	37.8	25.5	28.0	26.9
Blacking Out	--	27.9	--	--	19.4	--	--	16.6	--	--	13.3	--	--	21.8	--	--	9.3	--
Cigarettes	21.2	48.6	35.6	16.5	35.8	27.4	12.1	23.0	18.5	20.9	18.2	19.5	10.9	19.3	15.6	9.6	10.8	10.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	22.8	38.5	31.2	24.2	47.8	37.6	20.0	17.1	18.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	9.8	14.1	12.1	11.4	23.3	18.1	7.8	13.9	11.3
Marijuana or Hashish	11.1	44.0	28.5	12.9	34.7	25.1	6.5	34.1	22.6	11.3	26.9	19.6	13.6	35.9	26.2	7.5	14.3	11.4
Synthetic Marijuana	--	15.7	--	--	9.3	--	--	4.4	--	--	1.7	--	--	3.9	--	--	1.8	--
Inhalants	12.8	5.2	8.8	8.4	6.6	7.4	6.6	4.5	5.4	9.1	9.5	9.3	8.6	5.4	6.8	11.0	3.3	6.7
Club Drugs	0.9	6.1	3.6	0.2	3.6	2.1	0.0	3.7	2.2	2.6	2.4	2.5	1.2	2.4	1.9	0.4	0.4	0.4
LSD, PCP or Mushrooms	2.5	8.1	5.4	0.6	5.6	3.4	1.1	2.1	1.7	2.4	1.9	2.1	1.1	4.4	3.0	0.8	2.6	1.9
Methamphetamine	0.5	3.1	1.9	0.8	2.9	2.0	0.0	1.5	0.9	1.4	0.3	0.8	1.5	1.4	1.4	1.0	0.0	0.4
Cocaine or Crack	1.3	5.2	3.4	1.5	2.4	2.0	0.7	2.1	1.5	1.0	1.7	1.4	0.8	3.0	2.0	0.6	0.5	0.5
Heroin	0.9	1.0	1.0	0.5	0.5	0.5	0.3	1.0	0.7	1.4	0.0	0.7	0.1	1.4	0.8	0.3	0.0	0.1
Prescription Depressants	3.8	12.1	8.2	3.4	6.0	4.9	3.2	5.0	4.2	5.2	5.3	5.2	2.3	3.3	2.8	2.4	2.2	2.3
Prescription Pain Relievers	5.9	13.0	9.6	5.5	4.2	4.8	3.0	4.4	3.8	3.6	2.5	3.0	2.2	7.1	4.9	3.0	2.5	2.7
Prescription Amphetamines	2.8	7.8	5.4	2.4	7.2	5.1	1.4	3.3	2.5	5.4	4.7	5.1	1.9	2.2	2.1	1.9	1.6	1.7
Over-the-Counter Drugs	4.5	7.8	6.2	4.0	5.7	4.9	0.5	5.9	3.6	5.6	4.2	4.9	3.4	3.5	3.5	0.8	2.8	1.9
Needle to Inject Drugs	--	--	--	--	2.3	--	--	2.0	--	--	0.5	--	--	1.6	--	--	1.0	--
Delta-8 or Delta-10 THC	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.3	--
Kratom	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.1	--
Any illicit drug	24.4	48.3	37.0	22.6	38.6	31.6	14.7	36.6	27.4	26.4	33.6	30.3	20.9	40.0	31.7	20.5	19.7	20.0
Any illicit drug other than marijuana	20.1	24.8	22.6	15.1	18.9	17.2	11.6	13.0	12.4	18.4	15.9	17.1	12.6	20.1	16.8	17.2	9.0	12.6
Alcohol only	20.0	18.4	19.2	14.4	22.7	19.1	9.2	18.9	14.9	9.9	14.2	12.2	12.4	15.3	14.0	13.8	12.4	13.0
Alcohol or any illicit drug	44.4	66.6	56.1	36.4	61.1	50.3	23.7	55.5	42.2	36.5	47.0	42.1	33.1	55.5	45.8	34.0	32.0	32.9
Any illicit drug, but no alcohol	9.0	6.6	7.8	9.0	6.4	7.5	4.9	9.0	7.3	11.4	8.4	9.8	6.6	9.2	8.1	8.4	4.3	6.1

Note: The first 20 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trends in substance use for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	15.1	37.3	26.8	10.0	28.4	20.4	6.4	21.3	15.1	12.7	19.6	16.3	9.4	27.1	19.4	10.3	12.6	11.6
Binge Drinking	5.1	23.3	14.7	3.6	16.1	10.7	2.3	10.6	7.2	5.4	10.7	8.2	5.2	14.7	10.5	3.9	6.0	5.1
Cigarettes	6.9	26.2	17.0	2.7	14.5	9.4	0.4	6.9	4.2	3.1	2.9	3.0	1.6	7.5	5.0	2.2	5.9	4.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	9.5	16.3	13.1	14.8	29.3	23.0	6.9	12.9	10.3
Vaping Marijuana	--	--	--	--	--	--	--	--	--	3.0	8.0	5.6	7.8	17.9	13.4	5.2	5.7	5.5
Marijuana or Hashish	4.3	27.7	16.6	4.1	19.8	12.9	1.3	16.4	10.2	5.2	13.7	9.7	8.1	17.4	13.3	4.3	7.0	5.9
Synthetic Marijuana	--	4.5	--	--	3.4	--	--	1.0	--	--	0.0	--	--	3.4	--	--	1.5	--
Inhalants	5.3	1.9	3.5	2.0	1.3	1.6	2.6	1.1	1.7	3.2	3.2	3.2	4.0	3.2	3.5	4.1	1.1	2.4
Club Drugs	0.4	1.5	0.9	0.2	0.8	0.5	0.0	1.0	0.6	1.5	0.5	1.0	1.0	2.2	1.6	0.0	0.0	0.0
LSD, PCP or Mushrooms	1.6	1.9	1.7	0.7	2.2	1.5	0.0	1.1	0.7	0.8	0.7	0.7	0.7	2.5	1.7	0.4	0.9	0.7
Methamphetamine	0.0	1.2	0.6	0.4	0.3	0.3	0.0	0.7	0.4	0.1	0.0	0.1	1.0	0.8	0.9	0.8	0.0	0.3
Cocaine or Crack	0.4	1.9	1.2	0.0	0.3	0.2	0.2	0.2	0.2	0.5	0.5	0.5	0.2	1.4	0.9	0.6	0.3	0.5
Heroin	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.0	1.4	0.8	0.0	0.0	0.0
Prescription Depressants	0.5	7.3	4.1	1.5	2.4	2.0	1.6	2.3	2.0	2.6	1.8	2.2	0.2	0.8	0.5	1.7	0.6	1.0
Prescription Pain Relievers	3.0	7.2	5.2	0.9	2.1	1.6	0.3	2.2	1.4	0.9	1.0	1.0	1.4	3.4	2.5	0.4	0.1	0.3
Prescription Amphetamines	1.8	3.3	2.6	1.3	2.8	2.1	1.0	0.2	0.5	1.3	2.1	1.7	1.3	0.0	0.6	1.2	0.6	0.8
Over-the-Counter Drugs	2.9	3.3	3.1	0.6	2.1	1.4	0.2	2.3	1.4	1.0	1.8	1.4	0.9	1.8	1.4	0.3	1.3	0.9
Any illicit drug	12.2	30.4	21.7	6.4	21.1	14.7	5.3	18.5	13.1	10.4	19.6	15.3	12.0	23.5	18.5	12.2	11.3	11.7
Any illicit drug other than marijuana	10.8	12.9	11.9	5.1	6.8	6.1	4.2	7.4	6.1	7.4	6.7	7.0	6.3	10.5	8.7	8.5	4.3	6.1
Alcohol only	9.2	17.8	13.8	7.0	14.3	11.2	4.4	10.8	8.2	7.5	9.6	8.6	3.3	13.5	9.0	4.9	7.2	6.2
Alcohol or any illicit drug	21.4	47.4	35.1	13.5	35.2	25.7	9.2	28.9	20.6	18.2	28.7	23.8	15.3	36.8	27.4	17.0	18.4	17.8
Any illicit drug, but no alcohol	6.9	10.0	8.5	4.1	7.1	5.9	2.4	7.8	5.6	5.5	9.5	7.6	5.9	9.8	8.1	6.5	5.9	6.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. In 2024, the wording of the prescription pain reliver use items was changed to include drug names that are prescribed more frequently. The symbol "--" indicates that data are not available.

Table 6. Percentages of Washington County and Florida Statewide youth who reported early substance use and perceived risk of harm, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early substance use														
More than a sip of alcohol	--	10.8	10.6	11.0	--	12.0	--	--	13.2	14.3	12.1	--	13.3	--
Drinking at least once a month	--	3.9	1.8	6.1	--	4.3	--	--	2.0	2.3	1.7	--	2.0	--
Smoke cigarettes	--	6.0	5.0	7.1	--	5.9	--	--	4.3	4.7	3.9	--	4.6	--
Smoke marijuana	--	4.1	2.6	5.8	--	4.1	--	--	5.1	5.8	4.4	--	5.1	--
Vape nicotine	--	9.0	8.2	9.9	--	9.7	--	--	8.4	10.7	6.2	--	8.5	--
Vape marijuana	--	4.1	2.7	5.6	--	4.0	--	--	4.3	5.1	3.5	--	4.4	--
Great risk of harm														
1 or 2 drinks nearly every day	50.0	42.9	46.7	45.3	50.5	45.3	46.0	51.3	48.5	51.8	47.6	51.1	48.4	49.7
5+ drinks once or twice a week	61.1	54.5	57.4	57.2	59.4	58.8	57.3	61.6	57.3	60.8	57.5	61.7	57.3	59.1
1+ packs of cigarettes per day	70.4	56.0	64.1	59.8	69.1	61.5	62.2	64.2	65.0	65.8	63.6	64.6	65.1	64.7
Vaping nicotine	57.2	47.4	53.1	50.5	56.5	50.3	51.6	54.6	47.1	49.5	51.1	54.2	47.0	50.3
Vaping marijuana	57.7	42.3	47.6	50.5	57.9	46.2	49.0	56.2	42.5	48.0	48.6	55.5	42.3	48.2
Marijuana once or twice a week	50.5	36.5	41.5	43.7	50.3	40.5	42.5	48.7	31.9	38.9	39.2	47.6	32.1	39.0
Try marijuana once or twice	40.9	25.3	28.6	35.7	41.1	26.8	32.0	34.8	22.9	27.3	28.6	33.9	23.0	27.9
Use prescription drugs	70.3	56.0	62.5	61.4	70.5	61.0	62.1	67.0	67.7	69.3	65.6	67.3	67.7	67.4

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early substance use and perceived risk of harm for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early substance use																		
Try alcohol	--	31.1	--	--	29.6	--	--	28.5	--	--	16.6	--	--	20.4	--	--	10.8	--
Drink monthly	--	7.9	--	--	6.6	--	--	5.4	--	--	3.3	--	--	6.4	--	--	3.9	--
Smoke cigarettes	--	29.4	--	--	21.8	--	--	16.5	--	--	12.1	--	--	9.2	--	--	6.0	--
Smoke marijuana	--	19.1	--	--	18.4	--	--	16.4	--	--	9.0	--	--	11.9	--	--	4.1	--
Vape nicotine	--	--	--	--	--	--	--	--	--	--	9.1	--	--	16.2	--	--	9.0	--
Vape marijuana	--	--	--	--	--	--	--	--	--	--	4.1	--	--	8.2	--	--	4.1	--
Great risk of harm																		
Daily alcohol use	42.8	38.8	40.7	45.3	32.9	38.2	46.9	33.0	38.8	50.6	45.7	48.0	46.5	38.5	42.0	50.0	42.9	46.0
5+ drinks daily	57.7	43.7	50.2	60.3	45.4	51.9	65.6	42.6	52.2	64.9	51.4	57.8	59.7	42.5	49.9	61.1	54.5	57.3
Daily cigarette use	69.8	63.2	66.3	64.6	60.4	62.2	68.7	57.9	62.4	72.0	67.7	69.7	68.1	61.2	64.2	70.4	56.0	62.2
Vaping nicotine	--	--	--	--	--	--	--	--	--	52.1	45.1	48.4	49.9	39.4	43.9	57.2	47.4	51.6
Vaping marijuana	--	--	--	--	--	--	--	--	--	58.1	42.3	49.7	48.7	31.3	38.8	57.7	42.3	49.0
Marijuana weekly	54.3	32.5	42.7	50.1	29.3	38.4	57.6	24.2	38.0	49.4	31.4	39.8	48.2	19.7	31.9	50.5	36.5	42.5
Try marijuana	43.3	24.9	33.5	37.1	25.4	30.4	39.8	18.8	27.6	37.3	27.4	32.0	37.0	15.7	24.9	40.9	25.3	32.0
Prescription drugs	75.3	69.7	72.3	71.9	62.8	66.7	70.1	58.9	63.6	73.1	65.8	69.2	72.8	69.1	70.7	70.3	56.0	62.1

Note: Early substance use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 8. Percentages of Washington County and Florida Statewide youth who reported personal disapproval, peer disapproval, and parent disapproval of substance use, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Think it would be wrong to...</i>														
Smoke cigarettes	95.6	93.3	94.5	94.0	95.9	90.9	94.3	97.0	92.7	94.3	94.8	96.8	93.1	94.5
Drink alcohol regularly	88.2	78.7	83.8	82.6	88.3	73.3	82.8	91.4	78.3	82.6	85.0	90.8	78.5	83.8
Smoke marijuana	92.3	86.0	86.3	91.2	93.0	83.2	88.7	93.7	79.0	84.6	85.8	93.2	79.1	85.2
Vape nicotine	92.4	86.5	88.6	89.3	92.3	82.5	89.0	93.8	87.2	88.3	91.6	93.4	87.5	90.0
Vape marijuana	93.9	86.2	87.1	92.0	94.3	83.8	89.5	94.7	83.7	87.2	89.4	94.1	84.0	88.3
Use other illicit drugs	97.3	97.2	98.1	96.2	97.4	95.9	97.2	98.2	96.9	97.8	97.1	98.2	96.9	97.4
<i>Friends think it would be wrong to...</i>														
1 or 2 drinks nearly every day	90.4	88.9	88.5	90.9	90.3	88.9	89.6	93.5	88.7	91.3	90.2	93.2	88.7	90.7
Smoke tobacco	93.7	91.3	90.5	94.3	94.1	91.7	92.4	95.6	91.4	93.2	93.1	95.5	91.2	93.1
Smoke marijuana	90.8	84.0	85.0	88.8	91.0	82.9	87.0	92.9	77.6	83.5	84.7	92.3	77.3	84.1
Vape nicotine	86.7	83.4	82.1	87.8	86.6	82.5	84.8	91.5	83.5	84.7	89.0	91.2	83.4	86.9
Vape marijuana	90.8	83.0	84.4	88.3	90.1	82.5	86.3	93.2	81.1	84.8	87.5	92.6	80.9	86.2
Use prescription drugs	95.4	94.4	93.9	95.7	95.6	95.0	94.8	96.6	95.1	96.0	95.5	96.6	94.7	95.7
<i>Parents think it would be wrong to...</i>														
Daily alcohol use	95.8	96.5	95.4	97.1	95.7	97.3	96.2	97.8	95.8	96.8	96.5	97.8	95.9	96.7
Smoke cigarettes	98.3	97.4	96.9	98.8	98.0	98.7	97.8	98.9	98.3	98.5	98.6	98.9	98.4	98.6
Smoke marijuana	97.5	89.3	91.4	94.5	97.2	89.3	92.9	97.4	92.0	94.0	94.6	97.5	92.0	94.3
Use prescription drugs	97.6	96.2	95.7	97.9	97.7	98.5	96.8	98.4	97.9	97.9	98.3	98.5	97.8	98.1

Note: The symbol "--" indicates that data are not available.

Table 9. Trends in personal disapproval, peer disapproval, and parent disapproval of substance use for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Think it wrong</i>																		
Smoke cigarettes	88.2	65.7	76.2	90.6	72.8	80.4	94.6	86.9	90.2	95.2	83.2	88.7	94.2	88.6	91.1	95.6	93.3	94.3
Drink regularly	81.5	51.7	65.7	82.4	54.8	66.6	83.8	59.5	69.7	85.1	64.0	73.7	84.7	61.1	71.4	88.2	78.7	82.8
Smoke marijuana	87.6	60.8	73.3	86.2	56.7	69.3	91.6	62.4	74.6	86.0	64.5	74.4	87.1	69.6	77.2	92.3	86.0	88.7
Vape nicotine	--	--	--	--	--	--	--	--	--	84.2	69.1	76.1	83.1	73.7	77.8	92.4	86.5	89.0
Vape marijuana	--	--	--	--	--	--	--	--	--	89.1	72.2	80.0	88.8	75.0	81.0	93.9	86.2	89.5
Other illicit drugs	97.7	89.7	93.4	96.9	92.0	94.1	98.6	93.7	95.8	96.7	94.6	95.6	97.1	96.9	96.9	97.3	97.2	97.2
<i>Friends think it wrong</i>																		
Daily alcohol use	83.9	60.2	71.2	84.3	65.8	73.8	87.7	64.3	74.1	85.6	78.3	81.7	84.7	70.6	76.7	90.4	88.9	89.6
Smoke tobacco	87.7	57.1	71.4	90.2	70.4	79.1	91.6	76.8	83.0	88.7	80.8	84.4	89.5	79.0	83.5	93.7	91.3	92.4
Smoke marijuana	85.6	56.5	70.0	85.1	54.0	67.6	88.6	60.6	72.3	85.4	63.0	73.3	82.9	59.5	69.7	90.8	84.0	87.0
Vape nicotine	--	--	--	--	--	--	--	--	--	80.1	64.2	71.5	79.0	59.2	67.8	86.7	83.4	84.8
Vape marijuana	--	--	--	--	--	--	--	--	--	86.5	70.0	77.6	84.4	63.8	72.7	90.8	83.0	86.3
Use prescription drugs	93.9	83.6	88.4	91.4	81.0	85.5	95.7	86.9	90.6	91.5	88.7	90.0	93.4	91.0	92.1	95.4	94.4	94.8
<i>Parents think it wrong</i>																		
Daily alcohol use	93.9	88.2	90.9	94.4	91.1	92.6	95.1	90.5	92.5	94.8	92.3	93.5	91.9	91.4	91.6	95.8	96.5	96.2
Smoke tobacco	96.0	88.9	92.3	97.1	93.6	95.2	96.8	96.1	96.4	98.6	98.2	98.4	97.6	94.9	96.1	98.3	97.4	97.8
Smoke marijuana	94.8	84.2	89.3	94.7	86.9	90.4	96.6	83.3	88.9	94.1	88.7	91.3	91.7	84.1	87.5	97.5	89.3	92.9
Use prescription drugs	96.5	96.0	96.3	96.3	97.4	97.0	97.5	97.0	97.2	96.4	96.9	96.6	97.4	98.9	98.3	97.6	96.2	96.8

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, usual source of alcohol within the past 30 days, Washington County and Florida Statewide youth, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	12.7	9.3	18.3	--	12.7	--	--	13.4	10.1	17.7	--	13.4	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.5	2.8	--	3.2	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.6	1.9	--	1.2	--
Someone bought it for me	--	3.5	5.7	0.0	--	3.5	--	--	7.1	7.0	7.3	--	7.1	--
Someone gave it to me	--	15.2	13.9	17.5	--	15.2	--	--	41.1	43.9	37.3	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	2.1	1.3	3.1	--	2.1	--
Took it from a family member	--	13.0	14.6	10.2	--	13.0	--	--	12.8	15.2	9.5	--	12.8	--
Some other way	--	55.6	56.6	54.0	--	55.6	--	--	19.2	18.4	20.2	--	19.2	--

Note: The symbol "--" indicates that data are not available.

Table 11. Among high school drinkers, usual drinking location within the past 30 days, Washington County and Florida Statewide youth, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.0	36.9	44.9	--	40.0	--	--	43.3	44.6	41.3	--	43.3	--
Another person's home	--	20.8	16.0	28.4	--	20.8	--	--	30.3	31.4	29.0	--	30.3	--
Car or other vehicle	--	1.5	0.0	3.8	--	1.5	--	--	2.2	1.6	3.1	--	2.2	--
Restaurant, bar, or club	--	6.7	0.0	17.4	--	6.7	--	--	5.6	5.3	6.1	--	5.6	--
Public place	--	2.1	3.4	0.0	--	2.1	--	--	5.2	5.4	5.0	--	5.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.9	2.6	3.4	--	2.9	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.5	0.9	2.3	--	1.5	--
Some other place	--	29.0	43.8	5.5	--	29.0	--	--	9.0	8.3	9.9	--	9.0	--

Note: The symbol "--" indicates that data are not available.

Table 12. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Washington County and Florida Statewide youth, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	37.1	51.0	19.0	--	37.1	--	--	33.2	34.8	30.9	--	33.2	--
2	--	16.3	13.4	20.0	--	16.3	--	--	23.0	25.2	20.0	--	23.0	--
3	--	5.1	9.1	0.0	--	5.1	--	--	17.8	17.8	17.6	--	17.8	--
4	--	2.3	4.1	0.0	--	2.3	--	--	7.0	7.0	7.1	--	7.0	--
5 or more	--	39.1	22.4	60.9	--	39.1	--	--	19.0	15.1	24.5	--	19.0	--

Note: The symbol "--" indicates that data are not available.

Table 13. Percentages of Washington County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	5.7	3.5	3.3	5.0	5.4	5.0	4.4	2.6	3.4	3.7	2.4	2.5	3.7	3.1
Smoking marijuana	1.8	4.8	4.6	2.3	1.7	7.0	3.5	3.1	7.9	6.8	5.0	3.2	8.5	5.9
Using another drug to get high	0.3	1.6	0.7	1.5	0.3	2.4	1.1	1.8	2.2	2.3	1.8	1.7	2.4	2.1

Table 14. Percentages of Washington County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	9.7	9.4	5.3	14.2	9.8	12.2	9.5	6.6	5.4	3.5	8.2	6.4	5.5	5.9
Selling drugs	0.4	1.0	0.3	1.2	0.4	1.5	0.7	1.0	2.0	1.1	2.0	1.0	2.1	1.6
Attempting to steal a vehicle	1.2	0.7	0.3	1.6	1.2	1.0	0.9	1.2	1.1	0.8	1.4	1.1	1.1	1.1
Being arrested	3.0	1.9	1.7	3.0	3.8	1.5	2.3	1.7	1.8	1.3	2.1	1.5	2.0	1.7
Taking a handgun to school	0.7	0.4	0.6	0.5	0.6	0.6	0.5	0.4	0.5	0.3	0.6	0.4	0.6	0.5
Getting suspended	10.8	13.3	11.0	13.6	11.2	11.5	12.2	16.9	10.9	11.2	15.8	15.8	11.9	13.5
Attacking someone with intent to harm	8.9	4.0	5.1	7.3	8.7	3.4	6.1	8.4	4.3	5.4	6.7	8.0	4.5	6.0

Table 15. Trends in delinquent behaviors for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	10.9	14.7	12.9	12.0	7.4	9.4	11.8	10.2	10.8	11.3	9.5	10.3	14.1	10.2	11.9	9.7	9.4	9.5
Selling drugs	1.6	10.9	6.5	3.0	9.6	6.7	0.5	5.1	3.2	1.8	2.6	2.2	1.2	4.0	2.8	0.4	1.0	0.7
Attempting to steal a vehicle	1.7	3.7	2.7	0.2	0.5	0.4	1.3	1.2	1.3	1.2	1.5	1.4	0.2	1.4	0.9	1.2	0.7	0.9
Being arrested	2.3	5.4	4.0	0.5	3.3	2.0	2.7	2.8	2.7	3.1	2.2	2.6	1.1	3.6	2.5	3.0	1.9	2.3
Taking a handgun to school	0.4	1.6	1.0	0.6	0.9	0.8	0.7	0.4	0.5	0.7	0.8	0.7	0.0	0.6	0.3	0.7	0.4	0.5
Getting suspended	12.5	12.3	12.4	10.0	10.9	10.5	7.8	9.5	8.8	9.2	8.3	8.7	4.8	10.3	7.9	10.8	13.3	12.2
Attacking someone with intent to harm	8.8	11.4	10.1	7.2	8.3	7.8	7.4	6.3	6.7	9.5	3.7	6.5	6.6	7.2	6.9	8.9	4.0	6.1

Table 16. Percentages of Washington County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior in the past 12 months, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	35.1	23.2	32.5	23.0	34.5	26.8	28.2	28.8	25.5	35.1	18.9	28.5	26.0	26.9
At times I think I am no good at all	44.6	31.4	38.8	34.5	45.1	36.0	37.0	42.2	37.1	48.5	30.2	41.8	37.2	39.3
All in all, I am inclined to think that I am a failure	30.2	23.9	29.8	23.0	31.1	28.0	26.6	29.6	25.1	33.4	20.7	29.3	25.3	27.0
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	47.8	35.6	47.4	33.9	47.9	40.6	40.9	42.6	39.3	50.7	30.9	42.0	39.6	40.7
Suicide (past 12 months)														
Seriously considered attempting suicide	15.1	11.8	17.6	8.2	15.7	12.2	13.2	14.8	12.4	17.8	8.9	14.7	12.8	13.4
Made a suicide plan	11.9	11.3	15.2	7.4	13.0	12.3	11.6	12.3	9.8	14.2	7.5	12.2	10.2	10.9
Attempted suicide one or more times	13.2	12.9	17.4	8.2	12.3	12.7	13.1	9.3	5.8	10.1	4.4	8.8	6.3	7.3
Suicide attempt that required medical care	1.5	2.0	2.8	0.6	1.4	0.9	1.8	2.1	1.4	2.3	1.1	1.9	1.7	1.7

Table 17. Percentages of Washington County and Florida Statewide youth who reported involvement in bullying behavior, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	22.2	17.7	31.5	7.5	22.1	15.1	19.6	10.0	8.6	13.7	4.7	9.6	8.9	9.2
Was ever kicked or shoved	52.1	39.6	49.9	39.2	53.0	38.5	44.9	46.6	27.4	36.6	34.3	45.0	27.6	35.5
Was ever taunted or teased	73.2	57.2	73.0	54.5	73.8	57.4	64.0	67.9	51.7	64.0	53.2	66.7	51.9	58.5
Was ever a victim of cyber bullying	35.0	28.0	40.0	21.9	33.8	27.6	31.0	29.6	28.6	36.7	21.6	29.4	29.0	29.0
Ever physically bullied others	29.5	19.8	23.2	24.2	29.5	21.2	23.9	24.1	12.6	15.9	18.9	22.9	13.2	17.5
Ever verbally bullied others	45.2	27.2	34.4	34.8	44.4	32.7	34.9	37.4	26.2	30.0	31.8	36.3	26.7	30.9
Ever cyber bullied others	15.8	12.4	15.3	12.2	16.9	13.5	13.9	14.6	12.5	14.6	12.2	14.4	12.8	13.4

Table 18. Percentages of Washington County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	10.2	11.4	8.6	--	14.4	--	--	13.3	17.8	8.8	--	13.6	--
Physical abuse	--	4.7	5.3	4.0	--	6.1	--	--	8.9	10.6	7.2	--	9.1	--
Sexual abuse	--	3.2	3.7	2.7	--	4.3	--	--	4.9	7.5	2.3	--	5.2	--
Parents separated or divorced	--	36.6	40.3	32.1	--	37.3	--	--	38.7	41.5	36.0	--	39.2	--
Physical abuse in household	--	8.0	9.9	5.7	--	6.8	--	--	6.9	8.6	5.2	--	7.1	--
Substance abuse in household	--	21.0	23.0	18.5	--	22.2	--	--	22.8	26.3	19.3	--	23.5	--
Mental illness in household	--	23.3	25.5	20.7	--	24.7	--	--	27.7	35.0	20.4	--	28.2	--
Incarcerated household member	--	26.5	29.1	23.4	--	25.7	--	--	21.7	23.2	20.2	--	22.1	--
Emotional neglect	--	20.8	22.5	18.8	--	22.8	--	--	25.1	30.4	19.7	--	25.5	--
Physical neglect	--	6.0	5.8	6.3	--	8.1	--	--	6.2	7.2	5.3	--	6.4	--

Note: The symbol "--" indicates that data are not available.

Table 19. Number of adverse childhood experiences (ACEs) reported by Washington County and Florida Statewide high school youth, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	45.7	40.4	52.1	--	45.7	--	--	37.9	31.9	43.9	--	37.9	--
1 ACE	--	17.9	17.4	18.5	--	17.9	--	--	20.6	20.2	21.1	--	20.6	--
2 ACEs	--	14.1	17.4	10.2	--	14.1	--	--	13.4	13.9	13.0	--	13.4	--
3 ACEs	--	5.0	4.7	5.2	--	5.0	--	--	10.0	11.2	8.9	--	10.0	--
4 ACEs	--	5.8	7.9	3.4	--	5.8	--	--	7.0	8.4	5.5	--	7.0	--
5 ACEs	--	3.4	2.6	4.3	--	3.4	--	--	4.4	5.4	3.4	--	4.4	--
6 ACEs	--	3.3	5.6	0.5	--	3.3	--	--	2.8	3.6	2.0	--	2.8	--
7 ACEs	--	2.3	1.7	3.0	--	2.3	--	--	1.9	2.7	1.1	--	1.9	--
8 ACEs	--	0.6	1.1	0.0	--	0.6	--	--	1.1	1.5	0.6	--	1.1	--
9 ACEs	--	1.2	1.2	1.3	--	1.2	--	--	0.5	0.8	0.3	--	0.5	--
10 ACEs	--	0.6	0.0	1.4	--	0.6	--	--	0.3	0.3	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%. The symbol "--" indicates that data are not available.

Table 20. Percentages of Washington County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.6	18.0	21.6	21.2	24.5	24.5	21.7	30.7	28.0	31.4	27.0	30.4	28.0	29.2
I'm more concerned with the short run	25.4	20.3	23.3	21.9	25.6	24.0	22.5	27.7	23.1	27.2	22.9	27.4	23.2	25.1
Getting in trouble is exciting	24.7	19.4	26.2	16.3	24.9	22.4	21.7	26.9	25.3	26.7	25.2	26.6	25.7	26.0
Excitement is more important than security	26.1	23.5	22.1	27.5	26.2	28.2	24.6	26.5	23.4	23.6	25.8	26.0	23.8	24.7
People better stay away from me when I'm really angry	31.6	17.3	28.2	17.9	31.0	22.3	23.5	28.4	21.1	27.3	21.1	27.3	21.4	24.2
I get upset when I have a disagreement with someone	51.9	29.0	45.9	31.7	51.8	34.9	38.9	47.0	34.8	48.8	31.2	46.1	34.9	39.9

Table 21. Percentages of Washington County and Florida Statewide youth who reported participation in extracurricular activities, 2024

	Washington County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	53.2	47.7	43.9	56.8	54.0	41.4	50.0	38.2	38.2	35.6	40.9	38.4	38.4	38.2
Organized Sports Outside of School	39.6	23.5	24.6	36.7	36.8	24.5	30.4	43.6	25.7	29.5	37.0	42.0	25.9	33.3
School Band	27.0	13.5	16.8	21.3	25.0	13.2	19.3	16.7	8.1	11.7	11.7	15.8	8.1	11.7
School Club(s)	32.6	36.6	45.6	24.0	36.4	30.9	34.8	22.3	33.2	35.8	21.6	23.1	32.8	28.6
Community Club(s)	10.2	17.8	17.0	12.1	9.8	9.3	14.6	9.1	12.8	13.6	9.0	9.1	12.6	11.2

Table 22. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Washington County and Florida Statewide youth, 2024

	Washington County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	9.6	14.7	3.8	--	8.5	--	--	12.4	14.1	10.7	--	12.5	--
Marijuana	--	11.9	14.4	9.0	--	15.7	--	--	14.8	16.7	13.0	--	14.8	--
<i>Driving a vehicle</i>														
Alcohol	--	6.1	9.4	2.3	--	6.2	--	--	2.4	2.1	2.8	--	2.3	--
Marijuana	--	4.0	5.1	2.7	--	6.2	--	--	4.4	4.5	4.3	--	4.3	--

Note: The symbol "--" indicates that data are not available.

Table 23. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Washington County, 2014 to 2024

	2014			2016			2018			2020			2022			2024		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	28.3	--	--	25.1	--	--	16.4	--	--	16.6	--	--	22.9	--	--	9.6	--
Marijuana	--	27.1	--	--	27.1	--	--	21.8	--	--	21.8	--	--	24.8	--	--	11.9	--
<i>Driving a vehicle</i>																		
Alcohol	--	11.9	--	--	9.3	--	--	6.9	--	--	2.9	--	--	10.9	--	--	6.1	--
Marijuana	--	15.8	--	--	15.5	--	--	11.3	--	--	8.5	--	--	8.4	--	--	4.0	--

Note: The symbol "--" indicates that data are not available.

Table 24. Protective factor prevalence rates for Washington County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	46	51	55	58	59	54
	Family Rewards for Prosocial Involvement	42	43	49	52	54	55
School	School Opportunities for Prosocial Involvement	45	48	49	62	57	60
	School Rewards for Prosocial Involvement	37	49	45	57	53	58
Peer and Individual	Religiosity	61	67	43	54	56	62
Average Prevalence Rate		46	52	48	57	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rates for Washington County, Florida Statewide youth, and the national normative database, 2024

Domain	Scale	Washington County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	45	27	40	25	42	42
	Perceived Availability of Drugs	29	15	30	13	45	45
	Perceived Availability of Handguns	31	33	24	29	25	42
Family	Poor Family Management	52	52	47	35	44	45
	Family Conflict	40	21	40	30	42	37
School	Poor Academic Performance	45	38	45	45	45	48
	Lack of Commitment to School	84	80	76	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	55	35	54	38	40	46
	Favorable Attitudes toward ATOD Use	33	17	27	22	39	45
	Early Initiation of Drug Use	23	11	19	11	41	46
Average Prevalence Rate		44	33	40	32	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among middle school students for Washington County, 2014 to 2024

Domain	Scale	Washington County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	56	58	60	53	50	46
	Family Rewards for Prosocial Involvement	54	51	53	48	43	42
School	School Opportunities for Prosocial Involvement	47	55	53	50	41	45
	School Rewards for Prosocial Involvement	49	49	42	41	41	37
Peer and Individual	Religiosity	64	70	61	60	50	61
Average Prevalence Rate		54	57	54	50	45	46

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among middle school students for Washington County, 2014 to 2024

Domain	Scale	Washington County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	44	47	43	44	50	45
	Perceived Availability of Drugs	47	48	33	39	36	29
	Perceived Availability of Handguns	47	41	38	38	38	31
Family	Poor Family Management	39	40	38	42	44	52
	Family Conflict	41	39	37	39	45	40
School	Poor Academic Performance	50	51	51	52	51	45
	Lack of Commitment to School	61	53	59	72	81	84
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	40	45	52	50	55
	Favorable Attitudes toward ATOD Use	37	41	34	38	38	33
	Early Initiation of Drug Use	34	29	28	31	26	23
Average Prevalence Rate		44	43	41	45	46	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Protective factor prevalence rate trends among high school students for Washington County, 2014 to 2024

Domain	Scale	Washington County					
		2014	2016	2018	2020	2022	2024
Family	Family Opportunities for Prosocial Involvement	56	48	48	57	46	51
	Family Rewards for Prosocial Involvement	53	45	43	50	45	43
School	School Opportunities for Prosocial Involvement	48	50	56	52	53	48
	School Rewards for Prosocial Involvement	51	54	50	56	51	49
Peer and Individual	Religiosity	64	68	58	67	60	67
Average Prevalence Rate		54	53	51	56	51	52

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 29. Risk factor prevalence rate trends among high school students for Washington County, 2014 to 2024

Domain	Scale	Washington County					
		2014	2016	2018	2020	2022	2024
Community	Laws and Norms Favorable to Drug Use	41	37	34	27	29	27
	Perceived Availability of Drugs	35	29	24	15	21	15
	Perceived Availability of Handguns	54	55	44	39	44	33
Family	Poor Family Management	42	47	46	42	44	52
	Family Conflict	35	31	32	26	34	21
School	Poor Academic Performance	44	45	49	43	52	38
	Lack of Commitment to School	56	54	61	70	77	80
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	40	43	37	44	35
	Favorable Attitudes toward ATOD Use	45	46	43	35	37	17
	Early Initiation of Drug Use	44	35	31	23	25	11
Average Prevalence Rate		43	42	41	36	41	33

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.