

2022 Florida Youth Substance Abuse Survey

Calhoun County Data Tables

Table 1. Major demographic characteristics of surveyed Calhoun County and Florida Statewide, 2022

	Calhoun County		Florida Statewide	
	N	%	N	%
Sex				
Female	187	51.9	22,957	48.3
Male	172	47.8	23,857	50.1
Race/Ethnic group				
African American	41	11.4	10,187	21.4
American Indian	8	2.2	422	0.9
Asian	3	0.8	785	1.7
Hispanic/Latino	16	4.4	10,291	21.6
Native Hawaiian/Pacific Islander	0	0.0	63	0.1
Other/Multiple	51	14.2	6,956	14.6
White, non-Hispanic	240	66.7	18,419	38.7
Parent/Guardian in the Military				
No	304	84.4	41,174	86.6
Yes	56	15.6	5,980	12.6
Age				
11	17	4.7	2,576	5.4
12	52	14.4	6,243	13.1
13	62	17.2	6,872	14.4
14	55	15.3	7,136	15.0
15	59	16.4	7,278	15.3
16	60	16.7	6,918	14.5
17	36	10.0	6,616	13.9
18	16	4.4	3,403	7.2
Grade				
6th	62	17.2	6,626	13.9
7th	59	16.4	6,817	14.3
8th	59	16.4	7,021	14.8
9th	57	15.8	7,193	15.1
10th	54	15.0	7,025	14.8
11th	45	12.5	6,557	13.8
12th	24	6.7	6,333	13.3
Middle School	180	50.0	20,463	43.0
High School	180	50.0	27,109	57.0
Total	360	100.0	47,572	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered) or categories with very few responses were omitted. In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Calhoun County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	31.1	41.9	41.0	33.5	33.5	38.7	37.1	21.0	38.5	34.5	27.5	22.1	38.2	31.0
Blacking Out	--	13.3	15.4	11.5	--	12.4	--	--	11.0	12.7	9.5	--	11.1	--
Cigarettes	18.0	14.5	19.1	13.3	18.4	13.2	16.1	5.0	8.6	7.2	7.0	5.0	8.3	7.1
Vaping Nicotine	31.2	29.4	39.7	21.3	31.2	30.2	30.2	13.1	25.5	23.8	16.7	13.6	25.8	20.2
Vaping Marijuana	11.6	23.7	21.0	15.6	13.3	22.6	18.3	6.1	18.4	15.1	11.4	6.4	18.7	13.2
Marijuana or Hashish	13.9	26.7	23.7	18.4	14.5	25.1	20.9	6.6	22.9	18.1	14.0	7.2	22.7	16.0
Synthetic Marijuana	--	5.1	8.8	1.6	--	4.2	--	--	2.5	2.8	2.2	--	2.5	--
Inhalants	7.5	4.7	7.2	4.8	6.2	6.6	6.0	7.1	4.6	6.6	4.6	6.8	4.9	5.7
Club Drugs	0.4	5.0	5.1	0.9	0.4	3.6	2.9	0.5	1.4	1.0	1.0	0.5	1.3	1.0
LSD, PCP or Mushrooms	0.4	6.5	3.9	3.5	0.4	5.6	3.7	1.0	3.8	2.6	2.5	1.0	3.7	2.6
Methamphetamine	0.2	1.1	1.4	0.0	0.7	0.8	0.7	0.7	0.7	0.6	0.7	0.6	0.7	0.7
Cocaine or Crack Cocaine	0.0	3.3	2.3	1.3	0.0	3.0	1.8	0.7	1.0	0.9	0.8	0.6	1.0	0.9
Heroin	2.1	1.3	1.1	2.3	2.1	1.6	1.7	0.4	0.4	0.4	0.3	0.3	0.4	0.4
Prescription Depressants	4.5	4.8	7.2	2.2	4.0	3.8	4.6	1.5	3.1	2.8	1.9	1.6	3.1	2.4
Prescription Pain Relievers	4.1	3.8	5.5	2.4	4.5	3.0	3.9	3.0	2.6	3.3	2.2	3.0	2.7	2.8
Prescription Amphetamines	3.2	8.4	8.5	3.8	2.9	8.4	6.1	1.9	3.4	3.2	2.3	2.0	3.4	2.8
Over-the-Counter Drugs	4.0	4.0	4.6	3.4	3.5	3.5	4.0	2.5	3.0	3.2	2.4	2.5	3.1	2.8
Needle to Inject Illegal Drugs	--	0.7	1.4	0.0	--	0.9	--	--	0.6	0.4	0.7	--	0.6	--
Any illicit drug	30.8	32.8	34.1	30.0	31.4	31.7	31.9	16.7	29.3	27.3	20.5	17.0	29.4	23.9
Any illicit drug other than marijuana	19.4	14.8	18.4	15.6	18.3	14.4	16.9	12.0	12.5	14.0	10.4	11.9	12.6	12.3
Alcohol only	11.7	15.6	16.4	11.4	13.1	13.6	13.8	11.7	16.2	14.8	13.8	12.4	16.0	14.3
Alcohol or any illicit drug	42.3	48.3	50.4	41.2	44.3	45.2	45.6	28.2	45.3	42.0	34.0	29.2	45.1	38.0
Any illicit drug, but no alcohol	11.5	6.4	9.5	8.0	11.2	6.6	8.7	7.5	7.1	7.7	6.8	7.4	7.2	7.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Calhoun County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.7	18.2	16.9	14.7	13.6	15.6	15.8	6.7	15.5	13.3	10.3	7.1	15.1	11.8
Binge Drinking	5.9	10.3	6.1	10.5	5.4	10.2	8.3	3.0	7.5	6.1	5.1	3.0	7.2	5.6
Cigarettes	1.1	3.1	2.1	2.3	1.0	2.8	2.2	0.8	1.4	1.0	1.3	0.8	1.4	1.2
Vaping Nicotine	12.9	18.3	21.0	11.0	14.0	17.3	15.9	5.5	12.7	11.9	7.5	5.9	12.7	9.7
Vaping Marijuana	4.0	10.7	8.8	6.6	4.0	10.4	7.7	2.9	9.7	7.7	5.9	3.1	9.8	6.8
Marijuana or Hashish	5.2	13.8	10.9	9.1	4.3	14.2	10.0	3.0	12.2	9.1	7.4	3.4	11.8	8.3
Synthetic Marijuana	--	1.1	2.4	0.0	--	1.4	--	--	0.8	1.0	0.7	--	0.9	--
Inhalants	2.9	0.5	2.3	0.9	1.8	1.7	1.6	2.3	1.1	1.9	1.2	2.2	1.0	1.6
Club Drugs	0.0	0.5	0.6	0.0	0.0	0.6	0.3	0.3	0.4	0.3	0.4	0.3	0.4	0.4
LSD, PCP or Mushrooms	0.4	0.5	0.6	0.4	0.4	0.6	0.5	0.4	0.9	0.6	0.7	0.4	0.9	0.6
Methamphetamine	0.8	0.4	0.5	0.7	1.3	0.0	0.6	0.3	0.3	0.3	0.4	0.3	0.3	0.3
Cocaine or Crack Cocaine	0.8	0.5	1.4	0.0	0.8	0.6	0.7	0.2	0.3	0.2	0.3	0.2	0.2	0.3
Heroin	0.0	1.4	0.0	1.5	0.0	1.6	0.7	0.2	0.2	0.2	0.2	0.1	0.2	0.2
Prescription Depressants	1.3	0.5	1.8	0.0	1.3	0.6	0.9	0.5	0.8	0.8	0.6	0.5	0.9	0.7
Prescription Pain Relievers	1.3	0.0	0.8	0.4	1.3	0.0	0.6	1.1	0.9	1.3	0.7	1.1	0.9	1.0
Prescription Amphetamines	1.6	3.2	3.1	1.9	1.6	3.8	2.5	0.7	1.1	1.1	0.8	0.8	1.1	0.9
Over-the-Counter Drugs	2.2	1.9	2.1	2.0	1.7	2.7	2.0	1.1	1.0	1.1	1.0	1.1	0.9	1.0
Any illicit drug	13.0	19.4	17.5	15.6	12.1	20.4	16.5	7.8	15.7	14.0	10.7	8.1	15.5	12.3
Any illicit drug other than marijuana	10.2	5.4	7.4	7.7	9.0	7.3	7.6	5.0	4.4	5.2	4.0	5.0	4.4	4.7
Alcohol only	5.5	9.7	9.8	5.9	6.6	7.3	7.8	4.2	8.0	7.2	5.6	4.4	7.8	6.4
Alcohol or any illicit drug	18.3	29.0	27.3	21.3	18.4	27.7	24.1	11.9	23.5	21.0	16.1	12.4	23.2	18.5
Any illicit drug, but no alcohol	6.4	10.7	10.6	7.1	5.6	12.2	8.8	5.3	8.2	7.9	6.0	5.4	8.2	6.9

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco, and other drug use for Calhoun County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	36.4	59.4	48.5	26.4	50.6	39.4	26.9	57.5	44.3	27.9	42.0	35.6	24.9	41.3	33.4	31.1	41.9	37.1
Blacking Out	--	--	--	--	18.8	--	--	18.7	--	--	17.7	--	--	16.8	--	--	13.3	--
Cigarettes	20.2	38.7	29.9	17.5	30.3	24.3	14.9	37.1	27.2	12.5	26.8	20.4	19.3	25.0	22.2	18.0	14.5	16.1
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	21.7	37.2	29.9	31.2	29.4	30.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	11.0	17.7	14.5	11.6	23.7	18.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	13.7	42.0	29.5	13.6	39.7	27.8	--	--	--	--	--	--
Marijuana or Hashish	9.4	28.3	19.4	7.8	28.7	19.0	11.6	36.2	25.4	5.8	28.7	18.5	10.2	27.3	19.2	13.9	26.7	20.9
Synthetic Marijuana	--	11.9	--	--	11.3	--	--	9.8	--	--	6.7	--	--	5.0	--	--	5.1	--
Inhalants	11.6	8.0	9.7	4.8	5.5	5.2	8.0	5.6	6.7	5.9	7.3	6.7	12.7	8.8	10.7	7.5	4.7	6.0
Club Drugs	1.7	3.6	2.7	0.0	2.1	1.1	0.8	2.2	1.6	0.6	1.8	1.3	1.3	2.9	2.2	0.4	5.0	2.9
LSD, PCP or Mushrooms	1.0	2.8	2.0	0.2	3.6	2.0	1.3	1.9	1.6	1.7	2.8	2.3	2.4	2.5	2.5	0.4	6.5	3.7
Methamphetamine	1.4	1.5	1.4	0.3	0.7	0.5	1.4	0.5	0.9	0.8	3.3	2.2	0.4	1.4	0.9	0.2	1.1	0.7
Cocaine or Crack	1.4	3.3	2.4	0.7	4.5	2.8	2.2	3.7	3.1	1.3	4.5	3.1	1.3	3.8	2.6	0.0	3.3	1.8
Heroin	0.7	0.0	0.3	0.0	1.0	0.5	0.0	0.0	0.0	0.8	0.0	0.4	0.8	1.0	0.9	2.1	1.3	1.7
Prescription Depressants	2.9	7.8	5.5	1.1	6.8	4.2	3.4	7.8	5.8	2.4	8.7	5.8	4.2	5.7	5.0	4.5	4.8	4.6
Prescription Pain Relievers	2.4	11.2	7.1	1.7	3.8	2.9	3.9	7.3	5.8	1.3	7.9	4.9	3.0	2.9	3.0	4.1	3.8	3.9
Prescription Amphetamines	1.0	6.0	3.6	0.0	9.8	5.2	2.1	5.9	4.2	0.7	5.4	3.3	3.8	3.9	3.8	3.2	8.4	6.1
Over-the-Counter Drugs	2.7	8.2	5.6	2.3	6.5	4.5	3.6	6.3	5.1	5.1	3.2	4.1	6.2	2.1	4.1	4.0	4.0	4.0
Needle to Inject Drugs	--	--	--	--	--	--	--	0.3	--	--	1.7	--	--	0.8	--	--	0.7	--
Any illicit drug	19.9	30.8	25.6	16.2	32.1	24.7	18.1	38.4	29.4	12.5	33.1	23.8	24.8	35.2	30.1	30.8	32.8	31.9
Any illicit drug other than marijuana	14.2	20.0	17.3	10.4	16.9	13.9	14.3	16.1	15.3	10.1	17.6	14.2	19.3	17.8	18.5	19.4	14.8	16.9
Alcohol only	21.7	31.4	26.8	16.5	24.2	20.7	13.2	22.9	18.7	19.7	18.4	19.0	9.3	13.1	11.3	11.7	15.6	13.8
Alcohol or any illicit drug	41.5	61.9	52.2	31.9	56.3	44.9	30.7	60.9	47.5	31.5	51.2	42.3	33.9	48.0	41.2	42.3	48.3	45.6
Any illicit drug, but no alcohol	5.2	2.5	3.8	6.1	5.5	5.8	4.2	3.3	3.7	4.0	9.1	6.8	9.4	6.5	7.9	11.5	6.4	8.7

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco, and other drug use for Calhoun County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	18.3	33.1	26.1	10.7	25.1	18.4	9.5	30.6	21.4	10.8	24.3	18.2	12.7	24.4	18.8	12.7	18.2	15.8
Binge Drinking	9.7	18.8	14.5	2.9	9.7	6.6	5.5	11.3	8.8	5.3	13.9	10.1	9.0	17.0	13.1	5.9	10.3	8.3
Cigarettes	6.8	16.5	11.9	3.7	8.3	6.1	5.2	14.0	10.1	2.3	12.4	7.8	8.0	8.8	8.4	1.1	3.1	2.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	10.4	19.2	15.0	12.9	18.3	15.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	4.5	8.0	6.3	4.0	10.7	7.7
Vaporizer / E-Cigarette	--	--	--	--	--	--	5.6	18.7	12.9	4.3	24.7	15.4	--	--	--	--	--	--
Marijuana or Hashish	5.5	13.0	9.5	2.7	12.8	8.2	4.4	18.8	12.5	4.3	12.5	8.9	6.0	12.1	9.2	5.2	13.8	10.0
Synthetic Marijuana	--	4.9	--	--	2.5	--	--	1.7	--	--	1.0	--	--	1.0	--	--	1.1	--
Inhalants	3.9	1.0	2.3	1.1	0.7	0.9	2.6	0.3	1.3	1.8	1.9	1.8	8.8	3.2	5.9	2.9	0.5	1.6
Club Drugs	0.7	0.0	0.3	0.7	0.2	0.4	0.5	0.0	0.2	0.7	0.4	0.5	0.3	1.4	0.9	0.0	0.5	0.3
LSD, PCP or Mushrooms	0.4	0.0	0.2	0.2	0.0	0.1	0.5	0.0	0.2	0.9	0.8	0.8	1.8	1.5	1.7	0.4	0.5	0.5
Methamphetamine	0.4	1.5	1.0	0.3	0.7	0.5	1.0	0.0	0.4	0.9	1.5	1.2	0.4	1.2	0.8	0.8	0.4	0.6
Cocaine or Crack	0.4	0.9	0.6	0.4	2.5	1.5	0.5	0.9	0.7	0.9	0.4	0.6	0.6	2.0	1.3	0.8	0.5	0.7
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.6	0.0	1.4	0.7
Prescription Depressants	1.5	4.6	3.2	0.4	3.7	2.2	1.3	4.4	3.1	1.4	3.3	2.4	0.2	0.7	0.5	1.3	0.5	0.9
Prescription Pain Relievers	1.4	4.2	2.9	0.9	2.5	1.8	1.7	1.7	1.7	0.9	2.6	1.8	4.2	1.4	2.8	1.3	0.0	0.6
Prescription Amphetamines	0.7	4.3	2.6	0.0	5.9	3.2	0.5	2.0	1.3	0.0	0.7	0.4	0.3	1.4	0.9	1.6	3.2	2.5
Over-the-Counter Drugs	1.0	4.0	2.6	2.1	4.2	3.2	1.3	4.1	2.9	2.2	2.4	2.3	2.8	0.0	1.3	2.2	1.9	2.0
Any illicit drug	10.8	16.8	14.0	7.3	16.7	12.3	6.8	21.5	15.1	6.3	18.1	12.9	14.7	18.1	16.5	13.0	19.4	16.5
Any illicit drug other than marijuana	6.5	10.0	8.3	5.3	11.5	8.6	5.3	8.4	7.0	4.6	9.7	7.4	12.6	7.4	9.9	10.2	5.4	7.6
Alcohol only	12.9	19.5	16.4	6.2	15.6	11.3	6.3	17.7	12.8	8.7	13.8	11.6	3.1	13.5	8.5	5.5	9.7	7.8
Alcohol or any illicit drug	23.9	35.8	30.2	13.3	32.0	23.3	13.3	39.0	27.6	14.1	30.9	23.4	17.7	31.6	24.9	18.3	29.0	24.1
Any illicit drug, but no alcohol	5.9	3.1	4.4	2.4	7.1	4.9	4.1	8.6	6.7	3.6	6.3	5.1	5.2	7.2	6.2	6.4	10.7	8.8

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Calhoun County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	15.1	21.2	9.6	--	16.1	--	--	14.1	15.5	12.6	--	14.0	--
Drinking at least once a month	--	2.3	4.3	0.6	--	2.6	--	--	2.2	2.3	2.1	--	2.2	--
Smoke cigarettes	--	10.4	16.4	5.0	--	11.3	--	--	4.9	4.9	4.9	--	4.9	--
Smoke marijuana	--	11.1	12.9	9.6	--	10.8	--	--	6.5	7.2	5.8	--	6.7	--
Great risk of harm														
1 or 2 drinks nearly every day	50.5	40.3	45.2	44.4	50.4	40.8	44.9	47.8	44.5	47.8	44.0	47.7	44.8	45.9
5+ drinks once or twice a week	57.4	47.6	53.9	50.0	57.6	49.2	52.0	59.7	54.2	58.3	54.8	59.8	54.3	56.6
1+ packs of cigarettes per day	63.8	69.7	65.4	68.5	64.1	67.9	67.0	64.8	66.4	66.3	65.1	65.4	66.1	65.7
Vaping nicotine	45.3	42.6	39.3	47.9	44.6	42.6	43.8	49.1	39.5	42.8	44.5	48.7	39.3	43.6
Vaping marijuana	52.4	38.2	43.1	45.8	51.6	39.7	44.6	51.9	34.3	41.0	42.6	50.7	34.4	41.8
Marijuana once or twice a week	46.1	30.5	38.5	36.4	45.0	33.2	37.5	46.5	25.2	33.9	34.8	45.0	25.4	34.3
Try marijuana once or twice	33.7	21.2	28.6	25.3	31.6	23.4	26.9	32.1	17.0	22.3	24.6	30.8	17.3	23.5
Use prescription drugs	68.7	66.3	67.6	67.5	69.6	66.4	67.4	67.0	68.4	69.3	66.5	67.5	67.9	67.8
Think it would be wrong to...														
Smoke cigarettes	93.2	86.1	89.1	89.6	93.4	85.4	89.3	96.4	91.6	93.2	94.1	96.1	92.2	93.6
Drink alcohol regularly	85.0	67.1	74.4	76.1	84.5	66.3	75.3	89.6	73.5	78.6	82.0	88.6	74.1	80.4
Smoke marijuana	90.5	65.3	71.1	82.2	89.7	64.9	76.8	91.2	68.7	77.0	79.7	90.1	69.0	78.3
Vape nicotine	82.4	74.7	76.1	80.2	82.8	74.0	78.2	90.7	80.6	82.4	87.5	90.2	81.0	84.9
Vape marijuana	90.9	72.0	74.9	86.0	90.5	71.9	80.6	92.4	76.2	81.3	84.9	91.6	76.4	83.1
Use other illicit drugs	98.1	91.6	93.3	95.7	98.1	90.3	94.5	97.9	95.1	96.4	96.1	97.7	95.2	96.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	87.2	79.4	84.1	81.7	87.4	80.0	82.9	91.4	85.3	87.9	88.0	90.9	85.2	87.9
Smoke tobacco	89.7	84.6	88.0	85.8	90.2	83.1	86.9	94.5	89.5	91.5	91.9	94.1	89.6	91.7
Smoke marijuana	84.9	68.4	71.8	79.5	83.7	69.9	75.9	89.7	68.4	76.0	79.1	88.5	68.3	77.6
Vape nicotine	79.5	69.3	67.9	79.4	78.9	71.2	73.9	87.4	75.6	77.6	83.8	86.4	75.6	80.7
Vape marijuana	87.1	74.4	75.6	84.3	85.6	77.5	80.1	90.2	73.6	78.7	82.8	89.2	73.5	80.8
Use prescription drugs	94.7	90.2	91.8	92.5	95.3	90.7	92.2	95.1	93.7	94.5	94.2	94.9	93.6	94.3

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Calhoun County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	23.9	--	--	21.2	--	--	29.1	--	--	17.5	--	--	17.9	--	--	15.1	--
Drink monthly	--	9.7	--	--	3.5	--	--	5.2	--	--	0.9	--	--	5.6	--	--	2.3	--
Smoke cigarettes	--	24.2	--	--	18.4	--	--	23.5	--	--	14.7	--	--	14.4	--	--	10.4	--
Smoke marijuana	--	13.8	--	--	12.5	--	--	13.3	--	--	6.6	--	--	9.3	--	--	11.1	--
Great risk of harm																		
Daily alcohol use	41.0	40.3	40.7	47.6	37.7	42.3	53.6	39.7	45.9	46.0	36.4	40.7	54.9	42.9	48.7	50.5	40.3	44.9
5+ drinks daily	--	--	--	53.6	52.6	53.1	64.4	50.2	56.5	60.8	49.7	54.6	66.1	55.1	60.5	57.4	47.6	52.0
Daily cigarette use	60.8	62.9	61.9	57.8	62.1	60.1	67.6	64.4	65.8	58.8	60.1	59.5	67.7	68.4	68.1	63.8	69.7	67.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	59.9	47.3	53.4	45.3	42.6	43.8
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	64.2	47.1	55.4	52.4	38.2	44.6
Marijuana weekly*	--	--	--	55.6	41.7	48.1	59.1	33.9	45.2	48.0	28.0	37.0	50.7	33.7	42.0	46.1	30.5	37.5
Try marijuana	38.6	34.4	36.4	43.9	32.0	37.5	38.5	23.1	30.0	36.9	21.3	28.4	39.5	25.0	32.1	33.7	21.2	26.9
Prescription drugs	--	65.8	65.8	69.8	71.3	70.6	74.1	71.9	72.9	67.6	63.8	65.5	76.8	71.6	74.1	68.7	66.3	67.4
Think it wrong																		
Smoke cigarettes	88.5	75.5	81.6	90.0	81.3	85.3	91.0	77.1	83.3	92.8	77.0	84.1	90.9	85.9	88.3	93.2	86.1	89.3
Drink regularly	77.7	61.6	69.1	86.4	65.9	75.3	83.7	61.2	71.1	88.9	62.2	74.3	84.7	74.3	79.3	85.0	67.1	75.3
Smoke marijuana	90.3	77.5	83.5	89.4	76.3	82.3	87.7	65.1	75.0	86.9	63.7	74.2	87.4	71.3	79.0	90.5	65.3	76.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	88.6	77.0	82.5	82.4	74.7	78.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	90.8	78.3	84.3	90.9	72.0	80.6
Other illicit drugs	96.2	94.1	95.1	98.3	94.7	96.4	97.0	94.8	95.7	96.1	95.0	95.5	96.5	96.2	96.4	98.1	91.6	94.5
Friends think it wrong																		
Daily alcohol use	--	--	--	87.1	72.1	79.0	89.4	74.7	81.3	89.8	67.5	77.6	82.4	73.6	77.8	87.2	79.4	82.9
Smoke tobacco	--	--	--	93.5	80.1	86.3	90.2	75.8	82.2	95.4	73.7	83.5	88.6	79.9	84.1	89.7	84.6	86.9
Smoke marijuana	--	--	--	90.8	72.7	81.0	89.3	64.8	75.7	86.9	60.0	72.2	85.6	65.8	75.3	84.9	68.4	75.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	84.0	70.5	77.0	79.5	69.3	73.9
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	85.7	74.8	80.0	87.1	74.4	80.1
Prescription drugs	--	--	--	97.7	87.7	92.3	95.1	89.3	91.8	93.3	87.3	90.1	93.1	88.0	90.4	94.7	90.2	92.2

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Calhoun County and Florida Statewide youth, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	8.0	0.0	18.8	--	8.0	--	--	11.7	9.6	14.7	--	11.7	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.2	3.4	2.9	--	3.2	--
Bought at a public event	--	4.4	0.0	10.3	--	4.4	--	--	0.8	0.7	1.0	--	0.8	--
Someone bought it for me	--	18.1	13.0	25.1	--	18.1	--	--	9.0	8.6	9.5	--	9.0	--
Someone gave it to me	--	52.3	65.7	33.9	--	52.3	--	--	41.5	44.4	37.9	--	41.5	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.9	1.7	--	1.2	--
Took it from a family member	--	11.0	10.4	11.9	--	11.0	--	--	13.5	15.6	10.4	--	13.5	--
Some other way	--	6.3	10.9	0.0	--	6.3	--	--	19.1	16.9	21.9	--	19.1	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Calhoun County and Florida Statewide youth, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	40.4	29.0	56.9	--	40.4	--	--	43.8	45.1	40.9	--	43.8	--
Another person's home	--	29.9	28.3	32.3	--	29.9	--	--	31.0	31.0	31.5	--	31.0	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	1.9	2.0	1.7	--	1.9	--
Restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	3.6	3.5	3.9	--	3.6	--
Public place	--	7.4	12.5	0.0	--	7.4	--	--	6.6	6.9	6.5	--	6.6	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	2.4	2.2	2.7	--	2.4	--
School property	--	4.0	6.8	0.0	--	4.0	--	--	0.7	0.4	1.1	--	0.7	--
Some other place	--	18.2	23.4	10.9	--	18.2	--	--	9.9	8.8	11.7	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Calhoun County and Florida Statewide youth, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	22.4	24.6	19.0	--	22.4	--	--	34.2	36.6	31.0	--	34.2	--
2	--	27.4	36.8	13.1	--	27.4	--	--	20.0	22.2	16.3	--	20.0	--
3	--	6.5	10.8	0.0	--	6.5	--	--	15.7	15.6	15.9	--	15.7	--
4	--	4.2	7.0	0.0	--	4.2	--	--	9.7	10.3	8.8	--	9.7	--
5 or more	--	39.4	20.9	67.9	--	39.4	--	--	20.4	15.3	28.0	--	20.4	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Calhoun County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	5.6	5.0	5.7	4.8	5.1	5.3	5.3	2.8	4.0	4.1	2.8	2.8	4.2	3.5
Smoking marijuana	4.8	12.5	9.9	8.3	4.7	12.4	9.0	3.2	9.9	8.2	6.0	3.4	10.3	7.1
Using another drug to get high	1.7	4.3	3.4	2.9	1.3	5.4	3.1	1.9	2.7	2.8	1.8	2.0	2.8	2.4

Table 12. Percentages of Calhoun County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	17.1	11.3	8.1	19.6	15.8	13.5	13.9	6.7	5.5	3.9	8.1	6.3	5.8	6.0
Selling drugs	3.1	5.5	3.7	5.2	1.6	7.9	4.4	1.1	2.7	1.6	2.4	1.1	2.8	2.0
Attempting to steal a vehicle	1.8	2.7	2.1	2.5	1.3	3.6	2.3	1.1	1.1	1.0	1.2	1.0	1.3	1.1
Being arrested	2.2	1.7	2.4	1.5	2.3	1.9	1.9	1.7	1.7	1.3	2.0	1.6	1.8	1.7
Taking a handgun to school	0.0	0.7	0.0	0.8	0.0	0.9	0.4	0.3	0.5	0.3	0.5	0.3	0.5	0.4
Getting suspended	11.0	13.3	9.5	15.0	9.7	15.5	12.3	13.5	9.2	8.8	13.3	12.7	10.0	11.1
Attacking someone with intent to harm	11.7	6.6	7.3	10.5	11.5	7.7	8.9	9.3	4.9	6.2	7.2	8.6	5.3	6.7

Table 13. Trends in delinquent behaviors for Calhoun County, 2012 to 2022

	2012			2014			2016			2018			2020			2022		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.8	6.7	7.2	7.5	10.7	9.2	6.5	9.5	8.2	8.2	5.7	6.8	10.2	9.2	9.7	17.1	11.3	13.9
Selling drugs	0.0	6.6	3.5	0.7	7.6	4.4	2.3	8.5	5.8	3.6	5.2	4.5	1.3	1.0	1.1	3.1	5.5	4.4
Attempting to steal a vehicle	0.7	2.7	1.8	1.1	3.5	2.3	0.9	1.4	1.2	1.4	0.8	1.1	0.9	1.9	1.4	1.8	2.7	2.3
Being arrested	3.1	4.5	3.9	0.2	3.0	1.7	0.5	2.2	1.5	4.0	1.4	2.6	1.2	0.7	0.9	2.2	1.7	1.9
Taking a handgun to school	0.3	0.9	0.7	0.0	1.1	0.6	0.8	0.5	0.6	0.0	2.1	1.2	0.7	0.8	0.8	0.0	0.7	0.4
Getting suspended	10.0	15.9	13.1	13.0	11.3	12.1	11.1	9.3	10.1	8.5	6.9	7.6	12.2	7.4	9.7	11.0	13.3	12.3
Attacking someone with intent to harm	6.3	9.3	7.9	2.5	6.4	4.5	9.0	5.8	7.2	5.9	8.6	7.4	9.6	4.7	7.0	11.7	6.6	8.9

Table 14. Percentages of Calhoun County and Florida Statewide youth who reported symptoms of depression, or suicidal ideation and behavior, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Symptoms of Depression														
Sometimes I think that life is not worth it	38.7	39.1	46.9	31.2	39.7	38.4	38.9	33.0	33.5	43.0	23.2	33.5	34.0	33.3
At times I think I am no good at all	55.6	53.5	66.8	42.7	57.4	54.7	54.4	47.3	45.2	57.5	34.5	47.5	45.5	46.1
All in all, I am inclined to think that I am a failure	36.6	38.2	47.5	28.1	36.4	42.4	37.5	31.7	30.0	38.6	22.4	31.7	30.4	30.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	59.5	55.7	69.1	46.3	60.5	55.3	57.4	46.9	47.7	58.4	36.0	46.8	48.1	47.3
Suicide														
Thought about committing suicide in the past 12 months	41.2	37.3	48.4	29.8	42.0	36.0	39.0	35.5	34.2	44.2	24.9	35.9	34.7	34.8
Attempted suicide in the past 12 months	17.2	12.7	18.9	10.8	16.8	15.0	14.7	10.4	8.1	12.9	5.1	10.1	8.5	9.1

Table 15. Percentages of Calhoun County and Florida Statewide youth who reported involvement in bullying behavior, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	16.4	8.9	15.8	9.1	16.1	10.5	12.3	9.6	8.3	12.7	4.8	9.3	8.7	8.9
Was ever kicked or shoved	48.7	35.2	42.6	40.2	49.5	37.6	41.3	43.6	26.2	34.5	32.5	42.4	26.2	33.7
Was ever taunted or teased	70.6	65.6	74.1	62.3	71.8	66.4	67.8	66.1	52.5	63.4	53.1	65.5	52.5	58.3
Was ever a victim of cyber bullying	30.4	32.9	40.6	23.7	31.1	35.4	31.8	30.3	29.9	37.5	22.5	30.6	30.0	30.1
Ever physically bullied others	29.2	19.4	24.8	23.0	30.0	20.5	23.8	21.6	12.6	14.9	17.8	20.7	13.0	16.4
Ever verbally bullied others	30.2	28.1	33.0	25.4	33.1	25.2	29.0	34.5	25.6	27.9	30.8	34.1	25.7	29.4
Ever cyber bullied others	8.7	16.3	14.9	11.0	9.7	16.0	12.9	13.5	12.4	13.6	12.1	13.6	12.4	12.8

Table 16. Percentages of Calhoun County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Emotional abuse	--	15.7	22.6	9.1	--	16.3	--	--	17.1	23.0	10.7	--	17.4	--
Physical abuse	--	6.7	12.9	0.8	--	5.8	--	--	10.7	12.6	8.3	--	10.8	--
Sexual abuse	--	9.0	18.5	0.0	--	7.5	--	--	6.6	10.2	2.7	--	7.0	--
Parents separated or divorced	--	44.2	50.7	38.4	--	44.8	--	--	39.4	42.9	35.9	--	39.8	--
Physical abuse in household	--	9.0	13.4	4.9	--	10.1	--	--	8.5	11.1	5.6	--	8.7	--
Substance abuse in household	--	31.1	39.7	23.1	--	33.8	--	--	24.9	27.9	21.6	--	25.5	--
Mental illness in household	--	40.0	45.9	33.8	--	41.1	--	--	32.9	41.0	24.0	--	33.6	--
Incarcerated household member	--	36.6	42.1	31.5	--	37.6	--	--	23.3	25.6	20.7	--	23.7	--
Emotional neglect	--	36.4	45.4	27.9	--	36.0	--	--	31.2	39.3	22.7	--	31.9	--
Physical neglect	--	7.1	11.2	3.1	--	7.1	--	--	6.7	8.1	5.2	--	6.7	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Calhoun County and Florida Statewide high school youth, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	28.2	24.7	31.9	--	29.8	--	--	32.8	26.0	40.0	--	32.0	--
1 ACE	--	22.9	14.2	30.8	--	21.3	--	--	20.6	19.7	21.7	--	20.7	--
2 ACEs	--	10.4	10.0	10.9	--	9.3	--	--	14.6	14.8	14.4	--	14.7	--
3 ACEs	--	10.6	12.0	9.4	--	10.6	--	--	10.6	11.6	9.4	--	10.4	--
4 ACEs	--	10.4	14.8	6.2	--	10.4	--	--	7.4	9.0	5.9	--	7.7	--
5 ACEs	--	3.1	3.9	2.3	--	3.3	--	--	5.6	7.5	3.6	--	5.7	--
6 ACEs	--	6.1	6.4	5.8	--	6.9	--	--	3.6	4.6	2.4	--	3.7	--
7 ACEs	--	4.7	6.8	2.7	--	5.9	--	--	2.3	3.1	1.4	--	2.4	--
8 ACEs	--	1.4	2.9	0.0	--	0.0	--	--	1.5	2.3	0.5	--	1.5	--
9 ACEs	--	1.6	3.3	0.0	--	2.0	--	--	0.7	1.0	0.4	--	0.8	--
10 ACEs	--	0.5	1.1	0.0	--	0.7	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Calhoun County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	23.1	29.3	28.6	24.5	24.3	31.3	26.5	33.6	32.5	35.7	30.2	33.3	33.1	32.9
I'm more concerned with the short run	19.0	19.5	19.1	19.4	19.7	18.0	19.3	30.2	25.3	30.2	24.5	29.7	26.0	27.3
Getting in trouble is exciting	21.5	31.8	29.2	25.3	24.5	28.9	27.2	28.8	29.0	30.4	27.3	29.2	29.5	28.9
Excitement is more important than security	28.8	27.6	29.8	26.6	30.4	27.6	28.1	26.8	25.8	26.3	26.1	26.8	26.4	26.2
People better stay away from me when I'm really angry	38.0	34.7	44.3	28.2	39.8	33.3	36.1	34.6	27.9	35.2	26.1	33.7	28.9	30.7
I get upset when I have a disagreement with someone	55.5	45.2	62.1	37.9	56.8	44.4	49.8	49.0	38.3	51.6	33.9	48.3	39.2	42.9

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Calhoun County and Florida Statewide youth who reported participation in extracurricular activities, 2022

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	65.1	51.4	58.2	57.1	61.5	54.9	57.5	36.6	36.4	33.8	39.5	36.4	37.0	36.4
Organized Sports Outside of School	37.4	18.9	25.1	29.3	35.6	22.4	27.2	39.8	23.8	28.2	33.5	38.7	24.0	30.7
School Band	4.3	1.5	1.8	3.7	4.0	2.1	2.8	14.6	7.7	10.7	10.6	13.9	7.7	10.6
School Club(s)	40.1	41.6	47.1	34.9	41.7	38.5	40.9	20.6	30.2	33.0	19.4	21.2	30.1	26.1
Community Club(s)	9.3	5.8	8.9	6.1	8.8	6.7	7.4	8.7	12.0	13.5	7.9	8.7	11.9	10.6

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Calhoun County and Florida Statewide youth, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	21.5	23.5	19.8	--	20.9	--	--	13.5	16.0	11.2	--	13.6	--
Marijuana	--	24.8	26.9	23.0	--	21.9	--	--	17.8	20.6	15.1	--	17.9	--
<i>Driving a vehicle</i>														
Alcohol	--	5.2	3.9	6.4	--	3.8	--	--	3.3	3.2	3.4	--	3.2	--
Marijuana	--	10.3	12.8	8.0	--	12.0	--	--	6.4	6.7	6.1	--	6.3	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Calhoun County, 2014 and 2022

	2012			2014			2016			2018			2020			2022		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<i>Riding in a vehicle</i>																		
Alcohol	--	20.1	--	--	18.2	--	--	18.2	--	--	19.9	--	--	23.4	--	--	21.5	--
Marijuana	--	15.9	--	--	15.6	--	--	25.2	--	--	18.7	--	--	22.6	--	--	24.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	6.5	--	--	3.8	--	--	6.3	--	--	6.9	--	--	9.0	--	--	5.2	--
Marijuana	--	10.2	--	--	8.2	--	--	12.4	--	--	8.8	--	--	11.6	--	--	10.3	--

Note: The symbol "--" indicates that data are not available.

Table 22. Family job loss and student emotional health during the COVID-19 pandemic among Calhoun County and Florida Statewide youth, 2022

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Did a parent or other adult in the home lose their job or have hours reduced during the COVID-19 pandemic?</i>														
Yes	54.3	66.6	63.9	58.3	55.1	65.8	61.1	63.6	62.9	60.3	66.4	63.4	63.1	63.2
No	35.0	21.9	29.2	26.6	34.9	23.8	27.8	25.1	30.0	30.5	25.1	25.4	29.8	27.9
No adult had a job	10.6	11.5	6.9	15.2	10.0	10.4	11.1	11.4	7.0	9.2	8.5	11.1	7.0	8.9
<i>How has your emotional health (level of stress, anxiety, and depression) changed during the COVID-19 pandemic?</i>														
A lot better	22.9	16.7	18.0	20.9	21.5	18.3	19.5	19.5	16.5	13.2	22.4	18.8	16.7	17.8
A little better	9.0	12.6	8.5	13.5	9.4	12.7	11.0	10.2	10.7	10.3	10.6	10.1	10.7	10.5
About the same	26.3	34.6	26.0	35.8	27.6	30.5	30.9	31.1	29.0	23.6	36.6	31.2	28.6	29.9
A little worse	20.9	19.4	23.0	17.3	19.2	22.1	20.0	22.5	24.8	28.4	19.4	22.8	24.7	23.8
A lot worse	20.8	16.8	24.5	12.5	22.3	16.5	18.6	16.7	19.0	24.6	11.0	17.2	19.3	18.0

Note: Percentages total to 100% down each column for each survey question. Rounding can produce totals that do not equal 100%.

Table 23. Protective factor prevalence rates for Calhoun County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	51	54	53	55	59	54
	Family Rewards for Prosocial Involvement	37	46	46	49	54	55
School	School Opportunities for Prosocial Involvement	52	64	51	60	57	60
	School Rewards for Prosocial Involvement	47	66	45	56	53	58
Peer and Individual	Religiosity	63	59	36	46	56	62
Average Prevalence Rate		50	58	46	53	53	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Risk factor prevalence rates for Calhoun County, Florida Statewide youth, and the national normative database, 2022

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	49	34	41	29	42	42
	Perceived Availability of Drugs	41	24	33	15	45	45
	Perceived Availability of Handguns	45	49	25	30	25	42
Family	Poor Family Management	49	37	47	34	44	45
	Family Conflict	45	34	43	34	42	37
School	Poor Academic Performance	52	37	48	48	45	48
	Lack of Commitment to School	76	65	73	68	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	46	40	52	39	40	46
	Favorable Attitudes toward ATOD Use	40	37	33	29	39	45
	Early Initiation of Drug Use	32	18	21	13	41	46
Average Prevalence Rate		48	38	42	34	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Protective factor prevalence rate trends among middle school students for Calhoun County, 2012 to 2022

Domain	Scale	Calhoun County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	68	61	59	57	60	51
	Family Rewards for Prosocial Involvement	56	57	56	50	52	37
School	School Opportunities for Prosocial Involvement	52	52	48	62	60	52
	School Rewards for Prosocial Involvement	60	63	67	66	65	47
Peer and Individual	Religiosity	66	64	64	59	63	63
Average Prevalence Rate		60	59	59	59	60	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Risk factor prevalence rate trends among middle school students for Calhoun County, 2012 to 2022

Domain	Scale	Calhoun County					
		2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use	44	39	38	47	41	49
	Perceived Availability of Drugs	45	32	35	28	41	41
	Perceived Availability of Handguns	46	31	34	26	39	45
Family	Poor Family Management	45	42	41	39	43	49
	Family Conflict	32	35	32	34	37	45
School	Poor Academic Performance	36	46	43	52	50	52
	Lack of Commitment to School	54	51	51	60	60	76
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	46	35	34	34	38	46
	Favorable Attitudes toward ATOD Use	45	38	36	36	30	40
	Early Initiation of Drug Use	38	28	26	28	34	32
Average Prevalence Rate		43	38	37	38	41	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Protective factor prevalence rate trends among high school students for Calhoun County, 2012 to 2022

Domain	Scale	Calhoun County					
		2012	2014	2016	2018	2020	2022
Family	Family Opportunities for Prosocial Involvement	51	60	58	52	58	54
	Family Rewards for Prosocial Involvement	59	57	55	47	57	46
School	School Opportunities for Prosocial Involvement	56	60	68	68	62	64
	School Rewards for Prosocial Involvement	66	66	66	70	59	66
Peer and Individual	Religiosity	73	73	71	66	64	59
Average Prevalence Rate		61	63	64	61	60	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 28. Risk factor prevalence rate trends among high school students for Calhoun County, 2012 to 2022

Domain		Scale	Calhoun County					
			2012	2014	2016	2018	2020	2022
Community	Laws and Norms Favorable to Drug Use		37	34	38	37	32	34
	Perceived Availability of Drugs		37	26	30	25	22	24
	Perceived Availability of Handguns		61	59	59	47	50	49
Family	Poor Family Management		37	34	38	35	31	37
	Family Conflict		32	28	29	39	34	34
School	Poor Academic Performance		41	41	43	47	40	37
	Lack of Commitment to School		52	53	56	61	60	65
Peer and Individual	Favorable Attitudes toward Antisocial Behavior		41	29	35	38	38	40
	Favorable Attitudes toward ATOD Use		32	32	42	36	28	37
	Early Initiation of Drug Use		33	27	35	24	26	18
Average Prevalence Rate			40	36	41	39	36	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.